

A CATALOGUE
OF
INSECTICIDES *AND*
FUNGICIDES

compiled by
DONALD E. H. FREAR, Ph.D.

*Professor of Agricultural and Biological Chemistry,
The Pennsylvania State College*

With a Foreword by F. F. LININGER

Volume I
CHEMICAL INSECTICIDES



1947

WALTHAM, MASS., U.S.A.

Published by the Chronica Botanica Company

- amyl *n*-butyrate; γ -methylpropyl butanoate).
ST rice weevil and red scale. 268, 1180.
- 551-999-1001.
Valeric acid, butyl ester; $C_4H_9CO_2C_4H_9$. (*n*-Butyl *n*-valerate; butyl pentanoate).
NT rice weevil. 268, 1180.
- 551-999-1001.
Valeric acid, isobutyl ester; $CH_3(CH_2)_3COOCH_2CH(CH_3)_2$. (Isobutyl valerate; β -methylpropyl pentanoate).
T wireworms. 846.
- 551-999-1001.
Isovaleric acid, isobutyl ester; $(CH_3)_2CHCH_2CO_2CH_2CH(CH_3)_2$. (Isobutyl isovalerate).
NT rice weevil. 1180.
- 551-999-1003.
Propionic acid, amyl ester; $CH_3CH_2COO(CH_2)_4CH_3$. (Amyl propionate; pentyl propanoate).
NT wireworms. 846.
- 551-999-1003.
Valeric acid, propyl ester; $CH_3(CH_2)_3COOC_3H_7$. (Propyl valerate).
MT wireworms. 846.
- 551-999-1003.
Isovaleric acid, propyl ester; $(CH_3)_2CHCH_2CO_2C_3H_7$. (*n*-Propyl isovalerate).
NT rice weevil. 1180.
- 551-999-1011.
Acetic acid, amyl ester; $CH_3COO(CH_2)_4CH_3$. (*n*-Amyl acetate; 1-pentanol acetate; amyl acetic ester).
T *Tenebrio molitor* and *Lucilia cuprina*; NT red scale. 268, 841, 849.
- 551-999-1011.
Acetic acid, isomyl ester; $CH_3COO(CH_2)_3CH(CH_3)_2$. (Isoamyl acetate; 3-methyl-1-butanol acetate; γ -methylbutyl ethanoate).
T codling moth; NT red scale. 268, 915.
- 551-999-1011.
Valeric acid, ethyl ester; $C_4H_9CO_2CH_2CH_3$. (Ethyl *n*-valerate; ethyl pentanoate).
MT rice weevil. 1180.
- 551-999-1011.
Isovaleric acid, ethyl ester; $(CH_3)_2CHCH_2CO_2C_2H_5$. (Ethyl isovalerate).
HT rice weevil. 1180.
- 551-999-1011-1030.
Seneciolic acid, ethyl ester; $(CH_3)_2C:CHCOOC_2H_5$. (Ethyl β,β -dimethyl acrylate).
HT rice weevil. 1180.
- 551-999-1021.
Formic acid, amyl ester; $HCOO(CH_2)_4CH_3$. (Amyl formate; pentyl methanoate).
NT wireworms; not effective as attractant to oriental fruit moth. 508, 846.
- 551-999-1021.
Formic acid, isoamyl ester; $HCOOCH_2CH_2CH(CH_3)_2$. (Isoamyl formate; γ -methylbutyl methanoate).
HT rice weevil; T codling moth larvae. 257, 915, 1180.
- 551-999-1021.
Valeric acid, methyl ester; $C_4H_9CO_2CH_3$. (Methyl *n*-valerate; methyl pentanoate).
HT rice weevil. 1180.
- 551-1000.
Valeric acid, amyl ester; $C_4H_9COOC_5H_{11}$. (Amyl valerianate).
ST silken fungous beetle; NT oriental peach moth. 508, 899.
- 551-1000.
Isovaleric acid, isoamyl ester; $(CH_3)_2CHCH_2CO_2CH_2CH_2CH(CH_3)_2$. (Isoamyl isovalerate).
Attractant for oriental peach moth; NT rice weevil. 1094, 1180.
- 551-1001-1003.
Butyric acid, propyl ester; $CH_3CH_2CH_2COOC_3H_7$. (*n*-Propyl *n*-butyrate).
MT rice weevil. 1180.
- 551-1001-1003.
Propionic acid, isobutyl ester; $CH_3CH_2COOCH_2CH(CH_3)_2$. (Isobutyl propionate; β -methylpropyl propanoate).
NT red scale. 268.
- 551-1001-1011.
Acetic acid, butyl ester; $CH_3COOC_4H_9$. (*n*-Butyl acetate).
T *Lucilia cuprina*; MT clothes moths. 849, 915.
- 551-1001-1011.
Acetic acid, isobutyl ester; $CH_3COOCH_2CH(CH_3)_2$. (Isobutyl acetate; β -methylpropyl ethanoate).
NT wireworms. 846.
- 551-1001-1011.
Butyric acid, ethyl ester; $CH_3CH_2CH_2COOCH_2CH_3$. (Ethyl *n*-butyrate; ethyl butanoate).
HT rice weevil; ST red scale. 268, 1180.
- 551-1001-1011.
Isobutyric acid, ethyl ester; $(CH_3)_2CHCOOC_2H_5$. (Ethyl isobutyrate).
HT rice weevil; ST red scale. 268, 846, 1180.
- 551-1001-1021.
Butyric acid, methyl ester; $CH_3CH_2CH_2COOCH_3$. (Methyl *n*-butyrate).
HT rice weevil. 1180.
- 551-1001-1021.
Formic acid, butyl ester; $HCOOC_4H_9$. (*n*-Butyl formate; butyl methanoate).
NT red scale and rice weevil. 257, 268.
- 551-1001-1021.
Formic acid, isobutyl ester; $HCOOCH_2CH(CH_3)_2$. (Isobutyl formate; β -methylpropyl methanoate).
T rice weevil; MT wireworms. 257, 846, 1180.
- 551-1001-1021.
Formic acid, *sec*-butyl ester; $CH_3CH_2CH(CH_3)COOCH_3$. (*sec*-Butyl formate).
T rice weevil. 257.
- 551-1002.
Butyric acid, butyl ester; $CH_3CH_2CH_2COOC_4H_9$. *n*-Butyl *n*-butyrate; butyl butanoate).
ST red scale; NT rice weevil. 268, 846, 1180.
- 551-1002.
Butyric acid, isobutyl ester; $C_3H_7COOCH_2CH(CH_3)_2$. (Isobutyl *n*-butyrate; β -methylpropyl butanoate).
T codling moth; ST red scale; NT rice weevil. 268, 915, 1180.
- 551-1002.
Isobutyric acid, isobutyl ester; $(CH_3)_2CHCH_2COOCH_2CH(CH_3)_2$. (Isobutyl isobutyrate).
HT rice weevil; ST red scale. 268, 1180.
- 551-1003-1011.
Acetic acid, propyl ester; $CH_3COOC_3H_7$. (*n*-Propyl acetate).
NT *Chrysomphalus aurantii* and *Leptinotarsa decemlineata*. 268, 1009.
- 551-1003-1011.
Acetic acid, isopropyl ester; $CH_3COOC(CH_3)_2H$. (Isopropyl acetate).
NT *Chrysomphalus aurantii*. 268.
- 551-1003-1011.
Propionic acid, ethyl ester; $CH_3CH_2COOC_2H_5$. (Ethyl propionate).
NT red scale. 268.
- 551-1003-1011-1030.
Acrylic acid, ethyl ester; $CH_2=CHCOOC_2H_5$. (Ethyl acrylate; ethyl propenoate).
T red scale. 268.
- 551-1003-1021.
Formic acid, propyl ester; $HCOOC_3H_7$. (*n*-Propyl formate).
NT *Chrysomphalus aurantii*. 268.
- 551-1003-1021.
Formic acid, isopropyl ester; $(CH_3)_2CHOOCH$. (Isopropyl formate).
T confused flour beetle; NT *Chrysomphalus aurantii*. 13, 268.
- 551-1003-1021.
Propionic acid, methyl ester; $C_2H_5COOCH_3$. (Methyl propionate).
T *Chrysomphalus aurantii*. 268.
- 551-1003-1021-1030.
Formic acid, allyl ester; $HCOOCH_2CH=CH_2$. (Allyl formate; 2-propenyl methanoate).
T *Sitophilus oryza*; NT *Chrysomphalus aurantii*. 257, 268, 846.
- 551-1004.
Propionic acid, propyl ester; $CH_3CH_2COOCH_2CH_2CH_3$. (*n*-Propyl propionate; propyl propanoate).
HT *Sitophilus oryza*; T *Chrysomphalus aurantii*. 268, 1180.
- 551-1011-1021.
Acetic acid, methyl ester; CH_3COOCH_3 . (Methyl acetate).

DONALD E. H. FREAR was born September 16, 1906, at South Eaton, Wyoming County, Pennsylvania. B.S., The Pennsylvania State College, 1926; M.S., University of New Hampshire, 1928; Ph.D., The Pennsylvania State College, 1937. Assistant in agricultural chemistry, University of New Hampshire, 1926-1928; Assistant Chemist, Rhode Island Agricultural Experiment Station, 1928-1930; Instructor, Assistant Professor and Associate Professor of agricultural and biological chemistry, The Pennsylvania State College, 1930-1944; Professor of agricultural and biological chemistry in charge of research on insecticides and fungicides 1944- ; Consultant, OSRD, 1943-1945; Member of Chemical Codification Subcommittee, National Research Council, 1945- ; Member, American Chemical Society, American Society of Biological Chemists, Association of Economic Entomologists, American Society for Horticultural Science, Phi Lambda Upsilon, Alpha Zeta, Gamma Sigma Delta, Sigma Xi; Author, "Chemistry of Insecticides and Fungicides."

• ANNALES CRYPTOLOGAMICI et PHYTOPATHOLOGICI •

Volume VII

CHEMICAL
INSECTICIDES

ANNALES CRYPTOGRAMICI
et PHYTOPATHOLOGICI
(incorporating *Annales Bryologici*)

edited by

FRANS VERDOORN, Ph.D.

*Managing Editor, the Chronica Botanica Co.; Special
Adviser, Neth. Indies Dept. Econ. Affairs; Bibliographer,
Arnold Arboretum of Harvard University; Assoc. Editor,
Chronica Naturae, Farlowia, Bryologist; Botanical Secretary,
International Union of Biological Sciences.*

*Wij en konden den Heer en maker van het geheel
Al niet meer verbeerlijken, als dat wij in alle zaken,
hoe klein die ook in onse bloote oogen mogen zijn, als
ze maar leven en wasdom hebben ontfangen, zijn al
wijsheit en volmaaktbeit, met de uiterste verwondering
sien uit steken.*

Antoni van Leeuwenhoek

1947

WALTHAM, MASS., U.S.A.

Published by the Chronica Botanica Company

A CATALOGUE
OF
INSECTICIDES *AND*
FUNGICIDES

compiled by
DONALD E. H. FREAR, Ph.D.

*Professor of Agricultural and Biological Chemistry,
The Pennsylvania State College*

With a Foreword by F. F. LININGER

Volume I
CHEMICAL INSECTICIDES



1947

WALTHAM, MASS., U.S.A.

Published by the Chronica Botanica Company

First published MCMXLVII
By the Chronica Botanica Company
of Waltham, Mass., U. S. A.

COPYRIGHT, 1947, BY THE CHRONICA BOTANICA CO.
*All rights reserved, including the right to reproduce
this book or parts thereof in any form*

Authorized Agents: —

New York, N.Y.: STECHERT-HAFNER, INC.
31 East 10th Street.

San Francisco, Cal.: J. W. STACEY, INC.
551 Market Street.

Ottawa, Ont.: THORBURN AND ABBOTT, LTD.,
115, Sparks Street.

México, D. F.: AXEL MORIEL SUCRS.,
San Juan de Letran 24-116; Ap. 2762.

Lima: LIBRERIA INTERNACIONAL DEL PERU,
Casa Matriz, Boza 879; Casilla 1417.

Santiago de Chile: LIBRERIA ZAMORANO Y CAPERAN,
Compañía 1015 y 1019; Casilla 362.

Rio de Janeiro: LIVRARIA KOSMOS,
Rua do Rosario, 135-137; Caixa Postal 3481.

São Paulo: LIVRARIA CIVILIZAÇÃO BRASILEIRA,
Rua 15 de Novembro, 144.

Buenos Aires: ACME AGENCY, SOC. DE RESP. LTDA.,
Casilla de Correo 1136; Suipacha 58.

London, W. C. 2: WM. DAWSON AND SONS, LTD.,
Chief Agents for the British Empire
Cannon House, Macklin Street.

London, W. C. 1: H. K. LEWIS AND CO., LTD.,
136, Gower Street.

Uppsala: A.-B. LUNDEQUISTSKA BOXHANDELN.

Groningen: N. V. ERVEN P. NOORDHOFF.
Chief Agents for Continental Europe.

Paris, VI: LIBRAIRIE H. LE SOUDIER,
174, Blvd. St. Germain.

Torino: ROSENBERG & SELLIER,
Via Andrea Doria 14.

Lisbon: LIVRARIA SÁ DA COSTA,
100-102, R. Garrett.

Moscow: MEZHDUNARODNAJA KNIGA,
Kuznetski Most 18.

Calcutta, Bombay, and Madras: MACMILLAN AND CO., LTD.

Johannesburg: CENTRAL NEWS AGENCY, LTD.,
Commissioner & Rissik Sts.; P. O. Box 1033.

Sydney: ANGUS AND ROBERTSON, LTD.,
89 Castlereagh Street; Box 1516D.D. G.P.O.

Melbourne, C. 1: N. H. SEWARD, PTY., LTD.,
457, Bourke Street.

Made and printed in the U. S. A.

FOREWORD

This compilation represents a portion of the work under Project 999 of the Pennsylvania Agricultural Experiment Station, begun during World War II in an effort to find new insecticides and fungicides to replace those made scarce by war restrictions on shipping and other disruptions of the normal flow of commercial materials. It was the opinion of the leaders of this project that before any concerted effort could be made to search for new pest-control chemicals, previous work in this field should be surveyed completely. This catalogue is a result of the survey.

Covering as it does the results of biological testing on a group of approximately 10,000 materials, this catalogue should be of wide use to scientists in the field of insecticides and fungicides. Studies on these pest-control materials have been greatly stimulated within recent years by the discovery of DDT, hexachlorocyclohexane and other new chemicals of high promise. Research work along these lines is assuming an increasingly important place in both industrial and institutional laboratories.

The work involved in the preparation of this catalogue differs considerably from that usually conducted under a research project of an Agricultural Experiment Station. It represents the collection and correlation of pertinent facts from a large mass of scientific information, accumulated over a period of years in one field of research, but scattered in many technical publications. With the tremendous increase in scientific knowledge, it will be necessary to condense and compile known facts frequently in future years, if the time of the workers is to be used to best advantage. In many cases, the bringing together of known facts is as important a contribution to research as the discovery of new information.

It is a pleasure, therefore, to commend the present catalogue to research workers in entomology, plant pathology, and chemistry. The large amount of time which Dr. FREAR has spent in the preparation of these volumes will be more than repaid, in the aggregate, by the saving of effort on the part of many individual students and investigators who will be spared the necessity of long and tedious literature searches.

F. F. LININGER, Director,
The Pennsylvania Agricultural Experiment Station.

The Chronica Botanica Co., International Plant Science Publishers

CHRONICA BOTANICA, an International Collection of Studies in the Method and History of Biology and Agriculture, founded and edited by FRANS VERDOORN, is published bimonthly at \$7.50 to regular subscribers (post free, foreign and domestic).

An annual volume contains about 500-600 pages (supplemented by *BIOLOGIA*, cf. *infra*) of (1) memoirs and symposia; (2) annotated reprints of rare, classical papers; (3) directories of institutions and societies, as well as reviews of current activities in special fields; (4) Plant Science Forum: discussions, essays, articles on recent advances, biographical sketches, etc.; (5) Quotations; (6) articles and notices on international affairs; (7) a chronicle of recent events, with many unusual plates.

Of the back volumes volume 7 seq. are available at \$7.50 (paper) or \$9.00 (buckram), postage extra. Volumes 1-6 may still be had at \$9.00 (paper) or \$10.50 (buckram).

Binding cases may be obtained for recent volumes at \$1.00 (post free, foreign and domestic).

The following recent and forthcoming issues of *CHRONICA BOTANICA* are available to non-subscribers:-

- 8, 1, BROWNE: Source Book of Agric. Chemistry (p. 290, \$5.00)
- 8, 2, RAPINZQUE: Life of Travels (p. 72, \$2.50)
- 8, 3, BROWNE: Jefferson and the Scientific Trends of his Time (p. 64, \$1.25)
- 9, 1, JACK: Biol. Field Stations of the World (p. 74, \$2.50)
- 9, 5/6, HOWARD: Luther Burbank (p. 208, \$3.75)
- 10, 1, SAINT-HILAIRE: Voyages au Brésil et Paraguay (p. 62, \$2.00)
- 10, 2, ABER: Goethe's Botany (p. 64, \$2.00)
- 10, 3/4, MERRILLEMAN: Selected General Writings (p. 266, \$4.00)
- 10, 5/6, WYMAN: Arboretums and Botanical Gardens of North America (p. 104, \$1.50)
- 11, 1, RICKETT: The R. Botanical Expedition to New Spain (p. 94, \$2.50)

'A NEW SERIES OF PLANT SCIENCE BOOKS':—

- 1, MACDOUGAL: Tree Growth (*out of print*)
- 2, GRANT: Wood Pulp (*out of print*)
- 3, DARRAIL: Principles of Palaeobotany (*out of print*)
- 4, PFEIFFER: Experimentelle Cytologie (*out of print*)
- 5, Ed. 1 *out of print*, see sub 13 for ed. 2
- 6, GUILLERMOND-ATKINSON: The Cytoplasm of the Plant Cell (*out of print*)
- 7, REED: A Short History of the Plant Sciences (p. 323, \$5.50)
- 8, BALDWIN: Forest Tree Seed (p. 240, \$5.00)
- 9, LLOYD: Carnivorous Plants (p. 352, \$6.50)
- 10, WULF: Historical Plant Geography (p. 223, \$5.00)
- 11, SCHOPFER-NOECKER: Plants and Vitamins (p. 300, \$4.00)
- 12, ERDMAN: Pollen Analysis (p. 239, \$5.00)
- 13, BAWDEN: Plant Viruses and Virus Diseases (*out of print*, third ed. in preparation)
- 14, HOAGLAND: Inorganic Plant Nutrition (p. 226, \$4.00)

- 15, WODEHOUSE: Hayfever Plants (p. 245, \$5.00)
- 16, VERDOORN (*ed.*): Plants and Plant Science in Latin America (p. xl + 384, \$6.00)
- 17, ZOBELL: Marine Microbiology (p. 240, \$5.00)
- 18, WILDE, Forest Soils and Forest Growth (p. 250, \$5.00)
- 19, KELLEY: Mycotrophy in Plants (*in press*, ca. \$4.75)
- 20, CONOIT: The Fig (*in press*, ca. \$5.00)
- 21, WHYTE *et al.*: Vernalization (*in press*, ca. \$4.75)
- 22, MOLENKE: Plants of the Bible (*in press*, ca. \$4.75)
- 23, JOHANSEN: Plant Embryology (*in press*, ca. \$6.00)
- 24, DACHNOWSKI-STOKES: The Peat Resources of the World (*in press*, ca. \$4.75)
- 25, HOWES: Vegetable Gums and Resins (*in press*, ca. \$4.75)
- 26, KNIGHT: Dictionary of Genetics (*in press*, ca. \$4.00)

ANNALES CRYPTOAMICI

ET PHYTOPATHOLOGICI:—

- 1, GARRETT: Root Disease Fungi (p. 177, \$4.50)
- 2, HORSFALL: Fungicides (p. 240, \$5.00)
- 3, FULFORD: The Genus *Bazzania* in C. and S. America (p. 176, \$5.00)
- 4, CHESTER: The Cereal Rusts (p. 270, \$5.00)
- 5, COPELAND: Genera Filicum (p. 272, \$6.00)
- 6, NICKERSON (*ed.*): The Biology of Pathogenic Fungi (p. 236, \$5.00)
- 7/8, FEAR: Catalogue of Insecticides and Fungicides (2 vols., ca. \$12.00)

Annales Bryologici, a journal devoted to the study of mosses and hepatics, of which we published (in the beginning in cooperation with Messrs. Nijhoff) 12 volumes and 4 supplementary volumes between 1927 and 1939, is now being continued by the *ANNALES CRYPTOAMICI ET PHYTOPATHOLOGICI* (see above).—Complete sets and single vols. of *ANNALES BRYOLOGICI* are still available at \$4.00 a volume.—The bryological exsiccata formerly issued by Dr. FRANS VERDOORN: *Bryophyta Arduennae Exsiccata* (dec. 1-5, 1927/29), *Hepaticae Selectae et Criticae* (11 series, 1930/39) and *Musci Selecti et Critici* (7 series, 1934/40), have all been sold out.

BIOLOGIA, an International Bimonthly Biological Newsletter, was established in January 1947 to fill the need for a small and informal, though not popular, report on progress in international relations, congresses, societies, publications, and related activities in the pure and applied plant and animal sciences.—*Annual subscription*: \$1.00 (post free, foreign and domestic), or \$4.00 for one vol. (4 years), free to all *CHRONICA BOTANICA* subscribers (cf. *supra*).—*Binding cases* will be available shortly at \$1.50 (for one vol. with index: 4 years, post free).—*A sample copy* of this unique scientific newspaper will be sent on request.

The Chronica Botanica Co., Waltham, Massachusetts, U.S.A.

—Established in Leyden, Zuid-Holland, in 1933—Cables: Flora, Waltham, Mass., U.S.A.—

PREFACE

During recent years a great deal of research has been directed toward the finding of new materials for controlling insects and fungi. The discovery of rotenone, a natural product, and several promising synthetic organic chemicals, such as the organic thiocyanates, chloranil, and DDT, have intensified the search for other new and better insecticides and fungicides. The literature on the subject is already voluminous, and nearly every issue of the technical journals contains one or more papers dealing with the testing of new materials against insects and fungi.

There is no doubt that new pest-control substances are needed. Many of the commonly used materials are not highly efficient, and most of those which have high toxicity to the lower forms of life are toxic to man and other higher animals to a dangerous degree. Commercially, a rich prize awaits the discoverer of any new insecticide or fungicide which can be demonstrated to have properties superior to the presently used materials.

For the most part, the search for new insecticides and fungicides has been a rather haphazard affair. Certain plant families or chemical combinations of demonstrated toxicity have been investigated thoroughly, but outside of these limited fields, the search has been lacking in continuity of effort. At this institution a research project on new insecticides and fungicides was instituted several years ago. In an attempt to approach the problem from a more scientific point of view, it was decided (a) to make a thorough search of the published literature on the subject and (b) to correlate the results of these tests with various physical and chemical properties of the materials used in order to arrive, if possible, at some conclusions regarding the nature of toxic action.

The literature search involved the examination of many journals, from which approximately six thousand materials were obtained. An appeal to workers in the field for unpublished data (SCIENCE, December 31, 1943) resulted in the addition of several thousand more substances. It was felt that the publication of a catalogue of the materials thus collected, in a form available for all investigators working with insecticides and fungicides would be of considerable value: first, because it would collect in one place all or nearly all of the published results on tested materials, and would thus save time ordinarily spent in literature searches, and secondly, a brief summary of previous work would result in the elimination of duplication in further studies, making possible a tremendous saving in time and energy for research workers.

This, then, is the background for the present catalogue, and the reasons for its presentation. The compilation alone has involved a great deal of routine work, and on the completion of this phase there remained the problem of classification. This was solved by the expedient of a new system of classification, the details of which are given in the Introduction which follows this

Preface. Unfortunately it was not possible to devise any extremely simple system of classification to accommodate the several thousand compounds included, but the system here presented will be easily understood by anyone with a knowledge of chemistry.

Although every effort has been made to make this catalogue as complete as possible up to January, 1944, there are undoubtedly numerous omissions. Since the main purpose of the compilation was to gather information on the less commonly used materials, no effort was made to cover the literature on widely used insecticides and fungicides, such as nicotine, lead arsenate, sulfur, and a number of others. The literature on some of these materials has been summarized adequately by other workers.

The compounds listed herein are named according to the system of nomenclature of the American Chemical Society, as used in CHEMICAL ABSTRACTS. In many cases in which the original authors gave only a general name, or one lacking in specificity, the most logical chemical constitution has been selected, and may be indicated as questionable. In some few cases the name or constitution given in the original publication has been found to be chemically impossible; these are so indicated. All plant names conform to those given in STANDARDIZED PLANT NAMES (second edition, 1942, J. H. McFarland Company, Harrisburg, Pa.).


This compilation would have been impossible without the splendid cooperation of a number of people. Among those who have given freely of their time and knowledge in the preparation of this catalogue are the following: Mrs. HELEN MILLER, Mrs. NORMA PIANKA, Miss FRANCES SUNDAY, Dr. HERMAN KING and Professor G. W. PEARCE. A number of workers of the Committee on Medical Research, Office of Scientific Research and Development, under the direction of Dr. C. C. STOCK, assisted materially in the naming of chemical compounds. Particular mention should be made to the invaluable contributions of Dr. E. J. SEIFERLE, especially on the classification and naming of the organic compounds published in this catalogue. Published and unpublished materials were contributed generously by nearly one hundred workers in the fields covered. Specific mention should be made of the extensive contributions of Dr. ROY HANSBERRY, Dr. E. D. WITMAN, Dr. ERWIN DICYAN, Dr. W. W. ALLEN, Dr. H. C. BREWER, Dr. J. G. HORSFALL, Dr. W. MCMAHON, Dr. J. M. LEMON and Dr. S. E. A. MCCALLAN. The author expresses his obligation and appreciation to all of these. It is the author's hope that if this catalogue serves a useful purpose, it may form the basis for other compendia. To this end he will welcome any further contributions of published or unpublished material, as well as suggestions or corrections of the present work.


DONALD E. H. FREAR

State College, Pa.
Summer, 1947

CONTENTS

AUCTORIS VITA	ii
FOREWORD (<i>F. F. Lininger</i>)	vii
PREFACE	ix
CONTENTS	xi
FRONTISPICE (Spraying outfit for tall orchard trees, ca. 1890)	xii
INTRODUCTION	1
ARRANGEMENT OF COMPOUNDS, CODING SYSTEM	1
GENERAL	1
ORGANIC COMPOUNDS	13
SUBCLASSIFICATION	14
INORGANIC COMPOUNDS	14
SPECIFIC INSTRUCTIONS AND CONVENTIONS	14
ABBREVIATIONS, REFERENCES, ETC.	18
CHEMICAL INSECTICIDES	20
CONDENSATION PRODUCTS — INSECTICIDES	179
MISCELLANEOUS INSECTICIDES	181
REFERENCES AND AUTHOR INDEX	184
NUMERICAL PATENT LIST	199





'AN EXCELLENT SPRAYING OUTFIT FOR TALL ORCHARD TREES' (ca. 1890), *after* LODEMAN (The Spraying of Plants, 1896). — The vignettes on pages 178 and 198 have been reproduced from the same book. — The vignette on page 203 has been taken from a commercial advertisement which appeared about 70 years ago. — The other vignettes are from various editions of MATTIOLI's herbals.

INTRODUCTION

Arrangement of Compounds—Coding System:—

General.—The problem of classifying chemical compounds presents many difficulties. Any simple system, such as an alphabetical arrangement, does not take into consideration the chemical relationships involved, and makes the task of locating related compounds extremely difficult. On the other hand, the complexity of many compounds, particularly those of an organic nature, renders any attempt at complete cross-indexing cumbersome to the point of physical impossibility.

After considerable experimentation with various methods of classification, a new system has been evolved. Approximately 10,000 compounds have been classified by means of this system, with satisfactory results, and it is believed that anyone with an understanding of chemistry can use the system to classify compounds or to locate those already classified.

Briefly, the present system consists of assigning to each chemical compound a "code number". This code number is made up of the numbers assigned to each constituent group present in the compound, according to the prearranged code list given below. In use, the constituent groups in each compound to be coded are assigned numbers beginning with the one bearing the lowest number, and followed by the other constituent groups in numerical order. The length of the code number for any given compound will depend upon the variety of constituent groups present in that particular compound.

(CH)ONSX

Bromosulfonamides—SO ₂ NIIBr	1
Chlorosulfonamides—SO ₂ NHCl	3
Fluorosulfonamides—SO ₂ NHF	5
Iodosulfonamides—SO ₂ NHI	7
Ialosulfonamides—SO ₂ NHX	9
Mixed————SO ₂ NBrCl	15
—SO ₂ NBrF	16
—SO ₂ NBrI	17
—SO ₂ NClF	18
—SO ₂ NClI	19
—SO ₂ NFI	20
Sulfamyl halidesH ₂ NO ₂ SX	22

(CH)ONS

Amidosulfides—CONHSHNCO—	43
Oxothiocyanates		
(oxoisoithiocyanates)—CONCS(—COSCN)	52
Sulfonamides—SO ₂ NH ₂	56

Sulfamides	$\text{H}_2\text{NSO}_2\text{NH}_2$	57
Hydrazine sulfonates	$\text{H}_2\text{NNHSO}_2\text{H}$	60
Sulfonyl hydrazines	$\text{H}_2\text{NNHO}_2\text{S}-$	61
Hydrazine sulfinates	$\text{H}_2\text{NNHS}(:\text{O})\text{OH}$	62
Sulfamates	$\text{H}_2\text{NSO}_3\text{H}$	65
Thiourethanes	$\text{H}_2\text{NC}(:\text{S})\text{OH}$ or $\text{H}_2\text{NC}(:\text{O})\text{SH}$	69

(CH)ONX

Bromoamides	$-\text{CONHBr}$	100
Chloroamides	$-\text{CONHCl}$	102
Fluoroamides	$-\text{CONHF}$	104
Iodoamides	$-\text{CONHI}$	106
Haloamides	$-\text{CONHX}$	108
Mixed	$-\text{CONBrCl}$	115
	$-\text{CONBrF}$	116
	$-\text{CONBrI}$	117
	$-\text{CONClF}$	118
	$-\text{CONCHI}$	119
	$-\text{CONFI}$	120
Bromoimides	$-\text{C}(:\text{NBr})\text{OH}$	125
Chloroimides	$-\text{C}(:\text{NCl})\text{OH}$	126
Fluoroimides	$-\text{C}(:\text{NF})\text{OH}$	127
Iodoimides	$-\text{C}(:\text{NI})\text{OH}$	128
Haloimides	$-\text{C}(:\text{NX})\text{OH}$	129

(CH)OSX

Sulfobromides	$-\text{SO}_2\text{Br}$	150
Sulfochlorides	$-\text{SO}_2\text{Cl}$	151
Sulfofluorides	$-\text{SO}_2\text{F}$	152
Sulfoiodides	$-\text{SO}_2\text{I}$	153
Sulfohalides	$-\text{SO}_2\text{X}$	154

(CH)NSX

(CH)ON

Guanylurea derivatives	$\text{H}_2\text{NC}(:\text{NH})\text{NHCONH}_2$	173
Carbazides	$\text{H}_2\text{NNHCONHNH}_2$	175
Semicarbazides	$\text{H}_2\text{NNHCONH}_2$	176
Semicarbazones	$=\text{NNHCONH}_2$	179
Azoxy compounds	$-\text{NN}(:\text{O})-$	182
Urea derivatives	H_2NCONH_2	183
Hydrazides	$-\text{CONHNH}_2$	184
Amides	$-\text{CONH}_2$	185
	$-\text{CONH}-$	186
	$-\text{CON}=-$	187
Hydroxylamines	HONH_2	188
Carbamates (urethanes)	H_2NCOOH	189
Oximes	$=\text{NOH}$	190
Nitroso compounds	$-\text{NO}$	192
Nitrosoamines	H_2NNO	194
Amine oxides	NO	196
Nitramino compounds	H_2NNO_2	198
Cyanates	$-\text{OCN}$	200
Isocyanates	$-\text{NCO}$	201

Nitro compounds, mono-,—NO ₂	206
di-,(—NO ₂) ₂	207
tri-,(—NO ₂) ₃	208
(—NO ₂) _n	209
Nitrites (organic only)—ONO	210
Nitrates (organic only)—ONO ₂	211

Heterocyclic CHON Compounds:—

More than 6 members in ring.....	220
----------------------------------	-----

6 Members in ring

Oxazines (morpholine)C ₄ ON	230
OxadiazinesC ₅ ON ₂	231
OxatriazinesC ₆ ON ₃	232
OxatetrazinesCON ₄	233
DioxazinesC ₄ O ₂ N	234
DioxadiazinesC ₅ O ₂ N ₂	235
DioxatriazinesCO ₂ N ₃	236
TrioxazinesC ₃ O ₃ N	237
TrioxadiazinesCO ₃ N ₂	238
TetroxazinesCO ₄ N	239

5 Members in ring

Oxazoles (furomonazoles)C ₃ ON	242
Oxadiazoles (azoxime, furozan, furo (bb.) diazole)C ₂ ON ₂	243
OxatriazolesCON ₃	244
DioxazolesC ₂ O ₂ N	245
DioxadiazolesCO ₂ N ₂	246
TrioxazolesCO ₃ N	247

4 Members in ring

BetaineC ₂ ON	248
---------	------------------------	-----

(CH)OS

Xanthates—OCSSH	250
Sulfonic acids—SO ₃ H	253
Sulfinic acids—S(:O)OH	261
Sulfones—SO ₂ —	264
Sulfoxides—SO—	265
Thiolates—C(:O)SH	267
Thionates—C(:S)OH	269

Heterocyclic CHOS Compounds:—

More than 6 members in ring.....	290
----------------------------------	-----

6 Members in ring

OxathianesC ₄ OS	301
OxadithianesC ₅ OS ₂	302
OxatrithianesC ₆ OS ₃	303
OxatetrathianesCOS ₄	304
DioxathianesC ₃ O ₂ S	305
DioxadithianesC ₄ O ₂ S ₂	306
DioxatrithianesCO ₃ S ₂	307
TrioxathianesC ₃ O ₃ S	308
TrioxadithianesCO ₃ S ₂	309
TetroxathianesCO ₄ S	310

5 Members in ring

Oxathiolanes	C_2OS	315
Oxadithiolanes	C_2OS_2	316
Oxatrichiolanes	COS_2	317
Dioxathiolanes	C_2O_2S	318
Dioxadithiolanes	CO_2S_2	319
Trioxathiolanes	CO_3S	320

(CH)OX

Haloformic acid	$XCOOH$ (R)	328
Acylbromides	$-COBr$	330
Acylchlorides	$-COCl$	331
Acylfluorides	$-COF$	332
Acyliodides	$-COI$	333
Unspecified acylhalides	$-COX$	334
Iodoso compounds	$-IO$	340
Iodoxy compounds	$-IO_2$	341
Iodonium compounds	$=IOH$	342
Oxonium halides	$\equiv OX$	350

(CH)NS

Thiuram disulfides	$H_2NC(:S)SSC(:S)NH_2$	360
Thiuram sulfides	$H_2NC(:S)SC(:S)NH_2$	365
Dithiocarbamates	$-SC(:S)NH_2$	370
	$-SC(:NH)SH$	373
Thiocarbazides	$H_2NNHCSNHNH_2$	374
Thiosemicarbazides	$H_2NNHCSNH_2$	375
Thioureas	$H_2NC(=S)NH_2$	376
Isothiourreas	$HSC(:NH)NH_2$	377
Thioamides	$-CSNH_2$	385
Thioimides	$-C(:NH)SH$	386
Sulfuramines	$-SNH_2$	390
Thiocyanates (rhodanates),		
mono-,	$-SCN$	401
poly-,	$(-SCN)_n$	402
Isothiocyanates, mono-,	$-NCS$	411
poly-,	$(-NCS)_n$	412

Heterocyclic CHNS Compounds:—

More than 6 members in ring	430
-----------------------------------	-----

6 Members in ring

Thiazines	C_4NS	440
Dithiazines	C_4NS_2	441
Trithiazines	C_4NS_3	442
Tetrathiazines	CNS_4	443
Thiadiazines	C_4N_2S	444
Dithiadiazines	$C_4N_2S_2$	445
Trithiadiazines	CN_3S_2	446
Thiatriazines	C_4N_3S	447
Dithiatriazines	CN_3S_2	448
Thiatetrazines	CNS_4	449

5 Members in ring

Thiazoles	C_4NS	460
Dithiazoles	C_4NS_2	461

Trithiazoles	CNS ₃	462
Thiadiazoles	C ₂ N ₂ S	463
Dithiadiazoles	CNS ₂	464
Thiatriazoles	CN ₂ S	465

 $(CH)_NX$

Azohaloamides	$\text{XN}:\text{C}(\text{NH}_2)\text{N}:\text{NC}(\text{NH}_2):\text{NX}$	472
Bromoamines	—NHBr	475
Chloroamines	—NHCl	477
Fluoroamines	—NHF	479
Iodoamines	—NHI	481
Haloamines	—NHX	483
Bromochloroamines	—NBrcI	485
Bromofluoroamines	—NBrcF	486
Bromiodoamines	—NBrcI	487
Chlorofluoroamines	—NCIF	488
Chloriodoamines	—NCII	489
Fluoriodoamines	—NFI	490
Halogen imines	=NX	494

 $(CH)SX$

Sulfur bromidesSBr	520
Sulfur chloridesSCl	521
Sulfur fluoridesSF	522
Sulfur iodidesSI	523
Sulfur halidesSX	524

 $(CH)O$

Carboxylic acids, free, mono-, $-\text{COOH}(\text{M})$	541
di-, $(-\text{COOH})_2$	542
tri-, $(-\text{COOH})_3$	543
 $(-\text{COOH})_n$	544
Carboxylic esters, mono-, $-\text{COOR}$	551
di-, $(-\text{COOR})_2$	552
tri-, $(-\text{COOR})_3$	553
 $(-\text{COOR})_n$	554
Aldehydes, mono-, $-\text{CHO}$	561
di-, $(-\text{CHO})_2$	562
tri-, $(-\text{CHO})_3$	563
 $(-\text{CHO})_n$	564
Ketones, mono-, $-\text{CO}-$	571
di-, $(-\text{CO}-)_2$	572
tri-, $(-\text{CO}-)_3$	573
 $(-\text{CO}-)_n$	574
Hydroxy compounds, mono-, $-\text{OH}$	581
di-, $(-\text{OH})_2$	582
tri-, $(-\text{OH})_3$	583
 $(-\text{OH})_n$	584
Phenates $-\text{OM}$	588
Ethers, mono-, $-\text{O}-$	591
di-, $(-\text{O}-)_2$	592
tri-, $(-\text{O}-)_3$	593
 $(-\text{O}-)_n$	594
Peroxides (organic only)		596

Heterocyclic CHO Compounds:—

More than 6 members in ring.....	610
6 Members in ring	
Monoxane (pyran)C ₅ O	620
DioxanesC ₄ O ₂	621
TrioxanesC ₃ O ₃	622
5 Members in ring	
FuranC ₄ O	625
DioxolanesC ₃ O ₂	626
4 Members in ring	
Oxetane (trimethylene oxide; propylene oxide)C ₃ O	630
3 Members in ring	
Oxirane (ethylene oxide)C ₂ O	632
Heterocyclic compounds containing a heteroatom in addition to O (P, B, As, etc.) in ringCOZ	640

(CH)N

Diazoamino compounds (triazines)..HN:NNH ₂	650
HydrazinesH ₂ NNH ₂	657
Hydrazones=NNH ₂	659
Azo, diazo compounds—N:N—	665
BiguanidesH ₂ NC(:NH)NHC(:NH)NH ₂ ..	667
GuanidinesH ₂ NH(:NH)NH ₂	668
Cyanamides=NCN	670
Amines, primary, mono-,—NH ₂	671
di-,(—NH ₂) ₂	672
tri-,(—NH ₂) ₃	673
.....(—NH ₂) _n	674
Amines, secondary, mono-,—NH—	681
di-,(—NH—) ₂	682
tri-,(—NH—) ₃	683
.....(—NH—) _n	684
Amines, tertiary, mono-,—N=	691
di-,(—N=) ₂	692
tri-,(—N=) ₃	693
.....(—N=) _n	694
Quaternary ammonium compounds..N	696
Imines=NH	700
Nitriles (cyanides), mono-,—CN	701
di-,(—CN) ₂	702
tri-,(—CN) ₃	703
.....(—CN) _n	704
Isonitriles (isocyanides), mono-,—NC	711
di-,(—NC) ₂	712
tri-,(—NC) ₃	713
.....(—NC) _n	714

Heterocyclic CHN Compounds:—

More than 6 members in ring.....	720
6 Members in ring	
Monazine (pyridine; piperidine)..C ₅ N	730
DiazinesC ₄ N ₂	732

Triazines	C_3N_3	733
Tetrazines	C_4N_4	734
Pentazines	C_5N_5	735
5 Members in ring		
Azoles (pyrroles; pyrrolidine)	C_4N	740
Diazoles	C_2N_2	742
Triazoles	C_3N_3	743
Tetrazoles	CN_4	744
4 Members in ring		
Azetidine	C_3N	746
Uretidine	C_2N_2	747
3 Members in ring		
Aziridine	C_2N	750
Heterocyclic compounds containing a heteroatom in addition to N (P, B, As, etc.) in ring.....	CNZ	760

(CH)S

Thiocarbonates	$HSC(:S)SH$	770
Carbithionates	$-CSSH$	774
Sulfides (thioethers)	$-S-$	781
Disulfides	$-SS-$	782
Polysulfides	$-S_n-$	783
Thiols (mercaptans), mono,	$-SH$	791
di-,	$(-SH)_2$	792
tri-,	$(-SH)_3$	793
.....	$(-SH)_n$	794
Thioketones	$-CS-$	796
Sulfurized compounds		800
Sulfonium compounds		801

Heterocyclic CHS Compounds:—

More than 6 members in ring.....		810
6 Members in ring		
Thiapyran	C_6S	820
Dithianes	C_4S_2	821
Trithianes	C_3S_3	822
5 Members in ring		
Thiophene	C_4S	825
Dithioles	C_3S_2	826
4 Members in ring		
Thiethane	C_2S	830
3 Members in ring		
Thiirane	C_2S	834
Heterocyclic compounds containing a heteroatom in addition to S (P, B, As, etc.).....	CSZ	830

(CH)X

Bromides (organic only), mono, ...	$-Br$	841
di-,	$(-Br)_2$	842
tri-,	$(-Br)_3$	843
tetra-,	$(-Br)_4$	844
penta-,	$(-Br)_5$	845
hexa-,	$(-Br)_6$	846
.....	$(-Br)_n$	847

Chlorides (organic only), mono-, ...—Cl	851
di-,(—Cl) ₂	852
tri-,(—Cl) ₃	853
tetra-,(—Cl) ₄	854
penta-,(—Cl) ₅	855
hexa-,(—Cl) ₆	856
.....(—Cl) _n	857
Fluorides (organic only), mono-, ...—F	861
di-,(—F) ₂	862
tri-,(—F) ₃	863
tetra-,(—F) ₄	864
penta-,(—F) ₅	865
hexa-,(—F) ₆	866
.....(—F) _n	867
Iodides (organic only), mono-, ...—I	871
di-,(—I) ₂	872
tri-,(—I) ₃	873
tetra-,(—I) ₄	874
penta-,(—I) ₅	875
hexa-,(—I) ₆	876
.....(—I) _n	877
Halides (organic only), mono-,—X	881
di-,(—X) ₂	882
tri-,(—X) ₃	883
tetra-,(—X) ₄	884
penta-,(—X) ₅	885
hexa-,(—X) ₆	886
.....(—X) _n	887
Halides, mixed (organic only) (iodochlorides, etc.)	—ICl ₂ ; =II, etc. 890

(CH)Z

Heterocyclic compounds containing a heteroatom other than O, N or S in ring.....	895
---	-----

CH

Cyclic Structures-Condensed Rings:—

More than 4 condensed rings.....	900
4 condensed rings	
One or more rings containing 7 or more members.....	901
6 + 6 + 6 + 6 Membered.....	902
(Benzanthracene, benzophenanthrene, chrysene, naphthacene, pyrene, triphenylene, etc.)	
5 + 6 + 6 + 6 Membered.....	904
(Aceanthrene, benzacenaphthene, benzofluorene, chrysofluorene, cyclopentanthracene, cyclopentaphenanthrene, etc.)	
5 + 5 + 6 + 6 Membered.....	906
(Cyclopentafluorene, etc.)	
All other systems containing 4 condensed rings.....	908
3 condensed rings	
One or more rings containing 7 or more members.....	909
6 + 6 + 6 Membered.....	910
(Adamantene, anthracene, benzonaphthene, 1,4-ethanaphthalene, phenanthrene, etc.)	

5 + 6 + 6 Membered.....	912
(Acenaphthene, acenaphthylene, benzidine, fluorene, etc.)	
5 + 5 + 6 Membered.....	914
5 + 5 + 5 Membered.....	916
All other systems containing 3 condensed rings.....	920

2 ring systems

One or more rings containing 7 or more members.....	921
6 + 6 Membered.....	924
(Naphthalene, etc.)	
5 + 6 Membered.....	928
(Indan, indene, isoindene, etc.)	
5 + 5 Membered.....	930
(Norcamphane, etc.)	
4 + 6 Membered.....	932
(Pinene, etc.)	
All other systems containing 2 condensed rings.....	938

Cyclic Structures—Single Rings:—

More than 6 membered.....	940
6 Membered	
Benzene (fused to another cyclic structure; benz-).....	950
Benzene (phenyl), mono-,.....—C ₆ H ₅	951
di-,(—C ₆ H ₄) ₂	952
tri-,(—C ₆ H ₃) ₃	953
tetra-,(—C ₆ H ₂) ₄	954
.....(—C ₆ H ₄) _n	955
Cyclohexadiene	956
Cyclohexene	957
Cyclohexane, mono-,—C ₆ H ₁₁	961
di-,(—C ₆ H ₁₀) ₂	962
tri-,(—C ₆ H ₉) ₃	963
.....(—C ₆ H ₁₁) _n	964
5 Membered	968
(Cyclopentadiene, cyclopentene, cyclopentane, etc.)	
4 Membered.....	970
(Cyclobutane, etc.)	
3 Membered.....	972
(Cyclopropane, etc.)	
Aryl (unspecified)	975

Non-Cyclic Structures:—

C _n (n = more than 20).....	980
C ₂₀	981
C ₁₉	982
C ₁₈	983
C ₁₇	984
C ₁₆	985
C ₁₅	986
C ₁₄	987
C ₁₃	988
C ₁₂	989
C ₁₁	990
C ₁₀	991
C ₉	992
C ₈ - mono-,	993

C _n poly-,	994
C _n mono-,	995
C _n poly-,	996
C _n mono-,	997
C _n poly-,	998
C _n mono-,	999
C _n poly-,	1000
C _n mono-,	1001
C _n poly-,	1002
C _n mono-,	1003
C _n poly-,	1004
C _n mono-,	1011
C _n di-,	1012
C _n tri-,	1013
C _n tetra-,	1014
C _n poly-,	1015
C _n mono-,	1021
C _n di-,	1022
C _n tri-,	1023
C _n tetra-,	1024
C _n poly-,	1025
Alkyl (unspecified)	1027

Degree of unsaturation (aliphatic only):—

One double bond	1030
Two double bonds	
Adjacent	1031
Conjugated	1032
Separate	1033
Three double bonds	
Conjugated	1035
Other	1036
Four double bonds	
Conjugated	1037
Other	1038
More than four double bonds.....	1039
Triple bonds—single	1040
Triple bonds—multiple	1041
R (unspecified)	1045

Cations:—

AluminiumAl	1106
AmmoniaNH ₃	1108
AmmoniumNH ₄	1109
AntimonySb	
Ionic		1110
Organic		1111
ArsenicAs	
Ionic		1112
Organic		1113
BariumBa	1114
BerylliumBe	1116
BismuthBi	
Ionic		1118
Organic		1119
BoronB	1120
CadmiumCd	1124

Calcium	Ca	1126
Carbon, inorganic		1128
Cerium	Ce	1130
Cesium	Cs	1132
Chromium	Cr	1136
Cobalt	Co	1138
Copper	Cu	1142
Germanium	Ge	1148
Gold	Au	1150
Iron	Fe	1162
Lanthanum		1164
Lead	Pb	
Ionic		1166
Organic		1167
Lithium	Li	1168
Magnesium	Mg	1172
Manganese	Mn	1174
Mercury	Hg	
Ionic		1176
Organic		1177
Molybdenum	Mo	1178
Neodymium		1180
Nickel	Ni	1182
Nitrogen	N	1184
Phosphorus	P	
Ionic		1192
Organic (phosphonium, etc.)		1193
Potassium	K	1196
Praseodymium		1198
Rubidium	Rb	1206
Selenium	Se	
Ionic		1212
Organic		1213
Silicon	Si	
Ionic		1214
Organic		1215
Silver	Ag	1216
Sodium	Na	1218
Strontium	Sr	1220
Sulfur, inorganic	S	1222
Tellurium	Te	
Ionic		1226
Organic		1227
Thallium	Tl	1228
Thorium		1230
Tin	Sn	
Ionic		1234
Organic		1235
Titanium	Ti	1236
Tungsten	W	1238
Uranium	U	1240
Vanadium	V	1242
Yttrium		1243
Zinc	Zn	1244
Zirconium		1245
Unspecified metal		1246

Anions:—

Aluminate	$-\text{AlO}_2$	1250
Antimonate	$-\text{SbO}_3$	1252
Arsenate, ortho-,	$\equiv\text{AsO}_3$	1254
Arsenate, meta-,	$-\text{AsO}_2$	1255
Arsenate, pyro-,	$\equiv\text{As}_2\text{O}_7$	1256
Arsenide	$\equiv\text{As}$	1258
Arsenite, ortho-,	$\equiv\text{AsO}_3$	1260
Arsenite, meta-,	$-\text{AsO}_2$	1261
Azide	$-(\text{N}_3)$	1264
Bismuthate	$-\text{BiO}_3$	1268
Borate	$\equiv\text{BO}_3$	1270
Borate, tetra-,	$=\text{B}_4\text{O}_7$	1271
Boride	$-(\text{B}_2)$	1272
Bromate	$-\text{BrO}_3$	1274
Bromide, inorganic,	$-\text{Br}$	1276
Bromoselenate	$=\text{SeBr}_5$	1278
Carbide	$\equiv\text{C}$	1284
Carbonate	$=\text{CO}_3$	1286
Chlorate	$-\text{ClO}_3$	1288
Chlorate, per-,	$-\text{ClO}_4$	1289
Chloride, inorganic,	$-\text{Cl}$	1291
Chlorite	$-\text{ClO}_2$	1293
Chlorite, hypo-,	$-\text{ClO}$	1294
Chromate	$=\text{CrO}_4$	1296
Chromate, di-,	$=\text{Cr}_2\text{O}_7$	1297
Chromate, per-,	$\equiv\text{CrO}_5$	1298
Cobalticyanide	$\equiv\text{Co}(\text{CN})_5$	1300
Cyanate, inorganic,	$-\text{OCN}$	1301
Cyanate, iso-, inorganic,	$-\text{NCO}$	1302
Cyanide, inorganic,	$-\text{CN}$	1303
Cyanide, iso-, inorganic,	$-\text{NC}$	1304
Cyanamide, inorganic,		1305
Dithionate	$=\text{S}_2\text{O}_6$	1306
Ferriicyanide	$\equiv\text{Fe}(\text{CN})_5$	1308
Ferrocyanide	$\equiv\text{Fe}(\text{CN})_6$	1309
Fluoaluminate		1310
Fluoborate (Borofluoride)	$-\text{BF}_4$	1311
Fluoride, inorganic,	$-\text{F}$	1312
Fluosilicate (Silicofluoride)	$=\text{SiF}_6$	1313
Fluosulfonic acid		1314
Fluotitanate (Titanofluoride)	$=\text{TiF}_6$	1315
Fluozirconate	$=\text{ZrF}_6$	1317
Halide, unspecified inorganic,		1321
Hydroxide	$-\text{OH}$	1325
Iodate	$-\text{IO}_3$	1330
Iodate, per-,	$-\text{IO}_4$	1331
Iodide, inorganic,	$-\text{I}$	1333
Manganate	$=\text{MnO}_4$	1337
Manganate, per-,	$-\text{MnO}_4$	1338
Molybdate	$=\text{MoO}_4$	1340
Nitrate	$-\text{NO}_3$	1341
Nitride, inorganic,	$\equiv\text{N}$	1342
Nitrite	$-\text{NO}_2$	1343
Nitroprusside	$=\text{Fe}(\text{CN})_5\text{NO}$	1345
Oxide, inorganic,	$=\text{O}$	1350

Peroxide		1351
Phosphate, ortho-,	$\equiv \text{PO}_3$	1356
Phosphate, meta-,	$-\text{PO}_3$	1357
Phosphate, pyro-,	$\equiv \text{P}_2\text{O}_7$	1358
Phosphate, hypo-,	$=\text{PO}_3$	1360
Phosphide	$\equiv \text{P}$	1362
Phosphite	$\equiv \text{PO}_2$	1364
Phosphite, hypo-,	$\equiv \text{PO}_2$	1365
Phosphorylamide	$-\text{O}_2\text{P}(\text{NH})_2$	1366
Phosphomolybdate		1367
Phosphotungstates		1368
Plumbate, ortho-,	$\equiv \text{PbO}_3$	1369
Plumbate, meta-,	$=\text{PbO}_3$	1370
Selenate	$=\text{SeO}_3$	1376
Selenide	$=\text{Se}$	1378
Selenite	$=\text{SeO}_2$	1380
Silicate	$=\text{SiO}_3$	1384
Silicide	$\equiv \text{Si}$	1386
Stannate	$=\text{SnO}_3$	1388
Sulfate	$=\text{SO}_3$	1389
Sulfate, per-,	$=\text{S}_2\text{O}_8$	1390
Sulfamate	$-\text{SO}_2\text{NH}_2$	1391
Sulfide, inorganic,	$=\text{S}$	1392
Sulfite,	$=\text{SO}_3$	1393
Sulfite, hypo-,	$=\text{S}_2\text{O}_3$	1394
Sulfite, pyro-, (Metabisulfite)	$=\text{S}_2\text{O}_5$	1396
Tellurate	$=\text{TeO}_3$	1400
Telluride	$=\text{Te}$	1402
Tellurite	$=\text{TeO}_2$	1404
Thioantimonate	$=\text{SbS}_3$	1408
Thioarsenate	$=\text{AsS}_3$	1410
Thioarsenite	$=\text{AsS}_2$	1412
Thiocyanate, inorganic,	$-\text{SCN}$	1405
Thiocyanate, iso-, inorganic,	$-\text{NCS}$	1406
Thiophosphates		1413
Thionates, poly-,	$=\text{S}_x+\text{O}_3$	1409
Thiosulfate	$=\text{S}_2\text{O}_3$	1414
Thiocarbonate	$=\text{CS}_3$	1415
Titanate, ortho-,	$\equiv \text{TiO}_3$	1416
Titanate, meta-,	$=\text{TiO}_3$	1418
Tungstate	$=\text{WO}_3$	1420
Uranate	$=\text{UO}_3$	1426
Vanadate	$=\text{VO}_3$	1430
Zincate	$=\text{ZnO}_2$	1435
Zirconate	$=\text{ZrO}_3$	1440
Unspecified anion		1450

Reference to the code list shows that organic groups are selected first and inorganic last, this constituting the first subdivision. Compounds containing both organic and inorganic groups are then accommodated with numbers from both these large divisions.

Organic compounds.—For the purposes of this classification, organic groups are defined as those which contain carbon and hydrogen alone,

or in combination with one or more of the elements oxygen, nitrogen, sulfur, and the halogens.

The list of constituent organic groups is broken down into 16 divisions, based upon the number of elements present. The first division contains those constituent groups composed of all of the elements, C, H, O, N, S, and X (halogen) and each successive division includes groups of less complexity. The next four divisions thus contain the groups with five elements, (CH)ONS, (CH)ONX, (CH)OSX, and (CH)NSX. Following this are the groups with four elements, then three, and finally the hydrocarbon skeleton of the compound. This is further subdivided into carbocyclic and noncarbocyclic groups.

Parentetically it should be noted that the presence of O, N, S, or X in the constituent group determines into which division the group falls, and is thus the criterion of the complexity of the group. The carbon atom may or may not occur in each group, and if present, acts solely as a "nucleus" from which depend the other elements; hydrogen may be present coincidentally to complete the valence requirements of one or more of the elements present.

Only the parent combinations are indicated. It is understood that substitutions may, and commonly are made at one or more points in the group. For example, carbazides may have organic radicals attached in place of one or more of the six hydrogen atoms present. Metallic elements may also replace hydrogen in acid groups.

Subclassification.—Under each division heading are listed the various constituent groups containing these elements. While in general the whole table is arranged in order of decreasing complexity, within each division it frequently happens that groups are arranged on the basis of chemical similarity rather than actual complexity. The first numbers in each division are assigned to the noncyclic combinations, followed by the heterocyclic structures containing the elements other than carbon characteristic of the division. Many code numbers have been left unassigned, and are available for new groups which may occur in the future use of the system.


Inorganic compounds.—The inorganic groups are divided into those acting primarily as positive ions in water solution (cations) and those acting as negative ions (anions). Certain of the metallic elements combine with organic radicals in a carbon-to-metal linkage. Such combinations are given an "organic" code number to differentiate them from the "ionic" combinations found in inorganic salts and salts of organic acids.

Specific instructions and conventions:—

1) In considering a noncyclic combination of elements for classification, the largest group containing no more than isolated carbon atoms is considered as the unit. *These groups are chemical entities, and not necessarily functional groups.* It should be repeated that the *largest*

possible group is selected in each step of the breakdown. For example, $-\text{CONH}_2$ is coded as amide, 185, rather than 571 and 671 both of which numbers appear later in the table than 185. Another example of this procedure is guanylurea $=\text{NC}(:\text{NH})\text{NHCON}=\text{}$, which is given the number 173, instead of being broken down into guanidine and amide. A careful examination of the groups listed in the table will make such decisions obvious. In groups not containing the carbon atom as an integral part thereof, the extent of the group is limited by its attachment to the carbon structure, such as $-\text{SO}_2\text{NH}-$ in substituted sulfonamides.

2) In classifying heterocyclic structures, the monocyclic ring is the unit to be selected, regardless of size, and other rings fused or otherwise attached to the heterocyclic structure are considered separately. Examples of this are benzothiazole (I), which is coded as a 5-membered ring, C_5NS (460) and a 6-membered fused carbocyclic ring (950).




In complex heterocyclic compounds which have the heteroatom common to two or more rings, each ring is coded as though it were a separate entity, even though the common atom is considered twice. Rarely heterocyclic compounds containing an element other than O, N or S in the ring are encountered. These compounds (containing P, B, As, etc.) are grouped under numbers 640, 760, 839 or 895, depending upon the complexity of the ring.


3) Noncyclic carbon chains are coded according to the total number of carbon atoms occurring together without interruption by some other element. Stated another way, the degree of branching does not affect the classification, isobutane having the same number as butane. Isolated carbon atoms occurring in a complex group are given the number of the C_1 group. Thus urea is coded 183-1021.

4) It has already been mentioned that for certain classification purposes it is sometimes necessary to consider a single atom more than once. This "double coding" is done (in addition to the cases of the common heteroatom and urea mentioned above) in a number of other groups containing isolated carbon atoms. Probably the most common examples are the acid, aldehyde, and ketone groups. In these groups the carbon atom is coded as 1021 if attached only to cyclic structures, or is added to the balance of the acyclic carbon skeleton in noncyclic or mixed structures.


Thus we have:



When the carbon of a ketone group is an integral part of a cyclic structure, the ketone number (571) and the appropriate cyclic number are both assigned to the compound (II).



When a carbonyl group, for example, is attached to the heteroatom in a heterocyclic structure (III) a similar convention is followed:




5) Quaternary ammonium compounds are coded under number 696. This number is restricted to completely substituted ammonium compounds. Thus $\text{R-N}(\text{CH}_3)_2\text{Cl}$ is given the 696 number, while $\text{R-NH}(\text{CH}_3)_2\text{Cl}$ is classed as an amine (681). Quaternary derivatives of N-heterocyclic compounds come under paragraph (4) above. Hydrochloride-, hydrosulfate-, and other amine and quaternary compounds are coded as inorganic chlorides, sulfates, etc., rather than as $(\text{CH})\text{NX}$ or $(\text{CH})\text{ONS}$ groups. The distinction is rather obvious in this case.

6) Provision is made (numbers 1030-1041) for the differentiation of saturated from unsaturated noncyclic compounds. With cyclic compounds of 6-members (cyclohexane, cyclohexadiene, and benzene) separate code numbers are assigned. Compounds like the quinones consisting of a six-membered ring with two double bonds in the ring by virtue of an attachment to an element outside the ring are considered to be benzene derivatives, rather than cyclohexadiene. In all other cyclic compounds, no distinction is made on the basis of saturation: thus pyridine and piperidine are both coded as 730, pyrrole and pyrrolidine as 740.


7) In several cases of the more commonly occurring groups provision is made for coding two, three, or more groups of the same kind. Triphenylbenzene, for example, is coded simply as 954. This procedure effects a more orderly arrangement of related compounds in the final classification. In these cases, the last member of each series is given the subscript *n*. This indicates either (*a*) a number of groups greater than the last preceding entry, or (*b*) an unspecified number of groups. Thus a compound containing three nitro groups is given number 208, while compounds containing four or more, or an unspecified number of nitro groups, is given number 209.

8) Organic radicals attached to multivalent inorganic ions are coded as single units, regardless of the valence of the inorganic ion. Calcium acetate, $(\text{CH}_3\text{COO})_2\text{Ca}$, is coded as 541-1011-1126. It should be noted that this applies only to inorganic ions, and that distinction is made between organic acids combined with metallic elements (541) and esters (551): similarly alcohols (581) and alcoholates (phenates, 588). Compounds with non-ionic inorganic atoms are coded according to the number of organic radicals present: for example, triphenyl phosphine $(\text{C}_6\text{H}_5)_3\text{P}$ is coded 953-1193.

9) A distinction is made between benzene rings attached at one carbon atom (phenyl-, 951) and those fused to another cyclic structure at more than one carbon atom (benz-, 950). The compound given below (IV) is coded as shown.



The product of the fusion of a multiple carbocyclic system, such as naphthalene, to a heterocyclic ring is coded with the number of the carbocyclic structure to indicate the presence of this unit (V):



Examples of coding.—Below are given a few examples of coding. The constituent groups are separated by lines in order to make the process more easily understood.

	999		581
Isoamyl alcohol; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{OH}$			
	951	591	1011
Phenetole; $\text{C}_6\text{H}_5\text{O}\overline{\text{C}_2\text{H}_5}$			
	841	951	1021
<i>o</i> -Toluidine, 4-bromo-; Br		C_6H_4	671
		(CH_3)	NH_2
	951	186	1001
Benzamide, <i>N</i> -butyl-; $\text{C}_6\text{H}_5\text{CONH}\overline{\text{C}_4\text{H}_9}$		1021	

(Note that the amide group is coded with both 186 and 1021).


	997		179
Butyraldehyde, α -ethyl-, semicarbazone; $(\text{C}_2\text{H}_5)\text{CHCH}\overline{\text{NNHCONH}_2}$			1021

Catalogue listings.—The compounds listed in this catalogue are arranged in order of their code numbers. This results in placing together all compounds with code numbers beginning with the same constituent groups. Compounds having the same first constituent numbers are then arranged in order of their second number, etc. In locating a given compound in the catalogue, probably the easiest way is to code the compound required, and then look under that code number in the catalogue. For example, if one desires to find acetic acid, it is coded as 541-1011, and this code number is located in its proper numerical sequence. In many cases it will not be necessary to work out the complete code number for a complex compound. For example, it is relatively easy to determine by inspection which constituent group takes precedence, and to locate the compound under the proper numerical heading. *For the convenience of readers who prefer to locate compounds by name, a complete alphabetical index of all compounds is given at the end of Volume II.*

Abbreviations, References, etc.—In order to conserve space, abbreviations have been used rather freely in the preparation of this catalogue. The information for each compound is given in the following order: name (according to the Chemical Abstracts system), formula, synonyms, organisms against which the compound has been tested, with results, and finally, reference numbers.

The abbreviations used throughout this catalogue are as follows, in order of their appearance: (1) CU = constitution unspecified. This is used to indicate that the name of the compound as given was not sufficiently specific to establish the exact configuration. In cases where there was considerable question concerning the identity of the compound, or when it was impossible to assign even an empirical formula, the compound was placed in the miscellaneous group at the end of the section. (2) In stating the results of the toxicity tests, ST, MT, HT and NT indicate slight toxicity (10-30%), medium toxicity (30-80%), high toxicity (above 80%), and no toxicity (below 10%), respectively. Where the authors gave no indication of the degree of toxicity, T (toxic) has been used. The concentrations of chemicals tested have been given where known; thus "HT *Sclerotinia* at 1%" indicates that the compound when tested at 1 per cent concentration was highly toxic to *Sclerotinia*.

The reference numbers refer to the alphabetical list of references given at the end of each volume. To avoid confusion, each reference has been given a separate number. However, only those references cited in this volume are listed at the end of the volume. The letter P following a reference number indicates a patent. For convenience, the patents are listed separately by countries, and by numerical order, as well as alphabetically by patentees. *An alphabetical index of all compounds appearing in both volumes is given at the end of Volume II.*



CHEMICAL INSECTICIDES

- 3-951-1021.
p-Toluenesulfonamide, *N*, *N*-dichloro-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NCl}_2$. (*p*-Toluene sulphodichloroamide; dichloramine T).
Mothproofing agent; T screwworms; NT codling moth larvae. 156, 239, 1176, 1287, 1365P.
- 3-951-1021-1218.
p-Toluenesulfonamide, *N*-chloro-, sodium salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NClNa}$. (Chloramine T).
MT *Aphis rumicis* and as mothproofing agent; ST codling moth larvae. 239, 1153, 1287.
- 22-230-1312.
4-Morpholinesulfonyl fluoride; $\text{FO}_2\text{SN}(\text{CH}_2\text{CH}_3)_2\text{O}$. (Morpholine sulfamic acid fluorides). 344P.
- 22-551-1011-1022-1312.
Sulfamyl fluoride, *N*-carbomethoxymethyl-*N*-methyl-; $\text{FO}_2\text{SN}(\text{CH}_3)\text{CH}_2\text{COOCH}_3$. (Sarcosine methyl ester of sulfamic acid fluoride). 344P.
- 22-702-1012-1312.
Sulfamyl fluoride, *N,N*-bis(2-cyanoethyl)-; $\text{FO}_2\text{SN}(\text{C}_2\text{H}_4\text{CN})_2$. (β,β' -Dicyanodithylamine sulfamic acid). 344P.
- 22-730-1312.
1-Piperidinesulfonyl fluoride; $\text{C}_6\text{H}_{10}\text{NSO}_2\text{F}$. (Piperidine sulfamic acid fluoride). 344P.
- 22-852-1012-1312.
Sulfamyl fluoride, *N,N*-bis(2-chloroethyl)-; $\text{FO}_2\text{SN}(\text{CH}_2\text{Cl})_2$. (β,β' -Dichlorodithylamine sulfamic acid). 344P.
- 22-951-1011-1021-1312.
Sulfamyl fluoride, *N*-methyl-*N*-phenethyl-; $\text{FO}_2\text{SN}(\text{CH}_3)\text{C}_6\text{H}_4\text{C}_6\text{H}_5$. (*N*-Methyl- β -phenylethylamine sulfamic acid fluoride). 344P.
- 22-989-1021-1312.
Sulfamyl fluoride, *N*-dodecyl-*N*-methyl-; $\text{FO}_2\text{SN}(\text{CH}_3)\text{C}_{11}\text{H}_{23}$. (Methyl dodecylamine sulfamic acid fluoride). 344P.
- 22-997-1021-1312.
Sulfamyl fluoride, *N*-hexyl-*N*-methyl-; $\text{CH}_3(\text{C}_6\text{H}_{13})\text{NSO}_2\text{F}$? (Methylhexylamine sulfamic acid fluoride). 344P.
- 22-1027-1312.
Sulfamyl fluoride derivatives; $\text{RR}'\text{NSO}_2\text{F}$. 344P.
- 43-952-1021.
Benzamide, *N,N'*-thiodi-; $\text{C}_6\text{H}_5\text{CONHSNHCOC}_6\text{H}_5$. (Bis(benzamide) sulphide).
NT mosquito larvae. 487.
- 62-593-951-1025.
Isothiocyanic acid, 3, 4, 5-trimethoxybenzoyl ester? $(\text{CH}_3\text{O})_3\text{C}_6\text{H}_2\text{CONCS}$. (3, 4, 5-Trimethoxybenzoyl isothiocyanate).
ST culicine mosquito larvae at 1-10,000. 172, 1178.
- 62-951-1022.
Isothiocyanic acid, benzoyl ester; $\text{C}_6\text{H}_5\text{CONCS}$. (Benzoyl isothiocyanate).
T goldfish. 295, 1178.
- 56-186-206-952-1011.
Acetanilide, *p*-(*m*-nitrophenylsulfonyl)-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_4\text{NO}_2$. (*p*-Acetamino-*N*-*m*-nitrophenylbenzene sulfonamide; *N*-acetyl-*N*-*m*-nitrophenylsulfanilamide).
ST codling moth larvae; NT screwworm larvae. 944, 1287.
- 56-186-206-952-1011.
Acetanilide, *p*-(*p*-nitrophenylsulfonyl)-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_4\text{NO}_2$. (*N*-Acetyl-4-nitrosulfanilamide).
NT codling moth larvae. 1287.
- 56-186-230-951-1011.
Acetanilide, *p*-(4-morpholinesulfonyl)-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_2\text{CH}_2)_2\text{O}$. (*N*-(*p*-Acetaminophenylsulfonyl)-morpholine).
MT codling moth larvae; NT as mothproofing agent. 239, 1287.
- 56-186-258-551-665-924-951-1011.
Prontosil soluble; $\text{CH}_3\text{CONH}(\text{SO}_2\text{Na})_2(\text{OH})\text{C}_6\text{H}_4\text{N}:-\text{N}(\text{C}_6\text{H}_4\text{SO}_2\text{NH}_2)_2$. (7-Acetamido-1-hydroxy-2-(*p*-sulfamylphenylazo)-naphthalene-3, 6-disulfonic acid, disodium salt).
NT codling moth larvae. 1287.
- 56-186-258-581-851-952-1011.
1-Phenol-2-sulfonic acid, 6-(3-acetamidophenylsulfonyl)-4-chloro-; $\text{HOOC}_6\text{H}_4(\text{Cl})[\text{SO}_2\text{NHC}_6\text{H}_4(\text{NHCOCH}_3)]\text{SO}_3\text{H}$? (Phenol, 4-chloro-2, 6-disulpho-3'-acetyl-amino-1'-anilide).
T as mothproofing agent. 464P, 1178.
- 56-186-531-851-953-1012.
1-Phenol-2, 6-disulfonamide, 3', 3''-diacetamido-4-chloro-; $\text{Cl}(\text{OH})\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_4\text{NHCOCH}_3)_2$. (*m*-Benzene disulfonamide, 5-chloro-2-hydroxy-bis-3'-acetyl-amino; 4-chloro-1-phenol-2, 6-disulfo-bis-3'-acetyl-amido-1'-anilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-186-852-951-953.
Stearamide, *N*-(3, 4-dichlorophenylsulfonyl)-; $\text{C}_{17}\text{H}_{33}\text{CONHSO}_2\text{C}_6\text{H}_3\text{Cl}_2$. (3, 4-Dichlorobenzene sulfonamide).
T as mothproofing agent. 440P, 1179.
- 56-186-852-951-983-1030.
Oleamide, *N*-(3, 4-dichlorophenylsulfonyl)-; $\text{C}_{17}\text{H}_{33}\text{CH}_2\text{CH}(\text{CH}_2)_2\text{CONHSO}_2\text{C}_6\text{H}_3\text{Cl}_2$. (3, 4-Dichlorobenzene sulfonamide).
T as mothproofing agent. 440P, 1179.
- 56-136-354-952-999.
Valerianilide, 2-chloro-5-(2, 4, 6-trichlorophenylsulfonyl)-; $(\text{Cl})_3\text{C}_6\text{H}_2\text{SO}_2\text{NHC}_6\text{H}_4\text{NHCOCH}_2\text{C}_6\text{H}_4(\text{Cl})$. (Benzene, 1:2:5-trichloro-4-sulpho-3'-*n*-valeryl-amino-4'-chloranilide).
T as mothproofing agent. 428P, 464P, 730P, 1175, 1176.
- 56-136-354-953-1011.
Acetanilide, 2, 4-bis(3, 4-dichlorobenzene sulfonamido)-; $\text{CH}_3\text{CONHC}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. *m*-Phenylene diamine, 4-acetamido-*N,N*-bis(3, 4-dichlorophenylsulfonyl)-; bis-1, 2-dichlorobenzene-4-sulpho-1' acetyl-amino-2', 4'-phenylenediamide; *m*-phenylenediamine, *N*¹, *N*⁴-bis(3, 4-dichlorophenylsulfonyl), 6-acetyl-amino).
T as mothproofing agent. 464P, 731P, 1176, 1179.
- 56-186-854-953-1011.
Acetanilide, 3, 5-bis(3, 4-dichlorobenzene sulfonamido)-; $\text{CH}_3\text{CONHC}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*m*-Phenylenediamine-5-acetyl-amino-*N,N'*-bis(3, 4-dichlorophenylsulfonyl); bis-1-2-dichlorobenzol-4-sulfo-1' acetyl-amido-2', 4'-phenylenediamide).
T as mothproofing agent. 428P, 730P, 1175.
- 56-136-924-951-1011.
Acetanilide, *p*-(1-naphthylsulfonyl)-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{SO}_2\text{NHC}_{10}\text{H}_7$. (*N*-(*N*-Acetyl-*N*¹-1-naphthylsulfonyl)-amide).
NT codling moth larvae. 1287.
- 56-188-952-1011.
Acetanilide, *p*-(phenylsulfonyl)-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_5$. (*N*-Acetylsulfanilamide).
NT codling moth larvae. 1287.
- 56-206-230-951-1021.
Morpholine, 4-(2-nitro-*p*-toluenesulfonyl)-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{N}(\text{C}_6\text{H}_5\text{O})$. (2-Nitro-*p*-toluenesulfonamorpholine).
NT *Phlyctenia rubigalis*. 949.

- 56-206-230-951-1021.
Morpholine, 4-(3-nitro-*p*-toluenesulfonyl)-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{N}(\text{C}_6\text{H}_5\text{O})$. (*N*-(3-Nitro-*p*-tolylsulfonyl)-morpholine).
ST codling moth larvae; NT as mothproofing agent. 239, 1287.
- 56-206-730-951-1021.
Piperidine, 1-(2-nitrophenylsulfonyl)-; $\text{CH}_3\text{C}_6\text{H}_4\text{NO}_2\text{SO}_2\text{N}(\text{C}_6\text{H}_5\text{O})$. (2-Nitro-*p*-toluenesulfonylpiperidine).
NT *Phlyctenia rubigalis* larvae. 949.
- 56-206-924-951.
Benzenesulfonamide, *N*-1-naphthyl-*m*-nitro-; $\text{O}_2\text{NC}_6\text{H}_4(\text{SO}_2\text{NHC}_6\text{H}_4\text{O})$. (*m*-Nitro-*N*-1-naphthylbenzenesulfonamide).
ST codling moth larvae; MT as mothproofing agent. 239, 1287.
- 56-206-924-951-1021.
p-Toluenesulfonamide, *N*-1-naphthyl-3-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NHC}_6\text{H}_4\text{O}$.
NT codling moth larvae and as mothproofing agent. 239, 1287.
- 56-206-951.
Benzenesulfonamide, *m*-nitro-; $\text{O}_2\text{NC}_6\text{H}_4\text{SO}_2\text{NH}_2$.
ST codling moth larvae; MT as mothproofing agent. 239, 1287.
- 56-206-951-961-1021.
p-Toluenesulfonamide, *N*-cyclohexyl-2-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NHC}_6\text{H}_{11}$. (2-Nitro-*p*-toluenesulfonamido-cyclohexylamide).
NT *Phlyctenia rubigalis* larvae. 949.
- 56-206-951-1001-1021.
p-Toluenesulfonamide, *N*-isobutyl-2-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NHC}_4\text{H}_9$. (2-Nitro-*p*-toluene-*N*-isobutylsulfonamide).
NT *Phlyctenia rubigalis* larvae. 949.
- 56-206-951-1021.
p-Toluenesulfonamide, 2-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NH}_2$.
NT *Phlyctenia rubigalis* larvae; ST codling moth larvae. 949, 1287.
- 56-206-951-1021.
p-Toluenesulfonamide, 3-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NH}_2$. (3-Nitro-4-toluenesulfonamide).
NT *Cochliomyia americana* C. and P. at 0.17% and as mothproofing agent. 239, 944.
- 56-206-951-1021.
o-Toluenesulfonamide, 4-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NH}_2$.
NT *Phlyctenia rubigalis* larvae. 949.
- 56-206-951-1021.
Benzenesulfonamide, *N*-methyl-*o*-nitro-; $\text{O}_2\text{NC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_5$. (Benzenesulphonamide, *N*-methyl-2-nitro-2-nitrobenzenesulphomethylamide).
T as mothproofing agent. 440P, 1179.
- 56-206-952.
Benzenesulfonamide, 3-nitro-; $\text{O}_2\text{NC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_5$. (*m*-Nitro-*N*-phenylbenzenesulfonamide).
MT as mothproofing agent; NT codling moth larvae. 239, 1287.
- 56-206-952-1021.
p-Toluenesulfonamide, 2-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NHC}_6\text{H}_5$.
NT *Phlyctenia rubigalis* larvae. 949.
- 56-206-952-1021.
p-Toluenesulfonamide, 3-nitro-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{NHC}_6\text{H}_5$. (3-Nitro-*N*-phenyl-*p*-toluenesulfonamide).
NT codling moth larvae and as mothproofing agent. 239, 1287.
- 56-206-953-1021.
p-Toluenesulfonamide, 2-nitro-*N*, *N*-diphenyl-; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)\text{SO}_2\text{N}(\text{C}_6\text{H}_5)_2$. (2-Nitro-*p*-toluenesulfonamido-diphenylamide).
NT *Phlyctenia rubigalis* larvae. 949.
- 56-207-951-1021.
p-Toluenesulfonamide, 2,6-dinitro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{NO}_2)_2\text{SO}_2\text{NH}_2$.
NT *Phlyctenia rubigalis* larvae. 949.
- 56-208-551-952-1021.
p-Toluenesulfonamide, 2'-hydroxy-2, 3', 5'-trinitro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{NO}_2)_3\text{SO}_2\text{NHC}_6\text{H}_4\text{O}$. (2-Nitro-*p*-toluene-*N*-(2-hydroxy-3,5-dinitrophenyl-sulfonamide).
MT *Phlyctenia rubigalis* larvae. 949.
- 56-230-841-951.
Morpholine, 4-(*p*-bromophenylsulfonyl)-; $\text{BrC}_6\text{H}_4\text{SO}_2\text{N}(\text{C}_6\text{H}_5\text{O})$.
NT codling moth larvae. 1287.
- 56-230-951-1021.
Morpholine, 4-(*p*-tolylsulfonyl)-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{N}(\text{C}_6\text{H}_5\text{O})$.
ST codling moth larvae. 1287.
- 56-258-582-852-952.
1-Phenol-2-sulfonic acid, 4-chloro-6-(5-chloro-2-hydroxyphenylsulfonyl)-; $\text{HO}(\text{C}_6\text{H}_4)(\text{Cl})(\text{SO}_2\text{NHC}_6\text{H}_4\text{O})(\text{Cl})\text{OH}$. (1-Phenol, 4-chloro-2,6-disulpho-4'-chloro-1'-hydroxy-2'-anilide).
T as mothproofing agent. 464P, 1176.
- 56-258-854-952.
Benzenesulfonic acid, 2-chloro-5-(2, 4, 5-trichlorophenylsulfonyl)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4(\text{Cl})\text{SO}_2\text{H}$. (Benzenesulphonanilide, 3, 4, 6-trichloro-4'-chloro-3'-sulphonic acid; 1, 2, 5-trichlorobenzol-4-sulfo-4'-chloro-1'-anilido-3'-sulfanilide).
T as mothproofing agent. 428P, 730P, 1175.
- 56-258-854-953-1021.
o-Toluenesulfonic acid, 2, 5-bis(3, 4-dichlorophenylsulfonyl)-; $\text{HO}(\text{C}_6\text{H}_3\text{Cl}_2)_2\text{SO}_2\text{H}$. (NHSO₂C₆H₃Cl₂)₂. (*o*-Toluenesulphonic acid, 3, 5-diamino-*N*,*N'*-bis(3,4-dichlorophenylsulfonyl)-; bis-1, 2-dichlorobenzene-4-sulpho-2', 4'-tolylendiamide-6-sulphonic acid).
T as mothproofing agent. 428P, 464P, 731P, 1175, 1176, 1179.
- 56-258-854-954.
3, 3'-Biphenyldisulfonic acid, 4, 4'-bis(3, 4-dichlorophenylsulfonyl)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_3\text{Cl}_2$. (3, 3'-Benzidina disulfonic acid, *N*,*N'*-bis(3, 4-dichlorophenylsulfonyl)-).
T as mothproofing agent. 428P, 464P, 730P, 1175, 1176.
- 56-541-581-851-952-1022.
Salicylic acid, 6-chloro-3-(methylphenylsulfonyl)-; $\text{HO}(\text{C}_6\text{H}_4)(\text{Cl})\text{SO}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_4\text{COOH}$. (Salicylic acid, 5-chloro-*N*-methyl-3-sulphonanilido-; 5-chlorosalicylic acid-3-sulpho-*N*-methyl-anilide).
T as mothproofing agent. 428P, 730P, 731P, 1176, 1179.
- 56-541-581-852-952-1021.
Salicylic acid, 5-chloro-3-(*p*-chlorophenylsulfonyl)-; $\text{HO}(\text{C}_6\text{H}_4)(\text{Cl})\text{SO}_2\text{NHC}_6\text{H}_4\text{ClCOOH}$. (Salicylic acid, 4', 5-dichloro-3-sulphonanilido-; 5-chlorosalicylic acid-3-sulpho-4'-chloroanilide).
T as mothproofing agent. 428P, 730P, 731P, 1176, 1179.
- 56-541-581-852-952-1021.
Salicylic acid, 5-chloro-3-(*o*-chlorophenylsulfonyl)-; $\text{HO}(\text{C}_6\text{H}_4)(\text{Cl})\text{SO}_2\text{NHC}_6\text{H}_4\text{ClCOOH}$. (Salicylic acid, 2', 5-dichloro-3-sulphonanilido-; 6-chlorosalicylic acid-3-sulpho-2'-chloroanilide).
T as mothproofing agent. 428P, 730P, 731P, 1175, 1179.
- 56-581-851-952.
1-Phenol-2-sulfonamide, 4-chloro-; $\text{HO}(\text{C}_6\text{H}_4)\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (*o*-Phenolsulphonanilide, 4-chloro-; 4-chloro-1-phenol-2-sulfanilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-581-851-953.
1-Phenol-3, 5-disulfonamide, 4-chloro-; $\text{Cl}(\text{OH})\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_5)_2$. (*m*-Benzenedisulphonanilide, 4-chloro-3-hydroxy). 32C, 1175.
- 56-581-851-953-1022.
1-Phenol-2, 6-disulfonamide, 4-chloro-*N*,*N'*-dibenzyl-; $\text{Cl}(\text{OH})\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_5)_2$. (*m*-Benzenedisulphonbenzylamide, 5-chloro 2-hydroxy; 4-chloro-1-phenol-2, 6-disulfo-bis-benzylamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-581-852-924-951.
1-Naphtholsulfonamide, 4, 4'-dichloro-; $\text{HO}(\text{C}_6\text{H}_4)_2\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (Naphthalenesulphon-4'-chloroanilide, 4-chloro-2-hydroxy-; 4-chloro-1-naphthol-sulpho-4'-chloroanilide).
T as mothproofing agent. 464P, 731P, 1176, 1179.
- 56-581-852-952.
1-Phenol-4-sulfonamide, 2, 4'-dichloro-; $\text{HO}(\text{C}_6\text{H}_4)\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (*p*-Phenolsulphonanilide, 2-chloro-4'-chloro-; 2-chloro-1-phenol-4-sulfo-4'-chloranilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-852-952.

1-Phenol-2-sulfonanilide, 4, 4'-dichloro-; HO(Cl)C₆H₄SO₂NHC₆H₄Cl. (*o*-Phenolsulphonanilide, 4-chloro-4'-chloro-; 4-chloro-1-phenol-2-sulfo-4'-chloranilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-852-952.

1-Phenol-2-sulfonanilide, 4, 6-dichloro-; HO(Cl)₂C₆H₃SO₂NHC₆H₄Cl. (*o*-Phenolsulphonanilide, 4, 6-dichloro-; 4, 6-dichloro-1-phenol-2-sulfanilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-852-953-1021.

2, 4-Toluenedisulfonanilide, 4', 4''-dichloro-6-hydroxy-; CH₃C₆H₃(OH)[SO₂NHC₆H₄(Cl)]₂. (*o*-Cresol-3, 5-bis(4'-chlorosulphonanilide); 2-cresol-3, 5-disulpho-bis-4'-chloranilide).

T as mothproofing agent. 464P, 731P, 1176, 1179.

56-581-852-953-1021.

2, 6-Toluenedisulfonanilide, 4', 4''-dichloro-4-hydroxy-; CH₃(OH)C₆H₃(SO₂NHC₆H₄(Cl))₂. (*m*-Benzenedisulphonanilide, 5-hydroxy-2-methyl-bis-4'-chloro-; 4-cresol-3, 5-disulfo-bis-4'-chloranilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-853-952.

1-Phenol-4-sulfonanilide, 2, 4', 6-trichloro-; HO(Cl)₂C₆H₃SO₂NHC₆H₄Cl. (*p*-Phenolsulphonanilide, 2, 6-dichloro-4'-chloro-; 2, 6-dichloro-1-phenol-4-sulfo-4'-chloranilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-853-953.

1-Phenol-2, 4-disulfonanilide, 4', 4'', 5-trichloro-; Cl(OH)C₆H₃(SO₂NHC₆H₄(Cl))₂. (*m*-Benzenedisulphonanilide, 4-chloro-6-hydroxy-bis-4'-chloro-; 5-chloro-1-phenol-2, 4-disulfo-bis-4'-chloranilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-853-953.

1-Phenol-2, 6-disulfonanilide, 4, 4', 4''-trichloro-; Cl(OH)C₆H₃(SO₂NHC₆H₄(Cl))₂. (*m*-Benzenedisulphonanilide, 5-chlor-2-hydroxy-bis-4'-chloro-; 4-chloro-1-phenol-2, 6-disulfo-bis-4'-chloranilide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-581-854-953.

1-Phenol-4-sulfonamide, *N,N'*-*m*-phenylenebis[3, 5-dichloro-; C₆H₃(NHSO₂C₆H₃(OH)Cl)₂]. (*m*-Phenylenediamine, *N,N'*-bis(3, 5-dichloro-4-hydroxyphenylsulphonyl)-bis-2,6-dichlorophenol-4-sulpho-*m*-phenylenediamide).

T as mothproofing agent. 464P, 1176.

56-581-855-953.

1-Phenol-2-sulfonanilide, 4, 6-dichloro-, 3'-(2, 4, 5-trichlorophenylsulphonamido)-; C₆H₄(NH₂SO₂C₆H₃Cl₃)NHSO₂C₆H₃(Cl)₂OH. (*m*-Phenylenediamine, *N*-(2, 4, 5-trichlorophenylsulphonyl)-*N'*-(3, 5-dichloro-2-hydroxyphenylsulphonyl)-; (1, 2, 5-trichlorobenzene-4-sulpho)-(4', 6'-dichloro-1'-phenol-2'-sulpho)-1'', 3''-phenylenediamide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-582-852-952-1011.

1-Phenol-2-sulfonamide, *N,N'*-ethylenebis[4-chloro-; [-CH₂NHSO₂C₆H₃(Cl)OH]₂. (Ethylene diamine, *N,N'*-bis(5-chloro-2-hydroxyphenylsulphonyl)-; bis-4-chloro-1-phenol-2-sulphoethylenediamide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-582-852-954.

1-Phenol-2-sulfonamide, *N,N'*-*p*-biphenylenebis[4-chloro-; [-C₆H₄NHSO₂C₆H₃(Cl)OH]₂. (Benzidine, *N,N'*-bis(5-chloro-2-hydroxyphenylsulphonyl)-; bis-4-chloro-1-phenol-2-sulphobenzamide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-582-854-953.

1-Phenol-4-sulfonamide, *N,N'*-*m*-phenylenebis[2, 6-dichloro-; C₆H₃(NHSO₂C₆H₃(Cl)₂OH]₂. (*m*-Phenylenediamine, *N,N'*-bis(3, 5-dichloro-4-hydroxyphenylsulphonyl)-bis-2, 6-dichlorophenol-4-sulpho-*m*-phenylenediamide).

T as mothproofing agent. 428P, 730P, 731P, 1175, 1179.

56-583-853-953.

1-Phenol-2, 6-disulfonanilide, 2', 2''-dihydroxy-4, 5', 5''-trichloro-; Cl(OH)C₆H₃[SO₂NHC₆H₄(Cl)-OH]₂. (*m*-Benzenedisulphonanilide, 5-chloro-2-hydroxy-bis-5'-chloro-2'-hydroxy-; 4-chloro-1-phenol-2, 6-disulfo-bis-4'-chloro-1'-oxy-2'-anilide).

T as mothproofing agent. 428P, 730P, 731P, 1175, 1179.

56-591-952-1021.

Benzenesulfonamide, *p*-benzyloxy-; C₆H₅CH₂OC₆H₄SO₂NH₂. (Benzenesulfonamide, *p*-phenylmethoxy-). Fly spray. 112, 693P.

56-591-953-1021.

Benzenesulfonamide, *p*-benzyloxy-; C₆H₅CH₂OC₆H₄SO₂NHC₆H₅. (Benzenesulfonamide, *p*-phenylmethoxy-). Fly spray. 112, 693P.

56-671-852-952.

Benzenesulfonamide, 3'-amino-2, 4-dichloro-; H₂N-C₆H₄NHSO₂C₆H₃Cl₂. (*m*-Phenylenediamine, *N*-2, 4-dichlorophenylsulphonyl; 1, 3-dichlorobenzene-4-sulpho-1, 3-phenylenediamine).

T as mothproofing agent. 423P, 445P, 1175, 1179.

56-671-854-953.

Benzenesulfonamide, 3'-(3-amino-4-chlorophenylsulphonamido)-2, 4, 5-trichloro-; C₆H₃(NHSO₂C₆H₃(Cl)NH₂)(NHSO₂C₆H₃(Cl)NH₂). (*m*-Phenylenediamine, *N*-(2, 4, 5-trichlorophenylsulphonyl)-*N'*-(3-amino-4-chlorophenylsulphonyl)-; (1, 2, 5-trichlorobenzene-4-sulpho) - (4'-chloro-3'-amino-benzene-1'-sulpho)-1'', 3''-phenylenediamide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-671-951.

Sulfanilamide; H₂N-C₆H₄SO₂NH₂. (*p*-Aminobenzenesulfonamide; *p*-anilinesulfonamide; protosil album). ST screwworms. 156, 790AP, 1287.

56-671-952-1021.

Sulfanilamide, *N*-benzyl-; NH₂C₆H₄SO₂NHCH₂C₆H₅. NT codling moth larvae. 1287.

56-841-924-951.

Benzenesulfonamide, *p*-bromo-*N*-1-naphthyl-; BrC₆H₄SO₂NHC₁₀H₇. T as mothproofing agent; ST codling moth larvae. 239.

56-841-951.

Benzenesulfonamide, *p*-bromo-; BrC₆H₄SO₂NH₂. MT European corn borer, codling moth larvae, and as mothproofing agent. 239, 1122, 1287.

56-841-952.

Benzenesulfonamide, 4-bromo-; BrC₆H₄SO₂NHC₆H₅. (*p*-Bromobenzenesulfonamide). MT as mothproofing agent; ST codling moth larvae. 239, 1287.

56-841-952-1021.

Benzenesulfonamide, 4-bromo-*N*-methyl-; BrC₆H₄SO₂N(CH₃)C₆H₅. (*p*-Bromo-*N*-methyl-*N*-phenylbenzenesulfonamide).

T as mothproofing agent; ST codling moth larvae. 440P, 1179, 1287.

56-841-953-1022.

Benzenesulfonamide, 4-bromo-*N,N*-dibenzyl-; BrC₆H₄SO₂N(CH₂C₆H₅)₂. (*p*-Bromo-*N,N*-dibenzylbenzenesulfonamide).

T as mothproofing agent; NT codling moth larvae. 239, 1287.

56-842-953.

Benzenesulfonamide, *N,N'*-*m*-phenylenebis[*p*-bromo-; C₆H₄(NHSO₂C₆H₄Br)₂. (*m*-Phenylenediamine, *N,N'*-bis(4-bromophenylsulphonyl)-; bis-4-bromo-benzene-sulpho-1', 3'-phenylenediamide).

T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.

56-851-951.

Benzenesulfonamide, *p*-chloro-; ClC₆H₄SO₂NH₂.

T codling moth larvae, screwworms, and as mothproofing agent; ST corn borer. 440P, 944, 1120, 1179, 1287.

56-851-951-1021.

Benzenesulfonamide, *p*-chloro-*N*-methyl-; (Cl)C₆H₄SO₂NHCH₃. (Benzenesulfonamide, 4-chloro-*N*-methyl-; 4-chlorobenzenesulphomethylamide).

T as mothproofing agent. 446P, 1179.

- 56-851-951-1022.
p-Toluenesulfonamide, 2-chloro-N-methyl-; $(\text{Cl})_2\text{C}_6\text{H}_4(\text{SO}_2\text{NHC}_6\text{H}_5)$. (Benzenesulphonamide, 2-chloro-N, 4-dimethyl-; 2-chloro-4-methylbenzenesulphomethylamide).
T as mothproofing agent. 440P, 1179.
- 56-851-952.
Benzenesulfonamide, 4-chloro-; $\text{ClC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_5$. (Benzenesulphonamide, 4-chloro-).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-851-952-1021.
Benzenesulfonamide, 4-chloro-N-methyl-; $\text{ClC}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_5$. (4-Chlorobenzenesulphomethylphenylamide).
T as mothproofing agent. 440P, 1179.
- 56-852-861-952.
Benzenesulfonamide, 3, 4-dichloro 4'-fluoro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4\text{F}$. (1, 2-Dichlorobenzol-4-sulfo-4'-fluoramide).
T as mothproofing agent. 428P, 464P, 730P, 1175, 1176.
- 56-852-924-951.
1-Naphthol-2-sulfonamide, 4, 4'-dichloro-; $\text{Cl}_2\text{C}_{10}\text{H}_7\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (1-Naphthol-2-sulphonamide, 4-chloro-4'-chloro-; 4-chloro-1-naphthol-sulfo-4'-chloramide).
T as mothproofing agent. 428P, 730P, 1175.
- 56-852-951.
Benzenesulfonamide, 3, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NH}_2$.
T as mothproofing agent. 440P, 1179.
- 56-852-951-1001.
Benzenesulfonamide, N-butyl-3, 4-dichloro-; $(\text{Cl})_2\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_4\text{H}_9)$. (3, 4-Dichlorobenzenesulphobutylamide).
T as mothproofing agent and 20% T *Phlyctenia rubigalis* larvae. 440P, 446P, 949, 1149, 1179.
- 56-852-951-1002.
Benzenesulfonamide, N,N-dibutyl-3, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{N}(\text{C}_4\text{H}_9)_2$. (3, 4-Dichlorobenzenesulphodibutylamide).
T as mothproofing agent. 440P, 1179.
- 56-852-951-1012.
Benzenesulfonamide, 3, 4-dichloro-N,N-diethyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{N}(\text{C}_2\text{H}_5)_2$. (3, 4-Dichlorobenzenesulphodiethylamide).
T as mothproofing agent. 440P, 1179.
- 56-852-951-1021.
Benzenesulfonamide, 3, 4-dichloro-N-methyl-; $\text{C}_6\text{H}_3(\text{Cl})_2\text{SO}_2\text{NHC}_6\text{H}_5$. (3, 4-Dichlorobenzene-N-methylsulfonamide).
T as mothproofing agent and 40% T *Phlyctenia rubigalis*. 440P, 446P, 949, 1144, 1179.
- 56-852-951-1022.
Benzenesulfonamide, 3, 4-dichloro-N,N-dimethyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{N}(\text{CH}_3)_2$. (3, 4-Dichlorobenzenesulphodimethylamide).
T as mothproofing agent. 440P, 1179.
- 56-852-952.
Benzenesulfonamide, 3, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_5$. (1, 2-Dichlorobenzol-4-sulfonamide).
T as mothproofing agent. 428P, 440P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-852-952.
Benzenesulfonamide, 3, 4'-dichloro-; $\text{ClC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (3-Chlorobenzene-sulpho-4'-chloramide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-852-952-1021.
Benzenesulfonamide, 3, 4-dichloro-N-methyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_5$. (3, 4-Dichlorobenzenesulphomethylamide).
T as mothproofing agent. 440P, 1179.
- 56-852-952-1021.
o-Benzenesulfonotoluide, 3, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4\text{CH}_3$. (Benzenesulphonamide, 3, 4-dichloro-2-methyl-; 3, 4-dichlorobenzenesulpho-(2-methylphenyl)-amide).
T as mothproofing agent. 440P, 1179.
- 56-852-953.
Benzenesulfonamide, N,N'-m-phenylenebis[4-chloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_4\text{Cl})_2$. (m-Phenylenediamine, N,N'-bis[4-chlorophenylsulphonyl]-; bis-4-chlorobenzene-sulpho-1', 3'-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-853-952.
Benzenesulfonamide, 2, 4, 5-trichloro-; $\text{Cl}_3\text{C}_6\text{H}_2\text{SO}_2\text{NHC}_6\text{H}_5$. (1, 2, 5-Trichlorobenzol-4-sulfonamide).
T as mothproofing agent. 428P, 464P, 730P, 1175, 1176.
- 56-853-953-1021.
p-Benzenesulfonotoluide, 3'-phenylsulphonamido-2, 4, 5-trichloro-; $(\text{Cl})_3\text{C}_6\text{H}_2\text{SO}_2\text{NHC}_6\text{H}_4(\text{CH}_3)\text{SO}_2\text{NHC}_6\text{H}_5$. (Benzene, 1:2:5-trichloro-4-sulpho-4'-methyl-1'-anilido-3'-sulpho-1''-anilide).
T as mothproofing agent. 464P, 1176.
- 56-853-954.
Benzenesulfonamide, 4'-chloro-2, 5-bis[4-chlorophenylsulphonamido-; $\text{C}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_4\text{Cl})_2\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl}$. (p-Phenylenediamine, 2-sulfo-(4'-chloro) anilide-N,N'-bis[4-chloro] phenylsulfonyl-; bis-4-chlorobenzol-sulfo-1', 4'-phenylenediamide-2'-sulfo-4''-chloro-1''-anilide). (This compound is apparently incorrectly named p-Phenylenediamine, N,N'-bis(p-chlorophenylsulfonyl)-2-(p-chlorophenylsulphonamide) in reference number 1179, page 59).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-853-955.
Benzidine, 3-amino-N,N',N''-tris(p-chlorophenylsulphonyl)-; $\text{ClC}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_4\text{Cl})_3$. (Tris-4-chlorobenzene-sulpho-m-amido-benzidine).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-924-952.
Benzenesulfonamide, N,N'-2, 7-naphthylene-bis[3, 4-dichloro-; $\text{C}_{10}\text{H}_6(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (2, 7-Naphthalenediamine, N,N'-bis[3, 4-dichlorophenylsulphonyl]-; bis-(1, 2-dichlorobenzene-4-sulpho-12', 7'-naphthylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-952-1011.
Benzenesulfonamide, N,N'-ethylenebis[2, 5-dichloro-; $(\text{CH}_3\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (Ethylenediamine, N,N'-bis[2, 5-dichloro-phenylsulphonyl]-; bis-1, 4-dichlorobenzol-2-sulfoethylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
m-Benzenedisulfonamide, 2, 4', 4'', 5-tetrachloro-; $\text{Cl}_2\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl})_2$. (m-Benzenedisulphonamide, 2, 5-dichloro-bis-4'-chloro-; 1, 4-dichloro-benzol-2, 6-disulfo-bis-4'-chloranilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
m-Benzenedisulfonamide, 4, 4', 4'', 5-tetrachloro-; $\text{Cl}_2\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl})_2$. (m-Benzenedisulphonamide, 4, 5-dichloro-bis-4'-chloro-; 1, 2-dichlorobenzol-4, 6-disulfo-bis-4'-chloranilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
m-Benzenedisulfonamide, 4, 4', 4'', 6-tetrachloro-; $\text{Cl}_2\text{C}_6\text{H}_3(\text{SO}_2\text{NHC}_6\text{H}_4\text{Cl})_2$. (m-Benzenedisulphonamide, 4, 6-dichloro-bis-4'-chloro-; 1, 3-dichloro-benzol-4, 6-disulfo-bis-4'-chloranilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
Benzenesulfonamide, N,N'-m-phenylenebis[2, 4-dichloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (m-Phenylenediamine, N,N'-bis[2, 4-dichlorophenylsulphonyl]-; bis-(1', 3'-dichlorobenzene-4'-sulpho)-1, 3-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-834-953.
Benzenesulfonamide, N,N'-m-phenylenebis[2, 5-dichloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (m-Phenylenediamine, N,N'-bis[2, 5-dichlorophenylsulphonyl]-; bis-1, 4-dichlorobenzene-2-sulpho-1', 3'-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
Benzenesulfonamide, N,N'-m-phenylenebis[3, 4-di-

- chloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_4\text{Cl})_2$. (*m*-Phenylenediamine, *N,N'*-bis(3, 4-dichlorophenylsulphonyl)-; his-1, 2-dichlorobenzene-4-sulpho-1', 3'-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
Benzenesulfonamide, *N,N'*-*o*-phenylenebis(3, 4-dichloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*o*-Phenylenediamine, *N,N'*-bis(3, 4-dichlorophenylsulphonyl)-; his-1, 2-dichlorobenzene-4-sulpho-1', 2'-phenylenediamide).
T as mothproofing agent. 464P, 731P, 1176, 1179.
- 56-854-953.
Benzenesulfonamide, *N,N'*-*p*-phenylenebis(3, 4-dichloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*p*-Phenylenediamine, *N,N'*-bis(3, 4-dichlorophenylsulphonyl)-; his-1, 2-dichlorobenzene-4-sulpho-1', 4'-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953.
Benzenesulfonanilide, 3'-phenylsulfamyl-2, 4, 4', 5-tetrachloro-; $\text{Cl}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_4(\text{Cl})\text{SO}_2\text{NHC}_6\text{H}_4$. (Benzenesulphonanilide, 2, 4, 5, 4'-tetrachloro-3'-sulphonanilido-; 1, 2, 5-trichlorobenzene-4-sulpho-4'-chloro-1'-anilido-3'-sulphonanilide).
T as mothproofing agent. 731P, 1179.
- 56-854-953-1021.
Benzenesulfonamide, *N,N'*-2, 4-tolylenebis (2, 5-dichloro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (2, 4-Tolylene diamine, *N,N'*-bis(2, 5-dichlorophenylsulphonyl)-; his-1, 4-dichlorobenzene-2-sulpho-2', 4'-tolylene diamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-854-953-1021.
Benzenesulfonanilide, 3'-henzylsulfamyl-2, 4, 4', 5-tetrachloro-; $(\text{Cl})_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4(\text{Cl})\text{SO}_2\text{NHC}_6\text{H}_4$. (Benzene, 1,2,5-trichloro-4-sulpho-4'-chloro-1'-anilido-3'-sulpho-phenylmethylanilide).
T as mothproofing agent. 464P, 1176.
- 56-854-954.
Benzenesulfonamide, *N,N'*-*p*-biphenylenebis(2, 5-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{SO}_2\text{NHC}_6\text{H}_4\text{C}_6\text{H}_4\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2$. (Benzidine, *N,N'*-bis(2, 5-dichlorophenylsulphonyl)-; his-1, 4-dichlorobenzol-2-sulfohenzidine).
T as mothproofing agent. 428P, 464P, 730P, 1175, 1176.
- 56-855-953.
Benzenesulfonanilide, 3'-(3, 4-dichlorophenylsulfonyl)-2, 4, 5-trichloro-; $\text{Cl}_3\text{H}(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*m*-Phenylenediamine, *N*-(2, 4, 5-trichlorophenylsulphonyl)-*N'*-(3, 4-dichlorophenylsulphonyl)-; (1, 2, 5-trichlorobenzene-4-sulpho)-(1', 2'-dichloro-benzene-4'-sulpho)-1', 3', phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-856-953.
Benzenesulfonamide, 4-chloro-*N,N'*-*m*-phenylenebis(3, 4-dichloro-; $\text{ClC}_6\text{H}_3(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*m*-Phenylenediamine, *N,N'*-bis(3, 4-dichlorophenylsulphonyl)-4-chloro-; his-1, 2-dichlorobenzene-4-sulpho-4'-chloro-1', 3'-phenylenediamine).
T as mothproofing agent. 428P, 730P, 731P, 1175, 1179.
- 56-856-953.
Benzenesulfonamide, *N,N'*-*m*-phenylenebis(2, 4, 5-trichloro-; $\text{C}_6\text{H}_4(\text{NHSO}_2\text{C}_6\text{H}_3\text{Cl}_2)_2$. (*m*-Phenylenediamine, *N,N'*-bis(2, 4, 5-trichlorophenylsulphonyl)-; his-1, 2, 5-trichlorobenzene-4-sulpho-1', 3'-phenylenediamide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-887-1027.
Acylaminosulphonic acids, halogen-containing.
T as mothproofing agents. 901P.
- 56-924.
2-Naphthalenesulfonamide; $\text{C}_{10}\text{H}_7\text{SO}_2\text{NH}_2$.
ST codling moth larvae. 1287.
- 56-924-951.
2-Naphthalenesulfonanilide; $\text{C}_{10}\text{H}_7\text{SO}_2\text{NHC}_6\text{H}_5$. (*N*-Phenyl-2-naphthalenesulfonamide).
ST codling moth larvae. 1287.
- 56-924-952.
2, 6-Naphthalenedisulphonanilide; $\text{C}_{10}\text{H}_6(\text{SO}_2\text{NEC}_6\text{H}_5)_2$. (Naphthalin-2, 6-disulfo-anilide).
T as mothproofing agent. 428P, 464P, 730P, 731P, 1175, 1176, 1179.
- 56-924-1012.
2-Naphthalenesulfonamide, *N,N*-diethyl-; $\text{C}_{10}\text{H}_7\text{SO}_2\text{N}(\text{C}_2\text{H}_5)_2$.
ST codling moth larvae. 1287.
- 56-951.
Benzenesulfonamide; $\text{C}_6\text{H}_5\text{SO}_2\text{NH}_2$. (Benzenesulfonic amide).
NT codling moth larvae. 915, 1432.
- 56-951-993-1021.
p-Toluenesulfonamide, *N*-octyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_8\text{H}_{17}$.
NT Japanese beetle. 496, 1432.
- 56-951-1001-1021.
p-Toluenesulfonamide, *N*-butyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_4\text{H}_9$.
MT as mothproofing agent; NT codling moth larvae. 239, 1287.
- 56-951-1011-1021.
p-Toluenesulfonamide, *N*-ethyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_2\text{H}_5$.
MT as mothproofing agent; NT codling moth larvae. 239, 1287.
- 56-951-1021.
p-Toluenesulfonamide; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NH}_2$.
MT as mothproofing agent; 31.2% T codling moth larvae; NT *Phlyctenia rubiginosa* larvae. 239, 915, 949, 1287, 1432.
- 56-951-1022.
p-Toluenesulfonamide, *N*-methyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHCH}_3$.
MT as mothproofing agent; NT codling moth larvae. 239, 1287.
- 56-951-1023.
p-Toluenesulfonamide, *N,N*-dimethyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_3)_2$.
T as mothproofing agent; NT codling moth larvae. 239, 1287.
- 56-952-1021.
p-Toluenesulfonanilide; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_5$.
MT as mothproofing agent; NT *Bombyx mori* larvae. 559, 944, 1287, 1432.
- 56-952-1022.
p-Toluenesulfonanilide, *N*-methyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_5$.
MT as mothproofing agent; ST codling moth larvae. 239, 915, 1287, 1432.
- 56-952-1022.
Di-*p*-toluenesulfonamide; $\text{NH}(\text{SO}_2\text{C}_6\text{H}_4\text{CH}_3)_2$.
MT codling moth larvae. 915, 1432.
- 56-952-1023.
p-Toluenesulfono-*p*-toluide, *N*-methyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{NHC}_6\text{H}_4\text{CH}_3$. (*N*-*p*-Tolyl-*p*-toluenesulfonamide).
MT codling moth larvae; NT as mothproofing agent. 239, 1287, 1432.
- 56-952-1022.
Di-*p*-toluenesulfonamide; $\text{NH}(\text{SO}_2\text{C}_6\text{H}_4\text{CH}_3)_2$.
MT codling moth larvae. 915, 1432.
- 56-952-1023.
p-Toluenesulfono-*p*-toluide, *N*-methyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_4\text{CH}_3$. (*N*-Methyl-*N*-*p*-tolyl-*p*-toluenesulfonamide).
NT codling moth larvae and as mothproofing agent. 239, 915, 1287, 1432.
- 56-953-1021.
p-Toluenesulfonanilide, *N*-phenyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{N}(\text{C}_6\text{H}_5)_2$. *p*-Toluenesulfonodiphenylamide).
NT *Phlyctenia rubiginosa* larvae. 949.
- 56-975.
Sulphonamides, aryl-.
T as mothproofing agent. 440P, 446P, 456P, 1179.
- 57-952-1022.
Sulfamide, *N,N'*-di-*p*-tolyl-; $(\text{CH}_3\text{C}_6\text{H}_4\text{NH})_2\text{SO}_2$. (Sulfone, *N,N'*-bis(*p*-toluino)-).
MT codling moth larvae. 915, 1432.
65.
Sulfamic acid derivatives; RNHSO_3H . 344P, 1432.
- 65-952-1114.
Sulfamic acid, *N,N*-diphenyl-, barium salt? $[(\text{C}_6\text{H}_5)_2\text{NHSO}_3]_2\text{Ba}$. (Barium diphenylamine sulfonate).
NT firebrat. 1145.
- 102-853-951-1011.
Acetanilide, 2, 4, 6-*N*-tetrachloro-; $\text{Cl}_3\text{C}_6\text{H}_3\text{N}(\text{Cl})\text{COCH}_3$. (2, 4, 6-Trichlorophenyl acetyl chloramine).
T tent caterpillar at 1.0%. 119.

- 102-952-1021.
Formamide, α -chloro-*N,N*-diphenyl-; $C_6H_5N(COCl) \cdot C_6H_5$. (*N,N*-Diphenyl chloroformamide).
HT greenhouse red spider at 4%; ST codling moth larvae at 4%. 915, 1481.
- 151-206-951.
Benzenesulfonyl chloride, *m*-nitro-; $C_6H_4(NO_2) \cdot SO_2Cl$.
NT screwworms. 156.
- 151-207-951-1021.
p-Toluenesulfonyl chloride, 2, 6-dinitro-; $CH_3C_6H_3(NO_2)_2SO_2Cl$.
MT *Phlyctenia rubigalis* larvae. 949, 1144.
- 151-552-951-1000-1022.
Phthalic acid, 4-chlorosulfonyl-, amyl ester; $ClSO_2 \cdot C_6H_4(COOC_5H_{11})_2$? (Phthalic acid, 4-chlorosulpho-, amyl ester).
T as mothproofing agent. 550P, 1179, 1335P, 1336P.
- 151-841-951.
Benzenesulfonyl chloride, *p*-bromo-; $BrC_6H_4SO_2Cl$. (*p*-Bromobenzene sulfochloride).
ST codling moth larvae. 915.
- 151-910.
Anthracenesulphonyl chloride, CU; $C_{14}H_9SO_2Cl$.
T as mothproofing agent. 474P, 1176.
- 151-924.
2-Naphthalenesulfonyl chloride; $C_{10}H_7SO_2Cl$. (Naphthalene- β -sulfonyl chloride).
T Japanese beetle; ST screwworms at 0.67%. 156, 494, 1178.
- 151-924.
Naphthalenesulfonyl chloride, CU; $C_{10}H_7SO_2Cl$.
T as mothproofing agent. 474P, 1170.
- 151-924.
1, 5-Naphthalenedisulfonyl chloride; $C_{10}H_6(SO_2Cl)_2$.
T as mothproofing agent. 474P, 1176.
- 151-924.
2, 6-Naphthalenedisulfonyl chloride; $C_{10}H_6(SO_2Cl)_2$. (Naphthalene, 2-6-disulfochloride).
NT culicine mosquito larvae. 172, 1178.
- 151-924.
2, 7-Naphthalenedisulfonyl chloride; $C_{10}H_6(SO_2Cl)_2$.
NT culicine mosquito larvae. 172, 1178.
- 151-951-1021.
p-Toluenesulfonyl chloride; $CH_3C_6H_4SO_2Cl$. (*p*-Toluenesulfone chloride).
HT *Plodia* larvae; T as mothproofing agent; NT *Sitophilus oryza*, *Sitophilus granarius*, *Tribolium*, and *P. rapae*. 474P, 635, 1042, 1176, 1178.
- 151-1001.
1-Butanesulfonyl chloride; $CH_3CH_2CH_2CH_2SO_2Cl$.
NT *Sitophilus oryza*. 1178, 1180.
- 151-1045.
Sulfonylchlorides, CU.
T as mothproofing agent. 474P, 1176.
- 152-924.
1, 5-Naphthalenedisulfonyl fluoride; $C_{10}H_6(SO_2F)_2$.
T as mothproofing agent. 475P, 1176.
- 152-951-1021.
p-Toluenesulfonyl fluoride; $CH_3C_6H_4SO_2F$.
T as mothproofing agent. 475P, 1176.
- 152-975.
Aryl sulfonyl fluorides, CU; RSO_2F . (Fluorosulphonates, aryl-).
T as mothproofing agent. 825P, 1175.
- 152-1021.
Methane sulfonyl fluoride; H_3CSO_2F . 393P, 1432.
- 152-1027.
Aliphatic sulfonyl fluorides, CU. 393P, 1432.
- 152-1045.
Sulfonyl fluorides, CU. (Sulpho fluorides). 475P, 1176.
- 173-1022.
Urea, guanyl-, $H_2NC(:NH)NECONH_2$. (Dicysanodiamidine).
NT codling moth. 915.
- 173-1022-1389.
Urea, guanyl-, sulfate; $H_2NC(:NH)NHCONH_2H_2SO_4$? (Dicysanodiamidine sulfate).
NT mosquito larvae and codling moth. 172, 915.
- 175-952-1021.
Carbohydrazide, 1, 5-diphenyl-; $(C_6H_5NHNH)_2CO$. (1, 5-Diphenyl carbazide; *s*-diphenylcarbazine).
NT screwworms. 156.
- 176-951-1021.
Semicarbazide, 1-phenyl-; $C_6H_5NHNHCONH_2$. (1-Carbamyl-2-phenylhydrazine).
ST *Bombyx mori* larvae; NT *Culex quinquefasciatus* larvae. 157, 559.
- 176-952-1021.
Semicarbazide, 1, 4-diphenyl-; $C_6H_5NHNHCONHC_6H_5$.
HT *Lepidoptera*, *Coleoptera*, *Isoptera*, and *Orthoptera*; T corn borer, Southern beet webworm, *Culex quinquefasciatus*, and silkworm larvae; NT roaches, cabbage looper, cross-striped cabbage worm, and imported cabbage worm. 157, 513, 559, 587, 1312.
- 176-952-1021.
Semicarbazide, 4, 4-diphenyl-; $(C_6H_5)_2NCONHNH_2$.
T as mothproofing agent. 239, 915.
- 176-952-1022.
Semicarbazide, 1-phenyl-4-*o*-tolyl-; $C_6H_5NHNHCONHC_6H_4CH_3$.
T European corn borer. 1122.
- 179-541-999-1021.
Levulinic acid, semicarbazone; $CH_3C(NNHCONH_2) \cdot CH_2CH_2COOH$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-551-1001-1011-1021.
Acetoacetic acid, ethyl ester, semicarbazone; $CH_3C(NNHCONH_2)CH_2COOC_2H_5$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-571-952-1011-1021.
Benzil monosemicarbazone; $C_6H_5COC(C_6H_5)NNHCONH_2$.
ST corn borer and as mothproofing agent. 239, 1120.
- 179-581-591-951-1023.
Vanillin semicarbazone; $CH_3OC_6H_3(OH)CHNNECONH_2$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-581-951-1011-1021.
Acetophenone, *p*-hydroxy-, semicarbazone; $HOC_6H_4C(NNHCONH_2)CH_3$.
NT *Culex quinquefasciatus*. 157.
- 179-581-951-1022.
Salicylaldehyde semicarbazone; $HOC_6H_4CHNNECONH_2$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-592-951-1023-1030.
o-Veratraldehyde semicarbazone; $(CH_3O)_2C_6H_3CHNNECONH_2$.
NT European corn borer. 1122.
- 179-625-1022.
2-Furaldehyde semicarbazone; $(C_4H_3O)CHNNECONH_2$.
ST codling moth larvae and as mothproofing agent. 239, 1285.
- 179-626-950-1022.
Fipronil semicarbazone; $(CH_2O)_2C_6H_3CHNNECONH_2$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-671-952-1022.
Benzophenone, *p*-amino-, semicarbazone; $C_6H_5C(NNHCONH_2)C_6H_4NH_2$.
NT corn borer. 1120.
- 179-851-951-1011-1021.
Acetophenone, *p*-chloro-, semicarbazone; $ClC_6H_4C(CH_3)NNHCONH_2$.
T as mothproofing agent; MT corn borer and codling moth; NT screwworms. 239, 944, 1120, 1285.
- 179-851-951-1022.
Benzaldehyde, *o*-chloro-, semicarbazone; $ClC_6H_4CHNNECONH_2$.
NT corn borer and as mothproofing agent. 239, 1120.
- 179-852-951-1011-1021.
Acetophenone, 3, 4-dichloro-, semicarbazone; $Cl_2C_6H_3C(CH_3)NNHCONH_2$.
ST corn borer and as mothproofing agent. 239, 1120.
- 179-951-1003-1021-1030.
Cinnamaldehyde semicarbazone; $C_6H_5CHCHCHNNECONH_2$.
NT *Cochliomyia americana* C and P and *Culex quinquefasciatus* larvae. 157, 944.
- 179-951-1011-1021.
Acetophenone semicarbazone; $C_6H_5C(NNHCONH_2) \cdot CH_3$.
MT corn borer; ST as mothproofing agent. 239, 1120.

- 179-951-1011-1022.
Acetophenone, *p*-methyl-, semicarbazone; $\text{CH}_3\text{C}_6\text{H}_4\text{-C}(\text{CH}_3)_2\text{NNHCONH}_2$.
MT corn borer; ST *Culex quinquefasciatus*; NT as mothproofing agent. 157, 239, 1120.
- 179-951-1022.
Benzaldehyde semicarbazone; $\text{C}_6\text{H}_5\text{CHNNHCONH}_2$.
T corn borer and codling moth larvae; ST as mothproofing agent; NT *Culex quinquefasciatus* larvae. 157, 239, 437, 1120, 1291.
- 179-952-1022.
Benzophenone semicarbazone; $(\text{C}_6\text{H}_5)_2\text{CNNHCONH}_2$.
T as mothproofing agent; ST corn borer. 239, 1120.
- 179-961-1021.
Cyclohexanone semicarbazone; $\text{C}_6\text{H}_{10}\text{:NNHCONH}_2$.
NT corn borer. 1120.
- 179-961-1022.
Cyclohexanone, 2-methyl-, semicarbazone; $\text{C}_6\text{H}_9\text{-(CH}_3\text{):NNHCONH}_2$.
NT European corn borer. 1122.
- 179-961-1022.
Cyclohexanone, 4-methyl-, semicarbazone; $\text{C}_6\text{H}_9\text{-(CH}_3\text{):NNHCONH}_2$.
NT European corn borer. 1122.
- 179-968-1021.
Cyclopentanone semicarbazone; $\text{C}_5\text{H}_8\text{(NNHCONH}_2\text{)}$.
T screwworms; NT codling moth, corn borer, and as mothproofing agent. 239, 944, 1120, 1285.
- 179-992-1021.
4-Heptanone, 2, 6-dimethyl-, semicarbazone; $[\text{CH}_3\text{-CH}(\text{CH}_3)\text{CH}_2]_2\text{CNNHCONH}_2$.
ST corn borer, mosquito larvae, and as mothproofing agent. 157, 239, 1120.
- 179-993-1021.
2-Octanone semicarbazone; $\text{CH}_3(\text{CH}_2)_6\text{C}(\text{CH}_3)\text{NNHCONH}_2$.
NT codling moth larvae, corn borer, and as mothproofing agent. 239, 1120, 1285.
- 179-995-1021.
2-Heptanone semicarbazone; $\text{CH}_3(\text{CH}_2)_4\text{C}(\text{CH}_3)\text{NNHCONH}_2$.
ST as mothproofing agent; NT corn borer. 239, 1120.
- 179-995-1021.
2-Pentanone, 2, 4-dimethyl-, semicarbazone; $[(\text{CH}_3)_2\text{C-CH}_2]_2\text{CNNHCONH}_2$.
ST as mothproofing agent; NT corn borer. 239, 1120.
- 179-997-1021.
Butyraldehyde, α -ethyl-, semicarbazone; $(\text{C}_2\text{H}_5)_2\text{CH-CHNNHCONH}_2$.
NT corn borer, *Culex quinquefasciatus*, and as mothproofing agent. 157, 239, 1120.
- 179-997-1021.
2-Pentanone, 4-methyl-, semicarbazone; $(\text{CH}_3)_2\text{CH-CH}_2\text{C}(\text{CH}_3)\text{NNHCONH}_2$. (4-Methyl-2-pentanone semicarbazone).
NT corn borer and as mothproofing agent. 239, 1120.
- 179-997-1022.
2, 5-Hexanedione disemicarbazone; $[\text{CH}_3\text{C}(\text{NNHCONH}_2)\text{NH}_2]\text{CH}_2$. (Acetylacetone disemicarbazone).
NT *Culex quinquefasciatus* larvae, corn borer, and as mothproofing agent. 157, 239, 1120.
- 179-999-1021.
2-Pentanone semicarbazone; $\text{CH}_3\text{C}(\text{NNHCONH}_2)_2\text{C}_2\text{H}_5$.
Br. (Methylpropyl ketone semicarbazone).
T *Cochliomyia americana* C and P at 0.17%; ST as mothproofing agent. 239, 944, 1120.
- 179-1001-1021.
2-Butanone semicarbazone; $\text{C}_2\text{H}_5\text{C}(\text{NNHCONH}_2)_2$.
CH₃. (Ethylmethyl ketone semicarbazone).
T *Cochliomyia americana* C and P at 0.67%; ST corn borer and as mothproofing agent. 239, 944, 1120.
- 179-1001-1021-1030.
Crotonaldehyde semicarbazone; $\text{CH}_3\text{CHCHCHNNHCONH}_2$.
T *Cochliomyia americana* C and P at 0.10%; ST as mothproofing agent; NT *Culex quinquefasciatus* and corn borer. 157, 239, 944, 1120.
- 179-1003-1021.
Acetone semicarbazone; $(\text{CH}_3)_2\text{CNNHCONH}_2$. (2-Propanone semicarbazone).
T Southern beet webworm, Hawaiian beet webworm, melon worm, greenhouse leaf tier, diamondback moth, and roaches; HT silkworms; MT codling moth and imported cabbage worm. 156, 589, 1291, 1312, 1328.
- 179-1045.
Semicarbazones, CU.
T Southern beet webworm, melon worm, and diamondback moth. 1312.
- 182-207-952.
Azoxybenzene, 4, 4'-dinitro-; $(\text{O}_2\text{NC}_6\text{H}_4\text{N})_2\text{O}$.
T screwworms; ST greenhouse red spider at 4%; NT bean aphid at 4%. 156, 1481.
- 182-542-952-1022.
Benzoic acid, *p,p'*-azoxybis-; $\text{C}_6\text{H}_5\text{COOH}(\text{NON})\text{C}_6\text{H}_5\text{COOH}$. (*p*-Azoxybenzoic acid).
ST screwworms at 0.67%. 156.
- 182-852-952.
Azoxybenzene, *p,p'*-dichloro-; $\text{ClC}_6\text{H}_4(\text{NON})\text{C}_6\text{H}_4\text{Cl}$.
NT mosquito larvae. 156, 487.
- 182-872-952.
Azoxybenzene, *p,p'*-diiodo-; $(\text{IC}_6\text{H}_4\text{N})_2\text{O}$.
MT corn borer. 110, 1120, 1123.
- 182-924.
Naphthalene, 1,1'-azoxydi-; $(\text{C}_{10}\text{H}_7\text{N})_2\text{O}$.
NT southern army worm at 4%. 1481.
- 182-952.
Azoxybenzene; $(\text{C}_6\text{H}_5\text{N})_2\text{O}$. (Azoxybenzide).
T codling moth, southern army worm, and T screwworms at 0.03-0.05%; MT corn borer. 156, 915, 1120, 1481.
- 183-551-1001-1021.
Allophanic acid, butyl ester; $\text{NH}_2\text{CONHCOOC}_4\text{H}_9$.
NT mosquito larvae. 487.
- 183-551-1003-1021.
Allophanic acid, isopropyl ester; $\text{NH}_2\text{CONHCOOC}_3\text{H}_7$.
Hr. (Isopropyl allophanate).
HT codling moth larvae. 1291.
- 183-551-1011-1022.
Allophanic acid, ethyl ester; $\text{NH}_2\text{CONHCOOC}_2\text{H}_5$.
(Ethyl allophanate).
HT codling moth larvae. 1291.
- 183-571-588-742-1021-1109.
Ammonium allantoinate; $\text{C}_4\text{H}_8\text{N}_4\text{O}_3\text{NH}_4$. 1189P.
- 183-572-742-1021.
Allantoin; $(\text{O})_2\text{C}(\text{C}_6\text{H}_5\text{N}_2)\text{NHCONH}_2$.
NT codling moth larvae. 915.
- 183-572-742-1021-1109.
Ammonium allantoinate—see 183-571-588-742-1021-1109.
- 183-591-951-1011-1021.
Dulcin; $\text{C}_8\text{H}_7\text{OOC}_6\text{H}_4\text{NNHCONH}_2$. (*p*-Phenetylurea; *p*-ethoxyphenylurea).
T screwworms at 0.33-0.67%. 156.
- 183-592-952-1012-1021.
Urea, di-*p*-phenetyl-; $(\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NH})_2\text{C:O}$.
NT *Bombyx mori* larvae. 559.
- 183-951-1021.
Urea, phenyl-; $\text{C}_6\text{H}_5\text{HNCONH}_2$.
T screwworms; NT codling moth and as mothproofing agent. 156, 915, 985, 1176.
- 183-951-1021-1213.
Urea, phenyliseleno-, CU.
T as mothproofing agent. 399P, 429P, 679P, 1175.
- 183-952-1021.
Carbanilide; $(\text{C}_6\text{H}_5\text{NH})_2\text{CO}$. (*N,N'*-Diphenylurea).
NT codling moth and as mothproofing agent. 239, 915.
- 183-952-1023.
Carbanilide, *N,N'*-dimethyl-; $[(\text{C}_6\text{H}_5\text{N}(\text{CH}_3))_2\text{C:O}]$. (*N,N'*-Dimethyl, *N,N'*-diphenylurea).
NT *Bombyx mori* larvae, Colorado potato beetle, and Mexican bean beetle. 559, 606.
- 183-989-1021.
Urea, 1-dodecyl-; $\text{C}_{12}\text{H}_{25}\text{NHCONH}_2$.
Fly spray. 107P, 112, 593P.
- 183-1003-1021-1030.
Urea, allyl-; $\text{H}_2\text{NCONHCH}_2\text{CH:CH}_2$.
ST codling moth; NT clothes moths. 915, 985, 1176.
- 183-1021.
Urea; NH_2CONH_2 . (Carbamide).
ST *Lucilia sericata* larvae; NT as mothproofing agent. 156, 723, 985, 1176.
- 184-186-206-591-952-1011-1023.
o-Acetotoluide, α -(4-methoxy-2-nitrophenylazo)-; $\text{CH}_3\text{C}_6\text{H}_4\text{NHCOCCH}_3\text{NCH}_2\text{C}_6\text{H}_3(\text{NO}_2)\text{OCH}_3$. (α -(*o*-Nitro-*p*-anisylazo)-*o*-acetotoluide). (This com-

- pound was given the formula $C_{10}H_{13}N_2O_4$. This does not agree with the name. Assuming that the latter is correct, the formula should be $C_{17}H_{18}N_2O_4$.
NT European corn borer. 1120.
- 184-206-951-1021.
Benzoic acid, *m*-nitro-, hydrazide; $NH_2NHCOC_6H_4NO_2$. (*m*-Nitrobenzhydrazide).
ST screwworms at 0.67%. 156.
- 184-206-951-1021.
Benzoic acid, *o*-nitro-, hydrazide; $NH_2NHCOC_6H_4NO_2$. (*o*-Nitrobenzhydrazide).
ST screwworms at 0.67%. 156.
- 184-206-951-1021.
Benzoic acid, *p*-nitro-, hydrazide; $NO_2C_6H_4CONHNH_2$. (*p*-Nitrobenzhydrazide).
NT screwworms. 156.
- 184-951-1011.
Acetic acid, phenylhydrazide; $CH_3CONHNHC_6H_5$. (Acetyl phenylhydrazine).
T screwworms. 156.
- 184-952-1011-1021.
Acetic acid, 2-benzylidene-1-phenylhydrazide; $C_6H_5CH:N:NN(COCH_3)C_6H_5$. (Benzacetylphenylhydrazone; benzylidenephénylacetylhydrazone).
T as mothproofing agent. 873P, 1176.
- 181-953-1022.
Benzoic acid, 2-benzylidene-1-phenylhydrazide; $C_6H_5CH:N:NN(COC_6H_5)C_6H_5$. (Benzalbenzophenylhydrazone; benzylidenephénylbenzhydrazone).
T as mothproofing agent. 813P, 1176.
- 185-206-951-1021.
Benzamide, *p*-nitro-; $NO_2C_6H_4CONH_2$.
NT screwworms. 156.
- 185-250-991-1022.
Decylanthic acid, anhydride with carbamic acid; $C_{10}H_{19}OCSSCONH_2$ (Amide of decylanthic formic acid). 1472P.
- 185-440-851-950-951-1021.
Phenothiazine, 6-(*o*-chlorophenylcarbonyl)-; $(C_{12}H_8NS)CONHC_6H_4Cl$. (Phenothiazine-6-carboxylic acid *o*-chlorophenylamide).
MT mosquito larvae. 487.
- 185-440-950-951-1021.
Phenothiazine, 6-(phenylcarbonyl)-; $(C_{12}H_8NS)CONHC_6H_5$. (Phenothiazine-6-carboxylic acid phenylamide).
NT mosquito larvae. 487.
- 185-440-950-999-1021.
Phenothiazine, 6-aminylcarbonyl-; $(C_{12}H_8NS)CONHC_6H_4NH_2$. (Phenothiazine-6-carboxylic acid amylamide).
HT mosquito larvae. 487.
- 185-440-950-1021.
Phenothiazine, 6-carbonyl-; $(C_{12}H_8NS)CONH_2$. (Phenothiazine-6-carboxylic acid amide).
MT mosquito larvae. 487.
- 185-541-671-1001.
Asparagine; $H_2NCOCH(NH_2)CH_2COOH$.
NT codling moth larvae. 915.
- 185-591-952-1022.
Benzamide, *o*-benzyloxy-; $C_6H_5CH_2OC_6H_4CONH_2$. (Benzamide, *o*-phenylmethoxy-).
Fly spray. 112, 693P.
- 155-625-1003-1030.
2-Furamerylamide; $(C_4H_5O)CH:CHCONH_2$.
HT *Culex quinquefasciatus*; T several species of insects and T screwworm larvae at 0.05%; ST greenhouse red spider; NT bean aphid. 109, 157, 944, 1312, 1481.
- 185-625-1021.
2-Furamide; $(C_4H_5O)CONH_2$. (Pyromucamide).
T codling moth and mosquito larvae. 487, 1286, 1291.
- 185-851-1011.
Acetamide, *α*-chloro-; $ClCH_2CONH_2$. (Chloroacetamide).
T *Lucilia cupripina* larvae at 0.1%. 849, 1144.
- 185-951-1021.
Benzamide; $C_6H_5CONH_2$. (Benzene-carbonamide; benzoic amide).
MT codling moth larvae; T screwworms; NT *P. rapae*. 156, 635, 915, 1150, 1286, 1291.
- 185-951-1022.
Phthalimide; $C_6H_4(CONH_2)_2$.
NT European corn borer. 1122.
- 185-985.
Palmitamide; $CH_3(CH_2)_{14}CH_2CONH_2$. (Hexadecanamide; palmitic amide).
ST codling moth larvae. 1286.
- 185-989.
Lauramide; $CH_3(CH_2)_{10}CH_2CONH_2$.
ST codling moth larvae. 1286.
- 185-999.
n-Valeramide; $CH_3(CH_2)_4CONH_2$.
ST codling moth larvae. 915.
- 185-1003.
Malonamide; $CH_2(CONH_2)_2$.
NT codling moth larvae. 915.
- 185-1003.
Propionamide; $C_2H_5CONH_2$. (Propanamide; propionic acid amide).
ST codling moth larvae. 1286.
- 185-1011.
Oxamide; $(CONH_2)_2$.
NT *Bombyx mori*, codling moth larvae, and European corn borer. 559, 915, 1122.
- 185-1011.
Acetamide; CH_3CONH_2 . (Ethanimide).
T *Lucilia sericata* larvae; ST codling moth larvae; NT *Tineola bisselliella*, *Attageus piceus*, and as mothproofing agent. 268, 723, 739, 915, 1176, 1286.
- 185-1021.
Formamide; $HCONH_2$. (Methanimide).
T *Lucilia cupripina* larvae; ST codling moth larvae. 849, 1152, 1286.
- 186-190-851-951-1011.
Acetanilide, *p*-chloro-*α*-isomero-; $ClC_6H_4NHCOCH_3$. (*p*-Chloro-*α*-isomeroacetanilide).
NT European corn borer. 1122.
- 186-206-571-665-952-1001-1021.
Acetoacetanilide, *α*-(*o*-nitro-*p*-tolylazo)-; $C_6H_5NHCOCH(N:NC_6H_4(CH_3)NO_2)COCH_3$.
NT European corn borer. 1120.
- 186-206-591-951-1011-1021.
p-Acetanilide, 2-nitro-; $CH_3CONHC_6H_4(NO_2)OCH_3$. (3-Nitro-4-acetylaminotoluene).
NT screwworms. 156.
- 186-206-591-951-1012.
p-Acetophenide, 3-nitro-; $CH_3CONHC_6H_4(NO_2)OC_6H_5$. (Phenacetin, 3-nitro-).
T as mothproofing agent. 333P, 1176.
- 186-206-851-951-1011.
Acetanilide, 2-chloro-4-nitro-; $CH_3CONHC_6H_3(Cl)NO_2$.
MT codling moth at 4%; NT bean aphid at 4%. 1481.
- 186-206-851-951-1011.
Acetanilide, 4-chloro-2-nitro-; $CH_3CONHC_6H_3(Cl)NO_2$.
HT greenhouse red spider at 4%. 1481.
- 186-206-951-1011.
Acetanilide, *m*-nitro-; $CH_3CONHC_6H_4NO_2$.
T screwworms at 0.10-0.17% and T greenhouse red spider and codling moth at 4%; NT bean aphid at 4%. 156, 1481.
- 186-206-951-1011.
Acetanilide, *o*-nitro-; $CH_3CONHC_6H_4NO_2$.
T greenhouse red spider; NT screwworms. 156, 1481.
- 186-206-951-1011.
Acetanilide, *p*-nitro-; $CH_3CONHC_6H_4NO_2$.
T codling moth and greenhouse red spider; ST mosquito larvae and ST screwworms at 0.67%. 156, 157, 915, 1481.
- 186-206-951-1011-1021.
Acetanilide, *p*-(nitroethyl)-; $CH_3CONHC_6H_4CH_2NO_2$.
T screwworms at 0.05-0.08%. 156.
- 186-206-951-1011-1021.
p-Acetotoluide, 2-nitro-; $CH_3CONHC_6H_4(CH_3)NO_2$. (3-Nitro-4-acetaminotoluene).
ST greenhouse red spider at 4%. 1481.
- 186-206-951-1012.
Acetanilide, *p*-(2-nitroethyl)-; $CH_3CONHC_6H_4CH_2CH_2NO_2$. (*p*-Nitroethylacetanilide).
T screwworms at 0.05-0.08%. 156.
- 186-207-851-951-997.
Caproanilide, 3, 5-dinitro-2-hydroxy-; $C_6H_4OH(NO_2)_2NHCOC_6H_5$. (*N*-Caproylpicramic acid).
MT *Phyctena rubigalis* larvae. 949, 1144.

- 186-207-581-952-1021.
Benzanilide, 3, 5-dinitro-2-hydroxy-; $C_6H_5OH \cdot (NO_2)_2 \cdot NHCOCH_2H_5$. (*N*-Benzoylpicramic acid).
NT *Phlyctenaria rubigalis* larvae. 949.
- 186-207-952-1011.
Oxanilide, 2, 2'-dinitro-; $(-CONHC_6H_4NO_2)_2$. (Oxalic acid, bis-(2-nitro anilide)).
ST greenhouse red spider at 4%; NT southern army worm and bean aphid at 4%. 1461.
- 166-250-951-981-1022.
Eicosylanthric acid, anhydride with carbanilic acid; $C_{10}H_{17}OCSSCONHC_6H_5$. (Anilide of eicosylanthric formic acid). 1472P.
- 186-250-951-989-1022.
Dodecylanthric acid, anhydride with carbanilic acid; $C_{12}H_{25}OCSSCONHC_6H_5$. (Anilide of dodecylanthric formic acid). 1472P.
- 166-250-989-1023.
Methylanthric acid, anhydride with dodecylcarbamie acid; $CH_3OCSSCONHC_{12}H_{25}$. (*N*-Dodecylamide of methylanthric formic acid). 1472P.
- 186-256-561-651-952-1022.
Cresotaniide, chlorosulfo-, CU; $C_6H_5NHCOCH_2H \cdot (OH)(Cl)(CH_3)SO_3H$. (Chlororesotinic acid anilide sulphonic acid).
T as mothproofing agent. 394P, 395P, 1175, 1176.
- 186-258-531-852-952-1021.
1-Phenol-2-sulfonic acid, 4-chloro-6-(*p*-chlorophenyl-carbamyl)-; $Cl(OH)C_6H_4(SO_3H)CONHC_6H_4Cl$. (Sallylic acid, 5-chloro-3-sulpho-2'-chloroanilide).
T as mothproofing agent. 464P, 1176.
- 186-258-531-852-952-1021.
1-Phenol-2-sulfonic acid, 4-chloro-6-(*p*-chlorophenyl-carbamyl)-; $Cl(OH)C_6H_4(SO_3H)CONHC_6H_4Cl$. (Sallylic acid, 5-chloro-3-sulpho-2'-chloroanilide).
T as mothproofing agent. 464P, 1176.
- 166-376-591-651-951-1011-1021.
Urea, 1-(*p*-chlorophenoxyacetyl)-2-thio-; $ClC_6H_4 \cdot OCH_2CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-852-951-1022.
Urea, 1-dichlorobenzoyl-2-thio-, CU. $Cl_2C_6H_4CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-852-952-1022.
Urea, 1-dichlorobenzoyl-3-phenyl-2-thio-, CU; $Cl_2C_6H_4CONHC(S)NHCH_2C_6H_5$? (Urea, phenyl dichlorobenzoylthio-; urea, *o*-dichlorobenzoyl- β -phenylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1179, 1240P.
- 186-376-951-983-1021-1030.
Urea, 1-oleyl-3-phenyl-2-thio-, $C_{17}H_{33}CONHC(S) \cdot NHCH_2C_6H_5$? (Urea, phenylethylthio-; urea, *o*-oleyl- β -phenylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1179, 1240P.
- 186-376-951-997-1021.
Urea, 1-caproyl-3-phenyl-2-thio-; $CH_3(CH_2)_4CONHC(S)NHCH_2C_6H_5$. (Urea, *o*-caproyl- β -phenylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1179, 1239P, 1240P.
- 166-376-951-999-1021.
Urea, 1-phenyl-2-thio-3-valeryl-; $C_6H_5NHCH_2C(S) \cdot NHOCCH_2H_3$? (Urea, phenylvalerylthio-).
T as mothproofing agent. 406P, 427P, 437P, 1175, 1179, 1239P, 1240P.
- 186-376-951-1011-1021.
Urea, 1-acetyl-3-phenyl-2-thio-; $CH_3CONHC(S) \cdot NHCH_2C_6H_5$. (Urea, phenylacetylthio-).
T as mothproofing agent. 406P, 416P, 427P, 437P, 1175, 1179, 1239P.
- 186-376-951-1022.
Urea, 1-benzoyl-2-thio-; $C_6H_5CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-952-1022.
Urea, 1-benzoyl-3-phenyl-2-thio-; $C_6H_5CONHC(S) \cdot NHCH_2C_6H_5$. (Urea, phenylbenzoylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1179, 1240P.
- 166-376-961-997-1021.
Urea, 1-caproyl-3-cyclohexyl-2-thio-; $CH_3(CH_2)_4 \cdot CONHC(S)NHCH_2C_6H_{11}$. (Urea, *o*-caproyl- β -cyclohexylthio-).
T as mothproofing agent. 1179, 1240P.
- 186-376-961-1021.
Urea, 1-hexahydrobenzoyl-2-thio-; $C_8H_{11}CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-983-1021.
Urea, 1-oleyl-2-thio-; $C_{17}H_{33}CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 166-376-983-1021.
Urea, 1-stearyl-2-thio-; $C_{17}H_{35}CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-999-1021.
Urea, 1-valeryl-2-thio-; $C_5H_9CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-376-1001-1021-1030.
Urea, 1-crotonyl-2-thio-; $NH_2C(S)NHOCCH_2CH \cdot CH_3$. (Crotyl thiourea).
NT Colorado potato beetle and Mexican bean beetle. 606, 1432.
- 186-376-1003-1011-1021-1030.
Urea, 1-acetyl-3-allyl-2-thio-; $CH_3CONHC(S) \cdot NHCH_2H_5$.
T as mothproofing agent. 416P, 424P, 683P, 1175.
- 186-376-1011-1021.
Urea, 1-acetyl-2-thio-; $CH_3CONHC(S)NH_2$.
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 186-401-591-096-651-952-1012-1023-1291.
Ammonium chloride, [*p*-(*p*-chlorophenoxy)-phenyl-carbamylmethyl]dimethyl(2-thioxyacetyl)-; $ClC_6H_4COCH_2NHCOCH_2N(CH_3)_2(Cl)CH_2CH_2SCN$.
T as mothproofing agent. 529P.
- 186-490-591-950-983-1011.
Benzothiazide, 2-caprylamido-6-ethoxy-; $C_8H_{10}(C_2H_5SN)NHCOCH_2H_3$. (5-Ethoxybenzthiazyl-1-amide of octanoic acid).
Fly spray. 112, 1224P.
- 186-541-583-904-999-1011-1022-1218.
Glycocholic acid, sodium salt; $C_{24}H_{45}O_6 \cdot NaCH_2COONa$.
T as mothproofing agent. 585P, 1179.
- 186-541-730-1022-1027.
Cinchomeranamide, *N*-alkyl-; $C_6H_5N(CONHR)CO \cdot OH$. (3, 4-Pyridinedicarboxylic acid amide). 771AP.
- 166-541-730-1022-1027.
Lutidinamide, *N*-alkyl-; $C_6H_5N(CONHR)COOH$. (Lutidinic acid amide). 771AP.
- 186-541-730-1022-1027.
Quinolnamide, *N*-alkyl-; $C_6H_5N(CONHR)COOH$. (Quinolnic acid amide). 771AP.
- 186-541-951-1011.
Oxanilic acid; $C_6H_5NHCOCOOH$.
NT codling moth. 915.
- 186-541-951-1011-1021.
Hippuric acid; $C_6H_5CONHCH_2COOH$. (Benzaminoacetic acid; *N*-benzoylglycine; benzamidoacetic acid).
ST Colorado potato beetle and Mexican bean beetle. 606, 1012.
- 166-541-951-1011-1021.
Anthranilic acid, *N*-acetyl-; $CH_3CONHC_6H_4COOH$. (Acetyl *o*-aminobenzoic acid; *o*-acetamidobenzoic acid).
NT screwworms. 156.
- 166-541-951-1011-1021.
p-Aminobenzoic acid, *N*-acetyl-; $CH_3CONHC_6H_4COOH$.
NT codling moth. 915.
- 186-542-730-1023-1027.
Berberonamide, *N*-alkyl-; $(HOOC)_2C_6H_3NCONHR$. 771AP.
- 166-551-961-990-1011-1021.
Glycine, *N*-fluorobenzoyl-, methyl ester; $C_{10}H_{11}FCONHCH_2COOCH_3$. (Monofluorobenzoyl acid-methylglycineamide). 345P.
- 186-551-951-1012.
Oxanilic acid, ethyl ester; $C_6H_5NHCOCOC_2H_5$. (Ethyl oxanilate).
NT codling moth. 915.
- 186-571-851-951-1001.
Acetoacetanilide, 2-chloro-; $ClC_6H_4NHCOCH_2CO \cdot CH_3$. (Acetoacet-2-chloroanilide).
ST screwworms at 0.87%. 156.
- 166-571-852-951-1001.
Acetoacetanilide, 2, 5-dichloro-; $Cl_2C_6H_3NHCOCH_2CO \cdot CH_3$. (Acetoacet-2, 5-dichloroanilide).
ST screwworms at 0.87%. 156.

- 186-571-951-1001.
Acetoacetanilide; $\text{CH}_3\text{COCH}_2\text{CONHC}_6\text{H}_5$. (β -Keto-hutyranilide; α -acetylacetanilide).
MT codling moth larvae; ST screwworms at 0.67%. 156, 915, 1291.
- 186-581-951-1011.
Acetanilide, *o*-hydroxy; $\text{HOC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetyl-*o*-aminophenol).
NT *Epilachna borealis*. 1008.
- 186-591-951-1011.
Acetanilide, α -phenoxy-; $\text{H}_2\text{NCOCH}_2\text{OC}_6\text{H}_5$. (Phenoxy-acetanilide).
T screwworms at 0.33-0.67%. 156.
- 186-591-951-1011-1021.
m-Acetanilide; $\text{CH}_3\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetyl *m*-anisidine).
NT *Bombyx mori* larvae. 559.
- 186-591-951-1011-1021.
o-Acetanilide; $\text{CH}_3\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetyl *o*-anisidine).
T Screwworms at 0.33-0.67%. 156.
- 186-591-951-1011-1021.
p-Acetanilide; $\text{CH}_3\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetyl *p*-anisidine).
T screwworms at 0.17-0.33%; NT silkworm and codling moth larvae. 156, 559, 915.
- 186-591-951-1012.
m-Acetophenetide; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{OC}_6\text{H}_5$. (Acetyl *m*-phenetidine).
NT *Bombyx mori* larvae. 559.
- 186-591-951-1012.
o-Acetophenetide; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetyl *o*-phenetidine).
ST screwworms at 0.67%. 156.
- 186-591-951-1012.
Phenacetin; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{OC}_6\text{H}_5$. (*p*-Acetophenetidine; *p*-acetamidophenetol; *p*-acetophenetide; acetyl-*p*-phenetidine; ethoxy-acetaminophenol; oxyethyl-acetanilide).
T codling moth, screwworms, and as mothproofing agent (333P); NT as mothproofing agent (739). 156, 333P, 739, 915, 1176, 1291.
- 186-591-952-988.
Tridecananilide, *p*-benzyloxy-; $\text{C}_{13}\text{H}_{27}\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Tridecanide, *N*-(4-phenylmethoxyphenyl)-).
Fly spray. 112, 1032P.
- 186-591-952-1001-1011-1021.
Acetanilide, 5-*tert*-butyl-2-benzyloxy-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{C}_6\text{H}_5)\text{NHCOC}_6\text{H}_5$. (Acetamide, *N*-(2-phenylmethoxy-5-*tert*-butylphenyl)-; *p*-tertiary-butyl- α -acetylamine phenyl benzyl ether).
Fly spray. 112, 693P, 696P.
- 186-591-952-1011-1021.
Acetanilide, *p*-benzyloxy-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetamide, *p*-(phenylmethoxy) phenyl-; *p*-acetylamine phenyl benzyl ether).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 186-591-952-1011-1021.
Acetanilide, benzyloxy-, CU; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Acetamide, phenylmethoxyphenyl-; acetylamine phenyl benzyl ether).
Fly spray. 112, 693P.
- 186-591-953-1022.
Benzanilide, 2-benzyloxy-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CONHC}_6\text{H}_5$. (Benzanilide, *o*-phenylmethoxy-).
Fly spray. 112, 693P.
- 186-591-953-1022.
Benzanilide, 4'-benzyloxy-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (Benzamide, *N*-(*p*-phenylmethoxyphenyl)-).
Fly spray. 112, 696P.
- 186-625-912-1021.
2-Furamide, *N*-2-fluorenyl-; $(\text{C}_{10}\text{H}_7\text{O})\text{CONHC}_6\text{H}_5$. (*N*-2-Fluorenyl-2-furamide).
ST codling moth larvae. 1286.
- 186-625-924-1021.
2-Furamide, *N*-1-naphthyl-; $(\text{C}_{10}\text{H}_7\text{O})\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-625-924-1021.
2-Furamide, *N*-2-naphthyl-; $(\text{C}_{10}\text{H}_7\text{O})\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-625-951-1021.
2-Furanilide; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-625-951-1022.
2-Furamide, *N*-benzyl-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_5$. (*N*-Benzylpyromucamide).
T *Cochliomyia americana* C and P at 0.08%; MT *Culex quinquefasciatus* larvae; ST codling moth larvae. 157, 944, 1286.
- 186-625-951-1022.
2-Furamide, *N*-*m*-tolyl-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_4\text{CH}_3$. (*N*-*m*-Tolyl pyromucamide).
ST codling moth larvae. 1286.
- 186-625-951-1022.
2-Furamide, *N*-*o*-tolyl-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-625-951-1022.
2-Furamide, *N*-*p*-tolyl-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_4\text{CH}_3$. (*N*-*p*-Tolylpyromucamide).
T *Cochliomyia americana* C and P at 0.10%; ST codling moth larvae. 944, 1080.
- 186-625-951-1023.
2-Furamide, *N*-(2, 4-xylyl)-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$. (*N*-(2, 4-Xylyl) pyromucamide).
T *Cochliomyia americana* C and P at 0.17%; ST codling moth and mosquito larvae. 157, 944, 1286.
- 186-625-951-1023.
2-Furamide, *N*-(2, 5-xylyl)-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$. (*N*-(2, 5-Xylyl) pyromucamide).
T *Cochliomyia americana* C and P at 0.34%; ST codling moth and mosquito larvae. 157, 944, 1286.
- 186-625-951-1023.
2-Furamide, *N*-(2, 6-xylyl)-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$. (*N*-(2, 6-Xylyl) pyromucamide).
T *Cochliomyia americana* C and P at 0.05%; NT mosquito and codling moth larvae. 157, 944, 1286.
- 186-625-952-1021.
2-Furamide, *N*-4-biphenyl-; $(\text{C}_{10}\text{H}_7\text{O})\text{CONHC}_6\text{H}_5$. (*N*-Xenylpyromucamide).
MT *Culex quinquefasciatus* larvae; ST corn borer and codling moth larvae; NT *Cochliomyia americana* C and P and as mothproofing agent. 157, 239, 944, 1120, 1286.
- 186-625-961-1021.
2-Furamide, *N*-cyclohexyl-; $(\text{C}_6\text{H}_5\text{O})\text{CONHC}_6\text{H}_{11}$. (*N*-Cyclohexylpyromucamide).
T *Cochliomyia americana* C and P; MT mosquito larvae; ST codling moth larvae. 157, 944, 1286.
- 186-625-989-1021.
2-Furamide, tetrahydro-, *N*-decyl-; $(\text{C}_{10}\text{H}_{19}\text{O})\text{CONHC}_6\text{H}_{11}$. (Decylamide of tetrahydrofuroic acid).
Fly spray. 112, 1224P.
- 186-625-989-1021.
2-Furamide, *N*-dodecyl-; $(\text{C}_{12}\text{H}_{25}\text{O})\text{CONHC}_6\text{H}_{11}$. (*n*-Dodecylamide of furoic acid).
Fly spray. 112, 1224P.
- 186-625-993-1021.
Capronamide, *N*-tetrahydrofurfuryl-; $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{NHCOC}_6\text{H}_{11}$. (Tetrahydrofurfurylamide of octanoic acid).
Fly spray. 112, 1224P.
- 186-665-952-1011.
Acetanilide, *p*-phenylazo-; $\text{C}_6\text{H}_5\text{N}=\text{NC}_6\text{H}_4\text{NHCOC}_6\text{H}_5$. (4-Acetamino azobenzene).
ST greenhouse red spider at 4%; NT southern army worm at 2%. 1481.
- 186-671-951-1011.
Acetanilide, *m*-amino-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{NH}_2$. 1313.
- 186-671-951-1011.
Acetanilide, *o*-amino-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{NH}_2$. 1313.
- 186-671-951-1011.
Acetanilide, *p*-amino-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{NH}_2$. (*N*-Acetyl-*p*-phenylenediamine).
T melon worm, imported cabbage worm, southern beet webworm, Hawaiian beet webworm, southern army worm, termites, Mexican bean beetle, diamond-back moth, bean leaf roller, cross-striped cabbage worm, and cabbage looper. 494, 1312, 1313.
- 186-671-983-1011.
Stearamide, *N*-(2-aminoethyl)-; $\text{C}_{17}\text{H}_{35}\text{CONHC}_6\text{H}_5$. (*N*-Stearyl-amido-ethylamine). 1178, 1414P.
- 186-671-983-1011-1020.
Oleamide, *N*-(2-aminoethyl)-; $\text{CH}_3(\text{CH}_2)_7\text{CH}_2\text{CONHC}_6\text{H}_5$. (Olelyl-amido-ethylamine). 1178, 1414P.
- 186-671-985-1003.
Palmitamide, *N*-(2-aminopropyl)-; $\text{C}_{15}\text{H}_{31}\text{CONH}$

- $\text{CH}_2\text{CH}_2\text{CH}_2\text{NH}_2$. (Palmityl-*amido*-Propylamine). 1178, 1414P.
 186-691-883-1011-1022.
 Stearamide, *N*-(2-dimethylaminoethyl)-; $\text{C}_{17}\text{H}_{35}\text{CONHCH}_2\text{CH}_2\text{N}(\text{CH}_3)_2$. (Dimethyl-stearyl-*amido*-ethylamine). 1178, 1414P.
 186-691-883-1013-1033.
 Linoleamide, *N*-(2-diethylaminoethyl)-; $\text{C}_{17}\text{H}_{33}\text{CONHCH}_2\text{CH}_2\text{N}(\text{C}_2\text{H}_5)_2$. (Diethyl-linoleyl-*amido*-ethylamine). 1178, 1414P.
 186-696-854-932-1012-1022-1291.
 Ammonium chloride, bis(3, 4-dichlorophenylcarbamylmethyl) dimethyl-; $\text{C}_{12}\text{H}_8\text{Cl}_2\text{N}_2\text{CON}(\text{CH}_3)_2(\text{Cl})$ - $\text{CONHC}_6\text{H}_3\text{Cl}_2$. 528.
 186-701-951-1003.
 Acetanilide, *o*-cyano-; $\text{CNCH}_2\text{CONHC}_6\text{H}_5$.
 ST screwworms and corn borer; NT as mothproofing agent. 239, 944, 1120.
 186-730-989-1021.
 Picolinamide, *N*-dodecyl-; $\text{NC}_6\text{H}_4\text{CONHC}_{12}\text{H}_{25}$. (*N*-Dodecylamide of *o*-picolinic acid).
 HT fly spray. 112, 736P, 1224P.
 186-730-997-1021.
 Nicotinamide, *N*-hexyl-; $\text{NC}_6\text{H}_4\text{CONHC}_6\text{H}_{13}$. (Hexylamide of nicotinic acid).
 Fly spray. 112, 736P, 1224P.
 186-730-1021-1027.
 Picolinamide, *N*-alkyl-; $\text{RNHCOC}_6\text{H}_4\text{N}$. (Picolinic acid amide). 771AP.
 186-730-1021-1027.
 Nicotinamide, *N*-alkyl-; $\text{RNHCOC}_6\text{H}_4\text{N}$. (Nicotinic acid amide; 3-pyridinecarboxylic acid amide). 771AP.
 186-730-1021-1027.
 Isonicotinamide, *N*-alkyl-; $\text{RNHCOC}_6\text{H}_4\text{N}$. (Isonicotinic acid amide). 771AP.
 186-740-950-1011.
 Carbazole, 3-acetamido-; $(\text{C}_6\text{H}_5\text{N})\text{NHCOCH}_3$. (3-Acetamidocarbazole).
 HT codling moth larvae. 1291.
 186-740-950-1011.
 Acetamide, *N*-3-indolyl-; $(\text{C}_8\text{H}_7\text{N})\text{NHCOCH}_3$. (Indoleacetamide).
 NT *Culex quinquefasciatus*. 157.
 186-781-951-1011.
 Acetamide, *o*-phenylthio-; $\text{C}_6\text{H}_5\text{SCH}_2\text{CONH}_2$. (Thiophenyl acetamide).
 MT *Bombyx mori* larvae. 559.
 186-801-951-983-999-1012-1389.
 Sulfonium ethyl sulfate, amylethyl(*p*-stearamido-benzyl)-; $\text{C}_8\text{H}_{17}(\text{C}_2\text{H}_5)(\text{C}_{17}\text{H}_{35}\text{CONHC}_6\text{H}_4\text{CH}_2)_2\text{SC}_2\text{H}_5\text{SO}_4$? (*p*-Stearylamidobenzylamylethyl-sulfonium ethoxy-sulfate). 526P.
 186-841-951-1011.
 Acetanilide, *m*-bromo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Br}$.
 NT as mothproofing agent. 239.
 186-841-951-1011.
 Acetanilide, *o*-bromo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Br}$. (*o*-Bromoacetanilide; *N*-acetyl-*o*-bromoaniline).
 NT as mothproofing agent. 239.
 186-841-951-1011.
 Acetanilide, *p*-bromo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Br}$. (*N*-Acetyl-*p*-bromoaniline; antiseptic; asepisin; bromanilid).
 NT as mothproofing agent. 239.
 186-851-951-1011.
 Acetanilide, *m*-chloro-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Cl}$. (*N*-Acetyl-*m*-chloroaniline).
 T as mothproofing agent. 239, 1312.
 186-851-951-1011.
 Acetanilide, *o*-chloro-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Cl}$.
 ST codling moth at 4%; NT southern army worm at 4% and as mothproofing agent. 239, 1312, 1431.
 186-851-951-1011.
 Acetanilide, *p*-chloro-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{Cl}$.
 ST codling moth at 4% and ST Japanese beetle; NT southern army worm at 4% and as mothproofing agent. 239, 494, 1312, 1431.
 186-851-951-1011.
 Acetanilide, *o*-chloro-; $\text{C}_6\text{H}_5\text{NHCOCH}_2\text{Cl}$. (*N*-Acetyl-*o*-chloroaniline; *N*-monochloroacetylaniline; *o*-chloroacetanilide).
 HT *Cochliomyia americana* C and P at 0.03%; T *Blattella germanica*; MT mosquito larvae. 437, 944, 1085P.
 186-851-951-1011.
 Acetanilide, *o*-chloro-; $\text{C}_6\text{H}_5\text{NHCOCH}_2\text{Cl}$.
 NT as mothproofing agent. 239.
 186-871-951-1011.
 Acetanilide, *m*-iodo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{I}$.
 T many insects; NT as mothproofing agent. 110, 239, 1318P.
 186-871-951-1011.
 Acetanilide, *o*-iodo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{I}$.
 T many insects. 110, 1318P.
 186-871-951-1011.
 Acetanilide, *p*-iodo-; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{I}$.
 T mosquito larvae and many other insects; NT as mothproofing agent. 110, 239, 487, 1318P.
 186-881-951-1011.
 Acetanilides, halogenated; $\text{CH}_3\text{CONHC}_6\text{H}_4\text{X}$.
 T termites, clothes moth, Colorado potato beetle, and greenhouse leaf tier. 1312, 1318P.
 186-912.
 Acetamide, *N*-2-fluorenyl-; $\text{C}_{15}\text{H}_9\text{NHCOCH}_3$. (*N*-2-Fluorylacctamide).
 ST codling moth. 1286.
 186-912-951-1021.
 Benzamide, *N*-2-fluorenyl-; $\text{C}_6\text{H}_5\text{CONHC}_{15}\text{H}_9$. (*N*-2-Fluorylbenzamide).
 ST codling moth larvae. 1286.
 186-912-985.
 Palmitamide, *N*-2-fluorenyl-; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_{15}\text{H}_9$. (*N*-2-Fluorylpalmitamide).
 ST codling moth larvae. 1286.
 186-912-989.
 Lauramide, *N*-2-fluorenyl-; $\text{CH}_3(\text{CH}_2)_9\text{CH}_2\text{CONHC}_{15}\text{H}_9$. (*N*-2-Fluoryllauramide).
 ST codling moth larvae. 1286.
 186-912-1003.
 Propionamide, *N*-2-fluorenyl-; $\text{C}_3\text{H}_7\text{NHCOCH}_2\text{CH}_3$. (*N*-2-Fluorylpropionamide).
 ST codling moth larvae. 1286.
 186-912-1021.
 Formamide, *N*-2-fluorenyl-; $\text{C}_{15}\text{H}_9\text{NHCOH}$. (*N*-2-Fluorylformamide).
 ST codling moth larvae. 1286.
 186-924.
 Formamide, *N*-1-naphthyl-; $\text{C}_{10}\text{H}_7\text{NHCOH}$.
 ST codling moth larvae. 1286.
 186-924-951-1021.
 Benzamide, *N*-1-naphthyl-; $\text{C}_{10}\text{H}_7\text{NHCOCH}_2\text{CH}_3$. (Benzoyl *o*-naphthylamine).
 ST Japanese beetle and codling moth larvae; NT *Bombyx mori* larvae. 494, 559, 915, 1230.
 186-924-951-1021.
 Benzamide, *N*-2-naphthyl-; $\text{C}_{10}\text{H}_7\text{CONHC}_{10}\text{H}_7$.
 ST codling moth larvae. 1286.
 186-924-985.
 Palmitamide, *N*-1-naphthyl-; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_{10}\text{H}_7$.
 ST codling moth larvae. 1286.
 186-924-985.
 Palmitamide, *N*-2-naphthyl-; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_{10}\text{H}_7$.
 ST codling moth larvae. 1286.
 186-924-989.
 Lauramide, *N*-1-naphthyl-; $\text{CH}_3(\text{CH}_2)_9\text{CH}_2\text{CONHC}_{10}\text{H}_7$.
 ST codling moth larvae. 1286.
 186-924-989.
 Lauramide, *N*-2-naphthyl-; $\text{CH}_3(\text{CH}_2)_9\text{CH}_2\text{CONHC}_{10}\text{H}_7$.
 ST codling moth larvae. 1286.
 186-924-1003.
 Propionamide, *N*-1-naphthyl-; $\text{C}_{10}\text{H}_7\text{NHCOCH}_2\text{CH}_3$.
 ST codling moth larvae. 1286.
 186-924-1003.
 Propionamide, *N*-2-naphthyl-; $\text{C}_{10}\text{H}_7\text{NHCOCH}_2\text{CH}_3$.
 ST codling moth larvae. 1286.
 186-924-1011.
 Acetamide, *N*-1-naphthyl-; $\text{C}_{10}\text{H}_7\text{CH}_2\text{CONH}_2$. (*N*-Acetyl-1-naphthylamine).
 HT codling moth larvae; NT *Bombyx mori* larvae. 39P, 559, 1289, 1291.
 186-924-1011.
 Acetamide, *N*-2-naphthyl-; $\text{C}_{10}\text{H}_7\text{NHCOCH}_2\text{CH}_3$.
 ST codling moth larvae. 1286.

- 186-924-1011.
Acetamide, naphthyl-, $\text{C}_{10}\text{H}_7\text{NHCOCH}_3$. (Naphthylamine, acetyl-).
T as mothproofing agent. 333P, 1176.
- 186-924-1021.
Formamide, *N*-2-naphthyl-, $\text{C}_{10}\text{H}_7\text{NHC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-961-1021.
Benzamide, *N*-cyclohexyl-, $\text{C}_6\text{H}_5\text{CONHC}_6\text{H}_{11}$. (*N*-Benzoyl cyclohexylamine).
T *Myzus persicae*; ST codling moth larvae and mosquito larvae; NT *Myzus persicae* and *Tetranychus telarius*. 457, 772, 1286.
- 186-951-983.
Stearanilide; $\text{C}_{17}\text{H}_{33}\text{CONHC}_6\text{H}_5$. (Stearic acid anilide).
T as mothproofing agent. 1179, 1341P.
- 186-951-985.
Palmitanilide; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-985-1003-1021.
Palmitamide, *N*-carvacryl-, $\text{C}_{15}\text{H}_{31}\text{CONHC}_6\text{H}_3(\text{CH}_3)(\text{C}_6\text{H}_5)$.
NT *Cochliomyia americana* C and P. 944.
- 186-951-985-1021.
m-Palmitotoluide; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-985-1021.
o-Palmitotoluide; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-985-1021.
p-Palmitotoluide; $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-985-1021.
Palmitamide, *N*-benzyl-, $\text{CH}_3(\text{CH}_2)_{13}\text{CH}_2\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-989.
Lauranilide; $\text{C}_{11}\text{H}_{23}\text{NHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-989-1021.
m-Laurotoluide; $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-989-1021.
o-Laurotoluide; $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-989-1021.
p-Laurotoluide; $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-989-1021.
Lauramide, *N*-benzyl-, $\text{C}_{11}\text{H}_{23}\text{CONHC}_6\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-997.
Caproanilide; $\text{C}_6\text{H}_{11}\text{CONHC}_6\text{H}_5$.
NT screwworms. 156.
- 186-951-999.
Isocrotonanilide; $\text{C}_6\text{H}_5\text{NHCOC}_3\text{H}_5\text{CH}(\text{CH}_3)_2$.
NT screwworms. 156.
- 186-951-1001.
Butyranilide; $\text{CH}_3(\text{CH}_2)_2\text{CONHC}_6\text{H}_5$. (*N*-Phenylbutyramide).
NT screwworms. 156.
- 186-951-1003.
Propionanilide; $\text{C}_6\text{H}_5\text{NHCOC}_2\text{H}_5$. (*N*-Phenylpropionamide).
ST codling moth larvae. 1286.
- 186-951-1003-1021.
m-Propionotoluide; $\text{CH}_3\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-1003-1021.
o-Propionotoluide; $\text{CH}_3\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth larvae. 1286.
- 186-951-1003-1021.
p-Propionotoluide; $\text{CH}_3\text{CH}_2\text{CONHC}_6\text{H}_4\text{CH}_3$.
ST codling moth and mosquito larvae. 157, 1286.
- 186-951-1003-1021.
Propionamide, *N*-benzyl-, $\text{C}_6\text{H}_5\text{CH}_2\text{NHCOC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-1003-1022.
Propionamide, *N*-(2, 4-xylyl)-; $\text{C}_6\text{H}_5\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$.
ST *Cochliomyia americana* C and P and codling moth larvae. 944, 1286.
- 186-951-1003-1022.
Propionamide, *N*-(2, 5-xylyl)-; $\text{C}_6\text{H}_5\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$.
NT *Culex quinquefasciatus*. 157.
- 186-951-1003-1022.
Propionamide, *N*-(2, 6-xylyl)-; $\text{C}_6\text{H}_5\text{CONHC}_6\text{H}_3(\text{CH}_3)_2$.
ST codling moth larvae; NT *Culex quinquefasciatus*. 157, 1286.
- 186-951-1004-1021.
Propionamide, *N*-carvacryl-, $\text{C}_6\text{H}_5\text{CONHC}_6\text{H}_3(\text{CH}_3)(\text{C}_6\text{H}_5)$.
ST corn borer and screwworm larvae; NT *Culex quinquefasciatus* and as mothproofing agent. 157, 239, 944, 1129.
- 186-951-1011.
Acetanilide; $\text{C}_6\text{H}_5\text{NHCOCH}_3$. (*N*-Phenylacetamide; antifebrin).
T Japanese beetle; ST codling moth larvae; NT as mothproofing agent. 915, 985, 1005, 1176, 1280.
- 186-951-1011-1021.
m-Acetotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHCOCH}_3$. (*N*-Acetyl-*m*-toluidine; acet-*m*-toluidide).
ST codling moth larvae. 1286.
- 186-951-1011-1021.
o-Acetotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHCOCH}_3$. (*o*-Methylacetanilide; *N*-acetyl-*o*-toluidine; acet-*o*-toluidide).
ST codling moth larvae. 494, 1286.
- 186-951-1011-1021.
p-Acetotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHCOCH}_3$. (*N*-Acetyl-*p*-toluidine; acet-*p*-toluidide).
T screwworm larvae; MT codling moth larvae; ST Japanese beetle; NT mosquito larvae. 157, 487, 494, 559, 944, 1286, 1291.
- 186-951-1011-1021.
Acetamide, *N*-benzyl-, $\text{C}_6\text{H}_5\text{CH}_2\text{NHCOCH}_3$. (*N*-Acetylbenzylamine; acetobenzylamide).
ST codling moth larvae. 1286.
- 186-951-1011-1022.
Acetamide, *N*-(2, 4-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHCOCH}_3$.
ST codling moth larvae. 1286.
- 186-951-1011-1022.
Acetamide, *N*-(2, 5-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHCOCH}_3$.
ST codling moth larvae. 1286.
- 186-951-1011-1022.
Acetamide, *N*-(2, 6-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHCOCH}_3$.
ST codling moth larvae. 1286.
- 186-951-1011-1022.
Acetamide, *N*-xylyl-, $\text{C}_6\text{H}_5\text{CH}_2\text{NHCOCH}_3$. (Acetyl-*o*-methyl toluidine).
NT codling moth. 915.
- 186-951-1012.
Acetanilide, *N,N'*-*o*-phenylenebis-; $\text{C}_6\text{H}_4(\text{NHCOCH}_3)_2$.
ST Japanese beetle. 494, 1005.
- 186-951-1012.
Acetamide, *N,N'*-*p*-phenylenebis-; $\text{C}_6\text{H}_4(\text{NHCOCH}_3)_2$. (*N,N'*-Diacetyl-*p*-phenylene diamine).
ST codling moth at 4%. 1451.
- 186-951-1021.
Formanilide; $\text{C}_6\text{H}_5\text{NHC}_2\text{H}_5$.
ST codling moth and screwworm larvae. 156, 915, 1286.
- 186-951-1022.
Formamide, *N*-benzyl-, $\text{C}_6\text{H}_5\text{CH}_2\text{NHC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-1022.
m-Formotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-1022.
o-Formotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-1022.
p-Formotoluide; $\text{CH}_3\text{C}_6\text{H}_4\text{NHC}_2\text{H}_5$.
ST codling moth larvae. 1286.
- 186-951-1023.
Formamide, *N*-(2, 4-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHC}_2\text{H}_5$.
T screwworm larvae; ST codling moth larvae; NT *Culex quinquefasciatus* larvae. 157, 944, 1286.
- 186-951-1023.
Formamide, *N*-(2, 5-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHC}_2\text{H}_5$.
T screwworm larvae; ST codling moth larvae; NT *Culex quinquefasciatus* larvae. 157, 944, 1286.
- 186-951-1023.
Formamide, *N*-(2, 6-xylyl)-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{NHC}_2\text{H}_5$.

- T screwworm larvae; ST codling moth larvae. 944, 1286.
- 186-952-1003. Propionanilide, *p*-phenyl-; $C_6H_5C_6H_4NHCOCH_2CH_3$. (*N*-Xenylpropionamide).
ST codling moth larvae, corn borer, and as mothproofing agent. 239, 1120, 1286.
- 186-952-1011. Oxanilide; $(-CONHC_6H_5)_2$. (*N,N'*-Diphenyloxamide; oxalic acid dianilide).
NT screwworms and codling moth. 156, 494, 915.
- 186-952-1011. Acetanilide, *p*-phenyl-; $CH_3CONHC_6H_4C_6H_5$. (*N*-Xenylacetamide).
MT *Culex quinquefasciatus*; ST corn borer, codling moth larvae, and as mothproofing agent. 157, 239, 1120, 1286.
- 186-952-1011-1022. Benzamide, *N,N'*-ethylenebis-; $(C_6H_5CONHC_6H_5)_2$. (Dibenzoyl ethylene diamine).
ST codling moth larvae; NT *Bombyx mori* larvae. 559, 915.
- 186-952-1012. Acetamide, 4, 4'-biphenylenebis-; $(CH_3CONHC_6H_4)_2$. (Diacetyl benzidine; *p,p'*-bisacetanilide).
NT screwworm and *Bombyx mori* larvae. 156, 559.
- 186-952-1021. Benzanilide; $C_6H_5CONHC_6H_5$.
ST screwworm and codling moth larvae; NT clothes moth larvae and greenhouse red spider. 156, 915, 985, 1176, 1286, 1481.
- 186-952-1021. Formanilide, *p*-phenyl-; $HCONHC_6H_4C_6H_5$. (*N*-Xenylformamide).
HT *Culex quinquefasciatus*; ST corn borer, codling moth larvae, and as mothproofing agent. 157, 239, 1120, 1286.
- 186-952-1022. *m*-Benzotoluidine; $C_6H_5CONHC_6H_4CH_3$. (Benzoyl-*m*-toluidine; *N*-benzoyl-*m*-toluidine; *m*-benzotoluidide).
ST codling moth larvae. 1286.
- 186-952-1022. *o*-Benzotoluidine; $C_6H_5CONHC_6H_4CH_3$. (Benzoyl-*o*-toluidine; *N*-benzoyl-*o*-toluidine).
ST codling moth larvae; NT screwworms. 156, 915, 1286.
- 186-952-1022. *p*-Benzotoluidine; $C_6H_5CONHC_6H_4CH_3$. (Benzoyl-*p*-toluidine; *N*-benzoyl-*p*-toluidine).
ST codling moth larvae. 1286.
- 186-952-1022. Benzamide, *N*-benzyl-; $C_6H_5CONHC_6H_5C_6H_5$.
ST codling moth larvae. 1286.
- 186-952-1023. Benzamide, *N*-(2, 4-xylyl)-; $C_6H_5CONHC_6H_3(CH_3)_2$.
MT *Culex quinquefasciatus* larvae; ST codling moth and screwworm larvae. 157, 944, 1286.
- 186-952-1023. Benzamide, *N*-(2, 5-xylyl)-; $C_6H_5CONHC_6H_3(CH_3)_2$.
ST codling moth and screwworm larvae. 944, 1286.
- 186-952-1023. Benzamide, *N*-(2, 6-xylyl)-; $C_6H_5CONHC_6H_3(CH_3)_2$.
MT *Culex quinquefasciatus* larvae; ST codling moth larvae; NT screwworm larvae. 157, 944, 1286.
- 186-953-1021. Benzanilide, 4'-phenyl-; $C_6H_5CONHC_6H_4C_6H_5$. (*N*-Xenylbenzanilide).
ST corn borer and codling moth larvae; NT *Culex quinquefasciatus* larvae. 157, 239, 1120, 1286.
- 186-961-985. Palmitamide, *N*-cyclohexyl-; $CH_3(CH_2)_{13}CH_2CONHC_6H_{11}$.
ST codling moth larvae. 1286.
- 186-961-989. Laursamide, *N*-cyclohexyl-; $CH_3(CH_2)_{19}CH_2CONHC_6H_{11}$.
ST codling moth larvae. 1286.
- 186-961-1003. Propionamide, *N*-cyclohexyl-; $C_6H_{11}NHCOCH_2CH_3$.
ST codling moth larvae. 1286.
- 186-961-1011. Acetamide, *N*-cyclohexyl-; $C_6H_{11}NHCOCH_3$. (*N*-Acetyl cyclohexylamine).
T *Myzus persicae*; ST codling moth larvae. 487, 772, 1286.
- 186-961-1021. Formamide, *N*-cyclohexyl-; $C_6H_{11}NHCHO$. (*N*-Formyl cyclohexylamine).
T *Myzus persicae*; ST codling moth larvae; NT *Tetranychus telarius*. 772, 1286.
- 186-983-1021-1193-1325-1350. Methanephosphonic acid, stearylamine-; $C_{17}H_{35}CONHC_6H_4PO(OH)_2$. 313A.
- 186-989-1001. Lauramide, *N*-isobutyl-; $C_{11}H_{23}CONHC_4H_9CH_3$. (Isobutylamide of lauric acid).
HT fly spray. 105P, 112.
- 186-989-1001-1030. Lauramide, *N*-(2-methylallyl)-; $C_{11}H_{23}CONHC_3H_5CH_3$. (Amide, lauric acid, *N*-methylallyl).
ST houseflies at 0.5%. 1276.
- 186-989-1003-1030. Lauramide, *N*-allyl-; $C_{11}H_{23}CONHC_3H_5CH_3$. (Amide, lauric acid, *N*-allyl).
NT houseflies at 0.5%. 1276.
- 186-990-1001-1030. 10-Hendecenamide, *N*-butyl-; $C_{10}H_{21}CONHC_4H_9$. (*N*-Butyl amide of 10, 11-undecylenic acid).
HT fly spray. 105P, 112.
- 186-990-1001-1030. 10-Hendecenamide, *N*-isobutyl-; $C_{10}H_{21}CONHC_4H_9$. (Amide, lauric acid, *N*-allyl).
HT fly spray. 105P, 112, 736P.
- 186-990-1001-1030. Hendecenamide, *N*-isobutyl-, CU; $CH_3CH:CH(CH_2)_7CONHC_4H_9$. (Amide, undecylenic acid, isobutyl-).
NT houseflies. 1276.
- 186-990-1001-1033. Hendecenamide, *N*-(2-methylallyl)-; $CH_3CH:CH(CH_2)_7CONHC_3H_5CH_3$. (Amide, undecylenic acid, *N*-methylallyl).
ST houseflies at 0.5%. 1276.
- 186-990-1003-1033. Hendecenamide, *N*-allyl-; $CH_3CH:CH(CH_2)_7CONHC_3H_5CH_3$. (Amide, undecylenic acid, *N*-allyl).
HT houseflies at 0.5%. 1276.
- 186-997-1001. Caproamide, *N*-isobutyl-; $C_6H_{13}CONHC_4H_9$. (Isobutylamide of capric acid).
HT fly spray. 105P, 112.
- 186-1001-1045. Coconut oil, acid amides. [Mixture of isobutylamides of stearic, myristic, lauric, and capric acids (from coconut oil acids)].
HT fly spray. 105P, 112.
- 186-1045. Amides, *N*-substituted.
T screwworm larvae, melon worm, southern beet webworm, imported cabbage worm, and the southern army worm. 1312.
- 187-230-581-983. Morpholine, 4-(12-hydroxystearoyl)-; $O(C_2H_4)_2NCO(C_{17}H_{35}O)_2$.
Fly spray. 112, 1224P.
- 187-230-581-983-1030. Morpholine, 4-ricinoleyl-; $HOC_{17}H_{33}CON(C_2H_4)_2O$.
Fly spray. 112, 1224P.
- 187-230-961-1022. 1, 2-Cyclohexanedicarboxylic acid, di-4-morpholide; $C_6H_{10}[CON(C_2H_4)_2O]_2$. (Morpholide of hexahydrophthalic acid).
Fly spray. 112, 1224P.
- 187-230-983-1030. Morpholine, 4-oleyl-; $C_{17}H_{33}CON(C_2H_4)_2O$.
Fly spray. 112, 1224P.
- 187-230-989. Morpholine, 4-dodecanoyl-; $C_{11}H_{23}CON(C_2H_4)_2O$.
Fly spray. 112, 1224P.
- 187-230-990-1030. Morpholine, 4-(10-hendecenoyl)-; $C_{10}H_{21}CON(C_2H_4)_2O$. (4-(10, 11-Undecylenyl)morpholine).
HT fly spray. 112, 1224P.
- 187-230-991. Sebacic acid, di-4-morpholide-; $(CH_2)_8[CON(C_2H_4)_2O]_2$.
Fly spray. 112, 1224P.

- 187-230-992.
Azelaic acid, di-4-morpholide-; $(\text{CH}_3)_2\text{fCON}(\text{C}_2\text{H}_4)_2\text{O}$.
Fly spray. 112, 1224P.
- 187-230-993.
Suberic acid, di-4-morpholide-; $(\text{CH}_3)_2\text{a[CON}(\text{C}_2\text{H}_4)_2\text{O}]_2$.
Fly spray. 112, 1224P.
- 187-242-950-951-1011.
Acetanilide, *N*-2-benzoxazolyl-; $\text{CH}_3\text{CON}(\text{C}_6\text{H}_5)-\text{CN}(\text{C}_6\text{H}_5)\text{O}$. (2-(1)-(N-Phenylacetamido)benzoxazole).
IT codling moth and mosquito larvae. 487, 1291.
- 187-250-989-1002-1022.
Dodecylxanthic acid, anhydride with dibutylcarbamate; $\text{C}_{12}\text{H}_{22}\text{OCSSCON}(\text{C}_4\text{H}_9)_2$. (Dibutylamide of dodecylxanthic formic acid). 1472P.
- 187-250-989-1011-1023.
Dodecylxanthic acid, anhydride with ethylmethylcarbamate; $\text{C}_{12}\text{H}_{22}\text{OCSSCONCH}_2(\text{C}_2\text{H}_5)$. (*N*-Methyl-*N*-ethylamide of dodecylxanthic formic acid). 1472P.
- 187-258-581-851-952-1022.
1-Phenol-2-sulfonic acid, 4-chloro-6-methylphenylcarbamyl-; $\text{Cl}(\text{OH})\text{C}_6\text{H}_3(\text{SO}_3\text{H})\text{CON}(\text{CH}_3)\text{C}_6\text{H}_5$. (Salicylic acid, 5-chloro-3-sulpho-*N*-methylanilide).
T as mothproofing agent. 464P, 1176.
- 187-258-996-1001-1022-1218.
Ethanesulfonic acid, 1, 2-bis(hexylmethylcarbamyl)-, sodium salt; $(\text{CH}_3)_2(\text{C}_6\text{H}_{13})_2\text{NCOCH}(\text{SO}_3\text{Na})\text{CH}_2\text{CON}(\text{CH}_3)(\text{C}_6\text{H}_{13})$. (Sodium bis(*N*-methyl, *N*-hexyl) sulphocuccinamide). 624P.
- 187-376-951-999-1021.
Urea, 1-phenyl-2-thio-1-valeryl-; $\text{C}_6\text{H}_5(\text{C}_2\text{H}_5\text{CO})\text{NC}(\text{S})\text{NH}_2$. (Urea, asym.-phenylvalerylthio-).
T as mothproofing agent. 416P, 424P, 683P, 1175.
- 187-440-852-950.
Phenothiazine, 10-(α,α -dichloroacetyl)-? ($\text{C}_{12}\text{H}_8\text{NS})\text{COCHCl}_2$? (Diphenylamine, acetyldichlorothio-).
T as mothproofing agent. 873P, 1176.
- 187-440-950-989.
Phenothiazine, 10-lauroyl-; $(\text{C}_{12}\text{H}_8\text{NS})\text{COC}_{11}\text{H}_{23}$.
ST Mexican bean beetle and Colorado potato beetle; fly spray. 112, 606, 1224P, 1432.
- 187-440-950-1011.
Phenothiazine, 10-acetyl-; $(\text{C}_{12}\text{H}_8\text{NS})\text{COCH}_3$.
HT mosquito larvae; MT Mexican bean beetle and Colorado potato beetle; NT codling moth. 156, 487, 606, 1291, 1432.
- 187-440-950-1011-1022.
Phenothiazine, 10-acetyl- 3, 7-dimethyl-; $(\text{CH}_3)_2(\text{C}_{12}\text{H}_8\text{NS})\text{COCH}_3$.
T *Lucilia cuprina* larvae. 849.
- 187-541-951-1012.
Glycine, *N*-acetyl-*N*-phenyl-; $\text{C}_6\text{H}_5\text{N}(\text{COCH}_3)\text{CH}_2\text{COOH}$. (Acetic acid, acetylphenylamino-; *N*-phenyl acetic acid?).
T as mothproofing agent. 329P, 1176.
- 187-551-696-740-950-990-1013-1022-1291.
Ammonium chloride, (carbethoxymethyl)dimethyl-[1-(2, 3-dihydro-2-hendecylindolyl)carbonylmethyl]-; $\text{C}_{11}\text{H}_{23}(\text{C}_6\text{H}_5\text{N})\text{COCH}_2\text{N}(\text{CH}_3)_2(\text{Cl})\text{CH}_2\text{COOC}_6\text{H}_5$. (2-Hendecyl-2, 3-dihydroindole-*N*-dimethylaminoacetic acid + chloroacetic acid ethyl ester). 520P.
- 187-551-901-1001-1011-1022.
Sarcosine, *N*-fluorobutyl-, methyl ester; $\text{FC}_4\text{H}_9\text{CON}(\text{CH}_3)\text{CH}_2\text{COOCH}_3$? (Monofluorobutyric acid-methylsarcoside). 345P.
- 187-625-961-1011-1021.
Acetamide, *N*-cyclohexyl-*N*-tetrahydrofurfuryl-; $(\text{C}_6\text{H}_{11}\text{O})\text{CH}_2\text{N}(\text{OCCH}_3)\text{C}_6\text{H}_{11}$. (*N,N*-Tetrahydrofurfuryl-acetyl cyclohexylamine).
T *Myzus persicae*. 772.
- 187-626-730-950-999-1030.
Piperine; $\text{C}_{17}\text{H}_{26}\text{NO}_2$.
T houseflies at 0.5%. 646.
- 187-671-951-989-1011-1022.
Acetanilide, α -dimethylamino-*N*-dodecyl-; $(\text{CH}_3)_2\text{NCH}_2\text{CON}(\text{C}_{11}\text{H}_{23})\text{C}_6\text{H}_5$. (*N*-Lorylanilide of dimethylaminoacetic acid). 524P.
- 187-691-953-1024.
Benzamide, *N*-benzyl-*N*-(*p*-dimethylaminophenyl)-; $\text{C}_6\text{H}_5\text{CH}_2\text{N}(\text{C}_6\text{H}_4\text{CO})\text{N}(\text{CH}_3)_2$. (*N'*-(α -Benzoyl)dimidine-; *N,N*-dimethyl-*p*-phenylenediamine).
NT European corn borer at 4 lbs./100 gal. 1122.
- 187-730-950-989.
Quinoline, decahydro-1-lauroyl-; $\text{C}_{11}\text{H}_{22}\text{CO}(\text{NC}_8\text{H}_7)$. (1-*n*-Dodecanoyldecahydroquinoline).
Fly spray. 112, 1224P.
- 187-730-951-989-1011.
Acetanilide, *N*-dodecyl- α -1-piperidyl-? ($\text{C}_{12}\text{H}_{23}\text{N}$)- $\text{CH}_2\text{CON}(\text{C}_{11}\text{H}_{23})\text{C}_6\text{H}_5$? (*N*-Lorylanilide of piperidinacetic acid). 524P.
- 187-730-951-1001-1021-1030.
Benzamide, *N*-methyl-*N*-(4-(3-pyridyl)-3-butenyl)-; $\text{CH}_3\text{N}(\text{COC}_6\text{H}_5)\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_2\text{C}_5\text{H}_4\text{N})$. (Benzoyl-*m*-metanacoline).
T *Aphis rumicis*. 1151.
- 187-730-989.
Piperidine, 1-lauroyl-; $\text{C}_{11}\text{H}_{22}\text{CO}(\text{NC}_5\text{H}_9)$. (1-*n*-Dodecanoylpiperidine).
Fly spray. 112, 1224P.
- 187-730-951-1021.
Piperidine, 1-benzoyl-; $\text{C}_6\text{H}_5\text{CO}(\text{NC}_5\text{H}_9)$. (Benzoylpiperidine).
T codling moth; NT silkworm. 559, 915.
- 187-730-993.
Piperidine, 1-caprylyl-2-(3-pyridyl)-; $\text{C}_7\text{H}_{15}\text{CO}(\text{NC}_5\text{H}_9)\text{C}_5\text{H}_4\text{N}$. (1-Octanoyl-2-(3-pyridyl) piperidine).
Fly spray. 112, 1224P.
- 187-730-995.
Piperidine, 1-undecyl-; $\text{C}_{10}\text{H}_{21}\text{CO}(\text{NC}_5\text{H}_9)$. (1-Heptanoylpiperidine).
Fly spray. 112, 1224P.
- 187-730-1011.
Piperidine, 1-acetyl-? $\text{CH}_3\text{CO}(\text{NC}_5\text{H}_9)$? (Acetyl piperidine).
NT *Chrysomphalus aurantii*. 288.
- 187-740-852-950-1011.
Carbazole, dichloro-9-acetyl-, CU? ($\text{Cl}_2\text{C}_9\text{H}_7\text{N}$)- COCH_3 . (Carbazole, acetyl dichloro-; acetyl dichlorodiphenylamide).
T as mothproofing agent. 328P, 330P, 874P, 1176.
- 187-740-950-951-1021.
Carbazole, 9-benzoyl-; $(\text{C}_{12}\text{H}_9\text{N})\text{COC}_6\text{H}_5$. (Benzoyl diphenylamide).
T as mothproofing agent. 328P, 487, 1176, 1291.
- 187-740-950-1011.
Carbazole, 9-acetyl-; $\text{CH}_3\text{CO}(\text{NC}_9\text{H}_7)$. (*N*-Acetylcabazole; acetyl dibenzopyrrole; acetyl diphenylamide).
T as mothproofing agent. 328P, 873P, 1176, 1291, 1487.
- 187-742-950-987.
Benzimidazole, 1-myristoyl-; $(\text{C}_{17}\text{H}_{33}\text{N}_2)\text{COC}_6\text{H}_5$. (*N*-Myristyl benzimidazole).
ST codling moth at 4%; NT potato leaf-hopper. 1192P.
- 187-851-951-1011.
Acetanilide, α -chloro-*N*-phenyl-; $(\text{C}_6\text{H}_5)_2\text{NCOCH}_2\text{Cl}$. (*N*-Chloroacetyl-diphenylamine).
MT mosquito larvae. 487.
- 187-853-951-1012.
Acetanilide, *N*-trichloroethyl-? $\text{CH}_3\text{CON}(\text{C}_2\text{H}_2\text{Cl}_3)\text{C}_6\text{H}_5$? (Trichloroethylacetanilide).
T as mothproofing agent. 1176, 1365P.
- 187-951-961-999-1021.
Benzamide, *N*-amyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_5\text{H}_{11})\text{COC}_6\text{H}_5$. (*N,N*-Amyl-benzoyl cyclohexylamine).
T *Myzus persicae* and houseflies at 2%. 112, 673P, 772, 1276.
- 187-951-961-1001-1021.
Benzamide, *N*-butyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_4\text{H}_9)\text{COC}_6\text{H}_5$. (*N*-Butyl-*N*-benzoyl-cyclohexylamine).
HT houseflies. 112, 174P.
- 187-951-961-1011.
Acetanilide, *N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_6\text{H}_5)\text{COCH}_3$. (*N,N*-Phenyl-acetyl cyclohexylamine).
T *Myzus persicae*. 112, 174P, 772.
- 187-951-961-1011-1021.
Benzamide, *N*-cyclohexyl-*N*-ethyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_2\text{H}_5)\text{COC}_6\text{H}_5$. (*N*-Ethyl-*N*-benzoyl cyclohexylamine).
HT houseflies. 112, 174P, 1276.
- 187-951-961-1011-1021.
Acetamide, *N*-benzyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{CH}_2\text{C}_6\text{H}_5)\text{COCH}_3$. (*N,N*-Benzyl-acetyl cyclohexylamine).
T *Myzus persicae*. 772.
- 187-951-961-1011-1022.
Acetamide, *N*-benzyl-*N*-(α -methylecyclohexyl)-; CH_3 .

- $\text{C}_6\text{H}_{10}\text{N}(\text{CH}_2\text{C}_6\text{H}_5)\text{OCCCH}_3$. (*N,N*-Benzyl-acetyl-*o*-methyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-1001-1011.
Acetanilide, *N*-butyl-; $\text{C}_6\text{H}_5\text{N}(\text{C}_4\text{H}_9)\text{COCH}_3$. (Acetyl *n*-butylaniline).
NT *Chrysomphalus aurantii*. 268.
- 187-951-1003-1011.
Acetanilide, *N*-propyl-; $\text{C}_6\text{H}_5\text{N}(\text{COCH}_3)\text{C}_3\text{H}_7$. (Acetyl *n*-propylaniline).
T codling moth larvae and T screwworms at 0.10-0.17%. 156, 915.
- 187-951-1011-1021.
Acetanilide, *N*-methyl-; $\text{CH}_3\text{CON}(\text{CH}_3)\text{C}_6\text{H}_5$. (Methylacetanilide).
T screwworms at 0.10-0.17%. 156.
- 187-951-1011-1022.
m-Acetotoluide, *N*-methyl-; $\text{CH}_3\text{CON}(\text{CH}_3)\text{C}_6\text{H}_4\text{-CH}_3$.
T *Cochliomyia americana* C and P; NT as mothproofing agent. 239, 944.
- 187-951-1011-1022.
o-Acetotoluide, *N*-methyl-; $\text{CH}_3\text{CON}(\text{CH}_3)\text{C}_6\text{H}_4\text{-CH}_3$. (*N*-Acetyl-*N*-methyl-*o*-toluidine).
NT as mothproofing agent. 239.
- 187-951-1011-1022.
p-Acetotoluide, *N*-methyl-; $\text{CH}_3\text{CON}(\text{CH}_3)\text{C}_6\text{H}_4\text{-CH}_3$.
NT as mothproofing agent. 239.
- 187-952-1011.
Acetanilide, *N*-phenyl-; $(\text{C}_6\text{H}_5)_2\text{NCOCH}_3$. (Acetyl diphenylamine; *N,N*-diphenylacetamide; *N*-phenylacetanilide).
T as mothproofing agent; ST codling moth larvae and ST screwworms at 0.67%. 156, 873P, 915, 1176.
- 187-952-1021.
Formanilide, *N*-phenyl-; $\text{HCON}(\text{C}_6\text{H}_5)_2$. (Formyl diphenylamine; *N*-phenylformanilide; *N,N*-diphenylformamide).
MT *Bombyx mori* larvae; ST screwworms at 0.67%. 156, 487, 559.
- 187-951-993-1011.
Acetamide, *N*-cyclohexyl-*N*-(2-ethylhexyl)-; $\text{C}_6\text{H}_{11}\text{N}(\text{COCH}_3)\text{CH}_2\text{CH}(\text{C}_4\text{H}_9)\text{C}_2\text{H}_5$. (*N*-2-Ethylhexyl-*N*-acetylcyclohexylamine).
Fly spray. 112, 174P.
- 187-951-993-1011.
Acetamide, *N*-cyclohexyl-*N*-octyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_8\text{H}_{17})\text{COCH}_3$. (*N,N*-Octyl-acetyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-999-1001.
Butyramide, *N*-amyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_5\text{H}_{11})\text{OC}(\text{CH}_3)_2\text{CH}_3$. (*N,N*-Amyl-butyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-999-1003.
Propionamide, *N*-amyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_5\text{H}_{11})\text{OCCH}_2\text{CH}_3$. (*N,N*-Amyl-propionyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-999-1011.
Acetamide, *N*-amyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_5\text{H}_{11})\text{COCH}_3$. (*N,N*-Amyl-acetyl cyclohexylamine).
T *Myzus porosus* and as fly spray. 112, 174P, 772, 1276.
- 187-951-999-1021.
Formamide, *N*-amyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_5\text{H}_{11})\text{OCH}_3$. (*N,N*-Amyl-formyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-1001-1011.
Acetamide, *N*-butyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_4\text{H}_9)\text{COCH}_3$. (*N,N*-Butyl-acetyl cyclohexylamine).
T *Myzus porosus*; fly spray. 112, 174P, 772.
- 187-951-1001-1021.
Formamide, *N*-butyl-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_4\text{H}_9)\text{COH}$. (*N,N*-*n*-Butyl formyl cyclohexylamine).
ST *Myzus persicae* and *Tetranychus telarius*. 772.
- 187-951-1003-1011.
Acetamide, *N*-cyclohexyl-*N*-propyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_3\text{H}_7)\text{COCH}_3$. (*N,N*-*n*-Propyl-acetyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-1011-1021.
Acetamide, *N*-cyclohexyl-*N*-methyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{CH}_3)\text{OCCH}_3$. (*N,N*-Methyl-acetyl cyclohexylamine).
T *Myzus porosus*. 772.
- 187-951-1012.
Acetamide, *N*-cyclohexyl-*N*-ethyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_2\text{H}_5)\text{OCCH}_3$. (*N,N*-Ethyl-acetyl cyclohexylamine).
T *Myzus porosus*; fly spray. 112, 174P, 772.
- 187-951-1045.
Amides, *N*-cyclohexyl-*N*-substituted; $\text{RN}(\text{X})\text{COY}$. (Cyclohexylamines, *N*-acyl-*N*-alkyl-).
Fly spray. 112, 174P.
- 187-990-1002-1036.
9-Hendecanamide, *N,N*-bis(2-methylallyl)-? $\text{CH}_3\text{CH}_2\text{-CH}(\text{CH}_3)\text{-CON}(\text{CH}_2\text{C}(\text{CH}_3)=\text{CH}_2)_2$. (Amide, undecylenic acid, *N,N*-dimethylallyl-).
MT houseflies at 0.5%. 1276.
- 187-1013.
Acetamide, *N,N*-diethyl-; $\text{CH}_3\text{CON}(\text{C}_2\text{H}_5)_2$. (Acetyl diethylamine).
NT red scale. 268.
- 187-1027.
Amides; $\text{R}_1\text{CONR}_2\text{R}_3$.
Fly sprays. 105P, 112, 736P.
- 188-192-951-1109.
Hydroxylamine, *N*-nitroso-*N*-phenyl-, ammonium salt; $\text{C}_6\text{H}_5\text{N}(\text{NO})\text{ONH}_4$. (Cupferron; ammonium phenyl nitroso hydroxylamine).
T as mothproofing agent. 239.
- 188-1021.
Methoxamine; CH_3ONH_2 . (*o*-Methylhydroxylamine).
T red scale. 268, 1180.
- 189-951-1011-1021.
Carbanilic acid, ethyl ester; $\text{C}_6\text{H}_5\text{NHCOOC}_2\text{H}_5$. (Ethyl *N*-phenylcarbamate; *N*-phenylurethan).
MT screwworms at 0.10-0.17%. 156.
- 189-952-1011-1021.
Carbamic acid, diphenyl-, ethyl ester; $(\text{C}_6\text{H}_5)_2\text{NC-OOCH}_3$. (Ethyl ester of diphenylcarbamic acid; diphenylurethan).
T codling moth larvae and as mothproofing agent; NT screwworm larvae. 156, 239, 915.
- 189-1011-1021.
Carbamic acid, ethyl ester; $\text{C}_2\text{H}_5\text{OOCNH}_2$. (Urethane).
MT *aphis rumsis*; NT codling moth larvae. 915, 1153.
- 190-571-951-1001.
1, 2-Butanedione, 1-phenyl-, 2-oxime; $\text{C}_6\text{H}_5\text{COC}(\text{NOH})\text{CH}_2\text{CH}_3$. (1-Phenyl-1, 2-butanedione-2-monoxime).
MT as mothproofing agent. 239.
- 190-571-951-1001.
1, 2-Propanedione, 1-phenyl-, 2-oxime; $\text{C}_6\text{H}_5\text{COC}(\text{NOH})\text{CH}_3$. (1-Phenyl-1, 2-propanedione-2-monoxime).
NT *Cochliomyia americana* C and P. 944.
- 190-571-951-1011.
Glyoxal, phenyl-, 2-oxime; $\text{C}_6\text{H}_5\text{COCNOH}$. (Phenylglyoxal oxime).
T *Cochliomyia americana* C and P at 0.17%. 944.
- 190-571-951-1022.
Anisaldehyde, oxime; $\text{CH}_3\text{OC}_6\text{H}_4\text{CHNOH}$. (Anisaldehyde oxime).
T *Cochliomyia americana* C and P at 0.17%. NT corn borer. 944, 1120.
- 190-571-983.
2, 3-Octanedione, 3-oxime; $\text{CH}_3(\text{CH}_2)_3\text{C}(\text{NOH})\text{CO-CH}_3$.
MT as mothproofing agent. 239.
- 190-571-999.
2, 3-Pentanedione, 3-oxime; $\text{CH}_3\text{CH}_2\text{C}(\text{NOH})\text{COCH}_3$.
MT as mothproofing agent. 239.
- 190-571-1001.
2, 3-Butanedione, 3-oxime; $\text{CH}_3\text{COC}(\text{NOH})\text{CH}_3$. (Biacetyl mono-oxime; α -isocitronoethyl methyl ketone).
MT as mothproofing agent. 239.
- 190-571-1001-1021.
2, 3-Butanedione, 2-methoxime; $\text{CH}_3\text{COC}(\text{NOCH}_3)_2$.
CH₃. (Diacetyl monomethoxime).
T *Sitophilus oryzae*. 1180.
- 190-581-591-951-1022.
Vanillin, oxime; $\text{CH}_3\text{OC}_6\text{H}_4(\text{OH})\text{CHNOH}$.
NT codling moth larvae and as mothproofing agent. 239, 1120.
- 190-591-953-1022.
Benzophenone, *p*-benzyloxy-, oxime; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{-C}(\text{NOH})\text{C}_6\text{H}_5$. (Benzophenone, oxime, *p*-phenylmethoxy-).

- Fly spray. 112, 688P, 690P, 693P, 694P, 696P.
190-625-1011.
Gyloxime, di-2-furyl-; $[\text{C}_6\text{H}_5\text{OC}(\text{NOH})]_2$. (α -Furyl dioxime).
NT *Bombyx mori* larvae. 559.
190-625-1021.
3-Furaldehyde, oxime; $(\text{C}_6\text{H}_5\text{O})\text{CH}(\text{NOH})$. (β -Furfuraldioxime).
T *Cochliomyia americana* C and P at 0.17%. 944.
190-626-950-1021.
Piperonal, oxime; $(\text{CH}_3\text{O})_2\text{C}_6\text{H}_3\text{CHNOH}$. ("Anti" and "Syn" forms).
NT corn borer. 1120.
190-912.
9-Fluorenone, oxime; $(\text{C}_{13}\text{H}_9)\text{NOH}$.
NT *Cochliomyia americana* C and P. 944.
190-951.
Quinone dioxime; $\text{C}_6\text{H}_4(\text{:NH})_2$. 721AP.
190-952-1011.
Benzil, dioxime; $[\text{C}_6\text{H}_5\text{C}(\text{NOH})]_2$.
ST *Bombyx mori* larvae. 559.
190-968-1023.
d-Camphor, oxime.
HT *Bombyx mori* larvae; T screwworms. 156, 559.
190-1001.
Gyloxime, dimethyl-; $(\text{CH}_3\text{CNOH})_2$. (2, 3-Butanedione dioxime; diacetyl dioxime).
T *Locustana pardalina* and *Normadacris septemfasciata*; MT *Bombyx mori* larvae; ST screwworms. 156, 559, 561, 1144.
190-1003.
Acetone, oxime; $\text{HONC}(\text{CH}_3)_2$. (Acetoxime).
ST codling moth larvae. 915.
192-206-951.
Benzene, 1-nitro-2-nitroso-; $\text{NO}_2\text{C}_6\text{H}_4\text{NO}$. (o-Nitro-nitrosobenzene).
NT *Cochliomyia americana* C and P. 944.
192-581-924.
1-Naphthol, 2-nitroso-; $\text{C}_{10}\text{H}_7(\text{NO})\text{OH}$. (1, 2-Naphthoquinone, 2-oxime).
ST *Cochliomyia americana* C and P, Mexican bean beetle and Colorado potato beetle. 606, 944.
192-581-924.
2-Naphthol, 1-nitroso-; $\text{C}_{10}\text{H}_7(\text{NO})\text{OH}$. (1, 2-Naphthoquinone-1-oxime).
MT Colorado potato beetle, Mexican bean beetle, codling moth, and mosquito larvae; NT *Tineola biselliella* and *Attageus piceus*. 487, 606, 739, 1176, 1291, 1481.
192-581-951.
Phenol, p-nitroso-; $\text{C}_6\text{H}_5\text{NO}_2$. (Quinone monooxime).
NT mosquito larvae. 487.
192-581-951-1003-1021.
Thymol, 4-nitroso-; $(\text{CH}_3)_2\text{CHC}_6\text{H}_3(\text{CH}_3)(\text{OH})\text{NO}$.
NT *Cochliomyia americana*. 944.
192-582-951.
Resorcinol, 2, 4-dinitroso-; $(\text{NO})_2\text{C}_6\text{H}_3(\text{OH})_2$.
T screwworms at 0.17-0.33%. 156.
192-582-951.
Resorcinol, 4, 6-dinitroso-; $(\text{NO})_2\text{C}_6\text{H}_3(\text{OH})_2$.
NT codling moth larvae; MT mosquito larvae. 487, 1291.
192-681-952.
Diphenylamine, 4-nitroso-; $\text{C}_6\text{H}_5\text{NHC}_6\text{H}_4\text{NO}$. (p-Nitrosodiphenylamine).
HT mosquito larvae; NT screwworm larvae. 156, 487.
192-691-951-1012.
Aniline, N,N-diethyl-p-nitroso-; $\text{NOC}_6\text{H}_4\text{N}(\text{C}_2\text{H}_5)_2$. (N,N-Diethyl-p-nitroso aniline? p-nitrosodiethylaniline).
MT mosquito larvae; T screwworms. 172, 944.
192-691-951-1022.
Aniline, N,N-dimethyl-p-nitroso-; $(\text{CH}_3)_2\text{NC}_6\text{H}_4\text{NO}$. (p-Nitrosodimethylaniline).
T mosquito larvae; MT codling moth larvae. 487, 1291, 1319.
192-951.
Benzene, nitroso-; $\text{C}_6\text{H}_5\text{NO}$.
HT mosquito larvae. 487.
192-951-1011-1030.
Styrene, β -nitroso-; $\text{C}_6\text{H}_5\text{CH=CHNO}$.
T *Cochliomyia americana* C and P at 0.17%. 944.
194-571-730-1024.
4-Piperidone, 1-nitroso-2, 2, 6, 6-tetramethyl-; $(\text{CH}_3)_4\text{C}_4\text{H}_4\text{N}(\text{:O})(\text{CH}_3)_2\text{NO}$?
T screwworm larvae; MT as mothproofing agent. 239, 944.
194-732.
Piperazine, 1, 4-dinitroso-; $\text{ONN}(\text{CH}_2\text{CH}_2)_2\text{NNO}$.
T as mothproofing agent. 239.
194-951-961-1021.
Cyclohexylamine, N-benzyl-N-nitroso-; $\text{C}_6\text{H}_{11}\text{N}(\text{NO})\text{CH}_2\text{C}_6\text{H}_5$. (N,N-Nitroso-benzyl cyclohexylamine).
NT *Myzus persicae* and *Tetranychus telarius*. 772.
194-951-1021.
Aniline, N-methyl-N-nitroso-; $\text{C}_6\text{H}_5\text{N}(\text{CH}_3)\text{NO}$. (Methylphenylnitrosamine; N-methyl-N-nitroso-aniline).
T screwworms at 0.01-0.03%; MT *Culex quinquefasciatus* larvae. 156, 157.
194-952.
Diphenylamine, N-nitroso-; $\text{C}_6\text{H}_5\text{N}(\text{NO})\text{C}_6\text{H}_5$. (s-Diphenylnitrosamine).
HT codling moth larvae at 4%; T southern beet webworm, Colorado potato beetle, *Bombyx mori*, and potato leaf-hopper; ST screwworms at 0.67%; NT roaches. 156, 505P, 559, 587, 1312, 1481.
194-952-1021.
Benzylamine, N-nitroso-N-phenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{N}(\text{NO})\text{C}_6\text{H}_5$. (Benzylphenylnitrosamine; N-nitroso-N-phenylbenzylamine).
NT screwworms. 156.
194-952-1022.
Dibenzylamine, N-nitroso-; $(\text{C}_6\text{H}_5\text{CH}_2)_2\text{NNO}$.
T as mothproofing agent. 239.
194-962.
Dicyclohexylamine, N-nitroso-; $(\text{C}_6\text{H}_{11})_2\text{NNO}$.
MT *Culex quinquefasciatus*; NT *Myzus persicae* and *Tetranychus telarius*. 157, 772.
196-951.
Oxides of phenolic amines.
T as mothproofing compounds. 152P.
200-989.
Cyanide acid, dodecyl ester; $\text{C}_{12}\text{H}_{25}\text{OCN}$. (Lauryl cyanate). 693P.
201-624.
Isocyanic acid, 2-naphthyl ester; $\text{C}_{10}\text{H}_7\text{NCO}$. (2-Naphthyl isocyanate).
NT screwworm larvae. 156.
206-230-951.
Morpholine, 4-(p-nitrophenyl)-; $\text{O}_2\text{NC}_6\text{H}_4\text{N}(\text{CH}_2)_3\text{O}$.
NT corn borer and screwworm larvae. 944, 1120.
206-258-591-671-851-953-1021.
Benzenesulfonic acid, 4-benzoyloxy-3-nitro-, p-chloro-aniline salt; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{NO}_2)\text{SO}_3\text{NH}_2\text{C}_6\text{H}_4\text{Cl}$. (Sulfonic acid, 4-phenylmethoxy-3-nitrophenyl-p-chloroaniline salt).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
206-258-591-671-953-1022.
Benzenesulfonic acid, 4-benzoyloxy-3-nitro-, toluidine salt; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{NO}_2)\text{SO}_3\text{NH}_2\text{C}_6\text{H}_4\text{CH}_3$. (Benzenesulfonic acid, 3-nitro-4-phenylmethoxy-, toluidine salt).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
206-258-591-952-1021-1218.
Benzenesulfonic acid, 4-benzoyloxy-3-nitro-, sodium salt; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{NO}_2)\text{SO}_3\text{Na}$. (Benzenesulfonic acid, 4-phenylmethoxy-3-nitro-, sodium salt).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
206-258-591-951-1021-1218.
Metanolic acid, 6-nitro-N-p-tolyl-, sodium salt; $\text{CH}_3\text{C}_6\text{H}_4\text{NHC}_6\text{H}_3(\text{NO}_2)\text{SO}_3\text{Na}$. (Sodium 4-nitro-4'-methyldiphenylamine-3-sulfonate).
T screwworms at 0.33-0.67%. 156.
206-258-591-951-1218.
Benzenesulfonic acid, 2-anilino-5-nitro-, sodium salt; $\text{C}_6\text{H}_5\text{NHC}_6\text{H}_3(\text{NO}_2)\text{SO}_3\text{Na}$. (Sodium 4-nitrodiphenylamine-2-sulfonate).
T screwworms at 0.33-0.67%. 156.
206-258-541-951.
Benzenesulfonic acid, 4-bromo-3-nitro-; $\text{BrC}_6\text{H}_3\text{NO}_2\text{SO}_3\text{Na}$.

- (NO₂)SO₂H. (2-Nitrobromobenzene-4-sulfonic acid).
ST screwworms at 0.67%. 156.
- 206-258-851-951.
Benzenesulfonic acid, 2-chloro-5-nitro-; ClC₆H₃(NO₂)SO₂H. (4-Nitrochlorobenzene-2-sulfonic acid).
ST screwworms at 0.67%; NT mosquito larvae. 156, 172.
- 206-258-951.
Benzenesulphonic acids, nitro-, CU.
T as mothproofing agent. 331P, 1176.
- 206-258-951-1022.
p-Toluenesulfonic acid, 2-nitro-, methyl ester; CH₃-C₆H₄(NO₂)SO₂OCH₃. (Methyl-2-nitro-p-toluene-sulfonate).
NT *Phlyctenia rubigalis*. 949.
- 206-301-950.
Phenoxathiin, 3-nitro-; (C₁₂H₇OS)NO₂. (3-Nitrophenothioxin).
NT mosquito larvae. 487.
- 206-301-950-1021.
Phenoxathiin, 3-methyl-6-nitro-; CH₃(C₁₂H₆OS)NO₂. (3-Methyl-6-nitrophenothioxin).
NT mosquito larvae. 487.
- 206-331-951-1021.
Benzoyl chloride, m-nitro-; C₆H₄(NO₂)COCl.
T screwworms at 0.17-0.33%. 156.
- 206-331-951-1021.
Benzoyl chloride, p-nitro-; C₆H₅(NO₂)COCl.
NT screwworms. 156.
- 206-340-552-951-1011.
Benzene, 1-iodo-4-nitro-, acetate; (NO₂)C₆H₄I-(OCOCH₃)₂. (p-Nitroiodobenzene acetate).
MT *Culex quinquefasciatus*; NT screwworms and as mothproofing agent. 157, 239, 944.
- 206-340-951.
Benzene, 1-iodo-2-nitro-; C₆H₄(NO₂)IO. (o-Iodo-snitrobenzene).
T many insects and as mothproofing agent. 110, 172, 239, 1312, 1315P.
- 206-340-951-
Benzene, 1-iodo-3-nitro-; C₆H₄(NO₂)IO. (m-Iodo-snitrobenzene).
T many species of insects. 110, 1312, 1315P.
- 206-340-951.
Benzene, 1-iodo-4-nitro-; C₆H₄(NO₂)IO. (p-Iodo-snitrobenzene).
T many species of insects and as mothproofing agent; ST mosquito larvae. 110, 157, 239, 1312, 1315P.
- 206-340-951.
Benzene, iodosonitro-, CU; O₂NC₆H₄IO. (Mononitro-iodobenzene).
T screwworm, tobacco hornworm, European corn borer, and carpet beetle. 1312, 1315P.
- 206-341-951.
Benzene, 1-iodoxy-2-nitro-; O₂NC₆H₄IO₂. (o-Iodoxy-nitrobenzene).
T many species of insects. 110, 1312, 1324P.
- 206-341-951.
Benzene, 1-iodoxy-3-nitro-; O₂NC₆H₄IO₂. (m-Iodoxy-nitrobenzene).
T many species of insects. 110, 1312, 1324P.
- 206-341-951.
Benzene, 1-iodoxy-4-nitro-; O₂NC₆H₄IO₂. (p-Iodoxy-nitrobenzene).
T tobacco hornworm, codling moth larvae, and southern army worm. 110, 1312, 1324P.
- 206-341-951.
Benzene, iodoxynitro-, CU; O₂NC₆H₄IO₂.
T tobacco hornworm, southern army worm, cross-striped cabbage worm, and imported cabbage worm; MT Hawaiian beet webworm and southern beet webworm. 1312.
- 206-390-625-951-1021.
Hydrosulfamine, N-2-furfurylidene-S-(o-nitrophenyl)-; NO₂C₆H₄SN:CH(C₄H₃O). (N-Fural-S-(o-nitrophenyl) sulfuramine).
NT corn borer, mosquito larvae, and as mothproofing agent. 239, 487, 1120, 1291.
- 206-390-851-951.
Hydrosulfamine, S-(4-chloro-2-nitrophenyl)-; ClC₆H₃(NO₂)SNH₂. (4-Chloro-2-nitrophenylsulfuramine).
HT mosquito larvae. 487.
- 206-390-951.
Hydrosulfamine, S-(o-nitrophenyl)-; NO₂C₆H₄SNH₂. (S-(o-Nitrophenyl) sulfuramine).
T mosquito and codling moth larvae; ST as mothproofing agent; NT corn borer. 239, 487, 1120, 1291.
- 206-390-952-1021.
p-Toluidine, N-(o-nitrophenylmercapto)-; CH₃C₆H₄NHSC₆H₄NO₂. (N-p-Toluidine-S-(o-nitrophenyl) sulfuramine; o-nitrophenyl-p-toluino sulfide?).
MT codling moth larvae; ST corn borer; NT mosquito larvae. 487, 1120, 1291.
- 206-390-952-1021.
Hydrosulfamine, N-benzylidene-S-(o-nitrophenyl)-; NO₂C₆H₄SN:CHC₆H₅. (N-Benzal-S-(o-nitrophenyl) sulfuramine).
ST as mothproofing agent; NT corn borer and mosquito larvae. 239, 487, 1120, 1291.
- 206-401-591-052-1001-1023.
Thiocyanic acid, 2-benzoyloxy-5-tert-butyl-3-nitrobenzyl ester; C₆H₅CH₂OC₆H₃(NO₂)(CH₂SCN)C(CH₃)₃. (Thiocyanic acid, 5-tert-butyl-3-nitro-2-phenylmethoxy-benzyl ester).
Fly spray. 112, 692P.
- 206-401-592-951-1012-1021.
Thiocyanic acid, 2-12-(p-nitrophenoxy)ethoxy ethyl ester; O₂NC₆H₄OCH₂CH₂OCH₂CH₂SCN. (β-Thiocyanato-β-(p-nitrophenoxy)-diethyl ether).
Fly spray. 112, 1032P.
- 206-401-851-951-1021.
Thiocyanic acid, 4-chloro-2-nitrophenyl ester; Cl(NO₂)C₆H₃SCN.
HT mosquito larvae. 487, 488.
- 206-401-951-1022.
Thiocyanic acid, nitrobenzyl ester; NO₂C₆H₄CH₂SCN.
Ant poison. 1178, 1245P.
- 206-402-951-1025.
m-Xylene, 4-nitro-α, α', α', α'-tetrathioacyano-; NO₂C₆H₄[CH(SCN)]₄. (Thiocyanic acid, 6(?)-nitroisophthalal ester).
T lice and caterpillars. 1178, 1247P.
- 206-411-951-1021.
Isothiocyanic acid, nitrophenyl ester; NO₂C₆H₄NCS. (Nitrophenyl isothiocyanate, CU). 575P, 1432.
- 206-460-730-740-701-950-1021.
Benzothiazole, 2-mercapto-6-nitro-, nicotine salt; NO₂C₆H₃NS₂SB.C₁₀H₁₁N₂. (2-Mercapto-6-nitrobenzothiazole, nicotine salt. 1284P, 1432).
- 206-520-581-951.
Benzenethiol bromide, 4-chloro-2-nitro-? NO₂C₆H₃(Cl)SEr. (4-Chloro-2-nitrophenyl sulphur bromide).
T codling moth larvae. 487, 1291.
- 206-541-581-665-952.
Salicylic acid, 5-(p-nitrophenylazo)-; NO₂C₆H₄N:NC₆H₃(OH)COOH. (4'-Nitro-4-hydroxy azobenzene carboxylic acid-(3)).
ST greenhouse red spider at 2%. 1481.
- 206-541-581-924-1021.
2-Naphthoic acid, 3-hydroxy-4-nitro-; C₁₀H₆(NO₂)(OH)COOH.
T *Cochliomyia americana* C and P at 0.67%. 944.
- 206-541-581-951-1011-1142.
Phenol, p-nitro-, copper acetate compound; NO₂C₆H₄OH.Cu(OOCH₃)₂. (Copper acetate of 4-nitrophenol). 362P.
- 206-541-581-951-1011-1177.
Phenol, o-nitrosoacetoxymercuri-, CU; O₂NC₆H₄(OH)-HgOOCH₃? (Mercury o-nitrophenol acetate). 379P.
- 206-541-581-951-1011-1244.
Phenol, p-nitro-, zinc acetate compound; NO₂C₆H₄-OH.Zn(OOCH₃)₂. (Zinc acetate of 4-nitrophenol). 362P.
- 206-541-581-951-1021.
Salicylic acid, 3-nitro-; NO₂C₆H₃(OH)COOH. (2-Hydroxy-3-nitrobenzoic acid).
ST screwworms at 0.67%. 156.
- 206-541-581-951-1021.
Salicylic acid, 5-nitro-; NO₂C₆H₃(OH)COOH. (2-Hydroxy-5-nitrobenzoic acid).
T screwworms at 0.67%. 156.
- 206-541-681-951-1011.
Glycine, N-(p-nitrophenyl)-; NO₂C₆H₄NHCH₂COOH. (p-Nitrophenylglycine).
NT codling moth larvae. 156, 915.
- 206-541-681-952-1021.
Antbramlic acid, N-(o-nitrophenyl)-; NO₂C₆H₄NHCH₂COOH.
NT mosquito larvae. 487.
- 206-541-781-851-951-1011.

- Acetic acid, (4-chloro-2-nitrophenylmercapto)-; $\text{ClC}_6\text{H}_4(\text{NO}_2)\text{SCH}_2\text{COOH}$.
HT codling moth larvae. 1291.
- 206-541-951-951.
Benzoic acid, 2-bromo-3-nitro-; $\text{BrC}_6\text{H}_3(\text{NO}_2)\text{COOH}$.
(2-Bromo-3-nitrobenzoic acid).
NT European corn borer. 1122.
- 206-541-861-951-1021.
Benzoic acid, 4-fluoro-3-nitro-; $\text{NO}_2(\text{F})\text{C}_6\text{H}_4\text{COOH}$.
T as mothproofing agent. 411P, 425P, 1175, 1399P.
- 206-541-951-1003-1030.
Cinnamic acid, m-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}=\text{CHCOOH}$.
ST screwworms at 0.67%. 156.
- 206-541-951-1003-1030.
Cinnamic acid, o-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}=\text{CHCOOH}$.
NT codling moth. 915.
- 206-541-951-1021.
Benzoic acid, m-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{COOH}$. (Benzoic acid, 3-nitro-).
T screwworms and as mothproofing agent. 156, 411P, 425P, 1175, 1399P.
- 206-541-951-1021.
Benzoic acid, o-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{COOH}$.
ST screwworms at 0.67%. 156.
- 206-541-951-1021.
Benzoic acid, p-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{COOH}$.
T screwworms at 0.67%. 156.
- 206-541-951-1021.
p-Toluic acid, 2-nitro-; $\text{O}_2\text{NC}_6\text{H}_4(\text{CH}_3)\text{COOH}$.
T as mothproofing agent. 329P, 331P, 1178.
- 206-541-951-1021-1162.
Benzoic acid, p-nitro-, ferric salt; $(\text{O}_2\text{NC}_6\text{H}_4\text{COO})_3\text{Fe}$. (Ferric p-nitrobenzoate).
NT *Epilachna borealis*. 1008.
- 206-542-951-1022.
Phthalic acid, 3-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{COOH})_2$.
ST screwworms at 0.67%; NT European corn borer. 156, 1122.
- 206-542-951-1022.
Phthalic acid, 4-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{COOH})_2$.
ST screwworms at 0.67%. 156.
- 206-551-571-781-851-951-1001-1011.
Acetoacetic acid, α -(4-chloro-2-nitrophenylmercapto)-, ethyl ester; $\text{CH}_3\text{COCH}(\text{SC}_6\text{H}_3(\text{Cl})\text{NO}_2)\text{COOC}_2\text{H}_5$.
HT codling moth larvae; NT mosquito larvae. 487, 1291.
- 206-551-951-1003-1011-1030.
Cinnamic acid, p-nitro-, ethyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}=\text{CHCOOC}_2\text{H}_5$. (Ethyl p-nitrocinnamate).
NT screwworms and codling moth larvae. 156, 915.
- 206-551-951-1011-1021.
Benzoic acid, p-nitro-, ethyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{COOC}_2\text{H}_5$. (Ethyl p-nitrobenzoate).
T screwworms at 0.17-0.33%; ST codling moth. 156, 915.
- 206-551-951-1011-1021.
Acetic acid, p-nitrobenzyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}_2\text{OOCCH}_3$. (p-Nitrobenzyl acetate).
T screwworms at 0.33-0.67%. 156.
- 206-551-951-1021.
Formic acid, p-nitrophenyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{OOCH}$. (Formate of 4-nitrophenol). 362P.
- 206-551-951-1022.
Benzoic acid, m-nitro-, methyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{COOCH}_3$. (Methyl m-nitrobenzoate).
NT screwworms. 156.
- 206-551-951-1022.
Benzoic acid, o-nitro-, methyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{COOCH}_3$. (Methyl o-nitrobenzoate).
NT screwworms. 156.
- 206-551-951-1022.
Benzoic acid, p-nitro-, methyl ester; $\text{NO}_2\text{C}_6\text{H}_4\text{COOCH}_3$. (Methyl p-nitrobenzoate).
T screwworms at 0.17-0.33%; NT codling moth. 156, 915.
- 206-561-951-1021.
Benzaldehyde, m-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CHO}$.
T screwworms at 0.17-0.33%; ST codling moth. 156, 915.
- 206-561-951-1021.
Benzaldehyde, o-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CHO}$. (o-Nitrobenzaldehyde).
T screwworms at 0.17-0.33%. 156.
- 206-561-951-1021.
Benzaldehyde, nitro-, CU; $\text{NO}_2\text{C}_6\text{H}_4\text{CHO}$.
NT *Agrotis*. 1382.
- 206-571-591-953-1022.
Benzophenone, p-nitrobenzoyloxy-, CU; $\text{C}_6\text{H}_5\text{COC}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$. (Ether, benzoylphenyl, p-nitrobenzyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-571-632-952-1021.
Propiophenone, α , β -epoxy- β -(m-nitrophenyl)-; $\text{C}_6\text{H}_5\text{CO}(\text{C}_2\text{H}_5\text{O})\text{C}_6\text{H}_4\text{NO}_2$. (α -Benzoyl- β -(m-nitrophenyl) ethylene oxide).
NT as mothproofing agent. 239.
- 206-571-730-950.
9(10)-Acridone, 4-nitro-? $\text{O}:(\text{C}_{12}\text{H}_8\text{N})\text{NO}_2$.
(1-Nitro-5(10)-acridone).
NT mosquito larvae. 487.
- 206-571-730-950-1011.
Ketone, methyl 5-nitrosoquinolyl, CU; $\text{NO}_2(\text{C}_6\text{H}_7\text{N})\text{COCH}_3$. (Aceto 5-nitrosoquinoline).
NT *Pieris rapae*. 635.
- 206-571-740-950-951-1021.
Carbazole, 9-benzoyl-3-nitro-; $\text{NO}_2(\text{C}_6\text{H}_7\text{N})\text{COC}_6\text{H}_5$. (9-Benzoyl-3-nitrocarbazole).
MT codling moth; NT mosquito larvae. 487, 1291.
- 206-571-751-851-952-1011.
Acetophenone, α -(4-chloro-2-nitrophenylmercapto); $\text{C}_6\text{H}_5\text{COCH}_2\text{SC}_6\text{H}_3(\text{NO}_2)\text{Cl}$.
NT mosquito larvae. 487.
- 206-571-781-851-1003.
2-Propanone, 1-(o-nitrophenylmercapto)-; $\text{NO}_2\text{C}_6\text{H}_4\text{SCH}_2\text{COCH}_3$. (Acetonil-o-nitrophenyl sulfide).
ST codling moth larvae and as mothproofing agent; NT corn borer. 239, 1120, 1291.
- 206-571-912.
Fluorenone, nitro-, CU; $\text{O}:(\text{C}_{13}\text{H}_7)\text{NO}_2$.
NT as mothproofing agent. 239.
- 206-571-951-1011.
Acetophenone, m-nitro-; $\text{CH}_3\text{COC}_6\text{H}_4\text{NO}_2$.
ST screwworms at 0.67%. 156.
- 206-571-952-1003-1030.
Chalcone, 3-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}=\text{CHCOOC}_2\text{H}_5$. (m-Nitrobenzalacetophenone).
NT screwworms. 156.
- 206-572-625-950.
Phthalic anhydride, 3-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{CO})_2\text{O}$.
ST screwworms at 0.67%; NT corn borer. 156, 1122.
- 206-572-740-950.
Phthalimide, 3-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{CO})_2\text{NH}$.
NT screwworms. 156.
- 206-572-740-950.
Phthalimide, 4-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{CO})_2\text{NH}$.
NT corn borer, screwworm, and *Culex quinquefasciatus* larvae. 156, 157, 1120.
- 206-572-740-950-951.
Phthalimide, N-(o-nitrophenyl)-; $\text{C}_6\text{H}_4(\text{CO})_2\text{NC}_6\text{H}_4\text{NO}_2$.
ST greenhouse red spider at 4%; NT southern army worm at 4%. 1451.
- 206-572-910.
Anthraquinone, 2-nitro-; $\text{NO}_2\text{C}_6\text{H}_3(\text{CO})_2\text{C}_6\text{H}_4$. (2-Nitroanthraquinone).
NT *Cochliomya americana*. 156, 944.
- 206-573-732.
Barbituric acid, nitro-, CU; $(\text{C}_4\text{H}_2\text{N}_2\text{O}_3)\text{NO}_2$? (Nitrobarbituric acid).
ST screwworms at 0.67%. 156.
- 206-581-665-851-924-951.
2-Naphthol, 1-(2-chloro-4-nitrophenylazo)-; $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_6\text{H}_3(\text{Cl})\text{NO}_2$. (1-(o-Chloro-p-nitrophenylazo)-2-naphthol).
NT corn borer. 1120.
- 206-581-665-924-951.
1-Naphthol, 4-(p-nitrophenylazo)-? $\text{NO}_2\text{C}_6\text{H}_4\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$. (p-Nitrobenzenazo- α -naphthol).
T screwworms at 0.33-0.67%. 156.
- 206-581-665-924-951.
2-Naphthol, 1-(p-nitrophenylazo)-; $\text{NO}_2\text{C}_6\text{H}_4\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$. (4-Nitrobenzeno-1-(α -1)-naphthol-2).
HT mosquito larvae; ST codling moth larvae; NT greenhouse red spider at 4%. 487, 1437P, 1481.
- 206-581-665-924-951-1021.
2-Naphthol, 1-(2-nitro-p-tolylazo)-; $\text{NO}_2\text{C}_6\text{H}_3(\text{CH}_3)\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.

- NT corn borer. 1120.
206-581-671-951.
Phenol, 2-amino-4-nitro-; $\text{NH}_2(\text{NO}_2)\text{C}_6\text{H}_3\text{OH}$.
NT screwworms. 156.
206-581-671-951-961.
Phenol, amino-2-cyclohexyl-nitro-, CU; $(\text{NO}_2)-(\text{NH}_2)(\text{OH})\text{C}_6\text{H}_3(\text{C}_6\text{H}_{11})$. 1306P.
206-581-781-924-951.
2-Naphthol, 1-(*o*-nitrophenylmercapto)-; $\text{NO}_2\text{C}_6\text{H}_4-\text{SC}_6\text{H}_4\text{OH}$. $\{[(2\text{-Hydroxy-1-naphthyl})\text{-}2\text{-nitrophenyl sulfide}]\}$.
NT corn borer, as mothproofing agent, codling moth, and mosquito larvae. 239, 487, 1120, 1291.
206-581-842-951.
Phenol, 2, 6-dibromo-4-nitro-; $\text{Br}_2(\text{NO}_2)\text{C}_6\text{H}_3\text{OH}$.
T screwworms at 0.03-0.05%. 156.
206-581-862-951.
Phenol, 2, 6-dichloro-4-nitro-; $\text{Cl}_2(\text{NO}_2)\text{C}_6\text{H}_3\text{OH}$.
HT *Culex quinquefasciatus*; T screwworms at 0.05-0.08%. 156, 157.
206-581-863-951.
Phenol, 2-nitro-3, 4, 6-trichloro-; $\text{C}_6\text{H}_3(\text{Cl}_3)\text{NO}_2$.
(2, 4, 5-Trichloro-6-nitrophenol).
HT mosquito larvae. 487.
206-581-924.
2-Naphthol, 1-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{OH}$.
ST Japanese beetle; NT *Tineola biselliella*, *Attagenus piceus*, and codling moth larvae. 494, 739, 930.
206-581-951.
Phenol, *m*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OH}$.
HT *Aphis rumicis*; ST screwworms. 156, 1376.
206-581-951.
Phenol, *o*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OH}$.
T houseflies, *Lucilia cuprina* at 0.1%, T screwworms at 0.17-0.33%, and T aphids; ST codling moth larvae. 156, 606, 849, 915, 1002, 1376.
206-581-951.
Phenol, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OH}$.
HT *Aphis rumicis*; T codling moth larvae and as mothproofing agent; ST Japanese beetle. 404P, 494, 870P, 915, 1175, 1378.
206-581-051-904.
Phenols, nitro-*p-tert* octyl-, CU. (*p*-Tertiary octyl phenols having at least one nitro group substituted in the benzene ring). 1052P.
206-581-951-1021.
m-Cresol, 2-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$.
HT *Aphis rumicis*. 1376.
206-581-951-1021.
m-Cresol, 4-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$. (3-Methyl-4-nitrophenol).
HT *Aphis rumicis*. 1376.
206-581-951-1021.
m-Cresol, 5-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$. (3-Methyl-5-nitrophenol).
HT *Aphis rumicis*. 1376.
206-581-951-1021.
m-Cresol, 6-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$. (3-Methyl-6-nitrophenol).
NT *Aphis rumicis*. 1376.
206-581-951-1021.
o-Cresol, 3-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$.
MT *Aphis rumicis*. 1376.
206-581-951-1021.
o-Cresol, 5-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$. (2-Methyl-5-nitrophenol).
3IT *Aphis rumicis*. 1377.
206-581-951-1021.
p-Cresol, 3-nitro-; $\text{NO}_2(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$. (4-Methyl-3-nitrophenol).
HT *Aphis rumicis*. 1376.
206-581-951-1177-1325.
Phenol, *p*-nitrohydroxymercuri-, CU; $\text{HOc}_6\text{H}_4(\text{NO}_2)-\text{HgOH}$ (Mercury *p*-nitrophenol). 379P.
206-582-665-952.
Resorcinol, 4-(*m*-nitrophenylazo)-; $\text{NO}_2\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_3(\text{OH})_2$. (2, 4-Dihydroxy-3'-nitro azobenzene).
ST greenhouse red spider at 2%; NT southern army worm at 4%. 1481.
206-582-665-952.
Resorcinol, 4-(*p*-nitrophenylazo)-; $\text{NO}_2\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_3(\text{OH})_2$. (2, 4-Dihydroxy-4'-nitro azobenzene).
MT mosquito larvae; ST greenhouse red spider at 2%; NT southern army worm at 4%. 487, 488, 1437P, 1481.
206-582-665-952-1021.
Orcinol, *p*-nitrophenylazo-, CU; $\text{NO}_2\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_3-\text{CH}_3(\text{OH})_2$. (Nitrohenzene azo orcinol).
ST greenhouse red spider at 1% and MT at 2%. 1481.
206-582-781-952.
Resorcinol, 4-(*o*-nitrophenylmercapto)-; $(\text{OH})_2\text{C}_6\text{H}_3-\text{H}_2\text{SC}_6\text{H}_4\text{NO}_2$. (2, 4-Dihydroxy-2'-nitrodiphenyl sulfide).
MT codling moth larvae; NT mosquito larvae, corn borer, and as mothproofing agent. 239, 487, 1120, 1291.
206-582-855-953-1021.
m-Cresol, *o*-(3, 5-dichloro-2-hydroxyphenyl)-*o*-(*o*-nitrophenyl)-2, 4, 6-trichloro-; $\text{CH}[\text{Cl}_2\text{C}_6\text{H}_3\text{OH}][\text{Cl}_2\text{C}_6\text{H}_3\text{OH}]\text{C}_6\text{H}_4\text{NO}_2$ (Methane, 2, 4, 6, 3', 5'-pentachloro-3, 2'-dihydroxy-3''-nitrotriphenyl-).
T as mothproofing agent. 439P, 1179, 1453, 1454P.
206-582-855-953-1021.
m-Cresol, *o*-(3, 5-dichloro-2-hydroxyphenyl)-*o*-(*p*-nitrophenyl)-2, 4, 6-trichloro-; $\text{CH}[\text{Cl}_2\text{C}_6\text{H}_3\text{OH}][\text{Cl}_2\text{C}_6\text{H}_3\text{OH}]\text{C}_6\text{H}_4\text{NO}_2$. (Methane, 2, 4, 6, 3', 5'-pentachloro-3, 2'-dihydroxy-4''-nitrotriphenyl-).
T as mothproofing agent. 439P, 1179, 1454P.
206-588-951-1106.
Phenol, 2-nitro-, potassium derivative; $\text{C}_6\text{H}_3(\text{NO}_2)-\text{OK}$. (*o*-Nitrophenol potassium salt).
T screwworms at 0.17-0.33%. 156.
206-588-951-1142-1389.
Phenol, 4-nitro-, copper sulfate compound; $\text{NO}_2\text{C}_6\text{H}_4\text{OH}.\text{CuSO}_4$. 362P.
206-588-951-1218.
Phenol, 2-nitro-, sodium derivative; $\text{C}_6\text{H}_3(\text{NO}_2)\text{ONa}$. (*o*-Nitrophenol sodium salt).
T screwworms at 0.17-0.33%. 156.
206-588-951-1218.
Phenol, 4-nitro-, sodium derivative; $\text{C}_6\text{H}_3(\text{NO}_2)\text{ONa}$. (*p*-Nitrophenol sodium salt).
T screwworms at 0.17-0.33%. 156.
206-588-951-1244-1291.
Phenol, 4-nitro-, zinc chloride compound; $\text{OHC}_6\text{H}_4-\text{NO}_2.\text{ZnCl}_2$. 362P.
206-591-671-951-1011.
p-Phenetidine, 2-nitro-; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_3(\text{NO}_2)\text{NH}_2$. (3-Nitro-4-aminophenol).
ST codling moth; NT screwworms. 156, 915.
206-591-671-951-1011.
p-Phenetidine, nitro-, CU; $\text{NO}_2(\text{C}_6\text{H}_5\text{O})\text{C}_6\text{H}_3\text{NH}_2$.
NT Colorado potato beetle and Mexican bean beetle. 606.
206-591-671-951-1021.
o-Anisidine, 4-nitro-; $\text{CH}_3\text{OC}_6\text{H}_3(\text{NO}_2)\text{NH}_2$. (5-Nitro-2-aminoanisole).
T screwworms at 0.33-0.67%. 156.
206-591-671-951-1021.
o-Anisidine, 5-nitro-; $\text{CH}_3\text{OC}_6\text{H}_3(\text{NO}_2)\text{NH}_2$. (4-nitro-2-aminoanisole).
ST screwworms at 0.67%. 156.
206-591-671-951-1021.
p-Anisidine, 2-nitro-; $\text{CH}_3\text{OC}_6\text{H}_3(\text{NO}_2)\text{NH}_2$. (3-Nitro-4-aminoanisole).
ST greenhouse red spider at 4%; NT screwworms and bean aphid. 156, 1481.
206-591-681-951-975-1027.
Aryl aminonitro ethers, CU; $\text{Ar}(\text{OC}_6\text{H}_4\text{N})_x\text{NHC}_6\text{H}_5$. 699P.
206-591-701-951-1022.
Benzonitrile, 2-methoxy-6-nitro-; $\text{NO}_2(\text{OCH}_3)\text{C}_6\text{H}_3-\text{CN}$.
MT mosquito larvae. 172.
206-591-841-952-1001-1021.
Ether, 2-bromo-4-*tert*-butylphenyl *p*-nitrobenzyl; $\text{O}_2\text{NC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_3(\text{Br})\text{C}(\text{CH}_3)_3$.
Fly spray. 112, 688P.
206-591-841-952-1021.
Ether, *p*-bromophenyl *p*-nitrobenzyl; $\text{O}_2\text{NC}_6\text{H}_4\text{CH}_2-\text{OC}_6\text{H}_4\text{Br}$.
Fly spray. 112, 688P.
206-591-841-952-1021.
Ether, *p*-bromophenyl *p*-nitrophenyl; $\text{O}_2\text{NC}_6\text{H}_4\text{OCH}_2-\text{C}_6\text{H}_4\text{Br}$.
Fly spray. 112, 688P.

- 206-591-851-952.
Ether, *o*-chlorophenyl *p*-nitrophenyl; $\text{ClC}_6\text{H}_4\text{OC}_6\text{H}_4\text{NO}_2$. (2-Chloro-4'-nitro-diphenyl ether; phenyl ether, 2-chloro-4'-nitro-).
MT fly spray. 112, 687P.
- 206-591-851-952.
Ether, *p*-chlorophenyl *p*-nitrophenyl; $\text{ClC}_6\text{H}_4\text{OC}_6\text{H}_4\text{NO}_2$. (*p*-Nitro-*p*'-chlorodiphenyl oxide). 687P.
- 206-591-851-952-1021.
Ether, benzyl 4-chloro-2-nitrophenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{Cl})\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-851-952-1021.
Ether, *o*-chlorobenzyl *p*-nitrophenyl; $\text{ClC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-851-952-1021.
Ether, *p*-chlorophenyl *p*-nitrobenzyl; $\text{ClC}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-881-952-1021.
Phenyl benzyl ethers having an aromatically bound nitro group said compound having at least one halogen substituent of a relative weight above thirty attached to an aromatic ring.
Fly spray. 112, 688P.
- 206-591-924-951-1021.
Ether, 1-naphthylmethyl *p*-nitrophenyl; $\text{C}_{10}\text{H}_7\text{CH}_2\text{OC}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-924-951-1021.
Ether, benzyl 2-(1-nitro) naphthyl; $\text{C}_{10}\text{H}_7\text{CH}_2\text{OC}_{10}\text{H}_6\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-924-951-1021.
Ether, 2-naphthyl *p*-nitrobenzyl; $\text{C}_{10}\text{H}_7\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-924-951-1021.
Ether, *p*-nitrophenyl 2-tetrahydronaphthyl-methyl; $\text{C}_{10}\text{H}_{11}\text{CH}_2\text{OC}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 200-591-951-989.
Ether, dodecyl *p*-nitrophenyl; $\text{C}_{12}\text{H}_{25}\text{OC}_6\text{H}_4\text{NO}_2$. (Lauryl *p*-nitrophenyl ether).
ST Colorado potato beetle and Mexican bean beetle. 606.
- 206-591-951-993.
Ether, octyl *p*-nitrophenyl; $\text{CH}_3(\text{CH}_2)_7\text{OC}_6\text{H}_4\text{NO}_2$. (*n*-Octyl *p*-nitrophenyl ether).
MT Colorado potato beetle and Mexican bean beetle. 606.
- 206-591-951-1011.
Phenetole, *m*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$.
T screwworms at 0.10-0.17%. 156.
- 206-591-951-1011.
Phenetole, *o*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$. (Ethyl *o*-nitrophenyl ether).
T *Culex quinquefasciatus* larvae and T screwworms at 0.05-0.08%. 156, 157.
- 206-591-951-1011.
Phenetole, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$.
HT Colorado potato beetle, Mexican bean beetle, and screwworms; T Japanese beetle; MT *Culex quinquefasciatus* and silkworm larvae. 156, 157, 494, 559, 606, 1080, 1150.
- 206-591-951-1021.
Anisole, *m*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OCH}_3$. (1-Methoxy-3-nitrobenzene).
T screwworms at 0.03-0.05%. 156.
- 206-591-951-1021.
Anisole, *o*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OCH}_3$. (1-Methoxy-2-nitrobenzene).
HT screwworms; T aphids; MT *Bombyx mori* larvae; NT codling moth larvae. 156, 555, 561, 1376.
- 206-591-951-1021.
Anisole, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{OCH}_3$. (1-Methoxy-4-nitrobenzene).
HT screwworms at 0.01-0.03%; T aphids. 156, 1376.
- 206-591-952.
Ether, *o*-nitrophenyl phenyl; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NO}_2$.
ST screwworms at 0.87%. 156.
- 206-591-952.
Ether, *p*-nitrophenyl phenyl; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NO}_2$.
T houseflies at 2% in kerosene; ST screwworms at 0.67%. 112, 156, 687P.
- 206-591-952.
Ethers, nitrophenyl, CU.
T as fly spray. 112, 687P.
- 206-591-952-961-1021.
Ether, benzyl 4-cyclohexyl-2-nitrophenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{NO}_2)\text{C}_6\text{H}_{11}$.
Fly spray. 112, 691P.
- 206-591-952-993-1021.
Ether, *p*-nitrobenzyl 4-(1, 1, 3, 3-tetramethyl-butyl)-phenyl-; $\text{O}_2\text{NC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_2\text{CH}_2\text{C}(\text{CH}_3)_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1001.
Ether, *p*-*tert*-butylphenyl *o*-nitrophenyl; $\text{NO}_2\text{C}_6\text{H}_4\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_3$. (*o*-nitrophenyl *p*-*tert*-butyl phenyl oxide). 687P.
- 206-591-952-1001-1021.
Ether, *p*-*tert*-butylphenyl *p*-nitrobenzyl; $(\text{CH}_3)_3\text{CC}_6\text{H}_4\text{OC}_6\text{H}_4\text{NO}_2$. (4-Nitrobenzyl 4-*tert*-butyl-phenyl ether).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P, 1190P.
- 206-591-952-1021.
Ether, *p*-nitrobenzyl phenyl-; $\text{C}_6\text{H}_5\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1021.
Ethers, nitrobenzyl phenyl-CU.
Fly spray. 112, 694P.
- 206-591-952-1021.
Ether, *p*-nitrophenyl *o*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_6\text{H}_4\text{NO}_2$. (Phenyl ether, 2-methyl-4'-nitro-; 4-nitro-2'-methyl diphenyl ether).
MT as fly spray. 112, 687P.
- 206-591-952-1021.
Ether, benzyl *o*-nitrophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1021.
Ether, benzyl *p*-nitrophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1022.
Ether, *p*-nitrobenzyl *m*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1022.
Ether, *p*-nitrobenzyl *o*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1022.
Ether, benzyl 4-nitro-*o*-tolyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{CH}_3)\text{NO}_2$. (Ether, benzyl 2-methyl-4-nitrophenyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1022.
Ether, Benzyl 6-nitro-*o*-tolyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{CH}_3)\text{NO}_2$. (Ether, benzyl 2-methyl-6-nitrophenyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-952-1022.
Ether, benzyl 3-nitro-*p*-tolyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{CH}_3)\text{NO}_2$. (Ether, benzyl 4-methyl-3-nitrophenyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-953.
Ether, 2-biphenyl *p*-nitrophenyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_6\text{H}_4\text{NO}_2$. (*p*-Nitro-*o*'-phenyl diphenyl oxide). 687P.
- 206-591-953-1021.
Ether, 2-biphenyl *p*-nitrobenzyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-953-1022.
Ether, *p*-benzylphenyl *p*-nitrobenzyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_4\text{NO}_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-591-954-1183-1325.
Phosphonium hydroxide, (*p*-nitrophenoxo)triphenyl-; $(\text{C}_6\text{H}_5)_3\text{P}(\text{NO}_2\text{C}_6\text{H}_4\text{O})\text{POH}$.
T as mothproofing agent. 441P, 1179.
- 206-592-952-1022.
Ether, 4-methoxy-3-nitrobenzyl phenyl-; $\text{C}_6\text{H}_5\text{OCH}_2\text{C}_6\text{H}_3(\text{NO}_2)\text{OCH}_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 206-625-851-950.
Dibenzofuran, 3-chloro-7-nitro-; $\text{Cl}(\text{C}_6\text{H}_4\text{O})_2\text{NO}_2$.

- HT codling moth larvae; NT mosquito larvae. 487, 1291.
- 206-625-950.
Dibenzofuran, 2-nitro-; $(C_{12}H_7O)NO_2$.
NT mosquito larvae. 487.
- 206-625-950.
Dibenzofuran, 3-nitro-; $(C_{12}H_7O)NO_2$. (3-Nitro-diphenylene oxide).
NT screwworms. 156.
- 206-625-950-961.
Dibenzofuran, 7-nitro 1, 2, 3, 4-tetrahydro-; $(C_{12}H_{11}O)NO_2$.
ST mosquito larvae. 487.
- 206-650-952.
Triazene, 3-p-nitrophenyl-1-phenyl; $C_6H_5N:NNHC_6H_4NO_2$? (p-Nitrophenyl-diazoaminobenzene). 341P.
- 206-657-951.
Hydrazine, p-nitrophenyl-; $NO_2C_6H_4NHNH_2$. (p-Nitrophenylhydrazine).
T screwworms at 0.17-0.33%. 156.
- 206-657-951-1291.
Hydrazine, p-nitrophenyl-, hydrochloride; $NO_2C_6H_4NHNH_2 \cdot HCl$.
T screwworms at 0.10-0.17%. 156.
- 206-659-952-1021.
Benzaldehyde, o-nitro-, phenylhydrazone; $NO_2C_6H_4CH:NNHC_6H_5$.
NT screwworms. 156.
- 206-665-871-952.
Azobenzene, 4-iodo-4'-nitro-; $IC_6H_4N:NC_6H_4NO_2$. (p-Iodo-p'-nitroazobenzene).
HT harmful insects. 110, 1440P.
- 206-665-871-952-1021.
Toluene, 2-(p-iodophenylazo)-5-nitro-; $IC_6H_4N:NC_6H_4(CH_3)(NO_2)$. (Azobenzene, 4-iodo-2'-methyl-4'-nitro-).
HT harmful insects. 110, 1440P.
- 206-665-952.
Azobenzene, p-nitro-; $NO_2C_6H_4N:NC_6H_5$.
T screwworms at 0.10-0.17%. 156.
- 206-668-1021.
Guanidine, nitro-; $NH_2C(NH)NHNH_2$.
T aphids; MT as mothproofing agent; NT codling moth and screwworm larvae. 156, 239, 915, 1152.
- 206-671-841-951.
Aniline, 2-bromo-4-nitro-; $NO_2C_6H_3(Br)(NH_2)Br$.
HT greenhouse red spider at 4%. 1481.
- 206-671-851-951.
Aniline, 2-chloro-4-nitro-; $NH_2C_6H_3(Cl)NO_2$.
HT greenhouse red spider at 4% and HT mosquito larvae; MT codling moth larvae; NT screwworm larvae. 156, 487, 1291, 1481.
- 206-671-851-951.
Aniline, 4-chloro-2-nitro-; $NH_2C_6H_3(NO_2)Cl$.
HT greenhouse red spider at 4%; NT screwworms. 156, 1481.
- 206-671-852-951.
Aniline, 2, 6-dichloro-4-nitro-; $Cl_2(NO_2)C_6H_3NH_2$.
ST greenhouse red spider at 4% and ST Japanese beetle; NT screwworms and *Epilachna borealis*. 156, 494, 1008, 1481.
- 206-671-924.
2-Naphthylamine, 1-nitro-; $NO_2C_{10}H_7NH_2$.
T codling moth and Japanese beetle; MT mosquito larvae; ST greenhouse red spider at 4%; NT *Tineola bisselliella*, *Attagenus piceus*, and NT bean aphid at 4%. 487, 488, 494, 739, 915, 1481.
- 206-671-951.
Aniline, m-nitro-; $NO_2C_6H_4NH_2$.
ST codling moth larvae at 4% and ST Japanese beetle; NT screwworms. 156, 494, 915, 1481.
- 206-671-951.
Aniline, o-nitro-; $NO_2C_6H_4NH_2$. (1-Amino-2-nitrobenzene).
HT mosquito larvae; MT screwworms; ST codling moth at 4%; NT *Melanopus m. mexicanus*. 156, 487, 1160, 1481.
- 206-671-951.
Aniline, p-nitro-; $NO_2C_6H_4NH_2$.
MT mosquito and screwworm larvae; ST codling moth larvae. 156, 487, 915, 1481.
- 206-671-951-1021.
o-Toluidine, 4-nitro-; $NO_2C_6H_3(CH_3)NH_2$. (4-Nitro-2-methyl aniline).
MT codling moth at 4%; NT bean aphid at 4%. 1481.
- 206-671-951-1021.
p-Toluidine, 2-nitro-; $NH_2C_6H_3(NO_2)CH_3$. (4-Methyl-2-nitroaniline; m-nitro-p-toluidine).
HT greenhouse red spider at 4% and HT mosquito larvae; T Japanese beetle and codling moth larvae; ST bean aphid at 4%; NT *Epilachna borealis* and screwworms. 156, 487, 494, 915, 1008, 1291, 1481.
- 206-671-951-1022.
2, 4-Xyldine, 6-nitro-; $(CH_3)_2C_6H_3(NO_2)NO_2$. (6-Nitro-2, 4-dimethyl aniline).
HT codling moth at 4%. 1481.
- 206-672-951.
o-Phenylenediamine, 4-nitro-; $NO_2C_6H_3(NH_2)_2$. (4-Nitro phenylene diamine-(1, 2)).
ST greenhouse red spider at 4%; NT bean aphid at 4%. 1481.
- 206-672-951.
p-Phenylenediamine, 2-nitro-; $NO_2C_6H_3(NH_2)_2$. (2-Nitro phenylenediamine-(1, 4)).
ST greenhouse red spider at 4%; NT bean aphid at 4%. 1481.
- 206-681-851-952.
Diphenylamine, 4-chloro-2-nitro-; $C_6H_5NHC_6H_3(Cl)NO_2$. (4-Chloro-2-nitrodiphenylamine).
HT *Culex quinquefasciatus* and codling moth larvae; MT corn borer. 157, 487, 488, 1120, 1291.
- 206-681-851-952.
Diphenylamine, 4'-chloro-2-nitro-; $ClC_6H_4NHC_6H_4NO_2$.
ST greenhouse red spider at 4%; NT bean aphid at 4%. 1481.
- 206-681-951-961-1022.
Cyclohexylamine, o-methyl-N-(p-nitrobenzyl)-; $CH_3C_6H_4NHC_6H_4NO_2$. (N-p-Nitrobenzyl-o-methyl cyclohexylamine).
NT *Myzus persicae* and *Tetranychus telarius*. 772.
- 206-681-951-1021.
Aniline, N-methyl-p-nitro-; $NO_2C_6H_4NHC_6H_5$. (p-Nitromethylaniline).
ST greenhouse red spider at 4%; NT bean aphid at 4%. 158, 1481.
- 206-681-952.
Diphenylamine, 2-nitro-; $NO_2C_6H_4NHC_6H_5$.
ST greenhouse red spider and codling moth at 4%; NT screwworms. 156, 1481.
- 206-681-952.
Diphenylamine, 4-nitro-; $NO_2C_6H_4NHC_6H_5$.
NT screwworms. 156.
- 206-681-952-1021.
Benzylamine, N-(o-nitrophenyl)-; $C_6H_5CH_2NHC_6H_3NO_2$. (N-Benzyl-2-nitro aniline).
ST codling moth at 4%; NT southern army worm at 4%. 1481.
- 206-681-952-1021.
p-Toluidine, N-(p-nitrophenyl)-; $CH_3C_6H_4NHC_6H_4NO_2$. (4'-Methyl-4-nitrodiphenylamine).
NT *Cochliomyia americana* C and P. 156, 944.
- 206-691-951-1012.
Aniline, N,N-diethyl-o-nitro-; $NO_2C_6H_3(C_2H_5)_2$. (2-Nitro-diethylaniline).
MT greenhouse red spider at 4%; NT bean aphid at 4%. 1481.
- 206-691-951-1022.
Aniline, N,N-dimethyl-m-nitro-; $NO_2C_6H_4N(CH_3)_2$. (m-Nitrodimethylaniline).
ST screwworms at 0.67%. 156.
- 206-691-951-1022.
Aniline, N,N-dimethyl-p-nitro-; $NO_2C_6H_4N(CH_3)_2$. (p-Nitrodimethylaniline).
NT screwworms. 156.
- 206-701-851-863-951-1022.
m-Tolunitrile, 4-chloro-5-nitro- α,α,α -trifluoro-; $CF_3C_6H_3(CN)(Cl)NO_2$. (1-Chloro-2-trifluoro-methyl-4-cyano-6-nitro-benzene).

- MT Colorado potato beetle and Mexican bean beetle. 606.
 206-701-951-1011.
 α -Tolunitrile, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}_2\text{CN}$. (*p*-Nitrophenylacetoneitrile; *p*-nitrotolunitrile).
 HT codling moth and screwworm larvae; ST mosquito larvae. 156, 172, 1291.
 206-701-951-1021.
 Benzonitrile, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CN}$.
 HT screwworms at 0.01-0.03% and HT *Culex quinquefasciatus*. 156, 157.
 206-730-851-950.
 Quinoline, 8-chloro-6-nitro-; $\text{NO}_2(\text{C}_6\text{H}_4\text{N})\text{Cl}$. (6-Nitro-8-chloro-quinoline).
 MT codling moth at 4%. 1481.
 206-730-950.
 Quinoline, 2-nitro-; $(\text{C}_6\text{H}_5\text{N})\text{NO}_2$. (α -Nitroquinoline).
 NT *Pieris rapae*. 635.
 206-730-950.
 Quinoline, 5-nitro-; $(\text{C}_6\text{H}_5\text{N})\text{NO}_2$. (Ana nitroquinoline).
 ST *Pieris rapae*. 635.
 206-730-950.
 Quinoline, 6-nitro-; $(\text{C}_6\text{H}_5\text{N})\text{NO}_2$.
 HT greenhouse red spider at 4% and HT screwworms and *Culex quinquefasciatus*; NT codling moth larvae. 156, 157, 915, 1481.
 206-730-950.
 Quinoline, 8-nitro-; $(\text{C}_6\text{H}_5\text{N})\text{NO}_2$.
 HT screwworms at 0.03-0.05%; T *Culex quinquefasciatus*; MT *Phormia regina*, *Cochliomyia macellaria*, and *Lucilia sericata*; ST greenhouse red spider at 4%; NT bean aphid at 4%. 156, 157, 806, 1481.
 206-730-950-1341.
 Quinoline, 5-nitro-, nitrate; $(\text{C}_6\text{H}_5\text{N})\text{NO}_2\cdot\text{HNO}_3$. (Ana nitroquinoline nitrate).
 NT *Pieris rapae*. 635.
 206-732-950-952.
 Quinoxaline, 2-(*p*-nitrophenyl)-3-phenyl-; $(\text{C}_6\text{H}_5)(\text{C}_6\text{H}_4\text{N}_2)(\text{C}_6\text{H}_5\text{NO}_2)$.
 NT as mothproofing agent. 239.
 206-732-950-952.
 Quinoxaline, 2, 3-diphenyl-6-nitro-; $\text{NO}_2(\text{C}_6\text{H}_4\text{N}_2)(\text{C}_6\text{H}_5)_2$.
 NT as mothproofing agent. 239.
 206-740-950.
 Carbazole, 3-nitro-; $(\text{C}_{12}\text{H}_9\text{N})\text{NO}_2$.
 HT codling moth larvae; NT mosquito larvae. 487, 1291.
 206-781-952-1021.
 Sulfide, benzyl 4-nitrophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{SC}_6\text{H}_4\text{NO}_2$.
 Fly spray. 112, 653P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
 206-791-951.
 Benzenethiol, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{SH}$. (*p*-Nitrophenylmercaptan; *p*-nitrothiophenol).
 T *Culex quinquefasciatus*; NT screwworms. 156, 157, 172, 1178.
 206-801-951-989-1022-1389.
 Sulfonium methyl sulfate, laurylmethyl(*p*-nitrophenyl)-; $\text{C}_{12}\text{H}_{25}(\text{CH}_3)(\text{NO}_2\text{C}_6\text{H}_4)\text{SCH}_2\text{SO}_4$. (*p*-Nitrophenylmethylsulfonium methoxysulfate). 526P.
 206-841-951.
 Benzene, 1-bromo-2-nitro-; $\text{BrC}_6\text{H}_4\text{NO}_2$. (*o*-Nitro-bromobenzene).
 HT screwworms at 0.05-0.08%; ST codling moth larvae. 156, 915.
 206-841-951.
 Benzene, 1-bromo-3-nitro-; $\text{BrC}_6\text{H}_4\text{NO}_2$. (*m*-Nitro-bromobenzene).
 HT screwworms at 0.03-0.05%; NT codling moth larvae. 156, 915.
 206-841-951.
 Benzene, 1-bromo-4-nitro-; $\text{BrC}_6\text{H}_4\text{NO}_2$. (*p*-Nitro-bromobenzene).
 HT screwworms at 0.03-0.05%; T mosquito and codling moth larvae. 156, 488, 915.
 206-841-951-1021.
 Toluene, α -bromo-4-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}_2\text{Br}$. (*p*-Nitrobenzyl bromide).
 HT *Culex quinquefasciatus*. 157.
 206-842-951-1011.
 Benzene, (1, 2-dibromo-2-nitroethyl)-; $\text{C}_6\text{H}_5\text{CHBrCHBrNO}_2$. (α,β -Dibromo- β -nitroethyl-benzene).
 T *Cochliomyia americana* C and F at 0.08%; NT corn borer and as mothproofing agent. 239, 915, 932, 944, 1120.
 206-842-951-1021.
 Toluene, α,α -dibromo-*p*-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{CHBr}_2$. (*p*-Nitrobenzyl bromide).
 T screwworms at 0.10-0.17%. 156.
 206-843-1021.
 Bromopierin; CBr_2NO_2 .
 ST *Chrysomphalus aurantii*. 268.
 206-851-924.
 Naphthalene, 1-chloro-nitro-, CU; $\text{ClC}_{10}\text{H}_7\text{Cl}(\text{NO}_2)$. (α -Chloronitronaphthalene). 809P.
 206-851-924.
 Naphthalene, 2-chloro-nitro-, CU; $\text{ClC}_{10}\text{H}_7\text{Cl}(\text{NO}_2)$. (β -Chloronitronaphthalene). 809P.
 206-851-951.
 Benzene, 1-chloro-2-nitro-; $\text{ClC}_6\text{H}_4\text{NO}_2$. (*o*-Chloro-nitrobenzene).
 HT *Aphis rumicis* and screwworms; T Japanese beetle; NT codling moth. 156, 494, 915, 1376.
 206-851-951.
 Benzene, 1-chloro-3-nitro-; $\text{ClC}_6\text{H}_4\text{NO}_2$. (*m*-Chloro-nitrobenzene).
 HT *Aphis rumicis* and screwworms. 156, 915, 1376.
 206-851-951.
 Benzene, 1-chloro-4-nitro-; $\text{ClC}_6\text{H}_4\text{NO}_2$. (*p*-Chloro-nitrobenzene).
 HT *Aphis rumicis* and screwworms; T noctuid caterpillars, codling moth, Japanese beetle, and as mothproofing agent; NT *Agriotes*. 156, 494, 897, 915, 930, 986, 1179, 1376, 1382.
 206-851-951-1021.
 Toluene, α -chloro-*m*-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{CH}_2\text{Cl}$. (*m*-Nitrobenzyl-chloride).
 HT *Aphis rumicis*. 1376.
 206-851-951-1021.
 Toluene, α -chloro-*o*-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{CH}_2\text{Cl}$. (*o*-Nitrobenzyl-chloride).
 HT *Aphis rumicis*. 1376.
 206-851-951-1021.
 Toluene, α -chloro-*p*-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{CH}_2\text{Cl}$. (*p*-Nitrobenzyl-chloride).
 ST *Aphis rumicis*. 1376.
 206-852-951.
 Benzene, 1, 2-dichloro-4-nitro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{NO}_2$. (3, 4-Dichloronitrobenzene).
 HT *Culex quinquefasciatus* and screwworms. 156, 157.
 206-852-951.
 Benzene, 1,3-dichloro-4-nitro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{NO}_2$. (2, 5-Dichloronitrobenzene).
 HT screwworms at 0.05-0.08%. 156.
 206-852-951.
 Benzene, 1, 4-dichloro-2-nitro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{NO}_2$.
 HT *Aphis rumicis*. 1376.
 206-852-951.
 Benzene, dichloro-nitro-, CU; $\text{Cl}_2\text{C}_6\text{H}_3\text{NO}_2$. (Mononitrodichlorobenzene).
 T lice and cockroaches; NT codling moth. 492, 930.
 206-852-951-1021.
 Toluene, α,α -dichloro-*m*-nitro-; $\text{C}_6\text{H}_4(\text{NO}_2)\text{CHCl}_2$. (*m*-Nitrobenzyl chloride).
 T screwworms at 0.10-0.17%. 156.
 206-852-1003.
 Propane, 1, 1-dichloro-1-nitro-; $\text{CH}_3\text{CH}_2\text{CCl}_2\text{NO}_2$.
 HT *Tribolium confusum*. 1155.
 206-852-1011.
 Ethane, 1, 1-dichloro-1-nitro-; $\text{CH}_3\text{C}(\text{NO}_2)\text{Cl}_2$. ("Ethide").
 T grain insects. 949, 1061, 1067, 1144, 1155, 1352.
 206-853-1011.
 Ethane, dinitro-tetrachloro-, CU; $[\text{C}(\text{NO}_2)\text{Cl}_2]_2$.
 HT many insects. 799P.
 206-853-1021.
 Chloropierin; CCl_2NO_2 .
 T root-knot nematodes and many insects; MT codling moth. 508, 915, 1382.
 206-855-951.
 Benzene, nitro-pentachloro-; $\text{NO}_2\text{C}_6\text{Cl}_5$. 353P.
 206-857-1027.
 Chloronitroparaffins; $\text{RC}(\text{NO}_2)(\text{R}_1)\text{CH}_2\text{Cl}$. 836P.
 206-871-912.
 Fluorene, 2-iodo-7-nitro-; $\text{NO}_2(\text{C}_{13}\text{H}_9)\text{I}$. 110, 197P.

- 206-871-951.
Benzene, 1-iodo-2-nitro-; $\text{IC}_6\text{H}_4\text{NO}_2$. (*o*-Nitroiodobenzene).
HT European corn borer and HT screwworms at 0.05-0.08%; T mosquito and codling moth larvae. 110, 156, 487, 1120, 1123, 1292, 1312, 1325P.
- 206-871-951.
Benzene, 1-iodo-3-nitro-; $\text{IC}_6\text{H}_4\text{NO}_2$. (*m*-Nitroiodobenzene).
HT screwworms; T mosquito and codling moth larvae. 110, 156, 487, 1206, 1292, 1325, 1328.
- 206-871-951.
Benzene, 1-iodo-4-nitro-; $\text{IC}_6\text{H}_4\text{NO}_2$. (*p*-Nitroiodobenzene).
T codling moth, silkworm, tent caterpillar, and European corn borer; NT screwworm and mosquito larvae. 110, 156, 487, 929, 930, 1120, 1123, 1292, 1312, 1325P, 1327, 1328.
- 206-871-951-1021.
Toluene, 4-iodo-2-nitro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{NO}_2)\text{I}$.
More toxic than lead arsenate to insects. 110, 1325P.
- 206-890-951.
Benzene, 1-iodo-2-nitro-; dichloride; $\text{C}_6\text{H}_3(\text{NO}_2)\text{ICl}_2$. (*o*-Nitrophenyliodochloride).
T Colorado potato beetles, southern armyworms, diamondback cabbage worms, and as mothproofing agent. 110, 239, 1312, 1314P.
- 206-890-951.
Benzene, 1-iodo-3-nitro-; dichloride; $\text{C}_6\text{H}_3(\text{NO}_2)\text{ICl}_2$. (*m*-Nitrophenyliodochloride).
HT Colorado potato beetles, southern armyworms, Hawaiian beet webworms, melon worms, and southern beet webworms; ST mosquitoes. 110, 157, 239, 1312, 1314P.
- 206-890-951.
Benzene, 1-iodo-4-nitro-; dichloride; $\text{C}_6\text{H}_3(\text{NO}_2)\text{ICl}_2$. (*p*-Nitrophenyliodochloride).
HT codling moths and tobacco hornworms; MT melon worms, mosquitoes, and many other insects. 110, 157, 239, 1312, 1314P.
- 206-912.
Fluorene, 9-nitro-? ($\text{C}_{10}\text{H}_7\text{NO}_2$? (Nitrofluorene).
NT codling moths. 915.
- 206-912.
Acenaphthene, 3-nitro-; $\text{C}_{10}\text{H}_7(\text{CH}_3)_2\text{NO}_2$.
MT *Culex quinquefasciatus*. 157.
- 208-924.
Naphthalene, 1-nitro-; $\text{C}_{10}\text{H}_7\text{NO}_2$.
HT *Aphis rumicis* and European corn borer; T Japanese beetles, codling moths, roaches, and T screwworms at 0.08%; NT *Agrotis*, *Pimelia bistellata*, and *Artagrus piceus*. 494, 536, 739, 915, 944, 950, 1120, 1178, 1370, 1382.
- 206-951.
Benzene, nitro-; $\text{C}_6\text{H}_5\text{NO}_2$.
HT *Aphis rumicis*; T screwworms; used in poison bran baits. 156, 751, 1376, 1396.
- 206-951-1003-1021.
p-Cymene, 2-nitro-; $\text{CH}_3(\text{C}_6\text{H}_4)\text{C}_6\text{H}_4\text{NO}_2$ (2-Nitro-4-isopropyl, 1-methyl benzene).
NT screwworms. 156.
- 206-951-1021.
Toluene, *o*-nitro-; $\text{CH}_3\text{C}_6\text{H}_4\text{NO}_2$.
T codling moth and *Musca domestica*; NT *Agrotis*. 915, 1002, 1382.
- 206-951-1021.
Toluene, *p*-nitro-; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}_3$.
T screwworms at 0.10-0.17%. 156.
- 206-951-1021.
Toluene, nitro-, CU; $\text{NO}_2\text{C}_6\text{H}_4\text{CH}_3$.
T screwworms at 0.17-0.33%. 156.
- 206-951-1022.
Xylene, nitro-, CU; (CH_3) $_2\text{C}_6\text{H}_3\text{NO}_2$.
T *Leptinotarsa decemlineata*; ST *Musca domestica*; NT *Agrotis*. 1002, 1009, 1382.
- 206-951-1023.
Mesitylene, nitro-; (CH_3) $_3\text{C}_6\text{H}_2\text{NO}_2$.
ST screwworms at 0.67%. 156.
- 206-952.
Biphenyl, 2-nitro-; $\text{C}_2\text{H}_5\text{C}_6\text{H}_4\text{NO}_2$. (*o*-Nitrodiphenyl).
T screwworms at 0.17%. 156.
- 206-952.
Biphenyl, 4-nitro-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{NO}_2$. (*p*-Nitrobiphenyl).
HT codling moth larvae; NT screwworms and *Melanoplus mexicanus*. 156, 1150, 1291.
- 206-954-1021-1193-1291.
Phosphonium chloride, *p*-nitrobenzyltriphenyl-; $\text{O}_2\text{N}(\text{C}_6\text{H}_4\text{CH}_2)_3\text{P}^+\text{Cl}^-$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1178, 1179.
- 206-1001.
Butane, 1-nitro-; $\text{CH}_3\text{NO}_2\text{CH}_2\text{CH}_2\text{CH}_3$.
T *Tribolium confusum*. 1158.
- 206-1001.
Butane, 2 nitro-; $\text{CH}_3\text{CHNO}_2\text{CH}_2\text{CH}_3$.
T *Tribolium confusum*. 1158.
- 206-1003.
Propane, 1-nitro-; $\text{CH}_3\text{NO}_2\text{CH}_2\text{CH}_3$.
T *Tribolium confusum*. 1158.
- 206-1003.
Propane, 2-nitro-; $\text{CH}_3\text{CHNO}_2\text{CH}_3$.
T *Tribolium confusum*. 1158.
- 206-1011.
Ethane, nitro-; $\text{CH}_3\text{NO}_2\text{CH}_3$.
T *Tribolium confusum*. 1158.
- 206-1021.
Methane, nitro-; CH_3NO_2 .
HT rice weevil; T *Tribolium confusum*; ST codling moth; NT red scale and *Leptinotarsa decemlineata*. 283, 915, 1009, 1158, 1180.
- 207-230-952.
Morpholine, 4-(2, 4-dinitrophenyl)-; (NO_2) $_2\text{C}_6\text{H}_3\text{N}(\text{CH}_2\text{CH}_2)_2\text{O}$.
ST corn borer; NT *Cochliomyia americana*. 944, 1120.
- 207-248-571-581-581-951-1025.
Picramic acid, *N,N*-dimethyl-, compound with betaine; (CH_3) $_2\text{N}(\text{C}_6\text{H}_4(\text{NO}_2)_2)_2\text{OH} \cdot (\text{CH}_3)_3\text{NCH}_2\text{COO}$.
NT *Phlyctenia rubipalis*. 949.
- 207-258-581-921.
1-Naphthol-7-sulfonic acid, 2, 4-dinitro-; (NO_2) $_2\text{C}_{10}\text{H}_6(\text{OH})\text{SO}_3\text{H}$.
T screwworms at 0.17-0.33%. 156.
- 207-258-581-951-1114.
Phenolsulfonic acid, dinitro-, barium salt; CU ; $\{\text{HOOC}_6\text{H}_3(\text{NO}_2)_2\text{SO}_3\}_2\text{Ba}$. (Barium dinitrophenol sulfonic acid).
NT *Pieris rapae*. 835.
- 207-258-581-1198.
Phenolsulfonic acid, dinitro-, potassium salt, CU; $\text{HOC}_6\text{H}_3(\text{NO}_2)_2\text{SO}_3\text{K}$. (Potassium dinitrophenol sulfonic acid).
NT *Pieris rapae*. 635.
- 207-258-583-924-1218.
Naphthol yellow; $\text{C}_{10}\text{H}_6(\text{NO}_2)_2(\text{SO}_3\text{Na})\text{ONa}$. (Sodium or potassium salt of 2, 4-dinitro-1-naphthol-7-sulfonic acid).
T as mothproofing agent. 200, 201, 1024, 1178.
- 207-258-951-1218.
Benzenesulfonic acid, 2, 4-dinitro-, sodium salt; (NO_2) $_2\text{C}_6\text{H}_3\text{SO}_3\text{Na}$. (Sodium 2, 4-dinitrobenzenesulfonate).
NT screwworms. 156.
- 207-264-952.
Sulfone, bis(*m*-nitrophenyl)-; $\text{NO}_2\text{C}_6\text{H}_4\text{SO}_2\text{C}_6\text{H}_4\text{NO}_2$. (Di-(3-nitrophenyl) sulfone).
HT corn borer; T clothes moths. 239, 1120.
- 207-265-440-950.
Phenothiazine, dinitro-, 5-oxide-, CU; (NO_2) $_2(\text{C}_{12}\text{H}_7\text{NS})_2\text{O}$. (Dinitro thiodiphenylamine sulfoxide).
ST Mexican bean beetle. 606, 1432.
- 207-331-951-1021.
Benzoyl chloride, 3, 5-dinitro-; (NO_2) $_2\text{C}_6\text{H}_3\text{COCl}$.
NT screwworms. 156.
- 207-370-951-1023.
Carbamic acid, dimethyldithio-, 2, 4-dinitrophenyl ester; (CH_3) $_2\text{NC}(\text{S})\text{SC}_6\text{H}_3(\text{NO}_2)_2$.
MT Japanese beetle. 606, 1432.
- 207-401-951-1021.
Thiocyanic acid, 2, 4-dinitrophenyl ester; $\text{NCSC}_6\text{H}_3(\text{NO}_2)_2$. (Thiocyano-2, 4-dinitrobenzene).
Fly spray. 112, 674P, 1032P, 1178, 1202P.
- 207-460-950-951.
Benzothiazole, 2-(3, 5-dinitrophenyl)-; ($\text{C}_7\text{H}_4\text{NS})\text{C}_6\text{H}_3(\text{NO}_2)_2$.
NT mosquito larvae. 172, 1178.
- 207-541-571-588-620-842-850-951-1021-1218.
Eosin bluish; $\text{C}_{20}\text{H}_{16}\text{O}_8\text{Br}_2\text{N}_4$.
T *Lacuna cuprina*. 840, 1144.

- 207-541-581-681-952-1021.
Anthranilic acid, 3, 5-dinitro-*N*-(2-hydroxyphenyl)-; $(\text{NO}_2)_2\text{C}_6\text{H}_3(\text{COOH})\text{C}_6\text{H}_4\text{NHC}_6\text{H}_4\text{OH}$. (2'-Hydroxy-2, 4-dinitrodiphenylamine-6-carboxylic acid).
HT *Carpocapsa pomonella*; NT mosquitoes. 487, 1291.
- 207-541-581-951-1011-1142.
Phenol, 2, 4-dinitro-, copper acetate compound; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{OH}\cdot\text{Cu}(\text{OOCCH}_3)_2$. 362P.
- 207-541-581-951-1011-1244.
Phenol, 2, 4-dinitro-, zinc acetate compound; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{OH}\cdot\text{Zn}(\text{OOCCH}_3)_2$. 362P.
- 207-541-581-951-1021.
Salicylic acid, 3, 5-dinitro-; $(\text{NO}_2)_2(\text{HO})\text{C}_6\text{H}_3\text{COOH}$. (3, 5-Dinitro-2-hydroxybenzoic acid).
T screwworms at 0.08-0.10%. 156.
- 207-541-581-951-1021-1218.
Salicylic acid, 3, 5-dinitro-, sodium salt; $(\text{NO}_2)_2\text{C}_6\text{H}_3(\text{OH})\text{COONa}$. (Sodium 3, 5-dinitrosalicylate).
T screwworms at 0.08-0.10%. 156.
- 207-541-671-681-953-1021.
Anthranilic acid, 3, 5-dinitro-*N*-phenyl-, aniline salt; $\text{C}_6\text{H}_5\text{NHC}_6\text{H}_3(\text{NO}_2)_2\text{COOH}\cdot\text{H}_2\text{NC}_6\text{H}_5$. (Aniline salt of 2, 4-dinitrodiphenylamine-6-carboxylic acid).
T codling moth larvae; NT mosquito larvae. 487, 1291.
- 207-541-851-951.
Benzoic acid, 2-chloro-3, 5-dinitro-; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{C}_6\text{H}_4(\text{Cl})\text{COOH}$.
NT codling moth larvae. 487, 1120.
- 207-541-951-1011.
o-Toluic acid, 2, 4-dinitro-; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{CH}_3\text{COOH}$. (2, 4-Dinitrotoluenecarboxylic acid).
NT screwworms. 158.
- 207-541-951-1021.
Benzoic acid, 3, 5-dinitro-; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{COOH}$.
ST screwworms at 0.87%; NT *Tineola biselliella* and *Attagenus piceus*. 156, 739.
- 207-541-951-1021.
Benzoic acid, dinitro-, CU; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{COOH}$.
NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 207-551-581-951-1011-1021.
Salicylic acid, dinitro-, ethyl ester, CU; $(\text{NO}_2)_2\text{C}_6\text{H}_3(\text{OH})\text{COOC}_2\text{H}_5$. (Ethyl dinitrosalicylate). 996P.
- 207-551-851-951-981-1011.
Acetic acid, *o*-chloro-, 2-cyclohexyl-4, 6-dinitrophenyl ester; $(\text{NO}_2)_2(\text{C}_6\text{H}_{11})\text{C}_6\text{H}_3\text{OOCCH}_3\text{Cl}$. (2, 4-Dinitro-6-cyclohexyl-phenylchloro-acetate).
T flies. 1308P.
- 207-551-951-961-1011.
Acetic acid, 2-cyclohexyl-4, 6-dinitrophenyl ester; $(\text{NO}_2)_2(\text{C}_6\text{H}_{11})\text{C}_6\text{H}_3\text{OOCCH}_3$. (2, 4-Dinitro-6-cyclohexyl-phenyl acetate).
T flies. 1308P.
- 207-551-951-1003.
Propionic acid, 2, 4-dinitrophenyl ester; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{OOCCH}_2\text{CH}_3$. (2, 4-Dinitrophenol propionate).
NT European corn borer. 1122.
- 207-551-951-1003-1021.
Propionic acid, 4, 6-dinitro-*o*-tolyl ester; $\text{CH}_3\text{C}_6\text{H}_4(\text{NO}_2)_2\text{OOCCH}_2\text{CH}_3$. (4, 6-Dinitro-*o*-cresol propionate).
T European corn borer. 1122.
- 207-551-951-1011.
Acetic acid, 2, 4-dinitrophenyl ester; $\text{CH}_3\text{CO}_2\text{C}_6\text{H}_3(\text{NO}_2)_2$.
T screwworms, European corn borer, *Culex quinquefasciatus*, and as mothproofing agent. 157, 239, 944, 1120.
- 207-551-951-1011-1021.
Acetic acid, 4, 6-dinitro-*o*-tolyl ester; $\text{CH}_3\text{COOC}_6\text{H}_3(\text{CH}_3)(\text{NO}_2)_2$. (4, 6-Dinitro-*o*-cresol acetate).
T termites, southern beet webworm, American cockroach, Mexican bean beetle, rice weevil, Hawaiian beet webworm, melon worm, European corn borer, and codling moth larvae. 1120, 1291, 1312, 1317.
- 207-551-951-1021.
Formic acid, 2, 4-dinitrophenyl ester; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{HCOOH}$. (Formate of 2, 4-dinitrophenol). 362P.
- 207-551-952-961-1021.
Benzoic acid, 2-cyclohexyl-4, 6-dinitrophenyl ester; $\text{C}_6\text{H}_5\text{COOC}_6\text{H}_3(\text{NO}_2)_2\text{C}_6\text{H}_{11}$. (2, 4-Dinitro-6-cyclohexyl-phenyl benzoate).
T flies. 1308P.
- 207-571-581-951-961-1021-1030.
Cyclohexanone, 2-(3, 5-dinitrosalicylidene)-; $\text{O}:(\text{C}_6\text{H}_4(\text{NO}_2)_2)\text{CHC}_6\text{H}_4\text{C}_6\text{H}_4\text{OH}$. 127P.
- 207-571-581-951-995-1030.
1-Penten-3-one, 4, 4-dimethyl-1-(3, 5-dinitro-2-hydroxyphenyl)-; $\text{C}(\text{CH}_3)_2\text{COCH}:\text{CHC}_6\text{H}_3(\text{NO}_2)_2\text{OH}$. (3, 5-Dinitro-salicylidene-*o*-pinacolone). 127P.
- 207-571-581-952-999-1033.
3-Pentadienone, 1-(3, 5-dinitro-2-hydroxyphenyl)-5-phenyl-; $\text{C}_6\text{H}_5\text{CH}:\text{CHCOCH}:\text{CHC}_6\text{H}_3(\text{NO}_2)_2\text{OH}$. (3, 5-Dinitro-salicylidene-benzylidene acetone). 127P.
- 207-571-581-952-1003-1030.
Acrylophenone, β -(3, 5-dinitro-2-hydroxyphenyl)-; $\text{C}_6\text{H}_5\text{COCH}:\text{CHC}_6\text{H}_3(\text{NO}_2)_2\text{OH}$. (3, 5-Dinitro-salicylidene-acetophenone). 127P.
- 207-571-620-950.
Xanthone, 2, 7-dinitro-; $\text{O}:(\text{C}_6\text{H}_4(\text{NO}_2)_2)$.
NT *Phlyctenia rubripalis*. 949.
- 207-571-951-999-1033.
3-Pentadienone, 1, 5-bis(*m*-nitrophenyl)-; $(\text{NO}_2\text{C}_6\text{H}_4\text{CH}:\text{CH})_2\text{CO}$. (Di-*m*-nitrobenzalacetone; *m,m'*-dinitro-styryl ketone).
NT screwworms. 156.
- 207-581-665-672-052-1021.
Phenol, 2-(4, 6-diamino-*m*-tolylazo)-4, 6-dinitro-; $(\text{NH}_2)_2\text{C}_6\text{H}_3(\text{CH}_3)\text{N}:\text{NC}_6\text{H}_3(\text{OH})(\text{NO}_2)_2$. (4-(2-Hydroxy-3, 5-dinitrophenylazo)-6-*m*-tolylenediamine).
HT mosquito larvae. 487.
- 207-581-665-924-951.
2-Naphthol, 1-(2, 4-dinitrophenylazo)-; $\text{HO}:\text{C}_6\text{H}_3(\text{NO}_2)_2\text{N}:\text{NC}_6\text{H}_3(\text{NO}_2)_2$.
NT corn borer. 1120.
- 207-581-667-951-975.
Phenol, dinitro-, arylbiguanide compound, CU. (Arylbiguanidine salt of dinitrophenol). 630P.
- 207-581-667-952-961.
Phenol, 2-cyclohexyl-4, 6-dinitro-, phenylbiguanide compound; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_3(\text{NO}_2)_2\text{OH}\cdot\text{H}_2\text{NC}(\text{NH})\text{NHC}(\text{NH})\text{NHC}_6\text{H}_5$. (Phenyl-biguanide salt of 2, 4-dinitro-6-cyclohexyl phenol). 630P.
- 207-581-668-951-975.
Phenol, dinitro-, diarylbiguanidine compound, CU; (Diaryl-guanidine salts of dinitrophenol). 630P.
- 207-581-671-951.
Pieramic acid; $\text{NH}_2(\text{NO}_2)_2\text{C}_6\text{H}_4\text{OH}$. (2-Amino-4, 6-dinitrophenol).
HT *Phlyctenia rubripalis* larvae; ST greenhouse red spider; NT aphids and codling moth larvae. 634P, 915, 949, 1144, 1376, 1481.
- 207-581-671-951-962.
Phenol, 2-cyclohexyl-4, 6-dinitro-, cyclohexylamine compound; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}\cdot\text{H}_2\text{NC}_6\text{H}_{11}$. (Monocyclohexyl-amine salt of 2, 4-dinitro-6-cyclohexyl phenol). 128P, 129P.
- 207-581-681-951-963.
Phenol, 2-cyclohexyl-4, 6-dinitro-, dimethylamine compound; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}\cdot\text{HN}(\text{CH}_3)_2$. (Dicyclohexyl-amine salt of 2, 4-dinitro-6-cyclohexyl phenol).
T many insects. 13, 128P.
- 207-581-681-951-963-1022.
Phenol, 2-cyclohexyl-4, 6-dinitro-, di-(2-methyl-cyclohexylamine) compound; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}\cdot\text{HN}(\text{C}_6\text{H}_{11}\text{CH}_3)_2$. (Di-(2-methyl-cyclohexyl)-amine salt of 2, 4-dinitro-6-cyclohexyl phenol). 128P.
- 207-581-681-951-1021.
Pieramic acid, *N*-methyl-; $(\text{NO}_2)_2\text{OHC}_6\text{H}_4\text{NHC}_6\text{H}_5$.
HT greenhouse leaf tier. 634P, 949, 1144.
- 207-581-691-951-1022.
Pieramic acid, *N,N*-dimethyl-; $\text{C}_6\text{H}_5\text{OH}(\text{NO}_2)_2\text{N}(\text{CH}_3)_2$.
HT greenhouse leaf tier. 949.
- 207-581-700-952-1003-1030.
Pieramic acid, *N*-cinnamylidene; $(\text{NO}_2)_2\text{OHC}_6\text{H}_4\text{N}:\text{CHCH}:\text{CHC}_6\text{H}_5$. 128P.
- 207-581-851-951.
Phenol, 4-chloro-2, 6-dinitro-; $\text{ClC}_6\text{H}_3(\text{OH})(\text{NO}_2)_2$.
HT screwworms at 0.91-0.93%; T codling moths. 156, 915.
- 207-581-851-951.
Phenol, chloro-dinitro-, CU; $\text{ClC}_6\text{H}_3(\text{NO}_2)_2\text{OH}$.
HT *Aphis rumicis*. 1376.
- 207-581-912-951-1021-1030.
o-Cresol, 4, 6-dinitro-*o*-(9-fluorenylidene)-; $(\text{C}_{13}\text{H}_9\text{CH}_2)_2\text{C}:\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}$.

- H₈):CHC₆H₅(NO₂)₂OH. (9-(3, 5-Dinitro-salicylidene)-fluorene). 127P.
- 207-581-924.
1-Naphthol, 2, 4-dinitro-; C₁₀H₇OH(NO₂)₂.
T cockroaches; MT *Phlyctena rubiginosa*. 293P, 587, 949, 1144.
- 207-581-924.
1-Naphthol, dinitro-, CU; (NO₂)₂C₁₀H₇OH. (Dinitro- α -naphthol).
NT *Aphis rumicis*. 1376.
- 207-581-950-968-1021-1030.
o-Cresol, α -(2, 4-cyclopentadienyldene)-4, 6-dinitro-; (C₅H₄):CHC₆H₃(NO₂)₂OH. (3, 5-Dinitro-salicylidene-cyclopentadiene). 127P.
- 207-581-951.
Phenol, 2, 4-dinitro-; (NO₂)₂C₆H₃OH.
HT *Aphis rumicis* and screwworms; T codling moth and Japanese beetles; NT grasshoppers. 156, 494, 915, 1144, 1376.
- 207-581-951-961.
Phenol, 2-cyclohexyl-4, 6-dinitro-; C₆H₁₁C₆H₃(NO₂)₂OH. (2, 4-Dinitro-6-cyclohexyl phenol).
HT screwworms and mosquitoes; T many insects. 13, 156, 293, 487, 488, 723, 726, 765, 766.
- 207-581-951-961.
Phenol, 3-cyclohexyl-4, 6-dinitro-7 C₆H₁₁C₆H₃(NO₂)₂OH. (2, 4-Dinitro-metacyclohexyl phenol). 964P.
- 207-581-951-961.
Phenol, 3-cyclohexyl-dinitro-, CU; (HO)(NO₂)₂C₆H₃C₆H₁₁. (Nitro derivatives of 3-cyclohexyl-phenol containing two substituting nitro groups in the benzene ring). 970P.
- 207-581-951-968.
Phenol, 2-cyclopentyl-4, 6-dinitro-; HOC₆H₃(NO₂)₂C₅H₉. (2, 4-Dinitro-6-cyclopentyl-phenol).
ST *Bombyx mori*. 765.
- 207-581-951-963.
Phenol, 2, 4-dinitro-6-octyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-octylphenol).
ST *Bombyx mori*. 765, 968.
- 207-581-951-965.
Phenol, 2, 4-dinitro-6-heptyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-heptylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-967.
Phenol, 2, 4-dinitro-6-hexyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-hexylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-969.
Phenol, 2, 4-dinitro-6-pentyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-pentylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-1001.
Phenol, 2-butyl-4, 6-dinitro-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-butylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-1001.
Phenol, 2-tert-butyl-4, 6-dinitro-; (NO₂)₂C₆H₃(OH)C₄H₉. (2, 4-Dinitro-6-tert-butyl phenol). 293P.
- 207-581-951-1003.
Phenol, 2, 4-dinitro-6-propyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-n-propylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-1003-1021.
Thymol, 2, 6-dinitro-; HOC₆H₃(NO₂)₂(CH₃)CH(CH₃)₂. (Dinitrothymol; 2, 4-dinitro-3-methyl-6-isopropylphenol).
HT screwworms; ST *Bombyx mori*. 156, 765.
- 207-581-951-1011.
Phenol, 2, 4-dinitro-6-ethyl-; C₆H₁₁C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-ethylphenol).
ST *Bombyx mori*. 765.
- 207-581-951-1021.
o-Cresol, 4, 6-dinitro-; CH₃C₆H₃(OH)(NO₂)₂. (2, 4-Dinitro-6-methylphenol; sometimes incorrectly named 3, 5-dinitro-*o*-cresol).
HT greenhouse red spider and codling moth at 4%; T corn borer and many insects; ST *Bombyx mori*. 156, 606, 765, 965P, 1120, 1144, 1150, 1291, 1373, 1376, 1377, 1481.
- 207-581-951-1021.
o-Cresol, dinitro-, CU; CH₃C₆H₃(NO₂)₂OH.
T as mothproofing agent. 1170, 1388P.
- 207-581-951-1021.
p-Cresol, 2, 5-dinitro-; CH₃C₆H₃(NO₂)₂OH. 293P.
- 207-581-951-1021.
p-Cresol, 2, 6-dinitro-; CH₃C₆H₃(NO₂)₂OH.
HT greenhouse red spider and codling moth at 4%. 1481.
- 207-581-951-1027.
Phenols, alkyl-dinitro-. 966P.
- 207-581-951-1027.
Phenols, dialkyl-dinitro-. 1000P.
- 207-581-951-1142-1389.
Phenol, 2, 4-dinitro-, copper sulfate compound; (NO₂)₂C₆H₃OH.CuSO₄. 362P.
- 207-581-951-1244-1291.
Phenol, 2, 4-dinitro-, zinc chloride compound; HOC₆H₃(NO₂)₂.ZnCl₂. 352P.
- 207-581-952.
Phenol, dinitro-*o*-phenyl-, CU; C₆H₄C₆H₃OH(NO₂)₂.
T aphids, psyllae, red spiders, and caterpillars. 121P.
- 207-581-952-1045.
Phenol, dinitro-*o*-phenyl-, compounds with organic nitrogen bases, CU.
T aphids, psyllae, red spiders, caterpillars, etc. 121P.
- 207-581-952-1450.
Phenol, dinitro-*o*-phenyl-, salts, CU.
T aphids, psyllae, red spiders, caterpillars, etc. 121P.
- 207-582-700-952-1021.
Picramic acid, *N*-salicylidene-; (NO₂)₂OHC₆H₃N:CHC₆H₄OH. 126P.
- 207-582-781-882-952.
Sulphide, bis(5-halogeno-2-hydroxy-3-nitrophenyl)-; [NO₂C₆H₃(X)(OH)]₂S. 383P, 1178.
- 207-582-951.
Resoreinol, dinitro-, CU; (NO₂)₂C₆H₃(OH)₂.
NT codling moth. 915.
- 207-588-924-1218.
1-Naphthol, 2, 4-dinitro-, sodium derivative; C₁₀H₇(NO₂)₂ONa. (Naphthol yellow).
ST as mothproofing agent. 200A.
- 207-588-924-1218.
Naphthol, dinitro-, sodium derivative, CU; (NO₂)₂C₁₀H₇ONa.
T termites. 1179, 1388P.
- 207-588-951-961-1172.
Phenol, 2-cyclohexyl-4, 6-dinitro-, magnesium derivative; [CH₃C₆H₃(NO₂)₂O]₂Mg. (Magnesium 2, 4-dinitro-6-cyclohexylphenate).
NT *Melanoplus m. mexicanus*. 766, 1150.
- 207-588-951-1021-1109.
o-Cresol, dinitro-, ammonium derivative, CU; CH₃C₆H₃(NO₂)₂ONH₄. (Ammonium dinitro-*o*-cresylate).
ST *Pieris rapae*. 635.
- 207-588-951-1021-1109.
p-Cresol, dinitro-, ammonium derivative, CU; CH₃C₆H₃(NO₂)₂ONH₄. (Ammonium dinitro-*p*-cresylate).
ST *Pieris rapae*. 635.
- 207-588-951-1021-1196.
o-Cresol, dinitro-, potassium derivative, CU; CH₃C₆H₃(NO₂)₂OK. (Potassium dinitro-*o*-cresylate).
T *Lucilia cuprina* larvae at 0.1%; ST *Pieris rapae*. 635, 849.
- 207-588-951-1021-1218.
o-Cresol, 3, 5-dinitro- sodium derivative; CH₃C₆H₃(NO₂)₂ONa.
HT screwworms at 0.03-0.05%. 156.
- 207-588-951-1021-1218.
o-Cresol, dinitro-, sodium derivative, CU. (Sodium dinitro-*o*-cresylate).
HT apple aphid larvae. 726.
- 207-588-951-1027-1248.
Phenol, dialkyl-dinitro-, derivative, CU. (Salts of dinitro dialkyl phenols).
Used for soft bodied insects and allied pests. 1000P.
- 207-588-951-1218.
Phenol, 2, 4-dinitro-, sodium derivative; (NO₂)₂C₆H₃ONa.
HT screwworms nt 0.08-0.10%. 156.
- 207-591-851-951-1003-1030.
Ether, 2-chloroallyl 2, 4-dinitrophenyl-; (O₂N)₂C₆H₃OCH₂C(Cl):CH₂. (Propene, 2-chloro-3-(2, 4-dinitrophenoxy)-; 2-chloro-allyl ether of 2, 4-dinitrophenol).
Fly spray. 112, 209P.
- 207-591-951-961-1011.
Ether, 2-cyclohexyl-4, 6-dinitrophenyl ethyl-; (NO₂)₂C₆H₃OC₆H₁₁CH₂CH₃.

- (C_6H_{11}) $C_6H_5OC_6H_5$. (Ethyl ether of 2, 4-dinitro-6-cyclohexyl phenol).
T flies. 1309P.
- 207-591-951-961-1021.
Ether, 2-cyclohexyl-4, 6-dinitrophenyl methyl-; (NO_2) $_2$ (C_6H_{11}) $C_6H_5OCH_3$. (Methyl ether of 2, 4-dinitro-6-cyclohexyl phenol).
T flies. 1309P.
- 207-591-951-1011.
Phenetole, 2, 4-dinitro-; $C_6H_5OC_6H_5(NO_2)_2$.
ST screwworms at 0.67%. 156.
- 207-591-951-1021.
Anisole, 2, 4-dinitro-; $CH_3OC_6H_5(NO_2)_2$. (2, 4-Dinitrophenyl methyl ether).
T screwworms and cockroaches; MT corn borer and as mothproofing agent. 156, 157, 239, 596, 1120.
- 207-591-951-1022.
Anisole, 2, 4-dinitro-6-methyl-; $CH_3OC_6H_5(CH_3)-(NO_2)_2$. (2-Methyl-4, 6-dinitroanisole; 4, 6-dinitro-*o*-cresol methyl ether; 3, 5-dinitro-*o*-methoxy toluene).
T *Carpocapsa pomonella*, mosquito larvae, Mexican bean beetle and tobacco hornworm; NT *Aphis rumicis*. 487, 1291, 1312, 1316, 1328, 1376.
- 207-591-952.
Ether, bis(*p*-nitrophenyl)-; $NO_2C_6H_4OC_6H_4NO_2$. (*p,p'*-Dinitrodiphenyl ether).
NT screwworms. 156.
- 207-591-952-961-1021.
Ether, benzyl 2-cyclohexyl-4, 6-dinitrophenyl-; $C_6H_5CH_2OC_6H_5(NO_2)_2$. (Benzyl ether of 2, 4-dinitro-6-cyclohexyl phenol).
T flies. 1309P.
- 207-591-952-993-1021.
Ether, benzyl 2, 6-dinitro-4-*tert*-octylphenyl, CU; $C_6H_5CH_2OC_6H_5(NO_2)_2C_8H_{17}$. (Benzyl ether of 2, 6-dinitro-4-*tert*-octyl phenol).
Fly spray. 112, 694P.
- 207-591-952-993-1021.
Ether, benzyl 2, 6-dinitro-4-(1, 1, 3, 3-tetramethylbutyl)phenyl-; $C_6H_5CH_2OC_6H_5(NO_2)_2C(CH_3)_3CH_2C(CH_3)_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 207-591-952-1021.
Ether, *p*-nitrobenzyl *o*-nitrophenyl-; $O_2NC_6H_4CH_2OC_6H_4NO_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 207-591-952-1021.
Ether, benzyl 2, 4-dinitrophenyl-; $C_6H_5CH_2OC_6H_5(NO_2)_2$.
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 207-592-781-852-954-1022.
Sulfide, bis[5-chloro-2-(*p*-nitrobenzyloxy)-phenyl]-; $S[C_6H_4(Cl)OCH_2C_6H_4NO_2]_2$. (Sulfide, bis[5-chloro-2-(4-nitrophenylmethoxy)phenyl]-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 207-592-781-954-994-1022.
Sulfide, bis[2-(*p*-nitrobenzyloxy)-5-(1, 1, 3, 3-tetramethylbutyl)-phenyl]-; $S[C_6H_5(OCH_2C_6H_4NO_2)C(CH_3)_3CH_2C(CH_3)_3]_2$. (Sulfide, bis[2-(4-nitrophenylmethoxy)-5-(1, 1, 3, 3-tetramethylbutyl)phenyl]-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 207-592-781-954-1022.
Sulfide, bis[*p*-(*p*-nitrobenzyloxy)-phenyl]-; $S(C_6H_4OCH_2C_6H_4NO_2)_2$. (Sulfide, bis[4-(4-nitrophenylmethoxy)phenyl]-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 207-592-954-1003-1022.
Propene, 2, 2-bis[2-(*p*-nitrobenzyloxy)phenyl]-, CU; $(CH_3)_2C(C_6H_4OCH_2C_6H_4NO_2)_2$. (Methane, bis[4-nitrophenylmethoxyphenyl]-dimethyl-).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 207-657-951.
Hydrazine, 2, 4-dinitrophenyl-; $H_2NNHC_6H_5(NO_2)_2$.
HT screwworms and codling moths. 156, 1291.
- 207-665-952.
Azobenzene, 4, 4'-dinitro-; $(NO_2C_6H_4NO_2)_2$.
ST codling moths at 4%. 1481.
- 207-671-951.
Aniline, 2, 4-dinitro-; $(NO_2)_2C_6H_5NH_2$. (2, 4-Di-
- nitrophenylamine).
T codling moths; ST greenhouse red spider at 4%; NT screwworms and NT bean aphid at 4%. 156, 915, 1481.
- 207-681-951-961.
Cyclohexylamine, *N*-dinitrophenyl-, CU; $C_6H_{11}NHC_6H_5(NO_2)_2$.
ST *Myzus persicae*. 772.
- 207-681-952.
Diphenylamine, 2, 4-dinitro-; $(O_2N)_2C_6H_5NHC_6H_5$.
NT screwworms. 156.
- 207-681-952.
Diphenylamine, dinitro-, CU; $HN(C_6H_5NO_2)_2$.
NT *Pieris rapae*. 635.
- 207-691-951-1012.
Aniline, *N,N*-diethyl-2, 4-dinitro-; $(NO_2)_2C_6H_5N(C_2H_5)_2$. (2, 4-Dinitrodiethylaniline).
NT screwworms. 156.
- 207-732-852-950-951.
Quinazoline, 6-chloro-3, 4-dihydro-8-nitro-3-(4-chloro-2-nitrophenyl)-; $Cl(NO_2)(C_6H_4N_2)C_6H_4(Cl)NO_2$. (3-(2-Nitro-4-chlorobenzene)-6-chloro-8-nitro-3, 4-dihydroquinazoline).
NT greenhouse red spider at 4%. 1481.
- 207-732-950-951.
Quinazoline, 3, 4-dihydro-6-nitro-3-(*p*-nitrophenyl)-; $NO_2(C_6H_4N_2)C_6H_5NO_2$. (3-(4-Nitrobenzene)-6-nitro-3, 4-dihydroquinazoline).
ST codling moth at 4%; NT greenhouse red spider at 4%. 1481.
- 207-732-950-951.
Quinazoline, 3, 4-dihydro-8-nitro-3-(*o*-nitrophenyl)-; $NO_2(C_6H_4N_2)C_6H_5NO_2$. (3-(2-Nitrobenzene)-8-nitro-3, 4-dihydroquinazoline).
NT greenhouse red spider at 4%. 1481.
- 207-781-952.
Sulfide, bis(*o*-nitrophenyl)-; $S(C_6H_4NO_2)_2$. (2, 2'-Dinitro diphenyl sulfide).
NT southern army worm and greenhouse red spider at 2% and NT codling moth at 4%. 487, 1481.
- 207-781-952.
Sulfide, bis(*p*-nitrophenyl)-; $S(C_6H_4NO_2)_2$. (4, 4'-Dinitro diphenyl sulfide).
NT mosquito larvae and NT greenhouse red spider at 2% and NT codling moth at 4%. 487, 1481.
- 207-781-952-1021.
Sulfide, benzyl 2, 4-dinitrophenyl-; $C_6H_5CH_2SC_6H_5(NO_2)_2$.
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 207-782-852-952.
Disulfide, bis(4-chloro-2-nitrophenyl)-; $[Cl(O_2N)-C_6H_4S]_2$. (Di-2-nitro-4-chlorophenyl disulfide; 4, 4'-dichloro, 2, 2'-dinitrodiphenyl disulfide).
NT mosquito larvae and screwworms. 156, 172, 1178.
- 207-782-952.
Disulfide, bis(*o*-nitrophenyl)-; $(NO_2C_6H_4S)_2$. (Disulfide, di-(*o*-nitrophenyl)-).
NT codling moth larvae and screwworms. 156, 915, 1432.
- 207-782-952.
Disulfide, bis(*p*-nitrophenyl)-; $(NO_2C_6H_4S)_2$. (Di-*p*-nitrophenyl disulfide).
NT screwworms and mosquito larvae. 156, 172, 1178.
- 207-841-951.
Benzene, 1-bromo-2, 4-dinitro-; $(NO_2)_2C_6H_5Br$. 2, 4-Dinitrobromobenzene).
HT screwworms and *Culex quinquefasciatus*. 156, 157.
- 207-851-951.
Benzene, 1-chloro-2, 4-dinitro-; $(NO_2)_2C_6H_5Cl$. (4-Chloro-1, 3-dinitrobenzene).
HT screwworms, mosquito larvae, and *Aphis rumicis*; T codling moths. 156, 157, 915, 1376.
- 207-851-951.
Benzene, chlorodinitro-, CU; $C_6H_5Cl(NO_2)_2$.
T leaf tiers and as mothproofing agent. 986, 1176, 1210P.
- 207-851-951-1108.
Benzene, 1-chloro-2, 4-dinitro-, ammonium compound? $ClC_6H_5(NO_2)_2.NH_4OH$? 839P.
- 207-852-951.
Benzene, 1, 2-dichloro-4, 5-dinitro-; $Cl_2C_6H_3(NO_2)_2$.
NT *Aphis rumicis*. 1376.

- 207-852-951.
Benzene, 1, 4-dichloro-2, 6-dinitro-; $\text{Cl}_2\text{C}_6\text{H}_2(\text{NO}_2)_4$.
NT *Aphis rumicis*. 1376.
- 207-852-952.
Biphenyl, 4- 4'-dichloro-2, 2'-dinitro-; $(\text{ClC}_6\text{H}_4\text{NO}_2)_2$.
NT screwworms. 156.
- 207-853-951.
Benzene, dinitrotrichloro-, CU; $(\text{NO}_2)_2\text{C}_6\text{H}(\text{Cl})_3$. 353P.
- 207-924.
Naphthalene, 1, 5-dinitro-; $\text{C}_{10}\text{H}_6(\text{NO}_2)_2$.
T screwworms at 0.33-0.67%. 156, 1376.
- 207-924.
Naphthalene, 1, 8-dinitro-; $\text{C}_{10}\text{H}_6(\text{NO}_2)_2$.
NT *Aphis rumicis*. 1376.
- 207-924.
Naphthalene, dinitro-, CU; $\text{C}_{10}\text{H}_6(\text{NO}_2)_2$.
MT codling moth larvae; NT *Bombyx mori*, *Tineola biselliella*, and *ditigenus piceus*. 156, 561, 739, 1101P, 1176, 1291.
- 207-951.
Benzene, m-dinitro-; $\text{C}_6\text{H}_4(\text{NO}_2)_2$.
HT screwworms and *Aphis rumicis*; T Japanese beetles; MT aphids; NT *Melanoplus megarum*. 156, 494, 1150, 1376, 1377.
- 207-951.
Benzene, o-dinitro-; $\text{C}_6\text{H}_4(\text{NO}_2)_2$.
T screwworms at 0.10-0.17%; ST greenhouse red spider at 4%; NT codling moth. 156, 915, 1481.
- 207-951.
Benzene, p-dinitro-; $\text{C}_6\text{H}_4(\text{NO}_2)_2$.
T mosquito larvae. 488.
- 207-951.
Benzene, dinitro-, CU; $\text{C}_6\text{H}_4(\text{NO}_2)_2$. (Dinitrobenzol).
T as mothproofing agent; NT *Agrotis*. 1176, 1210P, 1382.
- 207-951-1021.
Toluene, 2, 4-dinitro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{NO}_2)_2$. (1-Methyl-2, 4-dinitrobenzene).
T codling moth and corn borer; ST screwworms; NT cockroaches. 156, 567, 915, 1120.
- 207-951-1021.
Toluene, dinitro-, CU; $(\text{NO}_2)_2\text{C}_6\text{H}_3\text{CH}_3$. (Methyl-dinitrobenzene).
ST Japanese beetle; NT *Bombyx mori*. 494, 561.
- 207-952.
Biphenyl, 2, 2'-dinitro-; $(\text{O}_2\text{NC}_6\text{H}_4)_2$.
HT codling moth larvae; NT screwworms. 156, 1291.
- 207-952-1021.
Methane, bis(p-nitrophenyl)-; $(\text{NO}_2\text{C}_6\text{H}_4)_2\text{CH}_2$. (4-4'-Dinitrodiphenylmethane).
ST screwworms at 0.67%. 156.
- 208-440-581-924-951.
3-Naphthol[2, 3-e]-p-thiazine, picrate; $(\text{C}_{12}\text{H}_9\text{NS})_2\text{HOC}_6\text{H}_4(\text{NO}_2)_2$. 323.
- 208-440-582-924-951.
3-Naphthol[2, 3-e]-p-thiazine, styphnate. (β -Naphthothiazine styphnate). 323.
- 208-460-581-641-952-1011.
Thiazole, 4-(p-bromophenyl)-2-ethyl-, picrate; $\text{C}_6\text{H}_4(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{Br.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-460-581-841-952-1021.
Thiazole, 4-(p-bromophenyl)-2-methyl-, picrate; $\text{CH}_3(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{Br.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-460-581-851-952-1011.
Thiazole, 4-(p-chlorophenyl)-2-ethyl-, picrate; $\text{C}_6\text{H}_4(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{Cl.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-460-581-851-952-1021.
Thiazole, 4-(p-chlorophenyl)-2-methyl-, picrate; $\text{CH}_3(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{Cl.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-460-581-871-951-1021.
Thiazole, 2-ethyl-4-(p-iodophenyl)-, picrate; $\text{C}_6\text{H}_4(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{I.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-460-581-871-951-1021.
Thiazole, 4-(p-iodophenyl)-2-methyl-, picrate; $\text{CH}_3(\text{C}_6\text{H}_4\text{NS})\text{C}_2\text{H}_4\text{I.HOC}_6\text{H}_4(\text{NO}_2)_2$. 1478.
- 208-541-951-1021.
Benzoic acid, 2, 4, 6-trinitro-; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{COOH}$.
T screwworms at 0.33-0.67%. 156.
- 208-561-951-1021.
Benzaldehyde, 2, 4, 6-trinitro-; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{CHO}$.
NT mosquito larvae. 487.
- 208-571-912.
Fluorenone, 2, 6, 7-trinitro-; $\text{O:C}_{12}\text{H}_8(\text{NO}_2)_3$.
NT *Cochliomyia americana*. 944.
- 208-581-951.
Picric acid; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{OH}$. (2, 4, 6-Trinitrophenol).
T *Lucilia cuprina* larvae at 1%; MT *Aphis rumicis*; NT codling moth and *Tenebrio molitor*. 841, 849, 915, 1377.
- 208-581-951.
Phenol, trinitro-, CU; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{OH}$.
HT *Aphis rumicis*. 1376.
- 208-581-951-961.
Phenol, 3-cyclohexyl-2, 4, 6-trinitro-; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{C}_6\text{H}_{11}\text{OH}$. 970P.
- 208-581-951-961.
Phenol, 3-cyclohexyltrinitro-, CU; $(\text{HO})(\text{NO}_2)_3\text{C}_6\text{H}_2\text{C}_6\text{H}_{11}$. (Nitro derivatives of 3-cyclohexyl-phenol containing three substituting nitro groups in the benzene ring). 970P.
- 208-581-951-1021.
m-Cresol, 2, 4, 6-trinitro-; $(\text{NO}_2)_3\text{C}_6\text{H}(\text{CH}_3)\text{OH}$.
T screwworms at 0.10-0.17%; ST codling moths. 156, 915.
- 208-582-951.
Styphnic acid; $(\text{NO}_2)_3\text{C}_6\text{H}(\text{OH})_2$. (2, 4, 6-Trinitro-resorcinol).
T screwworms at 0.17-0.33%; NT codling moths. 156, 930.
- 208-591-951-1021.
Anisole, 2, 4, 6-trinitro-; $(\text{NO}_2)_3\text{C}_6\text{H}_3\text{OCH}_3$. (Picric acid methyl ether; methyl picrate).
T screwworms at 0.10-0.17%. 156.
- 208-591-952-1022.
Ether, 4, 6-dinitro-o-tolyl p-nitrobenzyl-; $\text{O}_2\text{NC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_3(\text{NO}_2)_2\text{CH}_3$. (Ether, 6-methyl-2, 4-dinitrophenyl p-nitrobenzyl).
Fly spray. 112, 666P, 690P, 693P, 694P, 695P, 696P.
- 208-657-951.
Hydrazine, picryl-; $(\text{NO}_2)_3\text{C}_6\text{H}_3\text{NHNH}_2$. (2, 4, 6-Trinitrophenylhydrazine).
T screwworms at 0.17-0.33%. 156.
- 208-671-951.
Pieramide; $\text{H}_2\text{NC}_6\text{H}_3(\text{NO}_2)_2$. (2, 4, 6-Trinitroaniline).
NT codling moths. 915.
- 208-851-951.
Picryl chloride; $(\text{NO}_2)_3\text{C}_6\text{H}_2\text{Cl}$. (2-Chloro-1, 3, 5-trinitrobenzene).
T screwworms at 0.17-0.33%; NT codling moths and *Aphis rumicis*. 156, 915, 1376.
- 208-924.
Naphthalene, trinitro-, CU; $\text{C}_{10}\text{H}_6(\text{NO}_2)_3$.
NT silkworm and *Tineola biselliella*. 561, 1407.
- 208-951.
Benzene, 1, 3, 5-trinitro-; $\text{C}_6\text{H}_3(\text{NO}_2)_3$.
HT screwworms at 0.03-0.05%; NT codling moths. 156, 157, 915, 930.
- 208-951.
Benzene, trinitro-, CU; $\text{C}_6\text{H}_3(\text{NO}_2)_3$.
ST codling moth larvae. 555.
- 208-951-1001-1022.
m-Xylene, 5-tert-butyl-2, 4, 6-trinitro-; $(\text{CH}_3)_3\text{C}(\text{NO}_2)_3\text{C}_6\text{H}_3\text{CH}_3$. (2, 4, 6-Trinitro-1, 3-dimethyl-5-tert-butylbenzene).
NT screwworms. 156.
- 208-951-1001-1022.
Xylene, isobutyltrinitro-, CU; $[(\text{CH}_3)_3\text{C}](\text{CH}_3)_2(\text{NO}_2)_3\text{C}_6\text{H}_3$. (Benzene, isobutyltrimethyltrinitro-; musk xylol).
T as mothproofing agent. 32B, 638, 1175, 1179.
- 208-951-1021.
Toluene, 2, 4, 6-trinitro-; $\text{C}_6\text{H}_3(\text{CH}_3)(\text{NO}_2)_3$.
T *Cochliomyia americana* C and P at 10%. 944.
- 209-440-950-1350.
Phenothiazine, tetranitro-, 5-oxide, CU; $\text{O:C}_6\text{H}_2\text{H}_3\text{NS}(\text{NO}_2)_4$. (Phenothiazine, tetranitro-, sulfide).
ST Mexican bean beetle at 10%. 606, 1432.
- 209-571-582-952-999-1033.
3-Pentadienone, 1, 5-bis-(3, 5-dinitro-2-hydroxyphenyl)-; $[(\text{NO}_2)_2\text{C}_6\text{H}_3(\text{OH})\text{CH}:\text{CH}]\text{CO}$. (Di-(3, 5-dinitro-salicylidene)-acetone). 127P.
- 209-581-681-952.
Picramic acid, N-(2, 4-dinitrophenyl)-; $\text{C}_6\text{H}_2\text{OH}(\text{NO}_2)_2\text{NHCH}_2\text{C}_6\text{H}_3(\text{NO}_2)_2$. (2, 4-Dinitro, 4'-hydroxydiphenylamine).
ST screwworms; NT *Phlyctaenia rubigalis*. 156, 949.

- 209-582-700-952-1021.
Pieramic acid, *N*-(3, 5-dinitroacetyliden)-; $(\text{NO}_2)_2\text{-OH-C}_6\text{H}_3\text{N-CH}_2\text{C}_6\text{H}_3(\text{NO}_2)_2\text{OH}$. 126P.
- 209-681-952.
Diphenylamine, 2, 2', 4, 4', 6, 6'-hexanitro-; $(\text{NO}_2)_6\text{-C}_6\text{H}_4\text{NHC}_6\text{H}_4\text{NH}$. (Bis-(2, 4, 6-trinitrophenyl)amine).
T *Corrhmiomyia americana* C and P at 0.03%. 944.
- 209-782-952.
Disulfide, bis (2, 4-dinitrophenyl)-; $(\text{NO}_2)_4\text{-C}_6\text{H}_3\text{S}_2\text{-C}_6\text{H}_3\text{S}_2$. (2, 2', 4, 4'-Tetranitrodiphenyl disulfide).
NT screwworms. 158.
- 209-952.
Biphenyl, 2, 2', 4, 4'-tetranitro-; $(\text{NO}_2)_4\text{-C}_6\text{H}_4\text{-C}_6\text{H}_4\text{-C}_6\text{H}_4$.
NT screwworms. 158.
- 210-999.
Isoamyl nitrite; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{ONO}$.
HT rice weevil; NT red scale. 268, 1180.
- 210-1001.
Butyl nitrite; $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{ONO}$.
HT rice weevil; NT red scale. 268, 1180.
- 211-989.
Dodecyl nitrate; $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2\text{NO}_2$.
Fly spray. 107P, 112.
230.
Morpholine; $\text{C}_4\text{H}_9\text{NO}$. (Tetrahydro-1, 4-oxazina; diethylenimine oxide).
T *Lucilia sericata* and screwworm larvae. 723, 944.
- 230-401-951-1021.
Morpholine, 4-(*p*-thiocyanophenyl)-; $(\text{C}_6\text{H}_5\text{NO})\text{C}_6\text{H}_4\text{SCN}$. 112, 674P, 1032, 1178, 1202.
- 230-571-951-1003.
Propiophenone, β -4-morpholinyl-; $\text{C}_6\text{H}_5\text{COCH}_2\text{CH}_2\text{-N}(\text{CH}_2\text{CH}_2)_2\text{O}$. (α -Benzoyl- β -morpholino ethane). 719P.
- 230-786-950.
3, 1, 4-Benzoxazin-2(1)one, thio-; $\text{S}:(\text{C}_6\text{H}_7\text{NO})$. (Cumazone, 2-thio-).
HT mosquito larvae. 172, 1178.
- 230-951.
Morpholine, 4-phenyl-; $\text{O}(\text{CH}_2\text{CH}_2)_3\text{NC}_6\text{H}_5$.
T houseflies. 1276.
- 231-572-952-1024-1213.
Selenide, di-4-antipyril-; $(\text{C}_{11}\text{H}_{12}\text{ON})_2\text{Se}$. (Antipyrine, seleno-).
T as mothproofing agent. 390P, 429P, 475BP, 679P, 1175.
- 242-268-950-1011.
Benzoxazole, 2-acetylthio-; $(\text{C}_7\text{H}_4\text{NO})\text{SCOCH}_3$. (1-Benzoxazole mercaptan acetate).
MT mosquito larvae; NT codling moth larvae. 487, 1291.
- 242-681-950-951.
Benzoxazole, 2-anilino-; $\text{C}_6\text{H}_5\text{NH}(\text{C}_7\text{H}_4\text{ON})$. (1-Anilino-benzoxazole).
HT codling moth larvae. 1291.
- 242-791-950.
Benzoxazole, 2-mercapto-; $(\text{C}_7\text{H}_4\text{NO})\text{SH}$. (1-Benzoxazole mercaptan).
HT mosquito and codling moth larvae. 172, 487, 1178, 1291.
- 242-791-1027.
Oxazoline, 5, 5-alkyl-2-mercapto-, CU; $\text{R}:(\text{C}_6\text{H}_5\text{NO})\text{SH}$. 140P.
- 242-950-951.
Benzoxazole, 2-phenyl-; $(\text{C}_7\text{H}_4\text{NO})\text{C}_6\text{H}_5$.
HT mosquito larvae; T codling moth larvae. 487, 1291, 1328.
- 250-267-983-989-1023.
9-Octadecenylxanthic acid, carbonic acid, dodecylxanthic acid, anhydride; $\text{C}_{17}\text{H}_{33}\text{OCSSCOSSCOCC}_{17}\text{H}_{33}$. (Dodecylxanthic ester of 9, 10-octadecenylxanthic formic acid). 1472P.
- 250-267-985-1023.
Cetyl xanthic acid, anhydride with carbonic acid; $(\text{C}_{16}\text{H}_{33}\text{OCSS})_2\text{CO}$. (Cetyl xanthic ester of cetyl xanthic formic acid). 1472P.
- 250-267-987-993-1023.
Tetradecylxanthic acid, carbonic acid, octylxanthic acid, anhydride; $\text{C}_{13}\text{H}_{27}\text{OCSSCOSSCOCC}_{13}\text{H}_{27}$. (Tetradecylxanthic ester of octylxanthic formic acid). 1472P.
- 250-267-989-1021.
Dodecylxanthic acid, anhydride with carbonic acid; $(\text{C}_{12}\text{H}_{25}\text{OCSS})_2\text{CO}$. (Dodecylxanthic ester of dodecylxanthic formic acid). 1472P.
- 250-541-959-1022.
Formic acid, thionothiois-, dodecyl ester; $\text{C}_{12}\text{H}_{25}\text{-OCSSCOOH}$. (Dodecylxanthic formic acid). 1472P.
- 250-551-993-1023.
Formic acid, thionothiois-, methyl octyl ester; $\text{C}_8\text{H}_{17}\text{OCSSCOOCH}_3$. (Methyl ester of octylxanthic formic acid). 1472P.
- 250-551-993-1023.
Formic acid, thionothiois-, octyl methyl ester; $\text{CH}_3\text{-OCSSCOOC}_8\text{H}_{17}$. (Octyl ester of methylxanthic formic acid). 1472P.
- 250-551-1022-1027.
Formic acid, thionothiois-, alkyl esters. 1472P.
- 250-551-1027.
Formic acids, thionothiois-, dialkyl esters; ROCSS-COOR . [Mixed coconut alcoholic esters of mixed alkyl (as present in coconut alics.) xanthic formic acid]. 1472P.
- 250-989-1011-1021.
Xanthic acid, dodecyl ester; $\text{C}_{12}\text{H}_{25}\text{OCSSC}_{12}\text{H}_{25}$. (Lauryl xanthate). 593P, 1432.
- 250-989-1021-1196.
Dodecylxanthic acid, potassium salt; $\text{C}_{12}\text{H}_{25}\text{OCSSK}$.
Fly spray. 107P, 112.
- 250-990-1021-1213.
Amyl xanthic acid, sodium salt; $\text{C}_5\text{H}_{11}\text{OCSSNa}$. (Xanthic acid, amyl sodium salt).
Used with *Paria* green for killing *Anopheles*. 1027P, 1178.
- 250-1001-1021-1030.
1-Methylallylxanthic acid; $\text{CH}_2\text{:CHCH}(\text{CH}_3)\text{OCSSH}$. (Xanthate of methyl vinyl carbinol). 601P.
- 250-1001-1021-1030-1196.
1-Methylallylxanthic acid, potassium salt; $\text{CH}_2\text{:CH-CH}(\text{CH}_3)\text{OCSSK}$. (Potassium xanthate of methyl vinyl carbinol). 601P.
- 250-1001-1021-1030-1196.
2-Methylpropenylxanthic acid, potassium salt; $\text{CH}_3\text{-C}(\text{CH}_3)\text{:CHOCSSK}$. (Potassium isobutyl xanthate). 600P.
- 250-1001-1021-1030-1246.
2-Methylpropenylxanthic acid, alkali metal salts. (Alkali metal isobutenylxanthate). 600P.
- 250-1004-1021.
Propylxanthic acid, propyl ester; $\text{C}_3\text{H}_7\text{OCSSC}_3\text{H}_7$. (Xanthic acid, propyl-, propyl ester). 1178, 1212P.
- 250-1011-1021-1196.
Xanthic acid, potassium salt; $\text{C}_6\text{H}_5\text{OCSSK}$. (Potassium ethyl dithiocarbonate; potassium xanthogenate).
T Japanese beetle larvae, *Heterodera schachtii*, and root-knot nematode; NT *Pieris rapae*, 494, 587, 635, 734, 1178, 1432.
- 250-1011-1021-1218.
Xanthic acid, sodium salt; $\text{C}_6\text{H}_5\text{OCSSNa}$. (Sodium ethyl xanthate). 649, 1432.
- 250-1011-1022.
Xanthic acid, methyl ester; $\text{C}_6\text{H}_5\text{OCSSCH}_3$.
HT codling moth larvae when applied with talc. 615, 1432.
- 250-1013-1022.
Glycol, dioxanthate; $(\text{C}_6\text{H}_5\text{OC}(\text{S})\text{SCH}_2)_2$. (Xanthic acid, ethylene ester; ethylene bis-ethylxanthogen). 1178, 1212P.
- 250-1022-1196.
Methylxanthic acid, potassium salt; CH_3OCSSK . (Potassium methyl xanthate).
HT codling moth larvae. 915, 1432.
- 250-1027.
Alkylxanthic acids, alkyl esters; $\text{ROC}(\text{S})\text{SR}$. (Xanthates, bisalkyl). 1178, 1212P.
- 250-1027-1030-1246.
Xanthic acids, substituted, salts; $\text{XYC}(\text{S})\text{SM}$. A monocyclic aliphatic xanthate containing at least five carbon atoms to the molecule, and possessing the general formula above, wherein X represents an isovaleryl radical, M a metal, and Y a substituent of the class consisting of hydrogen and alkyl radicals, X being linked to the C1 carbon atom by an unsaturated tertiary carbon atom. 600P.
- 250-1030-1045.
Xanthic acids, unsaturated. 600P, 1432.
- 250-1045-1246.
Xanthic acids, alkali metal salts. (Xanthates, alkali metal). 598, 749, 1208P, 1432.

- 258-290-672-700-955-1021-1030-1218.
Methyl blue; $C_{27}H_{27}N_3Na_2O_8S_4$.
T *Lucilia cuprina* larvae. 849.
- 258-315-582-842-950-952-1022.
Bromocresol purple; $C_{21}H_{16}Br_2O_5S$. (Dibromo-*o*-cresol sulfonphthalein).
NT clothes moth larvae. 974, 1176.
- 258-315-582-844-950-952.
Bromophenol blue; $C_{19}H_{10}Br_2O_5S$. (Tetrabromophenol sulfonphthalein).
NT clothes moth larvae. 974, 1176.
- 258-315-582-844-950-952.
Bromocresol green; $C_{19}H_{10}Br_2O_5S$. (Tetrabromo-*m*-cresol sulfonphthalein).
NT clothes moth larvae. 974, 1176.
- 258-315-582-950-952.
Phenol red; $C_{19}H_{14}O_5S$. (Phenolsulfonphthalein).
NT clothes moth larvae. 974, 1176.
- 258-401-591-681-953-1024.
Benzenesulfonic acid, *p*-benzyloxy-, *N,N*-dimethylthiocyananiline salt, CU; $C_{20}H_{17}CH_2OC_6H_4SO_3H \cdot (CH_3)_2NC_6H_4SCN$. (Benzenesulfonic acid, *p*-phenylmethoxy-, thiocyanato-*N,N*-dimethylaniline salt).
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 666P.
- 258-402-990-1022-1218.
Hendecane sulfonic acid, dithiocyanato-, sodium salt; $(SCN)_2C_{11}H_{21}SO_3Na$. (Dithiocyanato sodium undecyl-sulfonate).
Fly spray. 106P, 112.
- 258-541-581-951-1021.
Salicylic acid, sulfo-, CU; $HO_2SC_6H_4(OH)COOH$.
NT clothes moths. 985, 1176.
- 258-541-581-983-1030.
Ricinoic acid, sulfo-, CU; $HO_2SC_{17}H_{35}(OH)COOH$.
T as mothproofing agent. 980P, 1176.
- 258-541-581-983-1030-1246.
Ricinoic acid, sulfo-, salts, CU; $HO_2SC_{17}H_{35}(OH)COOM$.
T as mothproofing agent. 103P, 1179.
- 258-541-671-952-1022.
Anthranilic acid, *p*-toluene sulfonic acid compound; $HOOC_6H_4NH_2 \cdot HSO_3CaCl \cdot CH_3$.
NT mosquito larvae. 172, 1178.
- 258-541-983-1030.
Oleic acid, sulphonated; $HO_2SC_{17}H_{35}COOH$.
T as mothproofing agent. 980P, 1176.
- 258-541-1027.
Fatty acids, sulphonated; $(HSO_3)RCOOH$.
T as mothproofing agent. 460P, 470P, 1175, 1176, 1358P.
- 258-542-975.
Dicarboxylic acids, aromatic, sulfo-.
T as mothproofing agent. 1179, 1335P.
- 258-551-681-951-980-1003.
1-Propanesulfonic acid, 3-anilino-2-hydroxy-, montanic acid ester; $C_{25}H_{47}COOCH(CH_2SO_3H)CH_2NH_2C_6H_5$. (1-Propanesulfonic acid, 2-hydroxy-3-phenylimido montanic acid ester). 358P, 1178.
- 258-551-861-983-1011-1240.
Isethionic acid, fluorostearic acid ester, salts; $FC_{17}H_{33}COOCH_2CH_2SO_3M$. (Salts of monofluorostearic acid esters of hydroxyethanesulfonic acid). 345P.
- 258-551-980-1003-1213.
1-Propanesulfonic acid, 3-hydroxy-, montanic acid ester, sodium salt; $NaSO_3CH_2CH_2COOCC_{25}H_{51}$.? (Montanic acid ester of Na 1-hydroxy propane-3-sulfonate). 358P.
- 258-551-984-1011-1030-1218.
Isethionic acid, oleic acid ester, sodium salt; $C_{18}H_{33}CH_2CH(CH_2)COOCH_2CH_2SO_3Na$. (Oleic acid, sodium isethionate ester). 179, 1432.
- 258-551-1045.
Carboxylic acids, sulfo-, esters.
T as mothproofing agent. 550P, 1170, 1336P.
- 258-552-852-953-1022-1246.
Phthalic acid, sulfo-, di-*p*-chlorophenyl ester, salt, CU; $MO_2SC_6H_4(COOC_6H_3Cl)_2$.
T as mothproofing agent. 550P, 1179.
- 258-552-924-1000-1022.
Naphthalic acid, 2-sulfo-, diamyl ester; $HO_2SC_{18}H_{15}(COOC_5H_{11})_2$.
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-962-1024.
Phthalic acid, sulfo-, bis(methylecyclohexyl) ester, CU; $HO_2SC_6H_4(COOC_6H_{10}CH_3)_2$. (Phthalic acid, sulfo-, methylhexaline ester).
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-953-985-1022.
Phthalic acid, sulfo-, mixed cetyl and octadecyl ester, CU; $HO_2SC_6H_4(COOC_{18}H_{37})COOC_{16}H_{33}$. (Phthalic acid, sulfo-, mixed stearyl and cetyl esters).
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-953-1022-1246.
Phthalic acid, sulfo-, dioctadecyl ester, salt, CU; $MO_2SC_6H_4(COOC_{18}H_{37})_2$. (Phthalic acid, sulfo-, stearyl ester-salt).
T as mothproofing agent. 550P, 1179, 1335P, 1336P.
- 258-552-951-985-1022-1246.
Phthalic acid, sulfo-, diethyl ester, salt, CU; $MO_2SC_6H_4(COOC_2H_5)_2$. (Phthalic acid, sulfo-, palmityl ester-salt).
T as mothproofing agent. 550P, 1179, 1335P, 1336P.
- 258-552-951-994-1022.
Phthalic acid, sulfo-, di-*sec*-octyl ester, CU; $HO_2SC_6H_4(COOC_8H_{17})_2$.
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-1000-1022.
Phthalic acid, sulfo-, diamyl ester, CU; $HO_2SC_6H_4(COOC_5H_{11})_2$.
T as mothproofing agent. 550P, 1179, 1335P, 1336P.
- 258-552-951-1000-1022.
Terephthalic acid, sulfo-, diamyl ester; $HO_2SC_6H_4(COOC_5H_{11})_2$.
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-1002-1022.
Phthalic acid, sulfo-, dibutyl ester, CU; $HO_2SC_6H_4(COOC_4H_9)_2$.
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-951-1022-1045.
Phthalic acid, sulfo-, diester, CU; $HO_2SC_6H_4(COOR)_2$.
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-552-953-1024-1246.
Phthalic acid, sulfo-, di-*p*-tolyl ester, salt, CU; $MO_2SC_6H_4(COOC_6H_4CH_3)_2$. (Phthalic acid, sulfo-, *p*-cresyl ester, salt).
T as mothproofing agent. 1179, 1335P, 1336P.
- 258-561-851-951-1021.
Benzenesulfonic acid, 4-chloro-2-formyl-, $HO_2SC_6H_4(Cl)CHO$. (Benzaldehyde, 2-sulphonic acid, 5-chloro-, 5-chloro-2-sulphobenzaldehyde).
T as mothproofing agent. 417P, 1175.
- 258-561-851-951-1021.
Benzenesulfonic acid, 4-chloro-3-formyl-, $HO_2SC_6H_4(Cl)CHO$. (Benzaldehyde, 2-sulphonic acid, 5-chloro-, 5-chloro-2-sulphobenzaldehyde).
T as mothproofing agent. 402P, 469P, 1175, 1176.
- 258-561-851-951-1021.
Benzenesulfonic acid, 5-chloro-2-formyl-, $HO_2SC_6H_4(Cl)CHO$. (Benzaldehyde, 4-chloro-2-sulphonic acid, 4-chloro-2-sulphobenzaldehyde).
T as mothproofing agent. 417P, 1175.
- 258-561-951-1021.
Benzenesulfonic acid, *m*-formyl-, $HO_2SC_6H_4CHO$. (Benzaldehyde, 3-sulphonic acid, *m*-sulphobenzaldehyde).
T as mothproofing agent. 402P, 469P, 1175, 1176.
- 258-561-951-1021.
Benzenesulfonic acid, *o*-formyl-, $HO_2SC_6H_4CHO$. (Benzaldehyde, 2-sulphonic acid, *o*-sulphobenzaldehyde, orthosulphonic acid).
T as mothproofing agent. 94P, 398P, 402P, 469P, 1175, 1176, 1465P.
- 258-561-951-1021.
Benzenesulfonic acid, *p*-formyl-, $HO_2SC_6H_4CHO$. (Benzaldehyde, 4-sulphonic acid; *p*-sulphobenzaldehyde).
T as mothproofing agent. 436P, 1175.
- 258-561-1045.
Aldehydes, sulfo-, CU. (Aldehyde sulphonic acids).
T as mothproofing agent. 410P, 1175.
- 258-571-582-681-904-990-1011-1022-1218.
Taurocholic acid, sodium salt; $C_{26}H_{46}O_7NS$.
T as mothproofing agent. 585P, 943P, 1176, 1179.
- 258-572-740-950-1030-1218.
Indigo carmine; $(NaSO_3C_6H_4NH)(CO \cdot C)_2$. (5, 5'-Indigotindisulfonic acid, disodium salt; soluble indigo).
NT mosquito larvae. 487.

- 258-581-665-730-950-951.
Benzenesulfonic acid, *p*-(8-hydroxy-5-quinolyazo)-;
 $\text{HO}_2\text{SC}_6\text{H}_4\text{N}(\text{N}(\text{C}_6\text{H}_5)\text{OH})$. (Benzene-1-sulphonic acid-(4-azo-5)-8-hydroxy quinoline).
ST greenhouse red spider at 2% and NT at 1%.
1481.
- 258-581-665-924-951-1218.
Orange G; $\text{C}_6\text{H}_3\text{N}(\text{NC}_6\text{H}_4(\text{OH})(\text{SO}_3\text{Na}))_2$.
T *Lucilia cuprina* larvae. 849.
- 258-581-665-952-1218.
Benzenesulfonic acid, *p*-(*p*-hydroxyphenylazo)-, sodium salt; $\text{HOCC}_6\text{H}_4\text{N}(\text{NC}_6\text{H}_4\text{SO}_3\text{Na})$. (Sodium *p*-hydroxy-azobenzene-*p'*-sulfonate).
ST screwworms at 0.67% and ST greenhouse red spider at 2%. 156, 1481.
- 258-581-671-924.
1-Naphthol-3, 6-disulfonic acid, 8-amino-; $\text{H}_2\text{N}(\text{OH})\text{C}_{10}\text{H}_6(\text{SO}_3\text{H})_2$. (H acid).
HT *Aphis rumicis*. 1152, 1178.
- 258-581-671-951.
1-Phenol-4-sulfonic acid, 3-amino-; $\text{NH}_2(\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (1-Amino-3-hydroxybenzene-6-sulfonic acid). 363P.
- 258-581-671-951.
Phenolsulfonic acids, amino-; $\text{HO}(\text{NH}_2)\text{C}_6\text{H}_4\text{SO}_3\text{H}$.
T as mothproofing agent. 331P, 1176.
- 258-581-671-952-1021.
p-Toluenesulfonic acid, *o*-aminophenol salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \text{NH}_2\text{C}_6\text{H}_4\text{OH}$. (*o*-Aminophenol *p*-toluenesulfonate; aniline, *o*-hydroxy-, *p*-toluene sulfonate).
NT mosquito larvae. 172, 1178.
- 258-581-730-871-950-1110.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, antimony salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_3\text{Sb}$. 110, 1348P.
- 258-581-730-871-950-1142.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, copper salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Cu}$. 110, 1348P.
- 258-581-730-871-950-1162.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, iron salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Fe}$. 110, 1348P.
- 258-581-730-871-950-1166.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, lead salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Pb}$. 110, 1348P.
- 258-581-730-871-950-1176.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, mercury salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Hg}$. 110, 1348P.
- 258-581-730-871-950-1182.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, nickel salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Ni}$. 110, 1348P.
- 258-581-730-871-950-1216.
6-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, silver salt; $\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3\text{Ag}$. 110, 1348P.
- 258-581-730-871-950-1234.
5-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, tin salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Sn}$. 110, 1348P.
- 258-581-730-871-950-1244.
6-Quinolinesulfonic acid, 8-hydroxy-7-iodo-, zinc salt; $[\text{C}_6\text{H}_4\text{N}(\text{OH})(\text{I})\text{SO}_3]_2\text{Zn}$. 110, 1348P.
- 258-581-851-951.
1-Phenol-2-sulfonic acid, 4-chloro-; $\text{HOCC}_6\text{H}_3(\text{Cl})\text{SO}_3\text{H}$. (*o*-Phenolsulphonic acid, 4-chloro-; 2-sulpho-4-chloro-phenol).
T as mothproofing agent. 413P, 1175.
- 258-581-851-952-1021.
p-Toluenesulfonic acid, *a*-(5-chloro-2-hydroxyphenyl)-; $\text{CH}_3(\text{ClCC}_6\text{H}_3(\text{OH}))\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 5-chloro-2-hydroxy-4'-sulphodiphenyl-).
T as mothproofing agent. 1179, 1456P.
- 258-581-852-952-1022.
p-Toluenesulfonic acid, *a*-(4, 6-dichloro-*o*-tolyl)-*a*-hydroxy-; $\text{HOCC}_6\text{H}_3(\text{Cl})_2\text{CH}_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Carbinol, dichloromethylsulphodiphenyl-).
T as mothproofing agent. 1179, 1454P.
- 258-581-855-952-1021.
Toluenesulfonic acid, chlorohydroxy-*a*-tetrachlorophenyl-, CU; $\text{HO}_2\text{SC}_6\text{H}_3(\text{Cl})_4\text{CH}_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, pentachlorohydroxy-sulphodiphenyl-).
T as mothproofing agent. 1179, 1394P.
- 258-581-924.
1-Naphthol-3, 6-disulfonic acid; $\text{HOCC}_{10}\text{H}_6(\text{SO}_3\text{H})_2$.
T *Aphis rumicis*. 1152, 1178.
- 258-581-924.
1-Naphthol, 3, 6, 8-trisulfonic acid; $(\text{HSO}_3)_3\text{C}_{10}\text{H}_7\text{OH}$.
T *Aphis rumicis*. 1152.
- 258-581-924-954-1021-1193.
Phosphonium 1-naphthol-5, 7-disulphonate, benzyl-triphenyl-, $[(\text{C}_6\text{H}_5\text{CH}_2)(\text{C}_6\text{H}_5)_2\text{P}(\text{SO}_3)_2\text{C}_{10}\text{H}_7\text{OH}]$.
T as mothproofing agent. 871P, 1179.
- 258-581-924-1218.
1-Naphthol-4-sulfonic acid, sodium salt; $\text{HOCC}_{10}\text{H}_7\text{SO}_3\text{Na}$.
T Japanese beetle larvae. 494, 1178.
- 258-581-924-1218.
2-Naphthol-6-sulfonic acid, sodium salt; $\text{HOCC}_{10}\text{H}_7\text{SO}_3\text{Na}$.
HT *Aphis rumicis*. 1152, 1178.
- 258-581-924-1218.
2-Naphthol-6, 8-disulfonic acid, disodium salt; $\text{HOCC}_{10}\text{H}_6(\text{SO}_3\text{Na})_2$.
HT *Aphis rumicis*. 1152, 1178.
- 258-581-951.
1-Phenol-4-sulfonic acid; $\text{HOCC}_6\text{H}_4\text{SO}_3\text{H}$. (Phenol para-sulphonic acid).
T as mothproofing agent. 329P, 1176.
- 258-581-951.
Phenolsulfonic acids, CU; $\text{HOCC}_6\text{H}_4\text{SO}_3\text{H}$.
T *Lucilia cuprina* larvae and as mothproofing agent. 331P, 413P, 849, 1175, 1176.
- 258-581-951-1021-1114.
Toluenesulfonic acid, hydroxy-, barium salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Ba}$. (Barium *o*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1166.
Toluenesulfonic acid, hydroxy-, lead salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Pb}$. (Lead *o*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1166.
Toluenesulfonic acid, hydroxy-, lead salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Pb}$. (Lead *p*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1176.
Toluenesulfonic acid, hydroxy-, mercury salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Hg}$. (Mercury *m*-cresolsulfonic acid).
ST *Pieris rapae*. 635.
- 258-581-951-1021-1176.
Toluenesulfonic acid, hydroxy-, mercury salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Hg}$. (Mercury *o*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1176.
Toluenesulfonic acid, hydroxy-, mercury salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Hg}$. (Mercury *p*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1218.
Toluenesulfonic acid, hydroxy-, sodium salt, CU; $\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3\text{Na}$. (Sodium *o*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1244.
Toluenesulfonic acid, hydroxy-, zinc salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Zn}$. (Zinc *o*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1021-1244.
Toluenesulfonic acid, hydroxy-, zinc salt, CU; $[\text{HOCC}_6\text{H}_4(\text{CH}_3)\text{SO}_3]_2\text{Zn}$. (Zinc *p*-cresolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1166.
Phenolsulfonic acid, lead salt, CU; $(\text{HOCC}_6\text{H}_4\text{SO}_3)_2\text{Pb}$. (Lead phenolsulfonic acid).
NT *Pieris rapae*. 635.
- 258-581-951-1218.
Phenolsulfonic acid, sodium salt, CU; $\text{C}_6\text{H}_4\text{OHSO}_3\text{Na}$.
HT *Aphis rumicis*; NT *Melanoplus m. mexicanus*. 1150, 1152.
- 258-581-951-1244.
Phenolsulfonic acid, zinc salt, CU; $(\text{HOCC}_6\text{H}_4\text{SO}_3)_2\text{Zn}$.
NT *Pieris rapae*. 635.
- 258-581-951-1312.
1-Phenol-4-sulfonic acid, compound with hydrofluoric

- acid; $\text{HO}(\text{C}_6\text{H}_4)_2\text{SO}_3\text{H}\cdot\text{HF}$? (*p*-Phenolsulfonic acid hydrofluoride).
 T as mothproofing agent. 642P, 1175.
- 258-581-952-1001-1218.
 Biphenylsulfonic acid, butylhydroxy-, sodium salt, CU; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{SO}_3\text{Na}$? (Sulfonic acid, butylphenylphenol-, sodium salt; "Areskap"). 54, 662, 1168, 1415, 1432.
- 258-581-952-1027.
 Biphenylsulfonic acid, alkylhydroxy-, CU; $\text{HO}(\text{R})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Free acids of alkyl hydroxy-diphenyl sulfonates). 499P.
- 258-581-952-1027-1045-1109.
 Biphenylsulfonic acid, alkylhydroxy-, organic ammonium salts, CU; $\text{HO}(\text{R})\text{C}_6\text{H}_4\text{SO}_3\text{NRm}$. (Organic ammonium salts of alkyl hydroxy-diphenyl sulfonates). 499P.
- 258-581-952-1027-1109.
 Biphenylsulfonic acid, alkylhydroxy-, ammonium salts, CU; $\text{RC}_6\text{H}_4(\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{NH}_4$. (Ammonium salts of alkyl hydroxy-diphenyl sulfonates). 499P.
- 258-581-952-1027-1246.
 Biphenylsulfonic acid, alkylhydroxy-, metal salts, CU; $\text{RC}_6\text{H}_4(\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{M}$. (Metal salts of alkyl hydroxy-diphenyl sulfonates). 499P.
- 258-581-975-1021.
 Methanol, di- or triaryl-, sulfonated.
 T as mothproofing agent. 444P, 452P, 460P, 1179.
- 258-582-665-052.
 Benzenesulfonic acid, *p*-(2, 4-dihydroxyphenylazo)-; $(\text{HO})_2\text{C}_6\text{H}_3\text{N}:\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (2, 4-Dihydroxy azobenzene sulfonic acid-(4')).
 ST greenhouse red spider at 2% and 1%; NT screwworms. 156, 1481.
- 258-582-842-953-1021.
o-Toluenesulfonic acid, α,α -bis(5-bromo-2-hydroxyphenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Br})_2\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-5, 5'-dibromo-2''-sulphotriphenyl; 2, 2'-dioxo-5, 5'-dibromo-2''-sulfotriphenylmethane).
 T as mothproofing agent. 434P, 1175, 1465P.
- 258-582-843-952-1021.
p-Toluenesulfonic acid, α -hydroxy- α -(3-hydroxy-2, 4, 6-tribromophenyl)-; $\text{HO}(\text{SC}_6\text{H}_4\text{CH}(\text{OH})\text{C}_6\text{H}_2(\text{Br})_3\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Carbinol, 2, 4, 6-tribromo-3-hydroxy-4'-sulphodiphenyl-).
 T as mothproofing agent. 439P, 1179.
- 258-582-852-952-1021.
 Methanesulfonic acid, bis(chlorohydroxyphenyl)-, CU; $\text{C}(\text{C}_6\text{H}_3(\text{Cl})\text{OH})_2(\text{SO}_3\text{H})_2$. (Methane, dichlorohydroxy-diphenyl, disulphonic acid).
 T as mothproofing agent. 415P, 1175.
- 258-582-852-953-1021.
m-Toluenesulfonic acid, α,α -bis(5-chloro-2-hydroxyphenyl)-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{OH})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(5-chloro-2-hydroxyphenyl)-3'-sulphophenyl).
 T as mothproofing agent. 458, 1179.
- 258-582-852-953-1021.
o-Toluenesulfonic acid, α,α -bis(5-chloro-2-hydroxyphenyl)-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{OH})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-5, 5'-dichloro-2''-sulphotriphenyl; 2, 2'-dioxo-5, 5'-dichloro-2''-sulfotriphenylmethane).
 T as mothproofing agent. 434P, 458P, 1175, 1179, 1465P, 1467P.
- 258-582-852-953-1021.
o-Toluenesulfonic acid, α,α -bis(6-chloro-2-hydroxyphenyl)-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{OH})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(6-chloro-2-hydroxyphenyl)-2'-sulphophenyl).
 T as mothproofing agent. 438P, 1179.
- 258-582-852-953-1023.
o-Toluenesulfonic acid, α,α -bis(chlorohydroxytolyl)-, CU; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl})(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, dimethyl-dihydroxy-dichloro-2''-sulphotriphenyl; dimethyldioxydichloro-2''-sulfotriphenylmethane).
 T as mothproofing agent. 1175, 1465P.
- 258-582-852-953-1023.
o-Toluenesulfonic acid, α,α -bis(5-chloro-2-hydroxy-*m*-tolyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl})(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 3, 3'-dimethyl-2, 2'-dihydroxy-5, 5'-dichloro-2''-sulphotriphenyl; 3, 3'-dimethyl-2, 2'-dioxo-5, 5'-dichloro-2''-sulfotriphenylmethane).
 T as mothproofing agent. 434P, 1175, 1465P.
- 258-582-852-953-1023.
o-Toluenesulfonic acid, α,α -bis(5-chloro-6-hydroxy-*m*-tolyl)-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Me-
- thane, bis(3-chloro-2-hydroxy-5-methylphenyl)-2'-sulphophenyl-).
 T as mothproofing agent. 438P, 442P, 1175, 1179, 1457P, 1460P.
- 258-582-853-952-1021.
 Toluenesulfonic acids, α -dihydroxytrichlorophenyl-, CU. (Methane, trichlorodihydroxydiphenyl-, sulphonated).
 T as mothproofing agent. 452P, 1179.
- 258-582-853-952-1021.
o-Toluenesulfonic acid, α -hydroxy- α -(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{HO}(\text{SC}_6\text{H}_3(\text{Cl})_3\text{CH}(\text{OH})\text{C}_6\text{H}_3(\text{Cl})_3\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Carbinol, 2, 4, 6-trichloro-3-hydroxy-2''-sulphodiphenyl-).
 T as mothproofing agent. 439P, 1179, 1454P.
- 258-582-853-952-1021.
p-Toluenesulfonic acid, α -hydroxy- α -(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{HO}(\text{SC}_6\text{H}_3(\text{Cl})_3\text{CH}(\text{OH})\text{C}_6\text{H}_3(\text{Cl})_3\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Carbinol, 2, 4, 6-trichloro-3-hydroxy-4'-sulphodiphenyl-).
 T as mothproofing agent. 439P, 1179, 1454P.
- 258-582-853-952-1022.
p-Toluenesulfonic acid, α -hydroxy- α -(5-hydroxy-2, 4, 6-trichloro-*m*-tolyl)-; $\text{HO}(\text{SC}_6\text{H}_3(\text{Cl})_3\text{CH}(\text{OH})\text{C}_6\text{H}_3(\text{Cl})_3\text{OH})\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Carbinol, 2, 4, 6-trichloro-3-hydroxy-5-methyl-4'-sulphodiphenyl-).
 T as mothproofing agent. 439P, 1179, 1454P.
- 258-582-853-953-1021.
m-Toluenesulfonic acid, 6-chloro- α,α -bis(5-chloro-2-hydroxyphenyl)-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{Cl})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(5-chloro-2-hydroxyphenyl)-6'-chloro-3'-sulphophenyl-).
 T as mothproofing agent. 453P, 1179.
- 258-582-853-953-1021.
 Toluenesulfonic acid, α,α -dihydroxytrichlorodiphenyl-, CU. (Methane, trichlorodihydroxysulphotriphenyl-).
 T as mothproofing agent. 402P, 410P, 450P, 1175, 1179.
- 258-582-853-953-1021.
o-Toluenesulfonic acid, α -(5-chloro-2-hydroxyphenyl)- α -(3, 4, 6-dichloro-2-hydroxyphenyl)-; $\text{Cl}_2(\text{OH})\text{C}_6\text{H}_3(\text{Cl})(\text{OH})\text{C}_6\text{H}_3(\text{Cl})\text{C}_6\text{H}_3(\text{Cl})\text{SO}_3\text{H}$. (Methane, 3, 5, 5'-trichloro-2, 2'-dihydroxy-2''-sulphotriphenyl; 2, 2'-dihydroxy-3, 5, 5'-trichlorotriphenylmethane-2''-sulphonic acid).
 T as mothproofing agent. 1179, 1468P.
- 258-582-853-953-1021.
 Methane, sulphonic acid, dihydroxytrichlorotriphenyl, CU.
 T as mothproofing agent. 1175, 1463P.
- 258-582-854-952-1021.
 Methanesulfonic acid, bis(dichlorohydroxyphenyl)-, CU. (Methane, bis(dichlorohydroxyphenyl)-, sulphonated).
 T as mothproofing agent. 452P, 1179.
- 258-582-854-953-1021.
o-Toluenesulfonic acid, α,α -bis(3, 5-dichloro-2-hydroxyphenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl})_2\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3', 5, 5'-tetracloro-2''-sulphotriphenyl).
 T as mothproofing agent. 434P, 449P, 450P, 1175, 1179, 1465P, 1466P.
- 258-582-854-953-1021.
p-Toluenesulfonic acid, α,α -bis(3, 5-dichloro-2-hydroxyphenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl})_2\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3', 5, 5'-tetracloro-4''-sulphotriphenyl; 2, 2'-dioxo-3, 3', 5, 5'-tetracloro-4''-sulfotriphenylmethane).
 T as mothproofing agent. 1175, 1465P.
- 258-582-854-953-1021.
p-Toluenesulfonic acid, α -(5-chloro-2-hydroxyphenyl)- α -(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl})_3\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3', 5, 5'-tetracloro-4''-sulphotriphenyl; 2, 2'-dioxo-3, 3', 5, 5'-tetracloro-4''-sulfotriphenylmethane).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-854-953-1023.
o-Toluenesulfonic acid, α,α -bis(4-chloro-2-hydroxy-*m*-tolyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{CH}_3)(\text{Cl})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3'-dimethyl-4, 4'-dichloro-2''-sulphotriphenyl; 2, 2'-dichloro-3, 3'-dimethyl-6, 6'-dioxo-2''-sulfotriphenylmethane).
 T as mothproofing agent. 1175, 1457P.

- 258-582-854-953-1023.
p-Toluenesulfonic acid, α,α -bis(5-chloro-2-hydroxy-*p*-tolyl)-; $\text{CH}(\text{C}_6\text{H}_4(\text{CH}_3)(\text{Cl})\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-4, 4'-dimethyl-5, 5'-dichloro-2''-sulphotriphenyl; 2, 2'-dioxo-4, 4'-dimethyl-5, 5'-dichloro-2''-sulphotriphenylmethane).
 T as mothproofing agent. 434P, 1175.
- 258-582-854-953-1023.
p-Toluenesulfonic acid, α,α -bis(4, 6-dichloro-3-hydroxy-*o*-tolyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(4, 6-dichloro-3-hydroxy-2-methylphenyl)-4'-sulphophenyl; 3, 3'-dihydroxy-2, 2'-dimethyl-4, 4', 6, 6'-tetrachlorotriphenylmethane-4''-sulphonic acid).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-855-953-1021.
o-Toluenesulfonic acid, 4-chloro- α,α -bis(3, 5-dichloro-2-hydroxyphenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl}_2)\text{OH})_2\text{C}_6\text{H}_4(\text{Cl})\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3', 5, 5'-tetrachloro-5''-chloro-2''-sulphotriphenyl; 2, 2'-dioxo-3, 3', 5, 5'-tetrachloro-5''-chloro-2''-sulphotriphenylmethane).
 T as mothproofing agent. 1175, 1465P.
- 258-582-855-953-1021.
o-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichloro-2-hydroxyphenyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{Cl}_2)\text{OH})_2\text{C}_6\text{H}_4(\text{Cl})\text{SO}_3\text{H}$. (Methane, 2, 2'-dihydroxy-3, 3', 5, 5'-tetrachloro-4''-chloro-2''-sulphotriphenyl; 2, 2'-dioxo-3, 3', 5, 5'-tetrachloro-4''-chloro-2''-sulphotriphenylmethane).
 T as mothproofing agent. 1175, 1465P.
- 258-582-855-953-1021.
o-Toluenesulfonic acid, α -(3, 5-dichloro-2-hydroxyphenyl)- α -(2-hydroxy-3, 5, 6-trichlorophenyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OH})(\text{Cl})\text{C}_6\text{H}_4\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 3, 5, 6, 3', 5'-pentachloro-2, 2'-dihydroxy-2''-sulphotriphenyl; 2, 2'-dihydroxy-3, 3', 5, 5', 6-pentachlorotriphenylmethane-2''-sulphonic acid).
 T as mothproofing agent. 1179, 1468P.
- 258-582-855-953-1021.
p-Toluenesulfonic acid, α -(3, 5-dichloro-2-hydroxyphenyl)- α -(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OH})(\text{Cl})\text{C}_6\text{H}_4\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 2, 4, 6, 3', 5'-pentachloro-2, 2'-dihydroxy-4''-sulphotriphenyl; 3, 2'-dihydroxy-2, 4, 6, 3', 5'-pentachlorotriphenylmethane-4''-sulphonic acid).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-855-953-1021.
p-Toluenesulfonic acid, α -dihydroxypentachlorodiphenyl-, CU. (Methane, pentachloro-dihydroxytriphenyl-sulphonic acid).
 T as mothproofing agent. 410P, 450P, 1175, 1179, 1463P.
- 258-582-856-953-1021.
p-Toluenesulfonic acid, α,α -bis(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OH}))_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(2, 4, 6-trichloro-3-hydroxyphenyl)-4'-sulphophenyl; 3, 3'-dihydroxy-2, 2', 4, 4', 6, 6'-hexachlorotriphenylmethane-4''-sulphonic acid).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-856-953-1023.
p-Toluenesulfonic acid, bis(5-hydroxy-2, 4, 6-trichloro-*m*-tolyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(2, 4, 6-trichloro-3-hydroxy-5-methylphenyl)-4'-sulphophenyl; 3, 3'-dihydroxy-5, 5'-dimethyl-2, 2', 4, 4', 6, 6'-hexachlorotriphenylmethane-4''-sulphonic acid).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-857-953-1021.
m-Toluenesulfonic acid, 4-chloro- α,α -bis(3-hydroxy-2, 4, 6-trichlorophenyl)-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OH}))_2\text{C}_6\text{H}_4(\text{Cl})\text{SO}_3\text{H}$. (Methane, bis(2, 4, 6-trichloro-3-hydroxyphenyl)-6'-chloro-3'-sulphophenyl; methane, 3, 3'-dihydroxy-2, 2', 4, 4', 6, 6'-heptachlorotriphenyl-5''-sulphonic acid).
 T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 258-582-924.
 3, 6-Naphthalenedisulfonic acid, 1, 8-dihydroxy-; $(\text{OH})_2\text{C}_{10}\text{H}_6(\text{SO}_3\text{H})_2$.
 NT mosquito larvae, *Tineola biselliella*, and *Attagenus piceus*. 172, 739, 1176, 1178.
- 258-582-924-954-1021-1193.
 Phosphonium hydrogen chromotrate, benzytriphenyl-; $(\text{C}_6\text{H}_5\text{CH}_2)_3(\text{C}_6\text{H}_5)_3\text{PSO}_3\text{C}_{10}\text{H}_6(\text{OH})_2(\text{H-SO}_3)$. (Benzytriphenylphosphonium acid salt of chromotropic acid).
 T as mothproofing agent. 867P, 1175.
- 258-582-951-997-1218.
 Benzenesulfonic acid, 2, 4-dihydroxy-5-hexyl-, sodium salt; $(\text{OH})_2\text{C}_6\text{H}_3(\text{C}_6\text{H}_{13})\text{SO}_3\text{Na}$.
 NT mosquito larvae. 487.
- 258-582-952-1023.
 Methanesulfonic acid, bis(hydroxytolyl)-, CU. (Methane, bis(hydroxytolyl)-, sulfonated).
 T as mothproofing agent. 452P, 1179.
- 258-582-953-1023.
o-Toluenesulfonic acid, α,α -bis(6-hydroxy-*m*-tolyl)-; $\text{CH}(\text{C}_6\text{H}_3(\text{CH}_3)\text{OH})_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, 3, 3'-dimethyl-6, 6'-dihydroxy-2''-sulphotriphenyl; 3, 3'-dimethyl-6, 6'-dioxo-2''-sulphotriphenylmethane; methane, bis(2-hydroxy-5-methylphenyl)-2''-sulphophenyl).
 T as mothproofing agent. 442P, 1175, 1179, 1457P, 1460P.
- 258-588-924-1213.
 2-Naphthol-7, 8-disulfonic acid, sodium salt. ("G" salt; sodium salt of 7, 8 disulfonic β -naphthol).
 NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 258-591-671-953-1022.
 Benzenesulfonic acid, *p*-benzyloxy-, toluidine salt; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{SO}_3\text{NH}_2\text{C}_6\text{H}_4\text{CH}_3$. (Benzenesulfonic acid, *p*-phenylmethoxy-, toluidine salt).
 Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
- 258-591-952-1021-1218.
 Benzenesulfonic acid, *p*-benzyloxy-, sodium salt; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{SO}_3\text{Na}$. (Benzenesulfonic acid, *p*-phenylmethoxy-, sodium salt).
 Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
- 258-592-841-854-953-1023-1109.
o-Toluenesulfonic acid, 5-bromo- α,α -bis(3, 5-dichloro-2-methoxyphenyl)-, ammonium salt; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OCH}_3)_2\text{C}_6\text{H}_4(\text{Br})\text{SO}_3\text{NH}_4)_2$. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-4'-bromo-2''-sulphophenyl-, ammonium salt; 2, 2'-dimethoxy-3, 5, 3', 5'-tetrachloro-4''-bromotriphenylmethane-6''-sulphonic acid, ammonium salt).
 T as mothproofing agent. 447P, 457P, 1179.
- 258-592-841-854-953-1023-1198.
o-Toluenesulfonic acid, 5-bromo- α,α -bis(3, 5-dichloro-2-methoxyphenyl)-, potassium salt; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OCH}_3)_2\text{C}_6\text{H}_4(\text{Br})\text{SO}_3\text{K})_2$. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-4'-bromo-2''-sulphophenyl-, potassium salt; 2, 2'-dimethoxy-3, 5, 3', 5'-tetrachloro-4''-bromotriphenylmethane-6''-sulphonic acid, potassium salt).
 T as mothproofing agent. 447P, 457P, 1179.
- 258-592-841-854-953-1023-1218.
o-Toluenesulfonic acid, 5-bromo- α,α -bis(3, 5-dichloro-2-methoxyphenyl)-, sodium salt; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3(\text{OCH}_3)_2\text{C}_6\text{H}_4(\text{Br})\text{SO}_3\text{Na})_2$. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-4'-bromo-2''-sulphophenyl-, sodium salt; 2, 2'-dimethoxy-3, 5, 3', 5'-tetrachloro-4''-bromotriphenylmethane-6''-sulphonic acid, sodium salt).
 T as mothproofing agent. 447P, 457P, 1179.
- 258-592-852-953-1023.
o-Toluenesulfonic acid, α,α -bis(5-chloro-2-methoxyphenyl)-; $\text{CH}(\text{ClC}_6\text{H}_4(\text{OCH}_3))_2\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (Methane, bis(5-chloro-2-methoxyphenyl)-2''-sulphophenyl).
 T as mothproofing agent. 447P, 1179.
- 258-592-852-953-1023-1109.
p-Toluenesulfonic acid, α,α -bis(5-chloro-2-methoxy-*m*-tolyl)-, ammonium salt; $\text{CH}(\text{ClC}_6\text{H}_3(\text{CH}_3)(\text{OCH}_3))_2\text{C}_6\text{H}_4\text{SO}_3\text{NH}_4$. (Methane, bis(5-chloro-2-methoxy-3-methylphenyl)-4'-sulphophenyl-, ammonium salt; 2, 2'-dimethoxy-3, 3'-dimethyl-5, 5'-dichlorotriphenylmethane-4''-sulphonic acid, ammonium salt).
 T as mothproofing agent. 447P, 457P, 1179.
- 258-592-852-953-1023-1198.
p-Toluenesulfonic acid, α,α -bis(5-chloro-2-methoxy-*m*-tolyl)-, potassium salt; $\text{CH}(\text{ClC}_6\text{H}_3(\text{CH}_3)(\text{OCH}_3))_2\text{C}_6\text{H}_4\text{SO}_3\text{K}$. (Methane, bis(5-chloro-2-methoxy-3-methylphenyl)-4'-sulphophenyl-, potassium salt; 2, 2'-dimethoxy-3, 3'-dimethyl-5, 5'-dichlorotriphenylmethane-4''-sulphonic acid, potassium salt).
 T as mothproofing agent. 447P, 457P, 1179.
- 258-592-852-953-1023-1218.
p-Toluenesulfonic acid, α,α -bis(5-chloro-2-methoxy-*m*-tolyl)-, sodium salt; $\text{CH}(\text{ClC}_6\text{H}_3(\text{CH}_3)(\text{OCH}_3))_2\text{C}_6\text{H}_4\text{SO}_3\text{Na}$. (Methane, bis(5-chloro-2-methoxy-3-

- OC₆H₄)₂C₆H₄(Cl)SO₃K. (Methane, bis(2-*n*-butoxy-3, 5-dichlorophenyl)-5-chloro-2'-sulphophenyl-, potassium salt; 2, 2'-di-*n*-butoxy-3, 5, 3', 5', 3"-pentachlorotriphenylmethane-6"-sulphonic acid, potassium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1196.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(2-butoxy-3, 5-dichlorophenyl)-, potassium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃K. (Methane, bis(2-*n*-butoxy-3, 5-dichlorophenyl)-4'-chloro-2'-sulphophenyl-, potassium salt; 2, 2'-di-*n*-butoxy-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, potassium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1196.
- p*-Toluenesulfonic acid, α -(2-butoxy-3, 5-dichlorophenyl)- α -(3-butoxy-2, 4, 6-trichlorophenyl)-, potassium salt; CH(Cl₂C₆H₄C₆H₄)₂(Cl₂C₆HOC₆H₄)C₆H₄SO₃K. (Methane, 2, 3'-di-*n*-butoxy-3, 5, 2', 4', 6'-pentachloro-4"-sulphotriphenyl-, potassium salt; 2, 3'-*n*-butoxy-3, 5, 2', 4', 6'-pentachlorotriphenylmethane-4"-sulphonic acid, potassium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1218.
- o*-Toluenesulfonic acid, α -(2-butoxy-3, 5-dichlorophenyl)- α -(5-butoxy-2, 4, 6-trichlorophenyl)-, sodium salt; Cl[(Cl₂C₆H(OC₆H₄)₂)(C₆H₄(Cl)₃)C₆H₄SO₃Na]. (Methane, 2, 5'-di-*n*-butoxy-3, 5, 2', 4', 6'-pentachloro-2"-sulphotriphenyl-, sodium salt; 2, 5'-di-*n*-butoxy-3, 5, 2', 4', 6'-pentachlorotriphenylmethane-2"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 1179.
- 258-592-855-953-1002-1021-1218.
- o*-Toluenesulfonic acid, 4-chloro- α,α -bis(2-butoxy-3, 5-dichlorophenyl)-, sodium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃Na. (Methane, bis(2-*n*-butoxy-3, 5-dichlorophenyl)-5'-chloro-2'-sulphophenyl-, sodium salt; 2, 2'-di-*n*-butoxy-3, 5, 3', 5', 3"-pentachlorotriphenylmethane-6"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1218.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(2-butoxy-3, 5-dichlorophenyl)-, sodium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃Na. (Methane, bis(2-*n*-butoxy-3, 5-dichlorophenyl)-4'-chloro-2'-sulphophenyl-, sodium salt; 2, 2'-di-*n*-butoxy-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1218.
- p*-Toluenesulfonic acid, α -(2-butoxy-3, 5-dichlorophenyl)- α -(3-butoxy-2, 4, 6-trichlorophenyl)-, sodium salt; CH(Cl₂C₆H₄OC₆H₄)₂(Cl₂C₆HOC₆H₄)C₆H₄SO₃Na. (Methane, 2, 3'-di-*n*-butoxy-3, 5, 2', 4', 6'-pentachloro-4"-sulphotriphenyl-, sodium salt; 2, 3'-*n*-butoxy-3, 5, 2', 4', 6'-pentachlorotriphenylmethane-4"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1002-1021-1109.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichloro-2-ethoxyphenyl)-, ammonium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃NH₄. (Methane, bis(3, 5-dichloro-2-ethoxyphenyl)-4'-chloro-2'-sulphophenyl-, ammonium salt; 2, 2'-diethoxy-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, ammonium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1012-1021-1196.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichloro-2-ethoxyphenyl)-, potassium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃K. (Methane, bis(3, 5-dichloro-2-ethoxyphenyl)-4'-chloro-2'-sulphophenyl-, potassium salt; 2, 2'-diethoxy-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, potassium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1012-1021-1218.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichloro-2-ethoxyphenyl)-, sodium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃Na. (Methane, bis(3, 5-dichloro-2-(β -methoxyethoxy)phenyl)-2'-sulphophenyl-, sodium salt; 2, 2'-(β -methoxyethoxy)-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 1179.
- 258-592-855-953-1023-1196.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichloro-2-methoxyphenyl)-; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃H. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-4'-chloro-2'-sulphophenyl-, 3, 3', 5, 5', 4"-pentachloro-6', 6'-dimethoxytriphenylmethane-2"-sulphonic acid).
- T as mothproofing agent. 447P, 1179.
- 258-592-855-953-1023-1109.
- o*-Toluenesulfonic acid, 4-chloro- α,α -bis(3, 5-dichloro-2-methoxyphenyl)-, ammonium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃NH₄. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-5'-chloro-2'-sulphophenyl-, ammonium salt; 2, 2'-dimethoxy-3, 5, 3', 5', 3"-pentachlorotriphenylmethane-6"-sulphonic acid, ammonium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1023-1109.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichlorobenzoyl)-, ammonium salt; [(Cl₂C₆H₄CH₂O)₂:CH(C₆H₄(Cl)(SO₃NH₄))]. (Methane, dibenzoyl-3, 5, 3', 5', 4"-pentachloro-2"-sulphotriphenyl-, ammonium salt; dibenzoyl-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, ammonium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1023-1196.
- o*-Toluenesulfonic acid, 4-chloro- α,α -bis(3, 5-dichloro-3-methoxyphenyl)-, potassium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃K. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-5'-chloro-2'-sulphophenyl-, potassium salt; 2, 2'-dimethoxy-3, 5, 3', 5', 3"-pentachlorotriphenylmethane-6"-sulphonic acid, potassium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1023-1218.
- o*-Toluenesulfonic acid, 4-chloro- α,α -bis(3, 5-dichloro-3-methoxyphenyl)-, sodium salt; CH(Cl₂C₆H₄OC₆H₄)₂C₆H₄(Cl)SO₃Na. (Methane, bis(3, 5-dichloro-2-methoxyphenyl)-5'-chloro-2'-sulphophenyl-, sodium salt; 2, 2'-dimethoxy-3, 5, 3', 5', 3"-pentachlorotriphenylmethane-6"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1023-1218.
- o*-Toluenesulfonic acid, 5-chloro- α,α -bis(3, 5-dichlorobenzoyl)-, sodium salt; [(Cl₂C₆H₄CH₂O)₂:CH(C₆H₄(Cl)(SO₃Na))]. (Methane, dibenzoyl-3, 5, 3', 5', 4"-pentachloro-2"-sulphotriphenyl-, sodium salt; dibenzoyl-3, 5, 3', 5', 4"-pentachlorotriphenylmethane-6"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 457P, 1179.
- 258-592-855-953-1023-1218.
- o*-Toluenesulfonic acid, α,α -bis(2-methoxyphenyl)-; CH(C₆H₄OC₆H₄)₂C₆H₄SO₃H. (Methane, bis(2-methoxyphenyl)-4-sulphophenyl-).
- T as mothproofing agent. 447P, 1179.
- 258-594-854-953-1012-1023-1218.
- o*-Toluenesulfonic acid, α,α -bis[3, 5-dichloro-2-(2-methoxyethoxy)phenyl]-, sodium salt; CH(Cl₂C₆H₄OC₂H₄OC₆H₄)₂C₆H₄SO₃Na. (Methane, bis[3, 5-dichloro-2-(β -methoxyethoxy)phenyl]-2'-sulphophenyl-, sodium salt; 2, 2'-(β -methoxyethoxy)-3, 5, 3', 5', 5"-tetrachlorotriphenylmethane-2"-sulphonic acid, sodium salt).
- T as mothproofing agent. 447P, 1179.

- 258-657-951.
Benzenesulfonic acid, 4-hydrazino-; $\text{HSO}_3\text{C}_6\text{H}_4\text{NH}_2$. (Phenyldiazine-*p*-sulfonic acid).
T screwworms at m.l.c. 0.33-0.67%. 156.
- 258-659-952-1022.
Benzenesulfonic acid, *or*-formyl-, methylphenylhydrazine; $\text{C}_6\text{H}_5\text{N}(\text{CH}_3)\text{N}:\text{CHC}_6\text{H}_4\text{SO}_3\text{H}$. (Benzylidene-phenylmethylhydrazine sulphonic acid).
T as mothproofing agent. 336P, 338P, 374P, 1178.
- 258-665-671-924-951.
Benzenesulfonic acid, 4-(4'-aminonaphthaleneazo)-; $\text{H}_2\text{NC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (1-Amino naphthalene-4-azobenzene-*p*-sulfonate).
ST greenhouse red spider at 2%. 1431.
- 258-665-671-924-1218.
Naphthylamine black; $\text{H}_2\text{NC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{SO}_3\text{Na}$.
T moths, *Anthrenus*, *Attapenus*, and other pests. 690P, 1179.
- 258-665-671-952.
Benzenesulfonic acid, 4-(4'-aminophenylazo)-; $\text{H}_2\text{NC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (4-Amino azobenzene-4'-sulfonic acid).
ST greenhouse red spider at 2%; NT southern army worm at 4%. 1431.
- 258-665-672-024-952-1218.
Congo red R; $\text{C}_{20}\text{H}_{12}\text{O}_4\text{N}_2\text{Na}_2$. (Sodium diphenylazo-bis(α -naphthylamine)sulfonate).
NT clothes moth. 974, 1176.
- 258-665-691-982-1218.
Methyl orange; $\text{NaSO}_3\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{N}(\text{CH}_3)_2$. (Dimethyl aniline orange; gold orange; helianthin; mandarin orange; orange III; Forrier's orange III; sodium salt of sulphobenzene-azo-dimethyl aniline; trapaeoline D; trapaeoline).
T *Lucilia cuprina* larvae; NT clothes moth. 849, 974, 1178.
- 258-671-851-951-.
Metanilic acid, 2-chloro-; $\text{Cl}(\text{NH}_2)\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (4-Chloroaniline-3-sulfonic acid). 363P.
- 258-671-851-951-1021.
m-Toluenesulfonic acid, 2-amino-4-chloro-; $\text{CH}_3(\text{NH}_2)(\text{Cl})\text{C}_6\text{H}_3\text{SO}_3\text{H}$. (2-Chloro-4-amino-1-methylbenzene-5-sulfonic acid). 363P.
- 258-671-851-951-1021.
m-Toluenesulfonic acid, 4-amino-3-chloro-; $\text{CH}_3(\text{Cl})(\text{NH}_2)\text{C}_6\text{H}_3\text{SO}_3\text{H}$. (3-Chloro-2-amino-1-methylbenzene-5-sulfonic acid). 363P.
- 258-671-852-951.
Sulfanilic acid, 2, 5-dichloro-; $\text{Cl}_2(\text{NH}_2)\text{C}_6\text{H}_3\text{SO}_3\text{H}$. (2, 5-Dichloroaniline-4-sulfonic acid). 363P.
- 258-671-924.
Naphthionic acid; $\text{NH}_2\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \frac{1}{2}\text{H}_2\text{O}$. (1-Naphthylamine-4-sulfonic acid; 4-amino-1-naphthalene-sulfonic acid).
NT silkworm. 559, 1432.
- 258-671-924.
2-Naphthalenesulfonic acid, 8-amino-; $\text{NH}_2\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \text{H}_2\text{O}$. (1-Naphthylamine-7-sulfonic acid). 363P.
- 258-671-924.
2, 4-Naphthalenedisulfonic acid, 1-amino-; $\text{NH}_2\text{C}_6\text{H}_4(\text{SO}_3\text{H})_2$. (1-Naphthylamine-2, 4-disulfonic acid). 371P.
- 258-671-924.
3, 6, 8-Naphthalenetrisulfonic acid, 1-amino-; $\text{H}_2\text{NC}_6\text{H}_4(\text{SO}_3\text{H})_3$. (1-Naphthylamine-3, 6, 8-trisulfonic acid).
T as mothproofing agent. 331P, 1176.
- 258-671-924-951-1021.
p-Toluenesulfonic acid, 1-naphthylamine salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \text{H}_2\text{NHC}_6\text{H}_4\text{SO}_3\text{H}$. (α -Naphthylamine *p*-toluene sulfonate).
34% T culicine mosquito larvae. 172, 1178.
- 258-671-924-1114.
Naphthionic acid, barium salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Ba}$. (Barium naphthionate).
NT *Pieris rapae*. 635.
- 258-671-924-1114.
1-Naphthalenesulfonic acid, 2-amino-, barium salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Ba}$. (Barium β naphthylamine sulfonic acid).
NT *Pieris rapae*. 635.
- 258-671-924-1142.
Naphthionic acid, copper salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Cu}$. (Copper naphthionate).
NT *Pieris rapae*. 635.
- 258-671-924-1142.
1-Naphthalenesulfonic acid, 2-amino-, copper salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Cu}$. (Copper β naphthylamine sulfonic acid).
NT *Pieris rapae*. 635.
- 258-671-924-1166.
Naphthionic acid, lead salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Pb}$. (Lead naphthionate).
NT *Pieris rapae*. 635.
- 258-671-924-1166.
1-Naphthalenesulfonic acid, 2-amino-, lead salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Pb}$. (Lead β naphthylamine sulfonic acid).
NT *Pieris rapae*. 635.
- 258-671-924-1218.
Naphthionic acid, sodium salt; $\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{Na}$. (Sodium naphthionate).
T *Aphis rumicis*; NT *Pieris rapae*. 635.
- 258-671-951.
Benzenesulfonic acid, *o*-amino-; $\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (Orthanilic acid; *o*-anilinesulfonic acid).
NT mosquito larvae. 172, 363P, 1178.
- 258-671-951.
Metanilic acid; $\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (*m*-Aminobenzene-sulfonic acid).
28.2% T codling moth larvae. 915, 1432.
- 258-671-951.
Sulfanilic acid; $\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (*p*-Aminobenzene-sulfonic acid; *p*-anilinesulfonic acid).
45% T codling moth larvae; NT *Metanoplus m. merianus*. 331P, 915, 1150, 1176, 1432.
- 258-671-951-1021.
m-Toluenesulfonic acid, 2-amino-; $\text{H}_2\text{N}(\text{CH}_3)\text{C}_6\text{H}_4\text{SO}_3\text{H}$. (4-Amino-1-methylbenzene-3-sulfonic acid). 363P.
- 258-671-951-1022.
3, 5-Xylenesulfonic acid, 2-amino-; $\text{H}_2\text{N}(\text{CH}_3)_2\text{C}_6\text{H}_3\text{SO}_3\text{H}$. (1, 3-Dimethyl-4-aminobenzene-5-sulfonic acid). 363P.
- 258-671-951-1142.
Sulfanilic acid, copper salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Cu}$. (Copper sulfanilic acid).
ST *Pieris rapae*. 635.
- 258-671-951-1166.
Sulfanilic acid, lead salt; $(\text{H}_2\text{NC}_6\text{H}_4\text{SO}_3)_2\text{Pb}$.
NT *Pieris rapae*. 635.
- 258-671-952-1021.
p-Toluenesulfonic acid, aniline salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \text{NH}_2\text{C}_6\text{H}_5$. (Aniline *p*-toluene sulfonate).
NT culicine mosquito larvae. 172, 1178.
- 258-671-952-1021.
p-Toluenesulfonic acid, sulfanilic acid salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H} \cdot \text{H}_2\text{NC}_6\text{H}_4\text{SO}_3\text{H}$. (Sulphanilic acid, *p*-toluene sulfonate).
NT culicine mosquito larvae. 172, 1178.
- 258-671-961-1027.
Sulfonic acids, substituted, cyclohexylamine salt, CU; $\text{C}_6\text{H}_{11}\text{NH}_2\text{HSO}_3\text{YR} \cdot \text{XR}$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-671-983-1389.
9-Octadecanesulfonic acid, 1-amino-, sulfate; $\text{CH}_3(\text{CH}_2)_7\text{CH}(\text{SO}_3\text{H})\text{CH}_2(\text{CH}_2)_7\text{CH}_2\text{NH}_2\text{H}_2\text{SO}_4$. 71P.
- 258-671-986-1027.
Sulfonic acids, substituted, cetylamine salt, CU; $\text{C}_{18}\text{H}_{35}\text{NH}_2\text{HSO}_3\text{YR} \cdot \text{XR}$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-671-989-1022-1027.
Sulfonic acids, substituted, dodecylmethylamine salt, CU; $(\text{CH}_3)_2\text{N}(\text{C}_{12}\text{H}_{25})\text{HSO}_3\text{YR} \cdot \text{XR}$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-672-951.
1, 3-Benzenedisulfonic acid, 2, 4-diamino-; $(\text{SO}_3\text{H})_2\text{C}_6\text{H}_3(\text{NH}_2)_2$. (1, 3-Phenylenediamine-4, 6-disulfonic acid). 363P.

- 258-730.
3-Pyridinesulfonic acid; $C_5H_4N(SO_3H)$. (Pyridine- β -sulfonic acid).
T *Aphis rumicis* on nasturtium. 1153, 1178.
- 258-730-740-1021-1045.
Sulfonic acids, substituted, nicotine salt, CU; $C_{10}H_{11}N_2HSO_3YR'XR$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent.
282P, 1432.
- 258-730-950.
8-Quinoline sulfonic acid; $HO_2SC_8H_6N$.
NT *Pieris rapae*. 635.
- 258-730-950.
Acridinesulfonic acid, CU; $HO_2SC_{13}H_9N$.
T as mothproofing agent. 331P, 1176.
- 258-730-950-1027.
Sulfonic acids, substituted, quinoline salt, CU; $C_8H_7NHSO_3YR'XR$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent.
282P, 1432.
- 258-730-950-1114.
8-Quinoline sulfonic acid, barium salt; $Ba(O_2SC_8H_6N)_2$.
NT *Pieris rapae*. 635.
- 258-730-950-1114.
8-Quinoline sulfonic acid, barium salt; $Ba(O_2SC_8H_6N)_2$.
NT *Pieris rapae*. 635.
- 258-730-950-1126.
4-Isoquinolinesulfonic acid, calcium salt; $Ca(O_2SC_8H_6N)_2$. (Calcium salt 6-isquinoline, 8-sulfonic acid).
NT *Pieris rapae*. 635.
- 258-730-950-1142.
5-Quinolinesulfonic acid, copper salt; $Cu(O_2SC_8H_6N)_2$.
NT *Pieris rapae*. 635.
- 258-730-950-1142.
8-Quinolinesulfonic acid, copper salt; $Cu(O_2SC_8H_6N)_2$.
NT *Pieris rapae*. 635.
- 258-730-950-1160.
8-Quinolinesulfonic acid, lead salt, Pb ($O_2SC_8H_6N$) $_2$.
NT *Pieris rapae*. 635.
- 258-730-950-1218.
5-Quinolinesulfonic acid, sodium salt; $NaO_2SC_8H_6N$.
NT *Pieris rapae*. 635.
- 258-730-950-1218.
8-Quinolinesulfonic acid, sodium salt; $NaO_2SC_8H_6N$.
NT *Pieris rapae*. 635.
- 258-730-950-1218.
4-Isoquinolinesulfonic acid, sodium salt; $NaO_2SC_8H_6N$.
NT *Pieris rapae*. 635.
- 258-730-1027.
Sulfonic acids, substituted, piperidine salts, CU; $C_8H_{10}NHSO_3YR'XR$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent.
282P, 1432.
- 258-730-1027.
Sulfonic acids, substituted, pyridine salt, CU; $C_5H_6NHSO_3YR'XR$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S, or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent.
282P, 1432.
- 258-730-851-950-1011.
Carbazolesulfonic acid, chloro-9-ethyl-? ($ClC_{12}H_8N$)-(C $_2$ H $_5$)SO $_3$ H? (Carbazolesulfonic acid, N-ethyl-chloro-).
T as mothproofing agent. 873P, 1176.
- 258-751-852-953-1023.
m-Toluenesulfonic acid, α,α -bis(p-chlorobenzylthio)-; $HO_2SC_6H_4CH(SCH_2C_6H_4Cl)_2$.
T as mothproofing agent. 523P.
- 258-781-852-953-1023.
o-Toluenesulfonic acid, α,α -bis(p-chlorobenzylthio)-; $HO_2SC_6H_4CH(SCH_2C_6H_4Cl)_2$.
T as mothproofing agent. 523P.
- 258-843-952-1021.
p-Toluenesulfonic acid, 2, 4, 6-tribromophenyl ester; $Br_3C_6H_2OSO_3C_6H_4CH_3$.
NT as mothproofing agent. 239.
- 258-851-924-954-1021-1193.
Phosphonium compound, chlorobenzyltriphenyl- α -naphthalenesulphonate; $(C_6H_5CH_2)(C_6H_5)_3PSO_3C_{10}H_7$.
T as mothproofing agent. 871P, 1176.
- 258-851-924-1114.
2-Naphthalenesulphonic acid, chloro-, barium salt, CU; $(ClC_{10}H_7SO_3)_2Ba$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1114.
Naphthalenedisulfonic acid, chloro-, barium salt, CU; $ClC_{10}H_6(SO_3)_2Ba$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1163.
2-Naphthalenesulphonic acid, chloro-, lithium salt, CU; $ClC_{10}H_7SO_3Li$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1163.
Naphthalenedisulphonic acid, chloro-, lithium salt, CU; $ClC_{10}H_6(SO_3Li)_2$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1199.
2-Naphthalenesulphonic acid, chloro-, potassium salt, CU; $ClC_{10}H_7SO_3K$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1199.
Naphthalenedisulphonic acid, chloro-, potassium salt, CU; $ClC_{10}H_6(SO_3K)_2$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1218.
2-Naphthalenesulphonic acid, chloro-, sodium salt, CU; $ClC_{10}H_7SO_3Na$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-924-1218.
Naphthalenedisulphonic acid, chloro-, sodium salt, CU; $ClC_{10}H_6(SO_3Na)_2$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-951.
Benzenesulphonic acids, chloro-, CU; $ClC_6H_4SO_3H$.
T as mothproofing agent. 982P, 1176.
- 258-851-951-1011-1021.
p-Toluenesulfonic acid, β -chloroethyl ester; $CH_3C_6H_4SO_3CH_2CH_2Cl$.
T Codling moth larvae. 915, 929, 930, 1432.
- 258-851-951-1021.
p-Toluenesulfonic acid, α -chloro-, $ClCH_2C_6H_4SO_3H$. (Benzylchloride p-sulphonic acid).
T as mothproofing agent. 413P, 1175.
- 258-851-951-1021.
Toluenesulfonic acid, α -chloro-, CU; $ClCH_2C_6H_4SO_3H$. (Benzylchloride sulphonic acid).
T as mothproofing agent. 1175, 1455P.
- 258-851-951-1021-1114.
o-Toluenesulfonic acid, chloro-, barium salt, CU; $[ClC_6H_4(C_6H_5)SO_3]_2Ba$. (Barium salt of chloro-ortho cresol sulfonic acid).
NT *Pieris rapae*. 635.
- 258-851-951-1218.
Benzenesulphonic acid, chloro-, sodium salt, CU; $ClC_6H_4SO_3Na$.
T as mothproofing agent. 982P, 983P, 1176.
- 258-851-952.
Benzenesulfonic acid, 4-chloro-, phenyl ester; $ClC_6H_4SO_3C_6H_5$. (Phenyl ester of p-chlorobenzenesulfonic acid).
NT as mothproofing agent. 239.
- 258-851-952-1021.
p-Toluenesulfonic acid, 2'-chlorophenyl ester; $CH_3C_6H_4SO_3C_6H_4Cl$. (o-Chlorophenyl ester of p'-toluenesulfonic acid; 2-chlorophenyl-4-toluenesulfonate).
NT silkworm and as mothproofing agent. 239, 559, 1432.
- 258-851-952-1021.
p-Toluenesulfonic acid, 4'-chlorophenyl ester; $CH_3C_6H_4SO_3C_6H_4Cl$. (p-Chlorophenyl ester of p'-toluenesulfonic acid; 4-chlorophenyl-4-toluenesulfonate).
NT silkworm and as mothproofing agent. 239, 559, 1432.
- 258-851-952-1022.
p-Toluenesulfonic acid, 4-chloro-m-tolyl ester; $CH_3C_6H_4SO_3C_6H_3ClCH_3$.

- $C_6H_4SO_3CaH_2(CH_3)Cl$.
NT as mothproofing agent. 239.
258-852-951-1021.
 α -Toluenesulphonic acid, 2, 4-dichloro-; $Cl_2C_6H_3-CH_2SO_3H$. (2, 4-Dichloro-benzyl- ω -sulphonic acid).
T as mothproofing agent. 413P, 1175.
258-852-951-1021.
 α -Toluenesulphonic acid, dichloro-; $Cl_2C_6H_3-CH_2SO_3H$. (Dichloro benzyl- ω -sulphonic acid).
T as mothproofing agent. 1175, 1393P.
258-852-952.
Benzenesulfonic acid, 3, 4-dichloro-, phenyl ester; $Cl_2C_6H_3SO_2OC_6H_5$. (Phenyl ester of 3, 4-dichlorobenzenesulfonic acid).
NT as mothproofing agent. 239.
258-852-952-1021.
 p -Toluenesulfonic acid, 2', 4'-dichloro-, phenyl ester; $CH_3C_6H_4SO_2OC_6H_4Cl_2$. (2, 4-Dichlorophenyl-4- p -toluenesulfonate).
NT *Bombyx mori* larvae and as mothproofing agent. 239, 559, 1432.
258-854-952.
Benzenesulfonic acid, 3, 4-dichloro-2', 4'-dichloro-phenyl ester; $Cl_2C_6H_3SO_2OC_2H_4Cl_2$.
T as mothproofing agent. 239.
258-861-924.
1-Naphthalenesulphonic acid, 5-fluoro-; $FC_{10}H_7SO_3H$.
T as mothproofing agent. 411P, 425P, 1175, 1399P.
258-924.
2-Naphthalenesulphonic acid; $C_{10}H_7SO_3H$. (Naphthalene- β -sulphonic acid).
T as mothproofing agent; NT *Bombyx mori* larvae. 559, 982P, 983P, 1176, 1432.
258-924.
Naphthalenesulphonic acid, CU; $C_{10}H_7SO_3H$.
T as mothproofing agent. 425P, 983P, 1175, 1176, 1399P.
258-924-954-1021-1193.
Phosphonium α -naphthalenesulfonate, benzyltri-phenyl-; $(C_6H_5CH_2)(C_6H_5)_3PSO_3C_{10}H_7$.
T as mothproofing agent. 867P, 871P, 1175, 1176.
258-924-1002.
Naphthalenesulphonic acid, dibutyl-. CU; $(C_4H_9)_2-C_{10}H_7SO_3H$.
T as mothproofing agent. 503P, 1175.
258-924-1003-1218.
Naphthalenesulphonic acid, isopropyl-, sodium salt, CU; $CaH_7C_{10}H_7SO_3Na$.
T as mothproofing agent. 400P, 1175, 1176, 1353P.
258-924-1004.
Naphthalenesulphonic acid, diisopropyl-, CU. 838P, 1432.
258-924-1021-1114.
Naphthalenesulfonic acid, methyl-, barium salt, CU; $(CH_3C_{10}H_7SO_3)_2Ba$. (Barium methyl-naphthalene sulfonic acid).
NT *Pieris rapae*. 635.
258-924-1021-1218.
Naphthalenesulfonic acid, methyl-, sodium salt, CU; $C_{10}H_7SO_3Na$. (Sodium methyl-naphthalene sulfonic acid).
NT *Pieris rapae*. 635.
258-924-1027.
Naphthalenesulfonic acid, alkyl-, CU; $RC_{10}H_7SO_3H$. (Naphthalene mono-sulphonic acid, alkyl derivatives of).
T aphids and as mothproofing agent. 372P, 509P, 1167P, 1175, 1176.
258-924-1027.
Naphthalene poly-sulphonic acids, alkyl-, CU.
T as mothproofing agent. 1167P, 1176.
258-924-1106.
1-Naphthalenesulphonic acid, aluminum salt; $(C_{10}H_7SO_3)_3Al$.
T as mothproofing agent. 1167P, 1176, 1417P.
258-924-1106.
2-Naphthalenesulphonic acid, aluminum salt; $(C_{10}H_7SO_3)_3Al$.
T as mothproofing agent. 1167P, 1176, 1417P.
258-924-1109.
2-Naphthalenesulfonic acid, ammonium salt; $C_{10}H_7SO_3NH_4$. (Ammonium naphthalene β -sulfonic acid).
NT *Pieris rapae*. 635.
258-924-1142.
Naphthalenesulfonic acid, copper salt, CU; $(C_{10}H_7SO_3)_2Cu$. (Copper naphthalene sulfonate).
NT *Pieris rapae*. 635.
258-924-1166.
Naphthalenesulfonic acid, lead salt, CU; $(C_{10}H_7SO_3)_2Pb$. (Lead naphthalene sulfonate).
NT *Pieris rapae*. 635.
258-924-1218.
Naphthalenesulfonic acid, sodium salt, CU; $C_{10}H_7SO_3Na$. (Sodium naphthalene sulfonate).
ST *Pieris rapae*. 635.
258-924-1218.
2-Naphthalenesulfonic acid, sodium salt; $C_{10}H_7SO_3Na$. (Sodium naphthalene β sulfonic acid).
NT *Pieris rapae*. 635.
258-924-1244.
1-Naphthalenesulphonic acid, zinc salt; $(C_{10}H_7SO_3)_2Zn$.
T as mothproofing agent. 1176, 1416P, 1417P.
258-924-1244.
2-Naphthalenesulphonic acid, zinc salt; $(C_{10}H_7SO_3)_2Zn$.
T as mothproofing agent. 1176, 1416P, 1417P.
258-951.
Benzenesulfonic acid; $C_6H_5SO_3H$.
T as mothproofing agent; ST screwworms at m.l.e. 0.67% 156, 331P, 982P, 1176, 1407.
258-951-1001-1021.
 p -Toluenesulphonic acid, butyl ester; $CH_3C_6H_4SO_2C_4H_9$. (n-Butyl p -toluenesulfonate).
NT *Chrysomphalus aurantii*. 268, 1178.
258-951-1003-1021.
 p -Toluenesulfonic acid, propyl ester; $CH_3C_6H_4SO_2C_3H_7$.
93.5% T codling moth larvae. 915, 1432.
258-951-1021.
 α -Toluenesulphonic acid; $CaH_7CH_3SO_3H$. (Benzyl- ω -sulphonic acid).
T as mothproofing agent. 413P, 1175.
258-951-1021-1196-1312.
 α -Toluenesulphonic acid, hydrofluoride, potassium salt; $CH_3C_6H_4SO_3K.HF$.
T as mothproofing agent. 642P, 1175.
258-951-1021-1218.
 p -Toluenesulfonic acid, sodium salt; $CH_3C_6H_4SO_3Na$. (Sodium p -toluenesulfonate).
T as mothproofing agent; NT codling moth. 461P, 915, 1176.
258-951-1021-1218-1312.
 α -Toluenesulphonic acid, hydrofluoride, sodium salt; $CH_3C_6H_4SO_3Na.HF$.
T as mothproofing agent. 642P, 1175.
258-951-1218.
Benzenesulphonic acid, sodium salt; $C_6H_5SO_3Na$.
T as mothproofing agent. 982P, 983P, 1176.
258-951-1218.
Benzenedisulphonic acid, sodium salt; CU; $CaH_4(SO_3Na)_2$.
T as mothproofing agent. 982P, 983P, 1176.
258-952.
Biphenylsulfonic acid, sodium salt, CU; $C_6H_5C_6H_4SO_3Na$. (Sodium diphenyl sulfonate).
NT *Pieris rapae*. 635.
258-952-1021.
 p -Toluenesulfonic acid, phenyl ester; $CH_3C_6H_4SO_2C_6H_5$.
NT as mothproofing agent. 239.
258-952-1022.
 p -Toluenesulfonic acid, o -tolyl ester; $CH_3C_6H_4SO_2C_6H_4CH_3$.
NT as mothproofing agent. 239.
258-952-1213.
Sulfonic acid derivatives, CU. 178, 662, 1086, 1432.
258-953-1021.
Benzenesulfonic acid, o , o' , o'' -methylidynetris-; $CH(C_6H_4SO_3H)_3$. (Methane, o -sulphotriphenyl-).
T as mothproofing agent. 438P, 1179.
258-975.
Sulfonic acids, aryl-, CU. 1397P, 1432.
258-975-1220.
Sulfonic acids, strontium salts; $(RSO_3)_2Sr$. (Strontium sulphonate).
T as mothproofing agent. 872P, 1179.

- 258-1027.
Sulfonates, alkyl-. 32EP, 282P, 500P, 748P, 1432.
- 258-1027-1113.
Sulfonic acids, substituted, arsenic salt, CU; $\text{As}(\text{SO}_3\text{YR}'\text{XR})_3$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S, or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-1027-1142.
Sulfonic acids, substituted, copper salt, CU; $\text{Cu}(\text{SO}_3\text{YR}'\text{XR})_2$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S, or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-1027-1176.
Sulfonic acids, substituted, mercury salt, CU; $\text{Hg}(\text{SO}_3\text{YR}'\text{XR})_2$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S, or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-1027-1227.
Sulfonic acids, substituted, tellurium salt, CU; $\text{Te}(\text{SO}_3\text{YR}'\text{XR})_4$.
In which R is a substituted or unsubstituted hydrocarbon radical, X is oxygen, S, or SO_2 , R' is an alkylene group, and Y is oxygen or may be absent. 282P, 1432.
- 258-1045.
Sulfonic acids, CU.
T as mothproofing agent. 77P, 331P, 372P, 480P, 470P, 867P, 1137P, 1175, 1176, 1358P.
- 258-1045-1218.
Sulfonic acids, sodium salt, CU. 1432, 1446.
- 261-671-700-1021.
Formamidine sulfonic acid? $\text{H}_2\text{NC}(\text{NH})\text{SO}_2\text{H}$.
T Colorado potato beetle, Mexican bean beetle, and cotton leaf worm. 722P.
- 261-924.
1, 5-Naphthalenedisulphonic acid; $\text{C}_{10}\text{H}_6(\text{SO}_3\text{H})_2$.
20% T culicine mosquito larvae. 172, 1178.
- 261-924.
2, 6-Naphthalenedisulphonic acid; $\text{C}_{10}\text{H}_6(\text{SO}_3\text{H})_2$.
NT culicine mosquito larvae. 172, 1178.
- 261-951-1021-1218.
p-Toluenesulfonic acid, sodium salt; $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{Na}$.
NT codling moth larvae. 915, 1432.
- 261-1045.
Sulfonic acids, CU.
T as mothproofing agent. 867P, 1175.
- 264-301-950.
Phenoxathiin, 10-dioxo-; $(\text{C}_{12}\text{H}_8\text{OS})\text{O}_2$. (Phenthioxine dioxide).
ST greenhouse red spider at 2%; NT southern army worm at 4%. 1481.
- 264-440-950-1021.
Phenothiazine, N-methyl-5-dioxo-; $\text{CH}_3(\text{C}_{12}\text{H}_8\text{NS})\text{O}_2$. (N-Methyl diphenylamine sulfone).
NT Mexican bean beetle 608.
- 264-591-952-1011.
Phenetole, p-phenylsulfonfyl-; $\text{C}_6\text{H}_5\text{SO}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$.
MT as mothproofing agent. 239.
- 264-592-852-954-1022.
Sulfone, bis(2-benzoyloxy-5-chlorophenyl)-; $[\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{Cl})_2\text{SO}_2]_2$. (Sulfone, bis(5-chloro-2-pbenzylmethoxyphenyl)-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 264-592-954-1022.
Sulfone, bis(p-benzoyloxyphenyl)-; $(\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4)_2\text{SO}_2$. (Sulfone, bis(4-phenylmethoxy phenyl)-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 264-681-952-1012-1022.
Diethylamine, 2, 2'-bis-(p-tolylsulfonfyl)-; $(\text{CH}_3\text{C}_6\text{H}_4\text{SO}_2\text{C}_2\text{H}_5)_2\text{NE}$. (Bis[β -(p-tolylsulfonfyl)ethyl]amine. 772.
- 264-652-952.
Sulfone, bis(p-chlorophenyl)-; $(\text{ClC}_6\text{H}_4)_2\text{SO}_2$. (p, p'-Dichlorophenyl sulfone).
68.6% T corn borer. 1120.
- 264-863-951-1021.
Sulfone, phenyltrifluoromethyl, CU; RSO_2CF_3 .
R is a substituted or unsubstituted C_6H_5 radical. 342P.
- 264-952.
Sulfone, diphenyl-; $(\text{C}_6\text{H}_5)_2\text{SO}_2$. (Phenyl sulfone; phenylsulfonbenzene; benzene sulfone; sulfolbenzene).
100% T culicine mosquito larvae; NT as mothproofing agent. 172, 239, 1178.
- 264-952-1022.
Sulfone, bis-(p-tolyl)-; $(\text{CH}_3\text{C}_6\text{H}_4)_2\text{SO}_2$. (p-Tolyl sulfone).
NT as mothproofing agent. 239.
- 264-991-1001.
Sulfone, butyldecyl-; $\text{C}_4\text{H}_9\text{SO}_2\text{C}_{10}\text{H}_{21}$.
T houseflies. 1276.
- 264-1001-1012.
Trional; $\text{C}_2\text{H}_5(\text{CH}_3)\text{C}(\text{SO}_2\text{C}_6\text{H}_5)_2$. (2, 2-Bis(ethylsulfonfyl)butane).
NT culicine mosquito larvae. 172, 1178.
- 264-1002.
Sulfone, dibutyl-; $(\text{C}_4\text{H}_9)_2\text{SO}_2$. (n-Butyl sulfone; 1-(butylsulfonfyl)butane; di-n-butyl sulfone).
NT as mothproofing agent. 239.
- 264-1003-1012.
Sulphonal; $(\text{CH}_3)_2\text{C}(\text{SO}_2\text{C}_6\text{H}_5)_2$. [(2, 2-Bis(ethylsulfonfyl) propanol)].
NT culicine mosquito larvae at 1-10,000. 172, 1178.
- 265-301-950.
Phenoxathiin, 10-oxo-; $(\text{C}_{12}\text{H}_8\text{OS})\text{O}$. (Phenothioxin-S-oxide).
ST greenhouse red spider; NT mosquito larvae and NT southern army worm at 4%. 487.
- 265-402-1012-1022.
Sulfoxide, bis(2-thiocyanoeethyl)-; $(\text{NCSCCH}_2\text{CH}_2)_2\text{S}$. (Bis(β -thiocyanoeethyl) sulfoxide).
Fly spray. 112, 1032P.
- 265-440-950.
Phenothiazine, 5-oxo-; $(\text{C}_{12}\text{H}_8\text{NS})\text{O}$. (Phenothiazine-S-oxide).
NT mosquito larvae. 156, 487, 1291.
- 265-592-954-1022.
Sulfoxide, bis(p-benzoyloxyphenyl)-; $(\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4)_2\text{S}$.
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 265-852-1012.
Sulphoxide, bis(chloroethyl)-; $(\text{ClC}_2\text{H}_4)_2\text{S}$.
Caused serious burning when used as dust on bean foliage. 1098, 1178.
- 265-952.
Sulfoxide, diphenyl-; $(\text{C}_6\text{H}_5)_2\text{S}$.
88% T *Culex quinquefasciatus*; MT codling moth larvae. 157, 172, 1178, 1291.
- 267-377-951-997-1021.
Pseudourea, 2-caproyl 3-phenyl 2-thio-? $\text{C}_6\text{H}_5\text{COSC}(\text{NH})\text{NHC}_6\text{H}_5$.
T as mothproofing agent. 418P, 424P, 437P, 683P, 1175, 1179.
- 267-460-625-950-1021.
Benzothiazole, 2-(2-furoylmercapto)-; $(\text{C}_7\text{H}_4\text{NS})\text{SCOC}_4\text{H}_3\text{O}$.
44% T mosquito larvae. 487.
- 267-460-950-951-1021.
Benzoic acid, thiol-, 2-benzothiazolyl ester; $(\text{C}_7\text{H}_4\text{NS})\text{SCOC}_6\text{H}_5$. (2-(17)-(Benzoylmercapto) benzothiazole).
70% T codling moth larvae and MT mosquito larvae. 487, 1291.
- 267-460-950-951-1022.
Phthalic acid, dithiol-, di-2-benzothiazolyl ester; $\{(\text{C}_7\text{H}_4\text{NS})\text{SCOC}_6\text{H}_4\}_2$. (Bis-(1-benzothiazolyl)phthalyl disulfide).
70% T codling moth larvae. 1291.
- 267-532-952-1022.
Disulfide, bis(hydroxybenzoyl)-; $(\text{HOOC}_6\text{H}_4\text{COS})_2$. (Benzoic acid disulphide, bis-hydroxy).
T as mothproofing agent. 459P, 1176.
- 267-552-952-1024.
Disulfide, bis(o-carboxylbenzoyl)-; $(\text{HOOC}_6\text{H}_4\text{COS})_2$. 38P.
- 267-999-1011.
Acetic acid, thiol-, amyl ester; $\text{CH}_3\text{COSC}_5\text{H}_{11}$. (Amyl thiolacetate).
84-88% T *Lucilia sericata* larvae. 723.
- 267-1001-1011.
Acetic acid, thiol-, butyl ester; $\text{CH}_3\text{COSC}_4\text{H}_9$. (n-

- Butyl thiolacetate).
84-100% T *Lucilia sericata* larvae. 723.
- 287-1001-1011.
Acetic acid, thiol-, *tert*-butyl ester; $\text{CH}_3\text{COSC-}(\text{CH}_3)_2$. (Tertiary butyl acetyl sulfide).
T *Lucilia sericata*. 12P, 1276.
- 287-1001-1011-1030.
Acetic acid, thiol-, 3-(2-methylpropenyl) ester; $\text{CH}_3\text{-COSC}(\text{CH}_3)\text{C}(\text{CH}_3)=\text{CH}_2$. (Methallyl acetyl sulfide).
T *Lucilia sericata*. 12P, 1276.
- 287-1011.
Acetic acid, thiol-, CH_3COSH . (Ethanethioic acid; methanecarbothioic acid).
100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 287-1012.
Acetic acid, thiol-, ethyl ester; $\text{CH}_3\text{COSC}_2\text{H}_5$. (Ethyl thioacetate; ethyl sulfide).
T *Lucilia sericata*; MT confused flour beetle and granary weevil; ST red scale. 12P, 268, 1178, 1276, 1279, 1432.
- 287-1013.
Oxalic acid, dithiol-, diethyl ester; $(-\text{COSC}_2\text{H}_5)_2$. (Diethyldithio oxalate).
NT *Bombus mori* larvae. 559, 1432.
- 301-801-852-950-1023-1389.
Phenoxathionium methyl sulfate, 1, 3-dichloro-6, 10-dimethyl-, $\text{Cl}_2(\text{C}_{12}\text{H}_8\text{OS})(\text{CH}_3)_2\text{CH}_2\text{SO}_4$. (1, 3-Dichloro-6-methyl-8-methyl-o-phenylene oxide-sulfonium methoxysulfate). 520P.
- 301-801-950-951-1291.
Phenoxathionium chloride, 10-phenyl-, $\text{Cl}(\text{C}_{12}\text{H}_8\text{OS})-\text{C}_6\text{H}_5$. (S-Phenyl-di-o-phenylene oxide sulfonium chloride). 526P.
- 301-801-950-1000-1022-1389.
Phenoxathionium methyl sulfate, 3, 5-diamyl-10-methyl-, $(\text{C}_5\text{H}_{11})_2(\text{C}_{12}\text{H}_8\text{OS})(\text{CH}_3)\text{CH}_2\text{SO}_4$. (3, 5-Diamyl-8-methyl-o-phenylene oxide sulfonium methoxysulfate). 526P.
- 301-801-950-1024-1389.
Phenoxathionium methyl sulfate, 3, 6, 10-trimethyl-, $(\text{CH}_3)_3(\text{C}_{12}\text{H}_8\text{OS})\text{CH}_2\text{SO}_4$. (3, 6-Dimethyl-8-methyl-o-phenylene oxide-sulfonium methoxysulfate). 526P.
- 301-851-950-952.
Phenoxathiin, chloro-3, 6-diphenyl-, $\text{Cl}(\text{C}_{12}\text{H}_8\text{OS})(\text{C}_6\text{H}_5)_2$. (3, 6-Diphenyl-mono-chlorophenothioxine).
Fly spray. 112, 1307P.
- 301-851-950-961.
Phenoxathiin, 3-chloro-cyclohexyl-, $\text{Cl}(\text{C}_{12}\text{H}_8\text{OS})\text{C}_6\text{H}_{11}$. (Monocyclohexyl-3-chlorophenothioxine). 1306AP.
- 301-924.
Dibenzo [c, d] phenoxathiin; $\text{C}_{20}\text{H}_{12}\text{OS}$. (γ,γ' -Dibenzophenothioxin).
MT mosquito and codling moth larvae. 487, 1291.
- 301-950.
Phenoxathiin; $\text{C}_{12}\text{H}_8\text{OS}$. (Phenothioxin).
HT greenhouse red spider at 1%; T cabbage aphid, termites, American cockroach, codling moth larvae, Hawaiian beet webworm, southern beet webworm, mosquito larvae, diamondback moth, screwworm, housefly, and rice weevil; NT southern army worm. 487, 723, 949, 1120, 1144, 1270, 1291, 1312, 1320P, 1327, 1432, 1481.
- 301-950-951.
Phenoxathiin, 1-phenyl-, $(\text{C}_{12}\text{H}_7\text{OS})\text{C}_6\text{H}_5$.
Fly spray. 112, 1307P.
- 301-950-951-961.
Phenoxathiin, cyclohexyl-1-phenyl-, $\text{C}_6\text{H}_{11}(\text{C}_{12}\text{H}_8\text{OS})\text{C}_6\text{H}_5$. (Monocyclohexyl-1-phenyl-phenothioxine). 1306AP.
- 301-950-951-1027.
Phenoxathiin, substituted, phenyl.
Fly spray. 112, 1307P.
- 301-950-952.
Phenoxathiin, 3, 6-diphenyl-, $(\text{C}_{12}\text{H}_8\text{OS})(\text{C}_6\text{H}_5)_2$. (3, 6-Diphenyl phenothioxine).
Fly spray. 112, 1307P.
- 301-950-961.
Phenoxathiin, cyclohexyl-, $(\text{C}_{12}\text{H}_7\text{OS})\text{C}_6\text{H}_{11}$. (Monocyclohexyl-phenothioxine). 1306AP.
- 301-950-975.
Phenoxathiin, cycloalkyl-. (Cyclo-alkylated phenothioxine). 1306AP.
- 301-950-993.
Phenoxathiin, 2-(2-methylheptyl)-; $(\text{C}_{13}\text{H}_{27}\text{OS})\text{C}_6\text{H}_{17}$. (Phenoxathiin, 3-*tert*-octyl-, 3-tertiary-octyl phenothioxine).
Fly spray. 112, 1307P.
- 301-950-1001.
Phenoxathiin, butyl-, $(\text{C}_{13}\text{H}_{27}\text{OS})\text{C}_4\text{H}_9$. (Monobutyl phenothioxine).
20% T houseflies at 3%. 112, 1307P.
- 301-950-1004.
Phenoxathiin, dipropyl-, $(\text{C}_{12}\text{H}_{25}\text{OS})(\text{C}_3\text{H}_7)_2$. (Dipropyl phenothioxine).
MT as fly spray. 112, 1307P.
- 301-950-1012.
Phenoxathiin, diethyl-, $(\text{C}_{12}\text{H}_{25}\text{OS})(\text{C}_2\text{H}_5)_2$. (Diethyl phenothioxine).
MT as fly spray. 112, 1307P.
- 301-950-1027.
Phenoxathiin, alkyl-.
Fly spray. 112, 1307P.
- 328-851-1003-1021.
Formic acid, chloro-, 2-chloropropyl ester $\text{CH}_3\text{CHCl-CH}_2\text{OOCCL}$. (Chloroformate; chlorocarbonate; chloropropyl).
T *Sitophilus oryza*. 268, 1181.
- 328-851-1003-1021.
Formic acid, chloro-, 3-chloropropyl ester; $\text{ClCOO-CH}_2\text{CH}_2\text{CH}_2\text{Cl}$. (γ -Chloropropyl chloroformate).
10% T *Sitophilus oryza*. 1180.
- 328-851-1011-1021.
Formic acid, chloro-, 2-chloroethyl ester; $\text{ClCOO-CH}_2\text{CH}_2\text{Cl}$. (β -Chloroethyl chloroformate).
100% T *Sitophilus oryza*. 1180, 1181.
- 328-990-1021.
Formic acid, chloro-, isomyl ester; $\text{ClCOOCH}_2\text{CH}_2-\text{CH}(\text{CH}_3)_2$. (Isomyl chloroformate; isomyl ester chloroformic acid; γ -methylbutyl chloromethanoate; isomyl chlorocarbonate).
ST codling moth; NT *Sitophilus oryza* and red scale. 268, 346P, 915, 1180.
- 328-1001-1021.
Formic acid, chloro-, butyl ester; $\text{C}_4\text{H}_9\text{OOCCL}$. (n-Butyl chloroformate).
T *Sitophilus oryza*; ST codling moth. 915, 1180, 1181.
- 328-1001-1021.
Formic acid, chloro-, isobutyl ester; $\text{ClCOOCH}_2\text{CH}(\text{CH}_3)_2$. (Isobutyl chloroformate).
ST *Sitophilus oryza*. 1180, 1181.
- 328-1003-1021.
Formic acid, chloro-, propyl ester; $\text{C}_3\text{H}_7\text{OOCCL}$. (n-Propyl chlorocarbonate; chloroformate).
T *Chrysomphalus aurantii* and *Sitophilus oryza*. 208, 346P, 1180.
- 328-1003-1021.
Formic acid, chloro-, isopropyl ester; $\text{ClCOOCH}(\text{CH}_3)_2$. (Isopropyl chloroformate; chlorocarbonate).
MT *Sitophilus oryza*. 268, 346P, 1180.
- 328-1011-1021.
Formic acid, chloro-, ethyl ester; $\text{C}_2\text{H}_5\text{OOCCL}$. (Ethyl chlorocarbonate; chloroformate).
T *Sitophilus oryza*. 268, 1180, 1181.
- 328-1021-1027.
Formic acid, chloro-, alkyl esters; ClCOOR . 1181.
- 328-1022.
Formic acid, chloro-, methyl ester; ClCOOCH_3 . (Methyl chlorocarbonate; chloroformate).
T *Sitophilus oryza*; ST *Chrysomphalus aurantii*. 268, 1181.
- 330-440-950-1021.
6-Phenothiazinecarboxyl chloride; $(\text{C}_{12}\text{H}_8\text{NS})\text{COCl}$. (Phenothiazine-6-carboxylic-acid chloride).
NT mosquito larvae. 487.
- 330-841-1011.
Acetyl bromide, bromo-, CH_3BrCOBr . (Bromoethanoyl bromide).
NT rice weevil. 1180.
- 330-951-1021.
Benzoyl bromide; $\text{C}_6\text{H}_5\text{BrCOBr}$. (Benzene-carboxyl bromide).
NT red scale. 268.
- 330-1011.
Acetyl bromide; CH_3COBr . (Ethanoyl bromide).
NT red scale. 268.

- 831-851-1011.
Acetyl chloride, chloro-; ClCH_2COCl .
ST rice weevil. 1180.
- 331-852-1011.
Acetyl chloride, dichloro-; Cl_2CHCOCl .
ST rice weevil. 1180.
- 331-853-1011.
Acetyl chloride, trichloro-; Cl_3CCOCl .
ST rice weevil. 1180.
- 331-951-1021.
Benzoyl chloride; $\text{C}_6\text{H}_5\text{COCl}$.
T *Lucilia cuprina* larvae and houseflies. 849, 1002.
- 331-951-1022.
Phthaloyl chloride; $\text{C}_6\text{H}_4(\text{COCl})_2$. (Phthalyl chloride; 1, 2-benzenedicarbonyl chloride; o-phthalyl chloride). 890P.
- 331-997.
Adipyl chloride; $\text{ClOC}(\text{CH}_2)_4\text{COCl}$. (Hexanedioyl chloride).
NT red scale. 268.
- 331-999.
Valeryl chloride; $\text{C}_5\text{H}_9\text{COCl}$. (n-Valeryl chloride; pentanoyl chloride).
NT rice weevil. 1180.
- 331-999.
Isovaleryl chloride; $(\text{CH}_3)_2\text{CHCH}_2\text{COCl}$. (3-Methylbutanoyl chloride).
NT rice weevil. 1180.
- 331-1001.
Butyryl chloride; $\text{C}_4\text{H}_7\text{COCl}$. (n-Butyryl chloride; butanoyl chloride).
ST rice weevil; NT red scale. 268, 1180.
- 331-1001-1030.
Crotyl chloride, cis-; $\text{CH}_3\text{CH}=\text{CHCOCl}$. (Isocrotyl chloride). 1513P.
- 331-1003.
Propionyl chloride; $\text{C}_3\text{H}_7\text{COCl}$.
ST rice weevil. 268, 1180.
- 331-1011.
Acetyl chloride; CH_3COCl . (Ethanoyl chloride).
T *Lucilia cuprina* larvae; NT red scale. 268, 849.
- 331-1011.
Oxalyl chloride; $(\text{COCl})_2$. (Ethanedioyl chloride).
30% T rice weevil. 268, 1180.
- 331-1021.
Phosgene; COCl_2 . (Carbonyl chloride). 1041, 1295.
- 340-951.
Benzene, iodo-; $\text{C}_6\text{H}_5\text{IO}$.
85% T *Culex quinquefasciatus*, 84% T corn borer, T screwworms, and many insects. 110, 157, 1120, 1123, 1312, 1315P.
- 341-541-951-1021.
Benzoic acid, iodoxy-; $\text{O}_2\text{IC}_6\text{H}_4\text{COOH}$.
NT *Bombyx mori* larvae. 110, 561, 1339.
- 341-951.
Benzene, iodoxy-; $\text{C}_6\text{H}_5\text{IO}_2$.
T tobacco hornworm, southern army worm, cross-striped cabbage worm, and imported cabbage worm; MT Hawaiian beet webworm and southern beet webworm. 110, 1312, 1324P.
- 360-730-1022.
Formic acid, α,α' -dithiobis[1-piperidylthio-? $\text{C}_4\text{H}_9\text{N}(\text{C}(\text{S})\text{S}(\text{C}(\text{S})\text{N})\text{C}_2\text{H}_5)_2$. (Piperidine thiuram disulfide).
NT Japanese beetle. 606, 1432.
- 360-952-1024.
Formamide, α,α' -dithiobis[N,N'-methylphenylthio-; $(\text{CH}_3)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})(\text{CH}_3)_2\text{C}_6\text{H}_4$. (Thiuram disulfide, sym-dimethylphenyl-).
NT Mexican bean beetle. 606, 1432.
- 360-954-1025.
Formamide, α,α' -dithiobis[N,N'-dibenzylthio-; $(\text{C}_6\text{H}_5\text{CH}_2)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})_2$. (Tetra benzyl thiuram disulfide).
NT Japanese beetle. 606.
- 360-964-1022.
Formamide, α,α' -dithiobis[dicyclohexylthio-; $(\text{C}_6\text{H}_{11})_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})_2$. (Thiuram disulfide, tetracyclohexyl-).
25% T Mexican bean beetle. 606, 1432.
- 360-994-1022.
Formamide, α,α' -dithiobis[N,N'-di-2-ethylhexylthio-; $(\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}(\text{C}_2\text{H}_5)\text{CH}_2)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})_2$. (Thiuram disulfide, tetra-(2-ethyl hexyl-).
NT Mexican bean beetle. 606, 1432.
- 360-1002-1022.
Formamide, α,α' -dithiobis[N,N'-diisobutylthio-; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})_2$. (Thiuram disulfide, tetraisobutyl-).
NT Mexican bean beetle. 606, 1432.
- 360-1024.
Formamide, α,α' -dithiobis[N-methylthio-; $\text{CH}_3\text{HNC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})\text{HCH}_3$? (Thiuram disulfide, dimethyl-).
80% T Colorado potato beetle; NT Mexican bean beetle and Japanese beetle. 606, 1432.
- 360-1025.
Formamide, α,α' -dithiobis[N,N'-dimethylthio-; $(\text{CH}_3)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})_2$. (Tetramethylthiuram disulfide; bis(dimethylthiocarbonyl) disulfide).
HT Japanese beetle; 53-84% T *Lucilia sericata* larvae, MT Mexican bean beetle, and Colorado potato beetle; NT *Bombyx mori*. 304P, 559, 561, 606, 607, 723, 1178, 1404P, 1405P, 1406P, 1432, 1511.
- 365-968-1022.
1-Piperidinecarbodithioic acid, anhydride; $(\text{C}_5\text{H}_9\text{NC}(\text{S})\text{S})_2$. (Thiuram sulphide, sym-dipentamethylene-, sulfide, bis(thio-1-piperidylcarbonyl-).
80% T aphids infesting potato plants. 1178, 1405P.
- 365-1002-1022.
Formamide, α,α' -thiobis[N,N'-diethylthio-; $(\text{C}_2\text{H}_5)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})(\text{C}_2\text{H}_5)_2$. (Thiuram sulfide, tetraethyl-).
NT Mexican bean beetle and Colorado potato beetle. 606, 1432.
- 365-1014-1022.
Formamide, α,α' -thiobis[N,N'-diethylthio-; $(\text{C}_2\text{H}_5)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})(\text{C}_2\text{H}_5)_2$. (Thiuram sulfide, tetraethyl-).
100% T Mexican bean beetle and Colorado potato beetle; NT Japanese beetle. 606, 1432.
- 365-1025.
Formamide, α,α' -thiobis[N,N'-dimethylthio-; $(\text{CH}_3)_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})(\text{CH}_3)_2$. (Tetramethyl thiuram monosulfide).
10% T Mexican bean beetle. 606, 811, 1432.
- 365-1045.
Formamide, α,α' -thiobis[N,N'-disubstituted thio-; $\text{R}_2\text{NC}(\text{S})\text{S}(\text{C}(\text{S})\text{N})\text{R}_2$. (Thiuram sulfides).
T aphids, *Popillia japonica*, and *Epilachna varivestis*. 304P, 305P, 607, 1178, 1403, 1432.
- 370-581-1011-1021-1218.
Carbamic acid, 2-hydroxyethylthio-, sodium salt; $\text{HOCH}_2\text{CH}_2\text{NHC}(\text{S})\text{SNa}$. (Carbamic acid, β -hydroxyethylthio-, sodium salt).
90% T aphids. 1178, 1405P.
- 370-668-730-952-1022.
1-Piperidinecarbodithioic acid, diphenylguanidine salt; $\text{C}_6\text{H}_5\text{NCS}(\text{S})\text{H}_2\text{N}(\text{C}(\text{NH}_2)_2)_2$. (Carbamic acid, pentamethylenedithio-, sym-diphenylguanidinium salt).
10% Mexican bean beetle; NT Japanese beetle. 606, 1432.
- 370-668-952-1024.
Carbamic acid, dimethylthio-, diphenylguanidine salt; $(\text{CH}_3)_2\text{NCS}(\text{S})\text{H}_2\text{N}(\text{C}(\text{NH}_2)_2)_2$? (Carbamic acid, dimethylthio-, sym-diphenylguanidinium salt).
T Mexican bean beetle; ST Japanese beetle. 606, 1432.
- 370-730-1021.
1-Piperidinecarbodithioic acid, piperidine salt; $\text{C}_5\text{H}_9\text{NCS}(\text{S})\text{H}_2\text{N}(\text{C}(\text{NH}_2)_2)_2$. (Carbamic acid, pentamethylenedithio-, piperidinium salt; piperidinepiperidyl dithiocarbamate).
NT Mexican bean beetle. 157, 239, 606, 1120, 1432.
- 370-730-1021-1196.
1-Piperidinecarbodithioic acid, potassium salt; $\text{C}_5\text{H}_9\text{NCS}(\text{S})\text{H}_2\text{N}(\text{C}(\text{NH}_2)_2)_2$. (Carbamic acid, pentamethylenedithio-, potassium salt).
90% T aphids. 1178, 1405P.
- 370-950-1011-1021-1142.
Carbamic acid, phenethylthio-, cuprie salt; $(\text{C}_6\text{H}_5\text{CH}_2\text{CH}_2\text{NHC}(\text{S})\text{S})_2\text{Cu}$. (Cuprie phenethyl dithiocarbamate).
NT Japanese beetle and Mexican bean beetle. 606, 1432.
- 370-951-1022-1218.
Carbamic acid, methylphenylthio-, sodium salt; $\text{C}_6\text{H}_5(\text{CH}_3)\text{NHC}(\text{S})\text{SNa}$.
90% T aphids. 1178, 1405P.
- 370-952-1022-1114.
Carbamic acid, dithio-, barium salt; $\text{Ba}[\text{SC}(\text{S})\text{H}_2\text{NHC}(\text{S})\text{S}]_2$.

- NHC₆H₅)₂. (Barium dithiocarbamate).
NT codling moth at 4%. 1481.
- 370-989-1012-1021.
Carbamic acid, diethyldithio-, dodecyl ester; (C₁₂-H₂₅)NC(:S)SC₁₂H₂₅. (Lauryl diethyldithiocarbamate). 593P.
- 370-989-1021.
Carbamic acid, didodecyldithio-; (C₁₂H₂₅)₂NC(:S)-SH. (Carbamic acid, di-n-dodecyldithio-).
Fly spray. 107P, 112, 593P.
- 370-989-1021.
Carbamic acid, dodecyldithio-, dodecyl ester; C₁₂-H₂₅NHC(:S)SC₁₂H₂₅. 593P, 1432.
- 370-1001-1021-1218.
Carbamic acid, butyldithio-, sodium salt; C₄H₉-NEC(:S)SNa.
T aphids. 1178, 1405P, 1406P.
- 370-1002-1021-1218.
Carbamic acid, dibutyldithio-, sodium salt; (C₄H₉)₂NC(:S)SNa.
90% T aphids. 1178, 1405P.
- 370-1003-1023-1030.
Carbamic acid, dimethyldithio-, allyl ester; (CH₃)₂-NC(:S)SCH₂CH₂CH₃.
T aphids. 1178, 1405P, 1406P.
- 370-1012-1021-1124.
Carbamic acid, diethyldithio-, cadmium salt; [(C₂H₅)₂NC(:S)S]₂Cd. (Cadmium diethyl dithiocarbamate).
60% T Colorado potato beetle. 606, 1432.
- 370-1012-1021-1218.
Carbamic acid, diethyldithio-, sodium salt; (C₂H₅)₂N(:S)SNa. (Sodium diethyl dithiocarbamate).
73-93% T *Lucilia sericata* larvae and T aphids;
NT Colorado potato beetle. 808, 723, 1178, 1405P.
- 370-1013-1021-1187.
Carbamic acid, dithio-, triethyl lead salt; H₃NC(:S)SPb(C₂H₅)₃. (Triethyl lead dithiocarbamate).
T many species of insects. 161P.
- 370-1014-1021-1109.
Carbamic acid, diethyldithio-, diethylammonium salt; (C₂H₅)₂NC(:S)SNH₂(C₂H₅)₂. (Diethyl ammonium diethyl dithiocarbamate).
NT *Bombyx mori* larvae. 559, 1432.
- 370-1021.
Carbamic acid, dithio-; H₂NC(:S)SH. (Aminodithioformic acid; aminomethane thionothioic acid).
T. aphid rumicis and several other species of aphids;
Popillia japonica, *Epilachna varivestis*, and mites. 1403.
- 370-1021-1027.
Carbamic acid, dithio-, esters. (Including at least two alkyl radicals at least one of which is a straight chain radical of at least eight carbon atoms). 104P.
- 370-1021-1142.
Carbamic acid, dithio-, cupric salt; [H₂NC(:S)S]₂-Cu. (Cupric dithiocarbamate).
NT Colorado potato beetle and Japanese beetle. 606, 1432.
- 370-1021-1244.
Carbamic acid, dithio-, zinc salt; [H₂NC(:S)S]₂-Zn. (Zinc dithiocarbamate).
ST Japanese beetle. 606, 1432.
- 370-1023-1142.
Carbamic acid, dimethyldithio-, cupric salt; [(CH₃)₂-NC(:S)S]₂-Cu. (Cupric dimethyl dithiocarbamate).
20% T Colorado potato beetle; NT Mexican bean beetle and Japanese beetle. 606, 1432.
- 370-1023-1162.
Carbamic acid, dimethyldithio-, ferric salt; [(CH₃)₂-NC(:S)S]₂-Fe. (Ferric dimethyl dithiocarbamate).
20% T Mexican bean beetle and T Japanese beetle. 606, 1432.
- 370-1023-1218.
Carbamic acid, dimethyldithio-, sodium salt; (CH₃)₂-NC(:S)SNa.
T potato aphids. 1178, 1405P.
- 370-1025.
Carbamic acid, dimethyldithio-, methyl ester; (CH₃)₂-NC(:S)SCH₃. (Methyl dimethyldithiocarbamate). 891P.
- 370-1025-1109.
Carbamic acid, dimethyldithio-, dimethylammonium salt; (CH₃)₂NC(:S)SNH₂(CH₃)₂. (Dimethyl ammonium dimethyl dithiocarbamate).
- NT *Bombyx mori* larvae. 559, 561, 1432.
- 370-1027.
Xanthogen, bisalkyl-. (Bisalkyl salts of thiolthion-carbonic acid). 1212P.
- 370-1045-1248.
Carbamic acid, dialkyldithio-, metal salts; R₂NC-(S)S Metal. (Dithiocarbamates).
T mites, *Aphis rumicis*, *Popillia japonica*, and *Epilachna varivestis*. 1178, 1403, 1405P, 1406P.
- 374-952-1021.
Carbohydrazide, 1, 1-diphenyl-3-thio-; (C₆H₅)₂-NNHC(:S)NHNH₂. (α,α-Diphenylthiocarbohydrazide).
70% T mosquito larvae. 487.
- 374-952-1021.
Carbohydrazide, 1, 5-diphenyl-3-thio-; C₆H₅NH-NHC(:S)NHNHC₆H₅. (Diphenylthiocarbazine).
ST screwworms; NT *Bombyx mori* larvae. 156, 559, 1432.
- 375-924-951-1021.
Semicarbazide, 4-(1-naphthyl)-1-phenyl-3-thio-; C₆H₅-NH-NHC(:S)NHCO₂CH₂-(4-(1-Naphthyl)-1-phenylthiosemicarbazide).
NT European corn borer 4 lb./100 gal. 1122.
- 375-924-951-1022.
Semicarbazide, 4-(1-naphthyl)-1-p-tolyl-3-thio-; CH₃C₆H₄NH-NHC(:S)NHCO₂CH₂-(4-(1-Naphthyl)-1-p-tolylthiosemicarbazide).
NT European corn borer 4 lb./100 gal. 1122.
- 375-951-1022.
Semicarbazide, 3-thio-1-o-tolyl-; CH₃C₆H₄NH-NHC(:S)NH₂.
NT silkworm. 559, 1432.
- 375-1021.
Semicarbazide, 3-thio-; H₂NC(:S)NHNH₂. (Semicarbazide, thio-).
98% T culicid mosquito larvae. 172, 1178.
- 376-541-951-1011-1021.
Hydantoic acid, 4-phenyl-γ-thio-; C₆H₅NHC(:S)-NHCH₂COOH. (Hydantoic acid, phenylthio-).
40% T silkworm. 559, 1432.
- 376-551-951-1021.
Urea, 1-(p-hydroxyphenyl)-2-thio-; NH₂C(:S)-NHCO₂H.OH. (p-Hydroxy phenyl thiourea).
10% T Colorado potato beetle and Mexican bean beetle. 606, 1432.
- 376-591-951-1022.
Urea, 1-(methoxyphenyl)-2-thio-, CU; CH₃OC₆H₄-NHC(:S)NH₂? (Urea, methoxy-phenylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 376-671-983-1021.
Thiourea, 3-amino-6-cyclohexyl-1-, 1-dicyclohexyl-2-thio-7 (C₆H₁₁)₂NC(:S)NHC₆H₁₁NH₂. (Dicyclohexyl thiourea cyclohexylamine).
T *Myzus persicae*. 772.
- 376-730-950-1021.
Urea, 1, 3-di-5-quinyl-2-thio-; (C₆H₅N)NHC(:S)-NH(C₆H₅N). (Di-5-quinoline thiourea).
NT *Pieris rapae*. 635.
- 376-730-951-1021.
Urea, 1-phenyl-3-(2-pyridyl)-2-thio-; C₆H₅NHC(:S)NH(C₅H₄N). (α-Phenyl-β-2-pyridyl thiourea).
83% T mosquito larvae and 52% T codling moth larvae. 487, 1291.
- 376-730-951-1021.
Urea, 1-phenyl-3-(3-pyridyl)-2-thio-; C₆H₅NHC(:S)-NH(C₅H₄N). (α-Phenyl-β-3-pyridyl thiourea).
96% T mosquito larvae. 487.
- 376-730-1021.
Urea, 1, 3-di-2-pyridyl-2-thio-; [(C₅H₄N)NH]₂C(:S)-sym-Di-2-pyridylthiourea).
40% T mosquito larvae. 487.
- 376-730-1021.
Urea, 1, 3-di-3-pyridyl-2-thio-; [(C₅H₄N)NH]₂C(:S)-sym-Di-3-pyridylthiourea).
NT mosquito larvae. 487.
- 376-841-951-1021.
Urea, 1-(p-bromophenyl)-2-thio-; NH₂C(:S)NHCO₂-H.Br.
36% T *Lucilia sericata* larvae. 723.
- 376-851-951-1022.
Urea, 1-(chlorotolyl)-2-thio-, CU; CH₃C₆H₄(Cl)-NHC(:S)NH₂. (Urea, chlorotolylthio-).
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 378-853-951-1021.
Urea, 1-(trichlorophenyl)-2-thio-, CU; Cl₃C₆H₃-

- NHC(:S)NH₂. (Urea, trichlorophenyl thio-).
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 376-924-1021.
Urea, 1-(1-naphthyl)-2-thio-; C₁₀H₇NHC(:S)NH₂. (α-Naphthyl thiourea).
10% T Mexican bean beetle and NT Colorado potato beetle. 606, 1432.
- 376-924-1021.
Urea, 1, 3-di-1-naphthyl-2-thio-; C₁₀H₇NHC(:S)-NH(C₁₀H₇). (sym-Di-1-naphthylthiourea).
NT mosquito larvae and *Pieris rapae*. 487, 635.
- 376-924-1021.
Urea, 1, 3-di-2-naphthyl-2-thio-; C₁₀H₇NHC(:S)-NH(C₁₀H₇). (Di-β-naphthylthiourea).
NT *Pieris rapae*. 635.
- 376-924-1021.
Urea, 1, 3-bis(5, 6, 7, 8-tetrahydro-1-naphthyl)-2-thio-; (C₁₀H₁₁NH)₂C:S. (sym-Bis(5, 6, 7, 8-tetrahydro-1-naphthyl)-thiourea).
NT mosquito larvae. 487.
- 376-951-1021.
Urea, 1-phenyl-2-thio-; C₆H₅NHC(:S)NH₂. (Urea, phenylthio).
T screwworms and as mothproofing agent; NT mosquito larvae. 156, 172, 406P, 421P, 621P, 623P, 624P, 723, 829P, 977P, 981P, 985, 1175, 1176, 1178, 1239P.
- 376-951-1022.
Urea, 1-benzyl-2-thio-; C₆H₅CH₂NHC(:S)NH₂. (Urea, benzylthio).
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 376-951-1022.
Urea, 1-o-tolyl-2-thio-; NH₂C(:S)NHC₆H₄CH₃.
53% T *Lucilia sericata* larvae, 20% T silkworm, and T as mothproofing agent. 406P, 427P, 559, 723, 829P, 951P, 985, 1175, 1176, 1239P, 1432.
- 376-952-1021.
Carbanilide, thio-; (C₆H₅)₂NC(:S)NH₂. (Diphenylthiourea).
20% T silkworm, 10% T Colorado potato beetle, and T as mothproofing agent; NT clothes moth, Japanese beetle, and mosquito larvae. 156, 172, 457, 499, 559, 606, 621P, 622, 739, 828P, 829P, 972P, 985, 1150, 1175, 1176, 1291, 1432.
- 376-952-1022.
Benzidine, N,N'-dithiocarbamyl-; [NH₂C(:S)NHC₆H₄]₂.
ST Colorado potato beetle and Mexican bean beetle. 006, 1432.
- 376-952-1023.
Urea, 1, 1-dibenzyl-2-thio-; NH₂C(:S)N(CH₂C₆H₅)₂. (α-Dibenzylthiourea).
NT mosquito larvae. 487.
- 376-952-1023.
Urea, 1, 3-dibenzyl-2-thio-; C₆H₅CH₂NHC(:S)NH-CH₂C₆H₅. (sym-Dibenzylthiourea).
NT mosquito larvae. 487.
- 376-952-1023.
Urea, 1, 3-di-o-tolyl-2-thio-; S:C(NHC₆H₄CH₃)₂. (Di-o-tolylthiourea; 2, 2-dimethylthiocarbamide; 1, 3-(di-o-tolyl)-2-thiourea).
94% T *Culex quinquefasciatus*, 36.1% T codling moth larvae, and MT corn borer at 2 lb./100 gal.; NT clothes moth. 157, 915, 985, 1122, 1170, 1432.
- 376-952-1024.
Biurea, 2,5-dithio-1, 6-di-(p-tolyl); CH₃C₆H₄NHC(:S)NHNHC(:S)NHCH₃CH₃. (This compound named di-p-tolyldihydro dithio dicarbonamide by author: present name apparently more correct for formula given).
NT *Bombyx mori* larvae. 559.
- 376-961-1021.
Urea, 1-cyclohexyl-2-thio-; C₆H₁₁NHC(:S)NH₂. (Urea, cyclohexylthio).
T as mothproofing agent. 406P, 427P, 1175, 1239P.
- 376-962-1021.
Urea, 1, 1-dicyclohexyl-2-thio-; NH₂C(:S)N(C₆H₁₁)₂.
NT *Myzus persicae* and greenhouse red spider. 772, 1432.
- 376-989-1021.
Urea, 1-dodecyl-2-thio-; H₂NC(:S)NHC₁₂H₂₅.
40-51% T *Lucilia sericata* larvae. 107P, 112, 723.
- 376-989-1021.
Urea, 1, 3-didodecyl-2-thio-; C₁₂H₂₅NHC(:S)NHC₁₂H₂₅.
42% T *Lucilia sericata* larvae. 723.
- 376-995-1021.
Urea, 1-heptyl-2-thio-; H₂NC(:S)NHC₇H₁₅. (1-n-Heptyl-2-thiourea).
93-100% T *Lucilia sericata* larvae. 723.
- 376-999-1021.
Urea, 1-amyl-2-thio-; H₂NC(:S)NHC₅H₁₁. (1-n-Amyl-2-thiourea).
89-100% T *Lucilia sericata* larvae. 723.
- 376-1001-1021.
Urea, 1-butyl-2-thio-; H₂NC(:S)NHC₄H₉. (1-n-Butyl-2-thiourea).
89-100% T *Lucilia sericata* larvae. 723.
- 376-1001-1021-1030.
Urea, 1-(2-butenyl)-2-thio-; H₂NC(:S)NHCH₂CH=CHCH₃. (Crotyl thiourea).
NT Colorado potato bug. 606.
- 376-1002-1021.
Urea, 1, 3-dibutyl-2-thio-; C₄H₉NHC(:S)NHC₄H₉. (1, 3-Di-n-butyl-2-thiourea).
80% T *Lucilia sericata* larvae. 487, 723.
- 376-1003-1021.
Urea, 1-propyl-2-thio-; H₂NC(:S)NHC₃H₇. (1-n-Propyl-2-thiourea).
84-100% T *Lucilia sericata* larvae. 723.
- 376-1003-1021-1030.
Urea, 1-allyl-2-thio-; H₂NC(:S)NHCH₂CH₂CH₃. (Urea, allylthio-; thiosinamine; 2-propenylthiourea; allylsulfocarbamide).
16% T culicine mosquito larvae and T as mothproofing agent; NT silkworm larvae. 172, 406P, 427P, 487, 559, 829P, 981P, 985, 1175, 1170, 1178, 1239P, 1432.
- 376-1011-1021.
Urea, 1-ethyl-2-thio-; H₂NC(:S)NHC₂H₅.
60-100% T *Lucilia sericata* larvae. 723.
- 376-1012-1021.
Urea, 1, 3-diethyl-2-thio-; (C₂H₅NH)₂C:S. (sym-Diethylthiourea).
80-94% T *Lucilia sericata* larvae. 723.
- 376-1021.
Urea, thio-; (H₂N)₂C:S. (Thiocarbamide).
89-100% T *Lucilia sericata* larvae, T mosquito larvae, and as mothproofing agent. 172, 683, 723, 828P, 829P, 972P, 973P, 977P, 985, 1175, 1176, 1178, 1471.
- 376-1021-1045.
Urea, thio-, derivatives, CU.
T as mothproofing agent. 387, 406P, 418P, 424P, 427P, 540P, 622, 1013P, 1175, 1178, 1213P, 1239P.
- 376-1022.
Urea, 1-methyl-2-thio-; H₂NC(:S)NHCH₃.
93-100% T *Lucilia sericata* larvae. 723.
- 376-1023.
Urea, 1, 3-dimethyl-2-thio-; (CH₃NH)₂C:S.
T *Lucilia sericata* larvae. 723.
- 377-951-1022-1391.
Pseudourea, 2-benzyl-2-thio-, hydrochloride; C₆H₅-CH₂SC(:NH)NH₂.HCl. (Benzyl isothioure hydrochloride).
NT *Bombyx mori* larvae. 559, 1432.
- 385-951-997.
Isocaproanilide, thio-; C₆H₁₁C(:S)NHC₆H₅. (Thioisocaproic acid anilide).
T as mothproofing agent. 420P, 424P, 1175.
- 385-951-999.
Isovaleranilide, thio-; C₆H₅C(:S)NHC₆H₅. (Thioisovaleric acid anilide).
T as mothproofing agent. 420P, 424P, 1175.
- 385-951-1011.
α-Toluidine, thio-; C₆H₄CH₃C(:S)NH₂. (Acetamide, α-phenyl thio-).
HT *Lucilia sericata* larvae; 35% T silkworm. 559, 723, 1432.
- 385-951-1011.
Acetanilide, thio-; CH₃C(:S)NHC₆H₅.
T codling moth, screwworm, silkworm, Colorado potato beetle, Mexican bean beetle, *Lucilia sericata*, and as mothproofing agent. 156, 420P, 424P, 487, 559, 606, 723, 915, 1175, 1432.

- 385-951-1021.
Benzamide, thio-; $C_6H_5C(S)NH_2$.
T as mothproofing agent. 420P, 424P, 1175.
- 385-951-1022.
o-Toluamide, thio-; $CH_3C_6H_4C(S)NH_2$.
NT mosquito larvae. 487.
- 385-952-1011.
α-Toluanilide, thio-; $C_6H_4CH_2C(S)NHCH_3$. (Thio-phenylacetamide anilide).
T as mothproofing agent. 420P, 424P, 1175.
- 385-952-1021.
Benzanilide, thio-; $C_6H_5C(S)NHCH_3$.
62-100% T *Lucilia sericata* larvae and 75% T mosquito larvae. 487, 723.
- 385-989.
Propionamide, α,α-dimethyl thio-; $(CH_3)_2CC(S)NH_2$. (Thiotrimethyl acetamide).
94% T codling moth larvae and 26% T mosquito larvae; NT *bombyx mori* larvae. 487, 559, 1291.
- 385-1003.
Propionamide, thio-; $CH_3CH_2C(S)NH_2$.
69-100% T *Lucilia sericata* larvae; NT mosquito larvae. 487, 723.
- 385-1003-1011-1030.
Acetamide, N-allylthio-; $CH_3C(S)NHCH_2CH=CH_2$.
91-100% T *Lucilia sericata* larvae. 723.
- 385-1004-1030.
Propionamide, N-allylthio-; $CH_3CH_2C(S)NHCH_2CH=CH_2$.
64-100% T *Lucilia sericata* larvae. 723.
- 385-1011.
Acetamide, thio-; $CH_3C(S)NH_2$. (Ethanethionamide; acetothioamide).
91-100% T *Lucilia sericata* larvae and 20% T culicine mosquito larvae; NT codling moth and *Bombyx mori* larvae. 172, 459, 723, 915, 1178, 1432.
- 385-1011.
Oxamide, dithio-; $NH_2C(S)C(S)NH_2$. (Dithiocoxal-
amide; rubanoid acid).
T *Cochliomyia americana* at 0.10%; NT mosquito larvae. 172, 944, 1178.
- 385-1450.
Thio compounds, CU; $RC(S)NHR'$.
T as mothproofing agent. 420P, 424P, 1175.
- 386-551-052-1011-1291.
α-Toluidimide acid, p-hydroxythio-, phenyl ester, hydrochloride; $HOC_6H_4CH_2C(S)NH_2 \cdot HCl$. (p-Hydroxyphenylacetamido-thiophenylether hydrochloride).
ST mosquito larvae. 172.
- 386-552-952-1021-1291.
Benzimidic acid, 2, 4-dihydroxythio-, phenyl ester, hydrochloride; $(HO)_2C_6H_3C(S)NH_2 \cdot HCl$. (2, 4-Dihydroxybenzimidic-thiophenylether hydrochloride).
100% T mosquito larvae. 172, 1178.
- 386-553-952-1021-1291.
Benzimidic acid, 2, 4, 6-trihydroxythio-, phenyl ester, hydrochloride; $(HO)_3C_6H_2C(S)NH_2 \cdot HCl$. (Sulphide, 2, 4, 6-trihydroxybenzimidic-thiophenylether hydrochloride).
22% T culicine mosquito larvae. 172, 1178.
- 386-952-1011-1021-1291.
α-Toluidimide acid, thio-, p-tolyl ester, hydrochloride; $C_6H_4CH_2C(S)NH_2 \cdot HCl$. (Sulphide, phenylacetamido-p-tolylether hydrochloride).
95% T culicine mosquito larvae. 172, 1178.
- 386-952-1011-1291.
α-Toluidimide acid, thio-, phenyl ester, hydrochloride; $C_6H_5CH_2C(S)NH_2 \cdot HCl$. (Sulphide, phenylacetamido-phenyl hydrochloride; phenylacetamido-thiophenylether hydrochloride).
100% T culicine mosquito larvae. 172, 1178.
- 386-952-1021-1291.
Benzimidic acid, thio-, phenyl ester, hydrochloride; $C_6H_5CH_2C(S)NH_2 \cdot HCl$. (Benzimidic-phenyl sulphide, hydrochloride; benzimidic-thiophenyl ether hydrochloride).
100% T culicine mosquito larvae. 172, 1178.
- 386-1021-1045.
Imides, N-substituted thio-, CU. (Nitrogen substituted sulfides). 685P.
390.
Amines, sulfur containing, CU. 350P, 1432.
- 401-541-591-1012-1022.
Thiocyanic acid, 2-(2-formoxyethoxy) ethyl ester; $HCOOCH_2CH_2OCH_2CH_2SCN$. (β-Thiocyano-β'-formoxydiethyl ether).
Fly spray. 112, 1032P.
- 401-541-983-1021.
Stearic acid, thiocyanato-; $NCSC_{17}H_{33}COOH$. (Thiocyano-octadecanoic acid).
Fly spray. 106P, 112.
- 401-541-983-1021-1172.
Stearic acid, thiocyanato-, magnesium salt; $(NCSC_{17}H_{33}COO)_2Mg$. (Thiocyano-magnesium octadecanoate).
Fly spray. 106P, 112.
- 401-541-989-1021.
Lauric acid, thiocyanato-; $NCSC_{11}H_{23}COOH$.
Fly spray. 106P, 112.
- 401-541-991-1021.
Capric acid, thiocyanato-; $NCSC_9H_{19}COOH$. (Thiocyano-decanoic acid).
Fly spray. 106P, 112.
- 401-551-551-930-983-1024-1030.
Ricinoic acid, thiocyanato-, 2-fenchanyl ester; $NCSC_{17}H_{31}(OH)COOC_{10}H_{17}$. (Ricinoic acid, thiocyanato-, fenchyl ester).
Fly spray. 100P, 112.
- 401-551-551-930-983-1024-1030.
Ricinoic acid, thiocyanato-, isobornyl ester; $NCSC_{17}H_{31}(OH)COOC_{10}H_{17}$.
Fly spray. 100P, 112.
- 401-551-551-932-983-1024-1030.
Ricinoic acid, thiocyanato-, pinene esters; $NCSC_{17}H_{31}(OH)COOC_{10}H_{17}$.
Fly spray. 100P, 112.
- 401-551-591-625-1012-1022.
Thiocyanic acid, 2-(2-furoxyethoxy)ethyl ester; $(C_4H_5O)_2COOC_2H_4OC_2H_4SCN$. (β-Thiocyano-β'-furoxydiethyl ether).
Fly spray. 112, 1032P.
- 401-551-591-951-1012-1022.
Thiocyanic acid, 2-(2-benzoyethoxy)ethyl ester; $C_6H_5COOC_2H_4OC_2H_4SCN$. (β-Thiocyano-β'-benzoydiethyl ether).
Fly spray. 112, 1032P.
- 401-551-591-952-1011-1023.
Thiocyanic acid, 2(2-(phenylmethoxy)benzoyl) ethyl ester; $C_6H_5CH_2OC_6H_4COOC_2H_4SCN$.
Fly spray. 112, 688P, 600P, 691P, 692P, 693P, 694P, 695P, 696P.
- 401-551-591-956-1004-1023.
Propionic acid, thiocyanato-, ester of methyl ether of terpinene; $NCSC_2H_5CH_2COOC_{10}H_{15}OCH_3$.
Fly spray. 92P, 112.
- 401-551-591-957-1004-1023.
Propionic acid, thiocyanato-, ester of methyl ether of terpinene; $NCSC_2H_5CH_2COOC_{10}H_{15}OCH_3$.
Fly spray. 92P, 112.
- 401-551-591-957-1004-1023-1030.
Propionic acid, thiocyanato-, ester of methyl ether of dipentene; $NCSC_2H_5CH_2COOC_{10}H_{15}OCH_3$.
Fly spray. 92P, 112.
- 401-551-591-999-1012-1021.
Thiocyanic acid, 2-(2-butyroxyethoxy)ethyl ester; $C_4H_9COOC_2H_5CH_2OCH_2CH_2SCN$. (β-Thiocyano-β'-butyryldiethyl ether).
Fly spray. 112, 1032P.
- 401-551-591-1001-1012-1021.
Thiocyanic acid, 2-(2-isobutyroxyethoxy)ethyl ester; $(CH_3)_2CHCOOC_2H_5CH_2OCH_2CH_2SCN$. (β-Thiocyano-β'-isobutyryldiethyl ether; thiocyanato-ethoxy ethyl isobutyrate).
Fly spray. 112, 689P, 1032P.
- 401-551-591-1003-1012-1021.
Propionic acid, β-thiocyano-, 2-ethoxyethyl ester; $NCSC_2H_5COOC_2H_5OCH_2CH_3$. (Propionic acid, β-thiocyano-, β-ethoxyethyl ester).
T flies. 673P, 1178, 1202P, 1203P.
- 401-551-591-1003-1023.
Propionic acid, β-thiocyano-, methoxymethyl ester; $CH_3OCH_2COOC_2H_5CH_2SCN$. (Methoxymethylthiocyanate; "Thioquinazole"). 1432, 1480P.
- 401-551-591-1012-1021-1045.
Carboxylic acid, thiocyanato-, 2-ethoxyethyl ester, CU; $NCSC_2H_5COOC_2H_5CH_2OCH_2CH_3$. (β-Ethoxyethyl ester of thiocyanocarboxylic acid).
Fly spray. 112, 1032P.

- 401-551-561-1012-1022.
Thiocyanic acid, 2-(2-acetoxyethoxy)ethyl ester;
 $\text{CH}_3\text{COOCH}_2\text{CH}_2\text{OCH}_2\text{SCN}$. (β -Thiocyano- β' -acetoxy-diethyl ether).
Fly spray. 112, 1032P.
- 401-551-591-1013-1021.
Acetic acid, thiocyanato-, 2-ethoxyethyl ester $\text{NCSCH}_2\text{COOCH}_2\text{CH}_2\text{OCH}_3$. (β -Ethoxyethyl thiocyanacetate).
112, 673P, 1032P, 1178, 1202P, 1203P, 1204P.
- 401-551-592-1001-1013-1021.
Acetic acid, thiocyanato-, 2-(2-butoxyethoxy)ethyl ester;
 $\text{C}_4\text{H}_9\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OOCCH}_2\text{SCN}$. (Acetic acid, thiocyanato-, diethylene glycol butyl ether ester; β -thiocyanacetate of diethylene glycol monobutyl ether).
HT garden centipede and *Aphis rumicis*. 648, 1178, 1432, 1467.
- 401-551-592-1014-1021.
Thiocyanic acid, 2-[2-(ethoxyacetoxy)ethoxy] ethyl ester;
 $\text{C}_2\text{H}_5\text{OOCCH}_2\text{COOCH}_2\text{CH}_2\text{OC}_2\text{H}_5\text{SCN}$. (β -Thiocyano- β' -(ethoxyacetoxy)-diethyl ether).
Fly spray. 112, 1032P.
- 401-551-625-1011-1022.
Thiocyanic acid, 2-(2-furoxy)ethyl ester; $(\text{C}_4\text{H}_5\text{O})\text{COOCH}_2\text{CH}_2\text{SCN}$. (β -Thiocyano-ethyl furoate).
Fly spray. 112, 689P.
- 401-551-930-983-1024.
Stearic acid, α -thiocyano-, isobornyl ester; $\text{CH}_3(\text{CH}_2)_{16}\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 100P, 112.
- 401-551-930-1001-1024.
n-Butyric acid, α -thiocyano-, bornyl ester; $\text{C}_4\text{H}_9\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 102P, 112.
- 401-551-930-1003-1024.
Propionic acid, α -thiocyano-, fenchyl ester; $\text{CH}_3\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
HT houseflies at 5%. 90P, 95P, 102P, 112.
- 401-551-930-1003-1024.
Propionic acid, β -thiocyano-, fenchyl ester; $\text{NCSCH}_2\text{CH}_2\text{COOC}_{10}\text{H}_{17}$.
MT houseflies at 5%. 95P, 112.
- 401-551-930-1003-1024.
Propionic acid, α -thiocyano-, isobornyl ester; $\text{CH}_3\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 102P, 112.
- 401-551-930-1011-1024.
Acetic acid, thiocyanato-, bornyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 95P, 102P, 112.
- 401-551-930-1011-1024.
Acetic acid, thiocyanato-, isobornyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 90P, 102P, 112.
- 401-551-930-1011-1024.
Acetic acid, thiocyanato-, fenchyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
HT houseflies at 5%. 95P, 112.
- 401-551-932-1001-1024.
Butric acid, α -thiocyano-, pinene ester; $\text{C}_{10}\text{H}_{17}\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$. (Thiocyanobutyrate derived from pinene).
Fly spray. 97P, 112.
- 401-551-932-1003-1024.
Propionic acid, α -thiocyano-, pinene ester; $\text{CH}_3\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 102P, 112.
- 401-551-932-1021-1045.
Coconut oil acids, thiocyanato-, bornyl esters. (Bornyl thiocyanato fatty acid esters from coconut oil acids).
Fly spray. 100P, 112.
- 401-551-932-1021-1045.
Coconut oil acids, thiocyanato-, isobornyl esters. (Isobornyl thiocyanato fatty acid esters from coconut oil acids).
Fly spray. 100P, 112.
- 401-551-932-1021-1045.
Coconut oil acids, α -thiocyano-, pinene ester.
Fly spray. 100P, 112.
- 401-551-951-1011-1022.
Thiocyanic acid, 2-benzyloxyethyl ester; $\text{C}_6\text{H}_5\text{COOCH}_2\text{CH}_2\text{SCN}$.
Fly spray. 112, 689P.
- 401-551-957-1001-1003-1022.
Butyric acid, α -thiocyano-, terpinyl ester; $\text{CH}_3\text{CH}_2\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$. (Terpinyl thiocyanobutyrate).
Fly spray. 96P, 112.
- 401-551-957-1001-1003-1022-1030.
Butyric acid, α -thiocyano-, terpinolene esters; $\text{CH}_3\text{CH}_2\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 92P, 112.
- 401-551-957-1003-1011-1022.
Acetic acid, thiocyanato-, terpinyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 96P, 112.
- 401-551-957-1003-1011-1022-1030.
Acetic acid, thiocyanato-, terpinolene ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 97P, 112.
- 401-551-957-1004-1022.
Propionic acid, α -thiocyano-, terpinyl ester; $\text{CH}_3\text{CH}(\text{SCN})\text{COOC}_{10}\text{H}_{17}$. (Terpinyl thiocyanopropionate).
Fly spray. 96P, 112.
- 401-551-961-1001-1003-1022.
Butyric acid, thiocyanato-, hydroterpinyl ester; $\text{NCSCH}_2\text{CH}_2\text{COOC}_{10}\text{H}_{17}$. (Hydroterpinyl thiocyanobutyrate).
91P.
- 401-551-961-1003-1011-1022.
Acetic acid, thiocyanato-, hydroterpinyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 91P, 112.
- 401-551-961-1003-1021.
Propionic acid, β -thiocyano-, cyclohexyl ester; $\text{C}_6\text{H}_{11}\text{OOCCH}_2\text{CH}_2\text{SCN}$. 673P, 1178, 1202P, 1203P, 1204P.
- 401-551-961-1004-1022.
Propionic acid, thiocyanato-, hydroterpinyl ester; $\text{NCSCH}_2\text{CH}_2\text{COOC}_{10}\text{H}_{17}$.
Fly spray. 91P, 96P, 112.
- 401-551-961-1011-1021.
Acetic acid, thiocyanato-, cyclohexyl ester; $\text{NCSCH}_2\text{COOC}_{10}\text{H}_{17}$. (Cyclohexyl thiocyanacetate). 112, 673P, 1032P, 1178, 1202P, 1203P, 1204P.
- 401-551-975-1011-1022.
Thiocyanic acid, naphthenoxyethyl ester, CU;
 $\text{RCOOCH}_2\text{CH}_2\text{SCN}$. (Thiocyanoethyl ester of naphthene acid).
Fly spray. 112, 680P.
- 401-551-989-1011-1021.
Acetic acid, thiocyanato-, dodecyl ester; $\text{NCSCH}_2\text{COOC}_{12}\text{H}_{25}$. (Lauryl thiocyanacetate).
Fly spray. 112, 1032P.
- 401-551-989-1011-1021.
Thiocyanic acid, 2-lauroxyethyl ester; $\text{C}_{11}\text{H}_{23}\text{COOCH}_2\text{CH}_2\text{SCN}$. (β -Thiocyanoethyl ester of lauric acid; β -thiocyano-ethyl laurate).
Fly spray. 112, 680P, 1032P.
- 401-551-989-1011-1021-1045.
Carboxylic acid, thiocyanato-, lauryl ester, CU; $\text{RCH}(\text{SCN})\text{COOC}_{12}\text{H}_{25}$.
Fly spray. 112, 1032P.
- 401-551-993-1003-1021.
Propionic acid, β -thiocyano-, *sec*-octyl ester; $\text{C}_8\text{H}_{17}\text{OOCCH}_2\text{CH}_2\text{SCN}$. 673P, 1178, 1202P, 1203P.
- 401-551-993-1011-1021.
Acetic acid, thiocyanato-, *sec*-octyl ester; $\text{C}_8\text{H}_{17}\text{OOCCH}_2\text{SCN}$. (*sec*-Octyl thiocyanacetate). 112, 673P, 1032P.
- 401-551-999-1003-1021.
Propionic acid, β -thiocyano-, amyl ester; $\text{C}_5\text{H}_{11}\text{OOCCH}_2\text{CH}_2\text{SCN}$. 673P, 1178, 1202P, 1203P, 1204P.
- 401-551-999-1011-1021.
Acetic acid, thiocyanato-, amyl ester; $\text{C}_5\text{H}_{11}\text{OOCCH}_2\text{SCN}$.
Fly spray. 112, 673P, 1032P, 1178, 1202P, 1203P, 1204P.
- 401-551-999-1011-1021-1045.
Carboxylic acid, thiocyanato-, amyl ester, CU; $\text{RCH}(\text{SCN})\text{COOC}_5\text{H}_{11}$.
Fly spray. 112, 1032P.
- 401-551-1001-1003-1021.
Propionic acid, β -thiocyano-, butyl ester; $\text{C}_4\text{H}_9\text{OOCCH}_2\text{CH}_2\text{SCN}$. 673P, 1178, 1202P, 1203P, 1204P.
- 401-551-1001-1011-1021.
Acetic acid, thiocyanato-, butyl ester; $\text{C}_4\text{H}_9\text{OOCCH}_2\text{SCN}$.
Fly spray. 112, 1032P.

- 401-551-1003-1011-1021.
Propionic acid, α -thiocyano-, ethyl ester; $C_2H_5OOCCH(SCN)CH_3$.
T *Aphis rumicis* 648, 1178.
- 401-551-1003-1011-1021.
Propionic acid, β -thiocyano-, ethyl ester; $C_2H_5OOCCH_2SCN$.
T *Aphis rumicis* 648, 1178.
- 401-551-1003-1021-1027.
Propionic acid, thiocyano-, esters, CU ; $NCSCH_2CH_2COOR$. (Esters of β -thiocyanopropionic acid).
The above formula where R is a hydrocarbon radical.
Fly spray, 112, 1032P.
- 401-551-1011-1021-1045.
Coconut oil acids, thiocyano-, ethyl esters.
Fly spray, 112, 689P.
- 401-551-1011-1022.
Acetic acid, thiocyano-, methyl ester; CH_3OOCCH_2SCN . (Methylthiocyanacetate).
T flies, mosquitoes, and moths. 648, 1178, 1202P, 1432, 1487.
- 401-551-1011-1022-1045.
Carboxylic acid, thiocyano-, methyl ester, CU ; $RCH(SCN)COOCH_3$.
Fly spray, 112, 1032P.
- 401-551-1012-1021-1045.
Carboxylic acid, thiocyano-, ethyl ester; $RCH(SCN)COOC_2H_5$.
Fly spray, 112, 1032P.
- 401-551-1012-1022.
Thiocyanic acid, 2-acetoxyethyl ester; $CH_3COOCH_2CH_2SCN$. (β -Thiocyanoethyl ester of acetic acid).
Fly spray, 112, 1032P.
- 401-551-1021-1027.
Fatty acids, thiocyanate esters, CU .
Fly spray, 112, 814P, 689P.
- 401-551-1027.
Thiocyanic acid, acyloxyalkyl esters, CU .
Fly spray, 112, 689P.
- 401-551-1027-1030.
Fatty acids, thiocyano-, unsaturated aliphatic esters, CU . 314P.
- 401-552-1003-1012-1021.
Malonic acid, thiocyano-, diethyl ester; $(C_2H_5OOC)_2CHSCN$. 112, 1032P, 1178, 1202P.
- 401-571-951-1011-1021.
Acetophenone, α -thiocyano-; $C_6H_5COCH_2SCN$. (Thiocyanic acid, phenacyl ester? acetophenone, ω -thiocyano-).
T *Aphis rumicis*; NT silkworm. 644, 648, 1178, 1202P.
- 401-571-951-1011-1021.
Acetophenone, thiocyano-, CU ; $NCSCH_2COCH_3$.
Fly spray, 112, 1032P.
- 401-571-952-1011-1021.
Acetophenone, p -phenyl- α -thiocyano-; $C_6H_5C_6H_4COCH_2SCN$.
16% T mosquito larvae. 487, 1291.
- 401-571-961-1021-1027.
Cyclohexanone, polysubstituted, thiocyano-. 139P.
- 401-571-1003-1021.
2-Propanone, 1-thiocyano-, CH_3COCH_2SCN . (Thiocyano acetone).
Fly spray, 112, 673P, 1032P, 1178, 1203P.
- 401-581-924-1021.
Thiocyanic acid, hydroxynaphthyl ester, CU ; $HOCH_2CH_2SCN$. (Thiocyanohydroxynaphthalene).
Fly spray, 112, 380P, 384P, 385P, 1032P, 1178, 1474P.
- 401-581-961-1021-1027.
Cyclohexanol, polysubstituted, thiocyano-. 139P.
- 401-591-671-951-1022.
Thiocyanic acid, aminoanil ester, CU ; $NH_2(CH_2)_3OCH_2SCN$.
Fly spray, 112, 1032P, 1178, 1202P.
- 401-591-671-951-1022.
Anisidine, α -thiocyano-; $NH_2C_6H_4OCH_2SCN$. (Thiocyanoanisidine). 674P.
- 401-591-671-952-1021.
Thiocyanic acid, 2-amino-5-(phenylmethoxy)phenyl ester; $C_6H_4CH_2OC_6H_4(NH_2)SCN$.
Fly spray, 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 401-591-699-952-1022-1291.
Thiocyanic acid, 4-aminohydrochloride-3-phenylmethoxyphenyl ester; $C_6H_4CH_2OC_6H_4(NH_2 \cdot HCl)SCN$.
Fly spray, 112, 692P.
- 401-591-841-851-951-961-1012-1021.
Thiocyanic acid, 2-[2-(4-bromo-2-chloro-6-cyclohexylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_4(Br)(Cl)OC_2H_4OC_2H_4SCN$. (β -(2-Chloro-4-bromo-6-cyclohexylphenoxy)- β' -thiocyano diethyl ether).
Fly spray, 112, 223P.
- 401-591-841-851-951-1003-1021.
Thiocyanic acid, 3-(2-bromo-4-chlorophenoxy) propyl ester; $Cl(Br)C_6H_4OC_2H_4SCN$. (γ -Thiocyanopropyl ether of 2-bromo-4-chloro-phenol).
Fly spray, 112, 208P.
- 401-591-841-852-951-1011-1021.
Thiocyanic acid, 2-(4-bromo-2, 6-dichlorophenoxy) ethyl ester; $(Cl)_2(Br)C_6H_3OC_2H_4SCN$. (β -(2, 6-Dichloro-4-bromo-phenoxy)-ethyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-841-853-951-1011-1021.
Thiocyanic acid, 2-(2-bromo-3, 4, 6-trichlorophenoxy)ethyl ester; $(Cl)_3(Br)C_6H_2OC_2H_4SCN$. (β -Thiocyano-ethyl ether of 2, 4, 5-trichloro-6-bromo-phenol; β -(2, 4, 5-trichloro-6-bromo-phenoxy)-ethyl-thiocyanate).
Fly spray, 112, 208P, 218P.
- 401-591-841-951-1001-1021.
Thiocyanic acid, 3-(p -bromophenoxy)-2-methylpropyl ester; $BrC_6H_4OCH_2CH(CH_3)CH_2SCN$. (γ -(4-Bromophenoxy)-isobutyl-thiocyanate).
Fly spray, 112, 213P.
- 401-591-841-951-1003-1011-1022.
Thiocyanic acid, 2-(3-bromocyclohexyloxy)ethyl ester; $(CH_2)_5CH_2C_6H_4(Br)OC_2H_4SCN$. (β -Thiocyano-ethyl ether of 5-bromo-cyclohexanol; β -(5-Bromocyclohexyloxy)ethyl-thiocyanate).
MT houseflies at 3%, 112, 220P, 221P.
- 401-591-841-951-1003-1021.
Thiocyanic acid, 3-(p -bromophenoxy)propyl ester; $BrC_6H_4OC_3H_7SCN$. (γ -(4-Bromo-phenoxy)-propyl-thiocyanate).
Fly spray, 112, 218P.
- 401-591-841-951-1011-1021.
Thiocyanic acid, 2-(p -bromophenoxy)ethyl ester; $BrC_6H_4OC_2H_4SCN$. (β -(4-Bromo-phenoxy)-ethyl thiocyanate; β -thiocyano-ethyl ether of 4-bromophenol).
HT houseflies at 3%, 112, 208P, 218P.
- 401-591-841-951-1012-1021.
Thiocyanic acid, 2-(2-bromo-4-ethylphenoxy) ethyl ester; $C_2H_5C_6H_4(Br)OC_2H_4SCN$. (β -Thiocyanoethyl ether of 2-bromo-4-ethyl phenol; β -(2-bromo-4-ethyl-phenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 220P, 221P.
- 401-591-841-952-1011-1021.
Thiocyanic acid, 2-(3-bromo-4-biphenyloxy) ethyl ester; $C_6H_5C_6H_4(Br)OC_2H_4SCN$. (Thiocyanic acid, 2-(2-bromo-4-phenylphenoxy) ethyl ester; reaction product of alkali metal thiocyanate and β -chloroethyl and 2-bromo-4-phenyl-phenol).
Fly spray, 112, 804P.
- 401-591-841-952-1022.
Thiocyanic acid, 4-[(p -bromophenoxy) phenyl] methyl ester; $BrC_6H_4OC_6H_4CH_2SCN$. (4-Thiocyano-methylphenyl-4-bromophenyl ether).
52% T mealy bugs. 282P.
- 401-591-843-951-1011-1021.
Thiocyanic acid, 2-(2, 4, 6-tribromophenoxy) ethyl ester; $Br_3C_6H_2OC_2H_4SCN$. (β -Thiocyano-ethyl ether of 2, 4, 6-tribromophenol; β -(2, 4, 6-tribromophenoxy)-ethyl thiocyanate).
Fly spray, 112, 208P, 218P.
- 401-591-851-951-999-1021.
Thiocyanic acid, 2-(p -chlorophenoxy)amyl ester; $ClC_6H_4OCH_2(C_4H_9)CH_2SCN$. (β -(4-Chlorophenoxy)-amyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-851-951-999-1021.
Thiocyanic acid, 5-(p -chlorophenoxy)amyl ester; (Thiocyanic acid, p -chlorophenoxyamyl ester; thiocyanopentyl ether of 4-chlorophenol).
Fly spray, 112, 208P.
- 401-591-851-951-1001-1011-1021.
Thiocyanic acid, 2-(4-*tert*-butyl-2-chlorophenoxy) ethyl ester; $(CH_3)_3CC_6H_4(Cl)OC_2H_4SCN$. (β -Thiocyano-ethyl ether of 2-chloro-4-*tert*-butyl phen-

- ol; β -(2-chloro-4-tertiary-butyl-phenoxy) ethyl thiocyanate).
Fly spray, 112, 220P, 221P.
- 401-591-851-951-1001-1021.
Thiocyanic acid, 3-(*p*-chlorophenoxy)isobutyl ester; $\text{ClC}_6\text{H}_4\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (γ -(4-Chlorophenoxy)-isobutyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-851-951-1002-1021.
Thiocyanic acid, 3-(4-*tert*-butyl-2-chlorophenoxy)-isobutyl ester; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (Thiocyanic acid, 3-(4-*tert*-butyl-2-chlorophenoxy)-2-methylpropyl ester; γ -thiocyano-isobutyl ether of 2-chloro-4-tertiary butyl phenol; γ -(2-chloro-4-tertiary-butyl)-isobutyl thiocyanate[*sic*]).
HT houseflies at 3%, 112, 220P, 221P.
- 401-591-851-951-1003-1021.
Thiocyanic acid, 2-(*m*-chlorophenoxy)propyl ester; $\text{ClC}_6\text{H}_4\text{OCH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (γ -Thiocyano-propyl ether of 3-chlorophenol).
Fly spray, 112, 208P.
- 401-591-851-951-1003-1021.
Thiocyanic acid, 2-(*p*-chlorophenoxy)isopropyl ester; $\text{ClC}_6\text{H}_4\text{OCH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (Thiocyanic acid, 2-(*p*-chlorophenoxy)propyl ester; β -(4-chlorophenoxy)-propyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-851-951-1003-1021.
Thiocyanic acid, 3-(*o*-chlorophenoxy)propyl ester; $\text{ClC}_6\text{H}_3\text{OC}_6\text{H}_4\text{SCN}$. (γ -(2-Chloro-phenoxy)-propyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-851-951-1011-1021.
Thiocyanic acid, 2-(*o*-chlorophenoxy)ethyl ester; $\text{ClC}_6\text{H}_3\text{OC}_6\text{H}_4\text{SCN}$. (β -(2-Chloro-phenoxy)-ethyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-851-951-1011-1021.
Thiocyanic acid, 2-(*p*-chlorophenoxy)ethyl ester; $\text{ClC}_6\text{H}_4\text{OC}_6\text{H}_4\text{SCN}$. (β -Thiocyano-ethyl ether of 4-chlorophenol; β -(4-chlorophenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 208P, 218P.
- 401-591-851-951-1025.
m-Xylene, α,α' -dithiocyano-6-chloro-4-methoxy; $\text{CH}_3\text{OC}_6\text{H}_3(\text{CH}_2\text{SCN})_2\text{Cl}$? (Thiocyanate, 1-methoxy-3-chloro-4, 6-xylidyl).
T as mothproofing agent. 372P, 1175.
- 401-591-851-952-1011-1021.
Thiocyanic acid, 3-(chlorobiphenylloxy)ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_5\text{SCN}$. (Thiocyanic acid, 2-(3-chlorobiphenylphenoxy)ethyl ester; reaction product of alkali metal thiocyanate and 2-chloroethyl ether of 3-chlorobiphenyl-phenol).
Fly spray, 112, 864P.
- 401-591-851-952-1011-1021.
Thiocyanic acid, 2-(5-chloro-2-biphenylloxy) ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl})\text{OC}_2\text{H}_5\text{SCN}$. (β -Thiocyano-ethyl ether of 2-phenyl-4-chloro-phenol; reaction product of alkali metal thiocyanate and β -chloro-ethyl ether of 2-phenyl-4-chlorophenol; β -(2-phenyl-4-chlorophenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 221P, 864P.
- 401-591-852-951-1001-1011-1021.
Thiocyanic acid, 2-(4-*tert*-butyl-2, 6-dichlorophenoxy)ethyl ester; $(\text{CH}_3)_3\text{CC}_6\text{H}_3(\text{Cl})_2\text{OC}_2\text{H}_5\text{SCN}$. (β -(4-tertiary-Butyl-2, 6-dichlorophenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 221P.
- 401-591-852-951-1003-1021.
Thiocyanic acid, 2-(2, 4-dichlorophenoxy)isopropyl ester; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_6\text{H}_4\text{CH}(\text{SCN})\text{CH}_3$. (β -Thiocyano-propyl ether of 2, 4-dichloro-phenol).
Fly spray, 112, 208P.
- 401-591-852-951-1011-1021.
Thiocyanic acid, 2-(2, 4-dichlorophenoxy)ethyl ester; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_5\text{SCN}$. (β -(2, 4-Dichlorophenoxy)-ethyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-853-951-997-1021.
Thiocyanic acid, 2-(2, 4, 6-trichlorophenoxy)hexyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OCH}(\text{C}_6\text{H}_5)\text{CH}_2\text{SCN}$. (β -(2, 4, 6-Trichloro-phenoxy)-hexyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-853-951-1001-1021.
Thiocyanic acid, 4-(2, 4, 5-trichlorophenoxy)butyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_4\text{H}_9\text{SCN}$. (Thiocyanic acid, 4-(2, 4, 5-trichlorophenoxy)-*n*-butyl ester; Δ -(2, 4, 5-trichloro-phenoxy)-*n*-butyl thiocyanate).
Fly spray, 112, 218P.
- 401-591-853-951-1003-1021.
Thiocyanic acid, 2-(2, 4, 6-trichlorophenoxy)isopropyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (β -Thiocyano-propyl ether of 2, 4, 6-trichloro-phenol).
Fly spray, 112, 208P.
- 401-591-853-951-1003-1021.
Thiocyanic acid, 3-(2, 4, 6-trichlorophenoxy)propyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_6\text{H}_4\text{SCN}$. (γ -Thiocyano-propyl ether of 2, 4, 6-trichloro-phenol; γ -(2, 4, 6-trichlorophenoxy)-propyl thiocyanate).
HT houseflies at 3%, 112, 208P, 218P.
- 401-591-853-951-1011-1021.
Thiocyanic acid, 2-(2, 4, 5-trichlorophenoxy)ethyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_5\text{SCN}$. (β -Thiocyano-ethyl ether of 2, 4, 5-trichloro-phenol; β -(2, 4, 5-trichlorophenoxy)-ethyl thiocyanate).
Fly spray, 112, 208P, 218P.
- 401-591-853-951-1011-1021.
Thiocyanic acid, 2-(2, 4, 6-trichlorophenoxy)ethyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_6\text{H}_4\text{SCN}$. (β -Thiocyano-ethyl ether of 2, 4, 6-trichloro-phenol; β -(2, 4, 6-trichlorophenoxy)-ethyl thiocyanate).
MT houseflies at 3%, 112, 208P, 218P.
- 401-591-853-1001-1021.
Thiocyanic acid, 3-(2, 4, 6-trichlorophenoxy)-2-isobutyl ester; $\text{Cl}_3\text{C}_6\text{H}_2\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (γ -Thiocyano-isobutyl ether of 2, 4, 6-trichlorophenol).
Fly spray, 112, 208P.
- 401-591-855-951-1011-1021.
Thiocyanic acid, 2-(pentachlorophenoxy)ethyl ester; $\text{Cl}_5\text{C}_6\text{OC}_2\text{H}_5\text{SCN}$. (β -Thiocyano-ethyl ether of pentachlorophenol; β -(pentachloro-phenoxy)-ethyl thiocyanate).
Fly spray, 112, 208P, 218P.
- 401-591-871-951-1011.
Thiocyanic acid, 2-(*p*-iodophenoxy) ethyl ester; $\text{NCSC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{I}$. (β -Thiocyano-ethyl ether of 4-iodophenol; β -(4-iodophenoxy)-ethyl thiocyanate).
110, 112, 208P, 218P.
- 401-591-881-951-1021-1027.
Thiocyanic acid, halobiphenoxysilyl esters; $\text{C}_6\text{H}_5\text{-CaI}_2(\text{X})\text{OCnHmSCN}$.
The above formula where *n* represents an integer from 2 to 5, and X represents a member of the group consisting of chlorine, bromine, lower alkyl, and hydrogen.
Fly spray, 112, 864P.
- 401-591-881-951-1021-1027.
Thiocyanic acid, halophenoxyalkyl esters. (Thiocyano-alkyl ethers of a halo-phenol).
Fly spray, 112, 208P.
- 401-591-881-951-1027.
Thiocyanic acid, (alkylhalophenoxy)alkyl esters. (Thiocyanic acid, alkylhalogenophenoxy esters).
Fly spray, 112, 220P.
- 401-591-887-951-1021-1027.
Thiocyanic acid, halophenoxyalkyl esters; $\text{XmC}_6\text{H}_4\text{-OCnHmSCN}$.
The above formula wherein X represents a halogen, *n* is an integer from 2 to 8, and *m* is an integer not greater than 5.
Fly spray, 112, 218P.
- 401-591-951-951-999-1021.
Thiocyanic acid, 5-(*o*-cyclohexylphenoxy)amyl ester; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_5\text{H}_{11}\text{SCN}$. (Thiocyanic acid, *o* cyclohexylphenoxyamyl ester; thiocyano-pentyl ether of ortho-cyclohexyl phenol).
Fly spray, 112, 863P.
- 401-591-951-951-1001-1021.
Thiocyanic acid, 3-(*o*-cyclohexylphenoxy)-2-isobutyl ester; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (γ -Thiocyano-isobutyl ether of ortho-cyclohexyl phenol).
Fly Spray, 112, 863P.
- 401-591-951-951-1003-1021.
Thiocyanic acid, 2-(*o*-cyclohexylphenoxy)isopropyl ester; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{SCN}$. (β -Thiocyano-propyl ether of ortho-cyclohexylphenol).
Fly spray, 112, 863P.

- 401-591-951-961-1003-1021.
Thiocyanic acid, 3-(*o*-cyclohexylphenoxy)propyl ester;
 $C_6H_{11}C_6H_4OC_6H_4SCN$. (γ -Thiocyanopropyl ether of 2-cyclohexyl phenol); γ -(2-cyclohexylphenoxy)-propyl thiocyanate).
HT houseflies at 3%, 112, 221P, 863P.
- 401-591-951-961-1003-1021.
Thiocyanic acid, 3-(*p*-cyclohexylphenoxy)propyl ester;
 $C_6H_{11}C_6H_4OC_6H_4SCN$. (γ -Thiocyanopropyl ether of para-cyclohexyl phenol).
Fly spray, 112, 863P.
- 401-591-951-961-1011-1021.
Thiocyanic acid, 2-(*m*-cyclohexylphenoxy)ethyl ester;
 $C_6H_{11}C_6H_4OC_6H_4SCN$. (β -Thiocyano-ethyl ether of meta-cyclohexyl phenol).
Fly spray, 112, 863P.
- 401-591-951-961-1011-1021.
Thiocyanic acid, 2-(*o*-cyclohexylphenoxy)ethyl ester;
 $C_6H_{11}C_6H_4OC_6H_4SCN$. (β -(2-Cyclohexylphenoxy)-ethyl thiocyanate; β -thiocyano-ethyl ether of 2-cyclohexyl phenol).
HT houseflies at 3%, 112, 221P, 863P.
- 401-591-951-961-1011-1021.
Thiocyanic acid, 2-(*p*-cyclohexylphenoxy)ethyl ester;
 $C_6H_{11}C_6H_4OC_6H_4SCN$. (β -Thiocyano-ethyl ether of para-cyclohexyl phenol).
Fly spray, 112, 863P.
- 401-591-951-961-1011-1022.
Thiocyanic acid, 2-(4-cyclohexyl-*o*-toloxy)ethyl ester;
 $C_6H_{11}C_6H_4(CH_3)OC_6H_4SCN$. (β -(2-Methyl-4-cyclohexyl-phenoxy)-ethyl thiocyanate; β -thiocyano-ethyl ether of 2-methyl-4-cyclohexyl phenol).
Fly spray, 112, 219P, 221P.
- 401-591-951-1001-1011-1021.
Thiocyanic acid, 2-(4-*tert*-butylphenoxy)ethyl ester;
 $(CH_3)_3CC_6H_4OC_6H_4SCN$. (β -Thiocyano-ethyl ether of 4-tertiary butyl phenol; β -(4-tertiary-butylphenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 210P, 221P.
- 401-591-951-1001-1011-1022.
Thiocyanic acid, 2-(4-*tert*-butyl-*o*-toloxy)ethyl ester;
 $(CH_3)_3CC_6H_4(CH_3)OC_6H_4SCN$. (β -Thiocyanoethyl ether of 2-methyl-4-tertiarybutyl phenol; β -(2-methyl-4-tertiary-butyl-phenoxy)-ethyl thiocyanate).
Fly spray, 112, 219P, 221P.
- 401-591-951-1002-1003-1021.
Thiocyanic acid, 3-(2, 4-di-*tert*-butylphenoxy)propyl ester; $[(CH_3)_3C]_2C_6H_3OC_6H_4SCN$. (γ -(2, 4-Ditertiary-butyl-phenoxy)-propyl thiocyanate; γ -thiocyano-propyl ether of 2, 4-di-tertiarybutyl phenol).
HT houseflies at 3%, 112, 219P, 221P.
- 401-591-951-1003-1011-1022.
Thiocyanic acid, 2-carvacroxyethyl ester; $(CH_3)_2CHC_6H_4(CH_3)OC_6H_4SCN$. (β -Thiocyano-ethyl ether of carvacrol; β -carvacroxy-ethyl thiocyanate).
HT houseflies at 3%, 112, 219P, 221P.
- 401-591-951-1003-1011-1022.
Thiocyanic acid, 2-thymoxyethyl ester; $(CH_3)_2CHC_6H_4(CH_3)OC_6H_4SCN$. (β -Thiocyano-ethyl ether of thymol; β -thymoxy-ethyl thiocyanate).
HT houseflies at 3%, 112, 219P, 221P.
- 401-591-951-1003-1021.
Thiocyanic acid, 3-phenoxypropyl ester; $C_6H_5OC_3H_6SCN$. (γ -Thiocyanopropyl phenyl ether).
100% *T. Tetranychus telarius*, melon aphid, long-tailed mealybug, European bark beetle, 98% *T. Aphis rumicis*, potato flea beetle, 81.7% *T. potato aphid*, 35-76% *T. Mexican bean beetle*, 10-42% *T. fall cankerworm*, and 6.4% *T. black blister beetle*; NT rose chafer, 618, 1178, 1432, 1484, 1487.
- 401-591-951-1011-1021.
Thiocyanic acid, 2-phenoxyethyl ester; $C_6H_5OC_2H_4SCN$.
T. Aphis rumicis with slight injury to plant. 648, 1178.
- 401-591-951-1011-1022.
Thiocyanic acid, 2-toloxylethyl ester; $CH_3C_6H_4OC_2H_4SCN$. β -Thiocyano-ethyl ethers of common wood phenols).
HT houseflies at 3%, 112, 210P.
- 401-591-951-1011-1023.
Thiocyanic acid, 2-(dimethylphenoxy)ethyl ester; $(CH_3)_2C_6H_4OC_2H_4SCN$. (β -(Dimethyl-phenoxy)-ethyl thiocyanate; β -thiocyano-ethyl ethers of a xylenol mixture).
- Fly spray, 112, 219P, 221P.
- 401-591-951-1021-1045.
Thiocyanic acid, nuclear substituted phenoxyalkyl esters; $RnC_6H_4(Xm)OCnHmSCN$. (Nuclear substituted phenoxyalkyl thiocyanates).
The above formula where R represents a hydrocarbon radical; X represents a member of the group consisting of alkyl, cycloalkyl, aralkyl, aryl, aryloxy, lower alkny, and alkenyl radicals, halogen and hydrogen; n represents an integer from 2 to 6; each m represents an integer not greater than 2; and the nuclear substituted phenoxy group contains at least 8 carbon atoms.
Fly spray, 112, 221P.
- 401-591-951-1027.
Thiocyanic acid, alkylphenoxyalkyl esters; $ROCnHnSCN$.
The above formula where n represents an integer from 2 to 5 and R represents an alkylated phenyl radical containing at least 8 carbon atoms.
Fly spray, 112, 219P.
- 401-591-952-999-1021.
Thiocyanic acid, 5-(3-biphenyloxy)amyl ester; $C_{10}H_7C_6H_4OC_5H_{11}SCN$. (Thiocyanic acid, 3-phenylphenoxy-pentyl ester; reaction product of alkali metal thiocyanate of chloro-pentyl ether of 3-phenylphenol).
Fly spray, 112, 864P.
- 401-591-952-1001-1011-1021.
Thiocyanic acid, 2-(5-*tert*-butyl-2-biphenyloxy)ethyl ester; $C_4H_9C_6H_4[OC_6H_4(C(CH_3)_3)]_2OC_2H_4SCN$. (β -Thiocyano-ethyl ether of 2-phenyl-4-tertiary butyl phenol; β -(2-phenyl-4-tertiary-butyl-phenoxy)-ethyl thiocyanate).
HT houseflies at 3%, 112, 221P, 864P.
- 401-591-952-1001-1021.
Thiocyanic acid, 3-(2-biphenyloxy)isobutyl ester; $C_4H_9C_6H_4OCH_2CH(CH_3)C_6H_4SCN$. (Thiocyanic acid, 3-(*o*-phenylphenoxy)-2-methyl-propyl ester; reaction product of alkali metal thiocyanate and γ -chloro-isobutyl ether of 2-phenylphenol).
Fly spray, 112, 864P.
- 401-591-952-1001-1023.
Thiocyanic acid, 5-*tert*-butyl-2-phenylmethoxy benzyl ester; $C_6H_5CH_2OC_5H_4(C(CH_3)_3)CH_2SCN$.
Fly spray, 112, 692P.
- 401-591-952-1003-1012-1021.
Thiocyanic acid, 2-(5-isopropyl-2-phenylphenoxy)ethyl ester; $(CH_3)_2CHC_6H_4(C_6H_5)OC_2H_4SCN$. (Reaction product of alkali metal thiocyanate and δ -chloro-ethyl-ether of 2-phenyl-4-isopropyl phenol).
Fly spray, 112, 864P.
- 401-591-952-1003-1021.
Thiocyanic acid, 2-(2-biphenyloxy)isopropyl ester; $C_6H_5C_6H_4OCH_2CH(CH_3)C_6H_4SCN$. (Thiocyanic acid, 2-(*o*-phenylphenoxy)-1-methylethyl ester; reaction product of alkali metal thiocyanate and β -chloro-propyl ether of 2-phenylphenol).
Fly spray, 112, 864P.
- 401-591-952-1003-1021.
Thiocyanic acid, 3-(3-biphenyloxy)propyl ester; $C_6H_5C_6H_4OC_3H_6SCN$. (γ -Thiocyano-propyl ether of 3-phenyl phenol; γ -(3-phenylphenoxy)-propyl thiocyanate).
MT houseflies at 3%, 112, 221P, 864P.
- 401-591-952-1003-1021.
Thiocyanic acid, 3-(2-biphenyloxy)propyl ester; $C_6H_5C_6H_4OC_3H_6SCN$. (γ -Thiocyano-propyl ether of 2-phenylphenol; γ -(2-phenyl-phenoxy)-propyl thiocyanate).
HT houseflies at 3%, 112, 221P, 864P.
- 401-591-952-1011-1021.
Thiocyanic acid, 2-(2-biphenyloxy)ethyl ester; $C_6H_5C_6H_4OC_2H_4SCN$. (Thiocyanic acid, 2-(*o*-phenylphenoxy)ethyl ester; β -thiocyano-ethyl ether of 2-phenyl phenol; β -(2-phenyl-phenoxy)-ethyl-thiocyanate).
MT houseflies at 3%, 112, 221P, 864P.
- 401-591-952-1011-1021.
Thiocyanic acid, 2-(3-biphenyloxy)ethyl ester; $C_6H_5C_6H_4OC_2H_4SCN$. (β -(3-Phenyl-phenoxy)-ethyl thiocyanate; β -thiocyano-ethyl ether of 3-phenylphenol).
HT houseflies at 3%, 112, 221P, 864P.
- 401-591-952-1011-1021.
Thiocyanic acid, 2-(4-biphenyloxy)ethyl ester;

- (Thiocyanic acid, 2-xenoxyethyl ester; β -thiocyano-ethyl ether of 4-phenyl phenol; reaction product of alkali metal thiocyanate and β -chloro-ethyl ether of 4-phenyl-phenol).
Fly spray, 112, 854P.
- 401-591-952-1011-1022.
Thiocyanic acid, 2-(4-phenyl-*o*-toloxy)ethyl ester; $C_6H_5C_6H_4(CH_3)OC_2H_4SCN$. (Reaction product of alkali metal thiocyanate and β -bromo-ethyl ether of 2-methyl-4-phenylphenol).
Fly spray, 112, 864P.
- 401-591-952-1022.
Thiocyanic acid, phenylmethoxyphenyl ester, CU; $C_6H_5CH_2OC_6H_4SCN$. (Thiocyanophenyl benzyl ether).
Fly spray, 112, 864P.
- 401-591-952-1022.
Thiocyanic acid, *o*-phenoxy-*p*-tolyl ester; $C_6H_5OCH_2-C_6H_4SCN$. (4-Thiocyanomethylphenyl phenyl ether). 52% T mealy bugs and 96% T small mealy bugs on Coleus, 292P.
- 401-591-952-1023.
Thiocyanic acid, *p*-phenylmethoxybenzyl ester; $C_6H_5CH_2OC_6H_4CH_2SCN$. (Thiocyanic acid, 4-(phenyl-methoxy)benzyl ester).
Fly spray, 112, 692P.
- 401-591-952-1023.
Thiocyanic acid, phenylmethoxybenzyl ester, CU; $C_6H_5CH_2OC_6H_4CH_2SCN$. (Thiocyanic acid, phenyl-methoxyphenylmethyl ester; thiocyanomethyl phenyl benzyl ether).
Fly spray, 112, 692P.
- 401-591-953-1021.
Thiocyanic acid, phenylalkoxybenzyl ester. (A phenyl benzyl ether having a phenyl substituent containing a thiocyanate group).
Fly spray, 112, 692P.
- 401-591-953-1023.
Thiocyanic acid, 3-phenyl-4-phenylmethoxybenzyl ester; $C_6H_5CH_2OC_6H_4(C_6H_5)CH_2SCN$.
Fly spray, 112, 692P.
- 401-591-961-1021-1027.
Thiocyanic acid, cyclohexylphenoxy alkyl esters. (Thiocyano-alkyl ethers of cyclohexylphenol).
Fly spray, 112, 863P.
- 401-591-1001-1011-1021.
Thiocyanic acid, 2-butoxyethyl ester; $C_4H_9OC_2H_4SCN$. (β -Thiocyanomethyl butyl ether; 2-butoxyethyl thiocyanate).
Fly spray, 112, 673P, 1032P, 1178, 1203P, 1204P.
- 401-591-1003-1011-1021.
Thiocyanic acid, 2-propoxyethyl ester; $C_3H_7OCH_2CH_2SCN$. (Thiocyanic acid ester of monopropyl ether of ethylene glycol).
Fly spray, 112, 1032P.
- 401-591-1011-1022.
Thiocyanic acid, 2-methoxyethyl ester; $CH_3OC_2H_4SCN$. (β -Thiocyanomethyl methyl ether).
T *Aphis rumicis* and bouseflies, 112, 648, 1032P, 1178.
- 401-591-1012-1021.
Thiocyanic acid, 2-ethoxyethyl ester; $C_2H_5OC_2H_4SCN$. (β -Thiocyanomethyl ethyl ether).
T *Aphis rumicis* and houseflies, 112, 648, 1032P, 1178.
- 401-592-841-851-993-1012-1021.
Thiocyanic acid, 2-[2-(2-bromo-4-chloro-6-octylphenoxy)ethoxy]ethyl ester; $C_8H_{17}Cl_2(C_2H_4O)_2SCN$. (β -(2-*n*-octyl-4-chloro-6-bromo-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-841-851-952-1012-1021.
Thiocyanic acid, 2-[2-(3-bromo-5-chloro-4-biphenyloxy)ethoxy]ethyl ester; $C_8H_5Cl_2(C_2H_4O)_2SCN$. (β -(3-Chloro-5-bromo-4-xenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 223P.
- 401-592-841-852-951-1012-1021.
Thiocyanic acid, 2-[2-(2-bromo-4, 6-dichlorophenoxy)ethoxy]ethyl ester; $(Cl)_2(C_6H_3)(Br)OC_2H_4OC_2H_4SCN$. (β -(2-Bromo-4, 6-dichlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 217P.
- 401-592-841-853-951-1002-1021.
Thiocyanic acid, 2-[2-(4-bromo-2, 3, 6-trichlorophenoxy)butoxy]-1-ethylethyl ester; $(Cl)_3(Br)C_6H_3$
- $HOCH(C_6H_5)CH_2OCH_2CH(C_6H_5)SCN$. (β -(2, 3, 6-Trichloro-4-bromophenoxy)- β' -thiocyano-di-butyl ether).
Fly spray, 112, 217P.
- 401-593-841-951-1000-1012-1021.
Thiocyanic acid, 2-[2-(2-bromo-4, 6-di-*tert*-amylphenoxy)ethoxy]ethyl ester; $[C_6H_5(CH_3)_2C]_2C_6H_3(Br)OC_2H_4OC_2H_4SCN$. (β -(2, 4-Di-*tert*-amyl-6-bromo-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-841-951-1003-1011-1022.
Thiocyanic acid, 3-[3-(2-bromo-5-methylphenoxy)ethoxy]propyl ester; $CH_3C_6H_4(Br)OC_3H_6OC_2H_4SCN$. [β -(3-Methyl-6-bromo-phenoxy-ethyl) (γ -thiocyano-propyl) ether].
Fly spray, 112, 224P.
- 401-592-841-951-1003-1012-1022.
Thiocyanic acid, 2-[2-(4-bromocyclohexyloxy)ethoxy]ethyl ester; $(CH_3)_2CHC_6H_4(Br)(CH_2)OC_2H_4OC_2H_4SCN$. (β -(2-Methyl-5-isopropyl-4-bromo-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-841-951-1004-1012-1021.
Thiocyanic acid, 2-[2-(4-bromo-2, 5-diisopropylphenoxy)ethoxy]ethyl ester; $[CH(CH_3)_2]_2C_6H_3(Br)OC_2H_4OC_2H_4SCN$. (β -(2, 5-Diisopropyl-4-bromophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-841-951-1004-1021.
Thiocyanic acid, 3-[3-(2-bromo-4-isopropylphenoxy)propoxy]propyl ester; $(CH_3)_2CHC_6H_4(Br)OC_3H_6OC_3H_6SCN$. (γ -(4-Isopropyl-2-bromo-phenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray, 112, 224P.
- 401-592-841-951-1012-1022.
Thiocyanic acid, 2-[2-(4-bromo-*o*-toloxy)ethoxy]ethyl ester; $CH_3C_6H_4(Br)OC_2H_4OC_2H_4SCN$. (β -(2-Methyl-4-bromophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-842-951-1004-1021.
Thiocyanic acid, 3-[3-(2, 4-dibromophenoxy)propoxy]propyl ester; $Br_2C_6H_3OC_3H_6OC_3H_6SCN$. (γ -(2, 4-Dibromophenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray, 112, 224P.
- 401-592-842-952-1003-1011-1021.
Thiocyanic acid, 3-[2-(3, 5-dibromo-2-biphenyloxy)ethoxy]propyl ester; $C_6H_5C_6H_3(Br)_2OC_3H_6OC_2H_4SCN$. [β -(3, 5-Dibromo-2-xenoxy-ethyl) (γ' -thiocyano-propyl) ether].
Fly spray, 112, 223P.
- 401-592-843-951-1012-1021.
Thiocyanic acid, 2-[2-(2, 4, 6-tribromophenoxy)ethoxy]ethyl ester; $Br_3C_6H_3OC_2H_4OC_2H_4SCN$. (β -(2, 4, 6-Tribromophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 217P.
- 401-592-844-952-1012-1021.
Thiocyanic acid, 2-[2-(2, 4, 5, 6-tetrabromo-3-biphenyloxy)ethoxy]ethyl ester; $C_6H_3Br_4(C_6H_4)OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-(3-phenyl-2, 4, 5, 6-tetrabromophenoxy)ethoxy]ethyl ester; β -(2, 4, 5, 6-tetrabromo-3-xenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 223P.
- 401-592-851-951-961-1012-1021.
Thiocyanic acid, 2-[2-(2-chloro-6-cyclohexylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_4(Cl)OC_2H_4OC_2H_4SCN$. (β -(2-Cyclohexyl-6-chlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 223P.
- 401-592-851-951-983-1012-1021.
Thiocyanic acid, 2-[2-(2-chloro-4-hexadecylphenoxy)ethoxy]ethyl ester; $C_{16}H_{33}ClC_6H_4(C_2H_4O)_2SCN$. (β -(4-Hexadecyl-6-chlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray, 112, 224P.
- 401-592-851-951-968-1011-1021.
Thiocyanic acid, (2-chloro-4-ethylphenoxy)hexoxyhexyl ester; $C_2H_5C_6H_4(C_2H_4O)_2OC_6H_4OC_2H_4SCN$. (4-Ethyl-6-chloro-phenoxy-hexyl) (thiocyano-hexyl ether).
Fly spray, 112, 224P.
- 401-592-851-951-1001-1012-1021.
Thiocyanic acid, 2-[2-(4-*tert*-butyl-2-chlorophenoxy)ethoxy]ethyl ester; $(CH_3)_3CC_6H_4(C_2H_4O)_2SCN$.

- OC₂H₄SCN. (β -(4-*tert*-Butyl-2-chloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-851-951-1002-1004-1021.
Thiocyanic acid, 2-[2-(3-chloro-2, 4, 6-*tert*-butylphenoxy)propoxy]propyl ester; [(CH₃)₃C]C₆H₃(Cl)-OC₂H₄OC₂H₄SCN. (β -(2, 4, 6-Tertiary-butyl-3-chloro-phenoxy)- β' -thiocyano-dipropyl ether).
Fly spray. 112, 224P.
- 401-592-851-951-1002-1022.
Thiocyanic acid, 4-[4-(3-methyl-4-chlorophenoxy) butoxy]butyl ester; CH₃C₆H₃(Cl)OC₂H₄OC₂H₄SCN. (Thiocyanic acid, 4-[4-(4-chloro-*m*-toloxy)butoxy] butyl ester; Δ -(3-Methyl-4-chloro-phenoxy)- Δ' -thiocyano-dibutyl ether).
Fly spray. 112, 224P.
- 401-592-851-951-1003-1012-1022.
Thiocyanic acid, 2-[2-(4-chloro-2-isopropyl-5-methylphenoxy)ethoxy]ethyl ester; (CH₃)₂CHC₆H₃(Cl)-(CH₃)OC₂H₄OC₂H₄SCN. (β -(2-Isopropyl-5-methyl-4-chloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-851-951-1012-1021.
Thiocyanic acid, 2-[2-(*p*-chlorophenoxy)ethoxy]ethyl ester; ClC₆H₄OC₂H₄OC₂H₄SCN. (β -Thiocyano- β' -*p*-chlorophenoxy) diethyl ether).
Fly spray. 112, 1032P.
- 401-592-851-951-1012-1022.
Thiocyanic acid, 2-[2-(*o*-chlorophenoxy)ethoxy]ethyl ester; ClC₆H₄OC₂H₄OC₂H₄SCN. (β -Thiocyano- β' -*o*-chlorophenoxy) diethyl ether).
Fly spray. 112, 1032P.
- 401-592-851-951-1012-1024.
Thiocyanic acid, 2-[2-(2-chloro-3, 4, 6-trimethylphenoxy)ethoxy]ethyl ester; (CH₃)₃C₆H₃(Cl)OC₂H₄OC₂H₄SCN. (β -(2, 4, 5-Tri-methyl-6-chloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-851-951-1012-1025.
Thiocyanic acid, 2-[2-(chlorotetramethylphenoxy)ethoxy]ethyl ester, CU; (CH₃)₄C₆(Cl)OC₂H₄OC₂H₄SCN. (β -(Tetra-methyl-chloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-851-952-1004-1021.
Thiocyanic acid, 3-[3-(3-chloro-2-phenylphenoxy)propoxy]propyl ester, CU; C₆H₅C₆H₃(Cl)OC₂H₄OC₂H₄SCN. (γ -(3-Chloro-2-xenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray. 112, 223P.
- 401-592-851-952-1004-1021.
Thiocyanic acid, 3-[2-(3-chloro-4-phenylphenoxy)propoxy]propyl ester; C₆H₅C₆H₃(Cl)OCH(CH₃)CH₂OC₂H₄SCN. (β -(3-Chloro-4-xenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray. 112, 223P.
- 401-592-851-952-1012-1021.
Thiocyanic acid, 2-[2-(3-chloro-4-phenylphenoxy)ethoxy]ethyl ester; C₆H₅C₆H₃(Cl)OC₂H₄OC₂H₄SCN. (β -(3-Chloro-4-xenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-851-952-1012-1022.
Thiocyanic acid, 2-[2-(5-chloro-3-methyl-2-phenylphenoxy)ethoxy]ethyl ester; C₆H₅C₆H₃(CH₃)(Cl)-OC₂H₄OC₂H₄SCN. (β -(3-Methyl-5-chloro-2-xenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-851-1001-1012-1021.
Thiocyanic acid, 2-[1-(2-chloroethoxy)-2-methylpropoxy]ethyl ester; (CH₃)₂CHCH₂(OC₂H₄Cl)OC₂H₄SCN. (α -(β -Thiocyanoethoxy)- α' -(β' -chloroethoxy)- β -methylpropane).
Fly spray. 112, 1032P.
- 401-592-852-951-1001-1011-1021.
Thiocyanic acid, 4-[2-(2, 5-dichlorophenoxy)ethoxy]butyl ester; Cl₂C₆H₃OC₂H₄OC₂H₄SCN. [(δ -2, 5-Dichlorophenoxy-ethyl) (Δ' -thiocyano-butyl) ether].
Fly spray. 112, 217P.
- 401-592-852-951-1001-1012-1021.
Thiocyanic acid, 2-[2-(4-*tert*-butyl-2, 6-dichlorophenoxy)ethoxy]ethyl ester; (CH₃)₃CC₆H₃(Cl)₂OC₂H₄OC₂H₄SCN. (β -(4-*tert*-Butyl-2, 6-dichlorophenoxy)- β' -thiocyano-diethyl ether).
HT houseflies at 3%. 112, 224P.
- 401-592-852-951-1012-1022.
Thiocyanic acid, 2-[2-(4, 6-dichloro-2-methylphenoxy)ethoxy]ethyl ester; Cl₂C₆H₃(Cl)₂OC₂H₄OC₂H₄SCN. (Thiocyanic acid, 2-[2-(4, 6-dichloro-*o*-toloxy)ethoxy] ethyl ester; β -(2-methyl-4, 6-dichloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-852-951-1012-1024.
Thiocyanic acid, 2-[2-(2, 5-dichloro-3, 4, 6-trimethylphenoxy)ethoxy]ethyl ester; (CH₃)₃C₆H₃(Cl)₂OC₂H₄OC₂H₄SCN. (β -(2, 4, 5-Trimethyl-3, 6-dichlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-853-951-998-1021.
Thiocyanic acid, 2-[2-(2, 4, 5-trichlorophenoxy)-2-butylethoxy] 1-butylethyl ester; Cl₃C₆H₃OCH(C₄H₉)CH₂OCH₂CH₂CH₂CH₂OC₂H₄SCN. (Thiocyanic acid, 2-[2-(2, 4, 5-trichlorophenoxy)hexoxymethyl]amyl ester; β -(2, 4, 5-trichlorophenoxy)- β' -thiocyano-dihexyl ether).
Fly spray. 112, 217P.
- 401-592-853-951-1000-1021.
Thiocyanic acid, 5-[5-(2, 4, 6-trichlorophenoxy)amoxyl]amyl ester; Cl₃C₆H₃OC₂H₄OC₂H₄SCN. (Thiocyanic acid, 2, 4, 6-trichlorophenoxyamoxyl ester; [(2, 4, 6-trichlorophenoxy-amy)] (thiocyano-amy)] ether).
Fly spray. 112, 217P.
- 401-592-853-951-1001-1012-1021.
Thiocyanic acid, 2-[2-(*tert*-butyl-3, 4, 6-trichlorophenoxy)ethoxy]ethyl ester; (CH₃)₃CC₆H₃(Cl)₃OC₂H₄OC₂H₄SCN. (β -(2-*tert*-Butyl-3, 4, 6-trichlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-853-951-1003-1011-1021.
Thiocyanic acid, 3-[2-(2, 4, 6-trichlorophenoxy)ethoxy]propyl ester; Cl₃C₆H₃OC₂H₄OC₂H₄SCN. [(β -2, 4, 6-Trichlorophenoxy-ethyl) (γ' -thiocyano-propyl) ether].
Fly spray. 112, 217P.
- 401-592-853-951-1012-1021.
Thiocyanic acid, 2-[2-(2, 4, 6-trichlorophenoxy)ethoxy]ethyl ester; Cl₃C₆H₃OC₂H₄OC₂H₄SCN. (β -(2, 4, 6-Trichlorophenoxy)- β' -thiocyano-diethyl ether).
HT houseflies at 3%. 112, 217P.
- 401-592-853-952-1012-1021.
Thiocyanic acid, 2-[2-(2, 3, 5-trichloro-6-phenylphenoxy)ethoxy]ethyl ester; C₆H₅C₆H₃(Cl)₃OC₂H₄OC₂H₄SCN. (β -(3, 5, 6-Trichloro-2-xenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-854-951-1012-1021.
Thiocyanic acid, 2-[2-(2, 3, 4, 6-tetrachlorophenoxy)ethoxy]ethyl ester; Cl₄C₆H₂OC₂H₄OC₂H₄SCN. (β -(2, 4, 5, 6-Tetrachlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 217P.
- 401-592-854-951-1012-1022.
Thiocyanic acid, 2-[2-(3-methyl-2, 4, 5, 6-tetrachlorophenoxy)ethoxy]ethyl ester; Cl₃C₆H₃(CH₃)OC₂H₄OC₂H₄SCN. (β -(3-Methyl-2, 4, 5, 6-tetra-chloro-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 224P.
- 401-592-855-951-1012-1021.
Thiocyanic acid, 2-[2-(2, 3, 4, 5, 6-pentachlorophenoxy)ethoxy]ethyl ester; Cl₅C₆OC₂H₄OC₂H₄SCN. (Thiocyanic acid, 2-[2-(pentachlorophenoxy)ethoxy] ethyl ester; β -(pentachlorophenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 217P.
- 401-592-871-951-961-1004-1021.
Thiocyanic acid, 3-[3-(4-cyclohexyl-2-iodophenoxy)propoxy]propyl ester; C₆H₁₁C₆H₃(I)OC₂H₄OC₂H₄SCN. (γ -(2-Iodo-4-cyclohexyl-phenoxy)- γ' -thiocyano-dipropyl ether). 110, 112, 223P.
- 401-592-871-951-997-1012-1021.
Thiocyanic acid, 2-[2-(4-*tert*-hexyl-2-iodophenoxy)ethoxy]ethyl ester; C₆H₁₃C₆H₃(I)OC₂H₄OC₂H₄SCN. (β -(2-Iodo-4-*tert*-hexyl-phenoxy)- β' -thiocyano-diethyl ether). 110, 112, 224P.
- 401-592-871-952-1012.
Thiocyanic acid, 2-[2-(3-iodo-2-phenylphenoxy)ethoxy]ethyl ester; C₆H₅C₆H₃(I)OC₂H₄OC₂H₄SCN. (β -(3-Iodo-2-xenoxy)- β' -thiocyano-diethyl ether). 110, 112, 223P.

- 401-592-872-951-1012.
Thiocyanic acid, 2-[2-(2, 4-diiodophenoxy)ethoxy]ethyl ester; $I_2C_6H_3OC_2H_4OC_2H_4SCN$. (β -(2, 4-Diiodo-phenoxy)- β' -thiocyano-diethyl ether). 110, 112, 217P.
- 401-592-881-951-1021-1027.
Thiocyanic acid, halophenoxyalkoxy alkyl esters; $(C_nH_{2n+1})_aC_6H_3(X)_bORORSCN$. (Monohalophenoxy alkyl thiocyanalkyl esters).
The above formula wherein R represents an alkylene radical, X represents halogen, n, a, and b are integers, and the sum of a and b is not greater than 5.
Fly spray. 112, 224P.
- 401-592-887-951-975-1021-1027.
Thiocyanic acid, phenoxyalkoxyalkyl ester, substituted; $XnC_6H_3(Y)ORORSCN$.
The above formula wherein R represents an alkylene radical; Y represents a carbocyclic group containing 6 carbon atoms; X represents a member of the group consisting of lower alkyl, halogen and hydrogen; and n is an integer not greater than 4.
Fly spray. 112, 223P.
- 401-592-887-951-1021-1027-1033.
Thiocyanic acid, polyhalophenoxy alkyl esters; $XnC_6H_3ORORSCN$. (Polyhalophenoxy alkyl-thiocyanalkyl esters).
The above formula wherein R represents an alkylene radical, X represents halogen, and n is an integer from 3 to 5.
Fly spray. 112, 217P.
- 401-592-910-1012-1021.
Thiocyanic acid, 2-(2-phenanthroxyethoxy)ethyl ester; $C_{14}H_{11}OC_2H_4OC_2H_4SCN$. (β -Phenanthroxy- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P.
- 401-592-924-1012-1021.
Thiocyanic acid, 2-(2-naphthoxyethoxy)ethyl ester; $C_{10}H_7OC_2H_4OC_2H_4SCN$. (β -Naphthoxy- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P.
- 401-592-924-1012-1021.
Thiocyanic acid, 2-(2-naphthoxy)ethyl ester; $RCH_2CH_2OCH_2CH_2SCN$. (β -Thiocyano- β' -naphthoxy-diethyl ether).
The above formula wherein R represents naphthoxy radicals.
Fly spray. 112, 1032P.
- 401-592-951-961-993-1012-1021.
Thiocyanic acid, 2-[2-(4-cyclohexyl-2-n-octylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3(C_8H_{17})OC_2H_4OC_2H_4SCN$. (β -(2-n-Octyl-4-cyclohexyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-951-961-998-1021.
Thiocyanic acid, 6-[6-(4-cyclohexylphenoxy)hexoxy]hexyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, p-cyclohexylphenoxyhexoxyhexyl ester; (4-cyclohexylphenoxyhexyl) (thiocyano-hexyl) ether).
Fly spray. 112, 223P.
- 401-592-951-961-1000-1021.
Thiocyanic acid, 5-[5-(2-cyclohexylphenoxy)amoxyl]amyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, o-cyclohexylphenoxyamoxylamyl ester; (2-cyclohexyl-phenoxy-amyl) (thiocyano-amyl) ether).
Fly spray. 112, 223P.
- 401-592-951-961-1004-1021.
Thiocyanic acid, 3-[3-(4-cyclohexyl-2-isopropylphenoxy)propoxy]propyl ester; $C_6H_{11}C_6H_3[CH(CH_3)_2]_2OC_2H_4OC_2H_4SCN$. (γ -(2-Isopropyl-4-cyclohexyl-phenoxy) - γ' -thiocyano-dipropyl ether).
Fly spray. 112, 223P.
- 401-592-951-961-1012-1021.
Thiocyanic acid, 2-[2-(3-cyclohexylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-(m-cyclohexylphenoxy)ethoxy]ethyl ester; β -(3-cyclohexyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-951-961-1012-1021.
Thiocyanic acid, 2-[2-(2-cyclohexylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-(o-cyclohexylphenoxy)ethoxy]ethyl ester; β -(2-cyclohexyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P, 223P.
- 401-592-951-961-1012-1021.
Thiocyanic acid, 2-[2-(4-cyclohexylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-(p-cyclohexylphenoxy)ethoxy]ethyl ester; β -(4-cyclohexyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-951-961-1012-1021.
Thiocyanic acid, 2-[2-(3-cyclohexyl-2, 4, 6-trimethylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3(CH_3)_3OC_2H_4OC_2H_4SCN$. (β -(2, 4, 6-Trimethyl-3-cyclohexyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-951-993-1012-1021.
Thiocyanic acid, 2-(2-(1, 1, 3, 3-tetramethylbutylphenoxy)ethoxy)ethyl ester; $(CH_3)_4CCH_2C(CH_3)_2C_6H_4OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-a,a', γ , γ' -tetramethylbutylphenoxy]ethoxy]ethyl ester; β -thiocyano - β' -(a,a', γ , γ' -tetramethylbutyl-phenoxy)-diethyl ether).
Fly spray. 112, 1032P.
- 401-592-951-993-1012-1021.
Thiocyanic acid, 2-[2-(2-n-octylphenoxy)ethoxy]ethyl ester; $C_8H_{17}C_6H_3OC_2H_4OC_2H_4SCN$. (β -(2-n-Octyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P.
- 401-592-951-993-1012-1022.
Thiocyanic acid, 2-[2-(4-n-octyl-2-methylphenoxy)ethoxy]ethyl ester; $C_6H_{11}C_6H_3(CH_3)(C_8H_{17})OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-[2-(4-n-octyl-o-toloxyl)phenoxy]ethyl ester; β -(2-methyl-4-n-octyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 225P.
- 401-592-951-997-1001-1011-1021.
Thiocyanic acid, 4-[2-(4-n-hexylphenoxy)ethoxy]butyl ester; $C_6H_{11}C_6H_3OC_2H_4OC_2H_4SCN$. (β -(4-n-Hexyl-phenoxy-ethyl) (Δ' -thiocyano-butyl) ether).
Fly spray. 112, 222P.
- 401-592-951-998-1003-1022.
Thiocyanic acid, 6-[6-(2-isopropyl-5-methylphenoxy)hexoxy]hexyl ester; $(CH_3)_2CHC_6H_3(CH_3)OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-(2-thymoxyhexoxy)hexyl ester; (2-propyl-5-methyl-phenoxy-hexyl) (thiocyano-hexyl) ether).
Fly spray. 112, 225P.
- 401-592-951-1000-1022.
Thiocyanic acid, 5-[5-(2-methylphenoxy)amoxyl]amyl ester; $CH_3C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, o-toloxylamoxylamyl ester; (2-methyl-phenoxy)-thiocyanodiamyl ester).
Fly spray. 112, 222P.
- 401-592-951-1000-1023.
Thiocyanic acid, 5-[5-(3, 5-dimethylphenoxy)amoxyl]amyl ester; $(CH_3)_2C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, (3, 5-dimethylphenoxy)amoxylamyl ester; (3, 5-dimethyl-phenoxy-amyl) (thiocyano-amyl) ether; (3, 5-dimethyl-phenoxy)-thiocyano-diamyl ether).
Fly spray. 112, 222P, 223P.
- 401-592-951-1001-1011-1025.
Thiocyanic acid, 4-[2-(tetramethylphenoxy)ethoxy]butyl ester; $(CH_3)_4C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 2-(tetramethylphenoxy)ethoxybutyl ester; (β -tetra-methyl-phenoxy-ethyl) (thiocyano-butyl) ether).
Fly spray. 112, 225P.
- 401-592-951-1001-1012-1021.
Thiocyanic acid, 2-[2-(4-tert-butylphenoxy)ethoxy]ethyl ester; $(CH_3)_3CC_6H_3OC_2H_4OC_2H_4SCN$. (β -(4-tert-Butyl-phenoxy)- β' -thiocyano-diethyl ether).
90% T houseflies. 112, 222P.
- 401-592-951-1002-1003-1021.
Thiocyanic acid, 4-[4-(2-propylphenoxy)butoxy]butyl ester; $C_6H_5C_6H_3OC_2H_4OC_2H_4SCN$. (Thiocyanic acid, 4-[4-(o-propylphenoxy)butoxy]butyl ester; Δ -(2-propyl-phenoxy)- Δ' -thiocyano-dibutyl ether).
Fly spray. 112, 222P.
- 401-592-951-1002-1004-1021.
Thiocyanic acid, 3-[3-(2, 4, 6-*tri-tert*-butylphenoxy)propoxy]propyl ester; $[(CH_3)_3C]_3C_6H_3OC_2H_4OC_2H_4SCN$.

- HaSCN. (γ -(2, 4, 6-Tertiary-butyl-phenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray. 112, 225P.
- 401-592-951-1003-1011-1022-1030.
Thiocyanic acid, 2-[2-(3-methoxy-4-(2-propene)-phenoxy)ethyl ester; $\text{CH}_3\text{:CHCH}_2\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-eugenoxylethyl ester; β -eugenoxylethyl thiocyanate).
HT houseflies at 3%, 112, 221P.
- 401-592-951-1003-1012-1022.
Thiocyanic acid, 2-[2-(3-methyl-6-propylphenoxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_4\text{C}_6\text{H}_3(\text{CH}_3)\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(6-propyl-m-toloxylethoxy)ethyl ester; β -(2-propyl-5-methyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 225P.
- 401-592-951-1003-1012-1022.
Thiocyanic acid, 2-[2-(2-methyl-5-isopropylphenoxy)ethoxy]ethyl ester; $(\text{CH}_3)_2\text{CHC}_6\text{H}_3(\text{CH}_3)\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-(2-carvaxoxyethoxy)ethyl ester; β -(2-methyl-5-isopropyl-phenoxy)- β' -thiocyano-diethyl ether).
HT houseflies at 3%, 112, 222P, 225P.
- 401-592-951-1003-1012-1022.
Thiocyanic acid, 2-[2-(2-methyl-4-tert-butylphenoxy)ethoxy]ethyl ester; $(\text{CH}_3)_2\text{C}(\text{CH}_3)\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(4-isopropyl-o-toloxylethoxy)ethyl ester; β -(2-methyl-4-tert-butyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 225P.
- 401-592-951-1004-1021.
Thiocyanic acid, 3-[3-(2, 5-diisopropylphenoxy)propoxy]propyl ester; $\{(\text{CH}_3)_2\text{CH}\}_2\text{C}_6\text{H}_3\text{OCH}(\text{CH}_3)\text{CH}_2\text{OC}_2\text{H}_4\text{SCN}$. (β -(2, 5-Isopropyl-phenoxy)- γ' -thiocyano-dipropyl ether).
Fly spray. 112, 225P.
- 401-592-951-1004-1021-1030.
Thiocyanic acid, 3-[3-(2-propene)phenoxy]propoxy]propyl ester; $\text{CH}_2\text{:CHCH}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 3-[3-(o-allylphenoxy)propoxy]propyl ester; γ -(4-allyl-phenoxy)- γ' -thiocyano dipropyl ether).
Fly spray. 112, 222P.
- 401-592-951-1012-1021.
Thiocyanic acid, 2-[2-(phenoxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_5\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -Phenoxy- β' -thiocyano-diethyl ether; β -thiocyano- β' -phenoxydiethyl ether).
MT houseflies at 3%, 112, 222P, 1032P.
- 401-592-951-1012-1021.
Thiocyanic acid, 2-[2-(2-ethylphenoxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(o-ethylphenoxy)ethoxy]ethyl ester; β -(2-ethyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P.
- 401-592-951-1012-1022.
Thiocyanic acid, 2-[2-(methylphenoxy)ethoxy]ethyl ester; $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -Thiocyano- β' -cresoxydiethyl ether; thiocyanic acid, 2-(2-toloxylethoxy)ethyl ester).
Fly spray. 112, 1032P.
- 401-592-951-1012-1025.
Thiocyanic acid, 2-[2-(2, 3, 4, 5, 6-pentamethyl-phenoxy)ethoxy]ethyl ester; $(\text{CH}_3)_5\text{C}_6\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(pentamethylphenoxy)ethoxy]ethyl ester; β -(penta-methyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 225P.
- 401-592-951-1012-1027.
Thiocyanic acid, alkylphenoxy alkylalkoxy alkyl esters; $\text{XnC}_6\text{H}_4\text{ORORSCN}$.
The above formula wherein R represents an alkylene radical, X represents an alkyl group from 1 to 8 carbon atoms, and n is an integer from 2 to 5.
Fly spray. 112, 225P.
- 401-592-951-1027.
Thiocyanic acid, alkylphenoxy alkylalkoxy alkyl esters; $\text{ROCH}_2\text{H}_2\text{OCnH}_2\text{H}_2\text{SCN}$.
The above formula wherein R represents an aryl group and each n is an integer.
Fly spray. 112, 222P.
- 401-592-952-1001-1011-1021.
Thiocyanic acid, 4-[2-(2-phenylphenoxy)ethoxy]butyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 4-[2-(o-phenylphenoxy)ethoxy]butyl ester; (β -2-xenoxylethyl) (Δ' -thiocyano-butyl) ether).
Fly spray. 112, 223P.
- 401-592-952-1001-1012-1021.
Thiocyanic acid, 2-[2-(3-tert-butyl-4-phenylphenoxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3[\text{C}(\text{CH}_3)_3]\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -(3-tert-Butyl-4-xenoxylethyl)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-952-1001-1012-1021.
Thiocyanic acid, 2-[2-(4-tert-butyl-2-phenylphenoxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3[\text{C}(\text{CH}_3)_3]\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -(5-tert-Butyl-2-xenoxylethyl)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-952-1002-1021.
Thiocyanic acid, 4-[4-(3-phenylphenoxy)butoxy]butyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 4-(m-phenylphenoxy)butoxy]butyl ester; (3-xenoxylethyl) (Δ' -thiocyano-butyl) ether).
Fly spray. 112, 223P.
- 401-592-952-1002-1022.
Thiocyanic acid, 2-[2-(4-benzylphenoxy)-2-ethyl-ethoxy]-1-ethylethyl ester; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4\text{OCH}(\text{C}_2\text{H}_5)\text{CH}_2\text{OCH}_2\text{CH}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(p-benzylphenoxy)butoxy]-1-ethylethyl ester; β -(4-benzyl-phenoxy)- β' -thiocyanodibutyl ether).
Fly spray. 112, 222P.
- 401-592-952-1003-1012-1021.
Thiocyanic acid, 2-[2-(4-isopropyl-2-phenylphenoxy)ethoxy]ethyl ester; $(\text{CH}_3)_2\text{CHC}_6\text{H}_3(\text{CH}_3)\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -(2-Phenyl-4-isopropyl-phenoxy)- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P.
- 401-592-952-1004-1012-1021.
Thiocyanic acid, 2-[2-(3, 5-diisopropyl-2-phenylphenoxy)ethoxy]ethyl ester; $\{(\text{CH}_3)_2\text{CH}\}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -(3, 5-Diisopropyl-2-xenoxylethyl)- β' -thiocyano-diethyl ether).
Fly spray. 112, 223P.
- 401-592-952-1012-1021.
Thiocyanic acid, 2-[2-(o-biphenyloxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-[2-(o-phenylphenoxy)ethoxy]ethyl ester; β -(2-xenoxylethyl)- β' -thiocyano-diethyl ether; β -(2-phenyl-phenoxy)- β' -thiocyano-diethyl ether).
MT houseflies at 3%, 112, 222P, 223P.
- 401-592-952-1012-1021.
Thiocyanic acid, 2-[2-(p-biphenyloxy)ethoxy]ethyl ester; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanic acid, 2-(2-xenoxylethoxy)ethyl ester; β -(4-xenoxylethyl)- β' -thiocyano-diethyl ether).
Fly spray. 112, 222P, 223P.
- 401-592-1001-1012-1021.
Thiocyanic acid, 2-[2-(butoxy)ethoxy]ethyl ester; $\text{C}_4\text{H}_9\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -Butoxy- β' -thiocyanodibutyl ether; 2-(2'-butoxyethoxy)ethyl thiocyanate; "Lethane 334").
HT several species of insects. 62, 112, 292, 673P, 723, 755, 1031, 1032P, 1043, 1108, 1173, 1203P, 1204P, 1432.
- 401-592-1001-1012-1021.
Thiocyanic acid, 2-[2-(isobutoxy)ethoxy]ethyl ester; $(\text{CH}_3)_2\text{CHCH}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (β -Thiocyano- β' -isobutoxy-diethyl ether).
Fly spray. 112, 1032P.
- 401-592-1003-1012-1021.
Thiocyanic acid, 2-[2-(propoxy)ethoxy]ethyl ester; $\text{C}_3\text{H}_7\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. 1173, 1202P.
- 401-592-1012-1021-1027.
Thiocyanic acid, 2-[2-(alkoxy)ethoxy]ethyl esters; $\text{ROC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. 673P, 1173, 1203P, 1204P.
- 401-592-1012-1022.
Thiocyanic acid, 2-[2-(methoxy)ethoxy]ethyl ester; $\text{CH}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. 1173, 1202P.
- 401-592-1013-1021.
Thiocyanic acid, 2-[2-(ethoxy)ethoxy]ethyl esters; $\text{C}_2\text{H}_5\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN}$. (Thiocyanate of the monoethyl ether of diethylene glycol).
HT houseflies. 112, 673P, 1032P, 1173, 1202P, 1204P.

- 401-665-730-951-1021.
Piperidine, *p*-thiocyanophenylazo-, CU; $\text{NCSC}_6\text{H}_4\text{-N:N}(\text{NC}_6\text{H}_5)_2$. (*p*-Thiocyanate of phenyldiazopiperidine; thiocyanic acid, *p*-(piperidylazo)-phenyl ester). 341P.
- 401-668-1022.
Thiocyanic acid, guanidine salt; $\text{NH}_2\text{C}(\text{:NH})\text{NH}_2\text{-SCN}$.
T screwworms, codling moth larvae, and root lice. 156, 713, 915, 1178.
- 401-671-924-1021.
Thiocyanic acid, 1-aminonaphthyl ester; $\text{H}_2\text{NC}_6\text{H}_4\text{-SCN}$. (Naphthylamine, α -thiocyanato-). 112, 674P, 1032P, 1178, 1202P.
- 401-671-951-1021.
Thiocyanic acid, 4-aminophenyl ester; $\text{H}_2\text{NC}_6\text{H}_4\text{-SCN}$. (Thiocyanic acid, *p*-aminophenyl ester; *p*-thiocyananiline).
T *Aphis rumicis* at 0.1%. 112, 648, 1032P, 1178, 1202P.
- 401-671-951-1022.
Thiocyanic acid, aminotolyl ester; $\text{H}_2\text{NC}_6\text{H}_3(\text{CH}_3)\text{-SCN}$. (*p*-Thiocyananotoluidine). 112, 674P, 1032P, 1178, 1202P.
- 401-671-951-1022.
Thiocyanic acid, 4-(amino α -methyl)phenyl ester; $\text{H}_2\text{NC}_6\text{H}_3(\text{CH}_3)\text{-SCN}$. (Thiocyanic acid, ω -amino-*p*-tolyl ester; *p*-thiocyanobenzylamine).
Fly spray. 112, 1032P.
- 401-681-952-1021.
Diphenylamine, 4, 4'-di-(thiocyanato); $\text{HN}(\text{C}_6\text{H}_5\text{-SCN})_2$. (*p,p'*-Dithiocyanodiphenylamine).
51% T mosquito larvae and T *Pisma quadrata*. 380P, 384P, 385P, 487, 1178, 1473P.
- 401-681-951-1023.
Thiocyanic acid, *p*-(dimethylaminophenyl ester; $\text{NCSC}_6\text{H}_4\text{N}(\text{CH}_3)_2$. (*p*-Thiocyanodimethylamine; aniline, *N,N*-dimethyl-*p*-thiocyanato-).
T clothes moth and goldfish. 112, 295, 674P, 1032P, 1178, 1202P, 1291, 1432.
- 401-730-1021.
Thiocyanic acid, pyridyl ester, CU; $(\text{C}_5\text{H}_5\text{N})\text{SCN}$. 1178, 1245P.
- 401-781-851-951-1023.
Thiocyanic acid, 2-(methylthio)-4-chlorobenzyl ester; $\text{ClC}_6\text{H}_4(\text{SCH}_3)\text{CH}_2\text{SCN}$. (1-Methylthiol-4-chloro-2-thiocyanomethylbenzene; 2-methylthiol-5-chlorobenzyl ester of thiocyanic acid).
HT aphids at 0.5%. 1178, 1385P, 1386P.
- 401-781-951-1023.
Thiocyanic acid, 4-(methylthio)benzyl ester; $\text{CH}_3\text{SC}_6\text{H}_4\text{-CH}_2\text{SCN}$.
100% T plant lice at 1-1000. 1178, 1385P, 1386P.
- 401-781-951-1024.
Thiocyanic acid, 5-methyl-2-(methylthio)benzyl ester; $\text{CH}_3\text{SC}_6\text{H}_3(\text{CH}_3)\text{CH}_2\text{SCN}$. (1-Methylthio-4-methyl-2-thiocyanomethylbenzene; thiocyanic acid, 2-methylthiol-5-methylbenzyl ester).
T plant lice at .015%. 1178, 1385P, 1386P.
- 401-781-1045.
Thiocyanic acid, sulfides of, CU. 1178, 1385P.
- 401-841-951-1021.
Thiocyanic acid, *p*-bromophenyl ester; $\text{BrC}_6\text{H}_4\text{-SCN}$. (*p*-Thiocyanobromobenzene).
53.5% T mosquito larvae and T screwworms. 157, 487, 944.
- 401-851-951-1021.
Thiocyanic acid, *p*-chlorophenyl ester; $\text{ClC}_6\text{H}_4\text{-SCN}$.
53.6% T mosquito larvae. 487.
- 401-851-951-1022.
Thiocyanic acid, chlorobenzyl ester; $\text{ClC}_6\text{H}_4\text{-CH}_2\text{SCN}$.
T flies and gnats. 1178, 1245P.
- 401-851-1003-1021.
Thiocyanic acid, 3-chloropropyl ester; $\text{ClCH}_2\text{CH}_2\text{CH}_2\text{-SCN}$. (Trimethylene chlorothiocyanate).
56% T bean aphid. 1432, 1484.
- 401-851-1011-1021.
Thiocyanic acid, 2-chloroethyl ester; $\text{ClCH}_2\text{CH}_2\text{SCN}$.
58-78% T bean aphid. 1432, 1484.
- 401-871-951-1021.
Thiocyanic acid, *p*-iodophenyl ester; $\text{IC}_6\text{H}_4\text{-SCN}$. (*p*-Iodophenyl thiocyanate).
T culicine mosquito larvae. 110, 157, 487, 944.
- 401-910-1003-1023.
Thiocyanic acid, hydrobietyl ester; $\text{C}_{10}\text{H}_{17}\text{SCN}$?
Fly spray. 112, 1223P.
- 401-924-1021.
Thiocyanic acid, naphthyl ester; $\text{C}_{10}\text{H}_7\text{SCN}$.
Repellent and contact poison. 1178, 1245P.
- 401-924-1021.
Thiocyanic acid, 1-decahydronaphthyl ester; $\text{C}_{10}\text{H}_{17}\text{-SCN}$. (α -Decahydro-naphthyl thiocyanate).
Fly spray. 112, 1223P.
- 401-924-1021.
Thiocyanic acid, 2-decahydronaphthyl ester; $\text{C}_{10}\text{H}_{17}\text{-SCN}$. (β -Decahydro-naphthyl thiocyanate).
Fly spray. 112, 1223P.
- 401-930-1024.
Thiocyanic acid, bornyl ester; $\text{C}_{10}\text{H}_{17}\text{SCN}$.
HT houseflies. 112, 1223P.
- 401-951-1011-1022.
Thiocyanic acid, 2-(*p*-tolyl)ethyl ester; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_2\text{H}_5\text{-SCN}$. (α -*p*-Tolyl-ethyl ester of thiocyanic acid).
T *Carpocapsa pomonella* larvae. 1291.
- 401-951-1021.
Thiocyanic acid, phenyl ester; $\text{C}_6\text{H}_5\text{SCN}$. (Phenyl sulfonylthiocyanate; phenyl rhodanate).
T houseflies and T aphids at 0.5%. 112, 295, 648, 1032P, 1178, 1202P, 1245P, 1474P.
- 401-951-1022.
Thiocyanic acid, benzyl ester; $\text{C}_6\text{H}_5\text{CH}_2\text{SCN}$.
T houseflies, plant lice, *Aphis rumicis*, and *Pisma quadrata*. 112, 295, 380P, 384P, 385P, 648, 1032P, 1178, 1432, 1474P.
- 401-957-1003-1022.
Thiocyanic acid, terpineyl ester; $\text{C}_{10}\text{H}_{17}\text{SCN}$.
Fly spray. 112, 1223P.
- 401-961-993-1021.
Thiocyanic acid, (1, 1, 3, 3-tetramethylbutyl) cyclohexyl ester; $(\text{CH}_3)_3\text{CCH}_2\text{C}(\text{CH}_3)_2\text{C}_6\text{H}_{10}\text{SCN}$. (Thiocyanic acid, $\alpha,\alpha,\gamma,\gamma$ -tetramethylbutylcyclohexyl ester; $\alpha,\alpha,\gamma,\gamma$ -tetramethylbutylcyclohexyl ester of thiocyanic acid).
Fly spray. 112, 1032P.
- 401-961-1002-1021.
Thiocyanic acid, diisobutylcyclohexyl ester; $[(\text{CH}_3)_2\text{CHCH}_2]_2\text{C}_6\text{H}_{10}\text{SCN}$. (Diisobutylcyclohexylthiocyanate).
Fly spray. 112, 675P.
- 401-961-1003-1022.
Thiocyanic acid, menthyl ester; $\text{C}_{10}\text{H}_{17}\text{SCN}$. (Menthyl thiocyanate; *p*-methylisopropylcyclohexyl thiocyanate).
Fly spray. 112, 1223P.
- 401-961-1021.
Thiocyanic acid, cyclohexyl ester; $\text{C}_6\text{H}_{11}\text{SCN}$.
Fly spray. 112, 675P, 1032P.
- 401-961-1027.
Thiocyanic acid, alkylcyclohexyl ester, CU; $\text{RC}_6\text{H}_{10}\text{-SCN}$. (Alkyl cyclohexylthiocyanate).
Fly spray. 112, 675P.
- 401-975.
Thiocyanic acid, acyclic esters; $\text{GR}(\text{SCN})_x$.
The above formula wherein G is a water-solubilizing polar group, R is an acyclic hydrocarbon residue of at least 10 carbon atoms, and x is an integer equal to the valence of R less 1.
Fly spray. 106P, 112.
- 401-975-1021.
Thiocyanic acid, naphthyl ester, CU; RSCN .
Fly spray. 112, 1223P.
- 401-975-1021.
Thiocyanic acid, aromatic esters.
T as mothproofing agent. 372P, 384P, 385P, 1175, 1178, 1474P.
- 401-975-1021-1027.
Thiocyanic acid, cycloalkyl esters; $\text{R}(\text{CNX})_y$.
The above formula wherein R is an alicyclic hydrocarbon radical containing at least 10 carbon atoms, such as naphthene and cyclic terpene hydrocarbon radicals; X represents sulfur, selenium, or tellurium; and y represents a single digit corresponding to the valency of R.
Fly spray. 112, 1223P.
- 401-980-1021.
Thiocyanic acid, myrcyl ester; $\text{C}_{10}\text{H}_{17}\text{SCN}$. (Melissyl thiocyanate). 1227P, 1432.
- 401-980-1021.
Thiocyanic acid, carnaubyl ester; $\text{C}_{20}\text{H}_{39}\text{SCN}$. (Carnaubyl thiocyanate). 1227P, 1432.

- 401-983-1021.
Thiocyanic acid, stearyl ester; $C_{18}H_{37}SCN$. (Stearyl thiocyanate).
T flies, aphids, etc.; NT Japanese beetle, 496, 1227P, 1432.
- 401-983-1021-1030.
Thiocyanic acid, oleyl ester; $C_{18}H_{37}CH_2CH(CH_3)_2SCN$. (Oleyl thiocyanate). 1227P, 1432.
- 401-983-1021-1389.
Sulfuric acid, thiocyanooctadecyl ester; $(NCS)C_{18}H_{35}HSO_4$. (Sulfate, thiocyanooctadecyl).
Fly spray, 106P, 112.
- 401-985-1021.
Thiocyanic acid, cetyl ester; $C_{16}H_{33}SCN$. (Cetyl thiocyanate; cetyl rhodanate).
T houseflies; ST eggs of *Anuraphia pumi*, 112, 496, 675P, 777, 1032P, 1432.
- 401-987-1021.
Thiocyanic acid, myristyl ester; $C_{14}H_{29}SCN$. (Myristyl rhodanate; myristyl thiocyanate).
NT Colorado potato beetle and Mexican bean beetle, 606, 1432.
- 401-987-1021.
Thiocyanic acid, 2, 4, 6, 8-tetramethyl-1-decanyl ester; $CH_3CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2SCN$. (2, 4, 6, 8-Tetramethyldecanyl-1 thiocyanate). 1227P, 1432.
- 401-988-1021.
Thiocyanic acid, 2,4,6-trimethyl-1-decanyl ester; $CH_3CH_2CH_2CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2CH(CH_3)CH_2SCN$. (2, 4, 6-Trimethyldecanyl-1 thiocyanate). 1227P, 1432.
- 401-989-1021.
Thiocyanic acid, lauryl ester; $C_{12}H_{25}SCN$. (Lauryl thiocyanate; lauryl rhodanate; Loro).
Toxic to many species of insects, 112, 270, 597P, 608, 648, 777, 1032P, 1226P, 1227P, 1274, 1432.
- 401-989-1021.
Thiocyanic acid, sec-dodecanyl ester; $(CH_3)_2C_{10}H_{21}SCN$ (sec-Dodecanyl thiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 401-989-1021-1218-1389.
Dodecyl sodium sulfate, thiocyanate, CU; $(NCS)C_{12}H_{25}NaSO_4$.
Fly spray, 106P, 112.
- 401-990-1021-1389.
Undecyl sulfate, thiocyanate; $(NCS)C_{11}H_{23}SO_4Na$.
Fly spray, 106P, 112.
- 401-991-1021.
Thiocyanic acid, 2, 6-dimethyl-1-octanyl ester; $CH_3CH_2CH(CH_3)CH_2CH_2CH(CH_3)CH_2CH_2SCN$. (2, 6-Dimethyloctanyl-1 thiocyanate; Tetrahydrolinalyl ester of thiocyanic acid).
95% T *Carpocapsa pomonella* larvae. 1291.
T flies, aphids, etc. 1227P, 1432.
- 401-992-1021.
Thiocyanic acid, nonyl ester; $C_9H_{19}SCN$. (Nonyl thiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 401-993-1021.
Thiocyanic acid, capryl ester; $C_8H_{17}SCN$.
Fly spray, 112, 675P.
- 401-993-1021.
Thiocyanic acid, octyl ester; $C_8H_{17}SCN$.
Fly spray, 112, 1032P, 1227P, 1432.
- 401-993-1021.
Thiocyanic acid, 2-octyl ester; $CH_3(CH_2)_6CH(SCN)CH_3$.
T houseflies and *Aphis rumicis*, 112, 648, 1032P, 1178.
- 401-993-1021.
Thiocyanic acid, 2, 4-dimethyl-1-hexanyl ester; $CH_3CH_2CH(CH_3)CH_2CH(CH_3)CH_2SCN$. (2, 4-Dimethylhexanyl-1 thiocyanate). 1227P, 1432.
- 401-993-1021.
Thiocyanic acid, 2, 6-dimethyl-1-hexanyl ester?; $CH_3(CH_3)CH_2CH_2CH_2CH(CH_3)CH_2SCN$. (2,6-Dimethylhexanyl thiocyanate). 1227P, 1432.
- 401-993-1021.
Thiocyanic acid, 2-methyl-1-hexyl ester; $CH_3CH(C_6H_{13})CH_2SCN$. (Amyl β -thiocyanopropionate). 673P.
- 401-995-1021.
Thiocyanic acid, 4-methyl-1-hexanyl ester; $CH_3CH_2CH(CH_3)CH_2CH_2CH_2CH_2SCN$. (4-Methylhexanyl-1-thiocyanate). 1227P, 1432.
- 401-997-1021.
Thiocyanic acid, 2-methyl-1-pentanyl ester; $CH_3CH_2CH_2CH(CH_3)CH_2SCN$. (2-Methylpentanyl-1-thiocyanate). 1227P, 1432.
- 401-999-1021.
Thiocyanic acid, n-amyl ester; $C_5H_{11}SCN$.
Fly spray, 112, 675P, 1032P.
- 401-999-1021.
Thiocyanic acid, isomyl ester; $(CH_3)_2CHCH_2CH_2CH_2SCN$.
Fly spray, 112, 675P, 1032P.
- 401-999-1021.
Thiocyanic acid, tert-amyl ester; $CH_3CH_2C(CH_3)_2SCN$.
Fly spray, 112, 675P, 1032P.
- 401-1001-1021.
Thiocyanic acid, n-butyl ester; C_4H_9SCN . (n-Butyl thiocyanate; n-butyl sulfoyanate; n-butyl rhodanate).
HT houseflies; T aphids, red scale, and 45.9% T Codling moth, 112, 268, 648, 675P, 915, 1032P, 1178.
- 401-1001-1021.
Thiocyanic acid, tert-butyl ester; $(CH_3)_3CSCN$.
Fly spray, 112, 675P, 1032P.
- 401-1003-1021.
Thiocyanic acid, isopropyl ester; $(CH_3)_2CHSCN$. (Isopropyl sulfoyanate; isopropyl rhodanate).
100% T *Stenophylus oryzae* and T *Chrysomphalus aurantii*, 268, 1178, 1180.
- 401-1003-1021-1030.
Thiocyanic acid, allyl ester; $CH_2=CHCH_2SCN$. (2-Propenyl thiocyanate; allyl sulfoyanide).
T *Leptothorax decemlineatus*, 1008, 1175, 1245P.
- 401-1011-1021.
Thiocyanic acid, ethyl ester; C_2H_5SCN . (Ethyl thiocyanate).
T codling moth, red scale, and m.l.d. to rice weevils is 100 mg./L. 268, 915, 1178, 1432.
- 401-1021.
Thiocyanic acid; HSCN. (Sulfocyanic acid).
See 1405 (p. 178).
- 401-1021-1027.
Thiocyanates, alkyl, CU.
T mealy bugs and coccadas; used as wetting agents, 673P, 770, 924, 1033, 1034, 1178, 1203P, 1204P, 1432.
- 401-1021-1045.
Thiocyanates, CU. (Rhodanates).
T *Chrysomphalus aurantii*, 108, 145, 268, 380P, 1178, 1202P, 1245P, 1247P, 1432.
- 401-1022.
Thiocyanic acid, methyl ester; CH_3SCN . (Methyl thiocyanate; methyl sulfoyanate).
T goldfish and T *Chrysomphalus aurantii* but proved injurious to citrus trees, 27, 268, 295, 830, 931, 1170, 1178, 1207.
- 402-440-950-1022.
Phenothiazine dithiocyanate; $(C_{12}H_8NS)(SCN)_2$.
67% T codling moth larvae; NT mosquito larvae, 487, 1291.
- 402-541-980-1218.
Behenic acid, dithiocyanate-, sodium salt, CU; $(SCN)_2C_{22}H_{41}COONa$. (Dithiocyanate sodium docosanoate).
Fly spray, 106P, 112.
- 402-541-983-1022.
Stearic acid, 8, 9-dithiocyanate-; $CH_3(CH_2)_7CH(SCN)CH(SCN)(CH_2)_7COOH$. (Stearic acid, theta, iota-dithiocyanate-; dithiocyanooctadecanoic acid).
Fly spray, 106P, 112.
- 402-541-983-1022-1218.
Stearic acid, 8, 9-dithiocyanate-, sodium salt; $CH_3(CH_2)_7CH(SCN)CH(SCN)(CH_2)_7COONa$. (Stearic acid, theta, iota-dithiocyanate-, sodium salt; dithiocyanate sodium octadecanoate).
Fly spray, 106P, 112.
- 402-541-990-1022.
Hendecanoic acid, dithiocyanate-; $(SCN)_2C_{11}H_{21}COOH$. (Dithiocyanate undecanoic acid).
Fly spray, 106P, 112.
- 402-541-990-1022-1218.
Hendecanoic acid, dithiocyanate-, sodium salt; $(SCN)_2C_{11}H_{21}COONa$. (Dithiocyanate sodium undecanoate).
Fly spray, 106P, 112.

- 402-551-1012-1022.
Acetic acid, thiocyno-, (2-thiocynoethyl) ester; $\text{NCSCH}_2\text{COOC}_2\text{H}_5\text{SCN}$. (β -Thiocyno-ethyl-thiocynoacetate). 711P, 1201P, 1205P, 1432.
- 402-552-591-1014-1022.
Diethylene glycol, di-(thiocynoacetic acid) ester; $\text{O}(-\text{C}_2\text{H}_4\text{OOCCH}_2\text{SCN})_2$. (Diethylena glycol dithiocynoacetate). 1201P.
- 402-552-592-951-1014-1022.
Phthalic acid, bis(2-(2-thiocynoethoxy)ethyl) ester; $\text{C}_6\text{H}_4(\text{COOCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{SCN})_2$. (Bis(β -thiocynoethoxyethyl) phthalate). 711P, 1201P, 1205P, 1432.
- 402-552-592-991-1014-1022.
Sebacic acid, bis(2-(2-thiocynoethoxy)ethyl) ester; $\text{NCSCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{OOC}(\text{CH}_2)_8\text{COOCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{SCN}$. (Bis(β -thiocynoethoxyethyl) sebacate). 1201P.
- 402-552-592-1001-1014-1022.
Succinic acid, bis(2-(2-thiocynoethoxy)ethyl) ester; $(-\text{CH}_2\text{COOC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{SCN})_2$. (Bis(β -thiocynoethoxyethyl) ester of succinic acid). Fly spray, 112, 1032P, 1201P.
- 402-552-951-1012-1022.
Phthalic acid, bis(2-thiocynoethyl) ester; $\text{C}_6\text{H}_4(\text{COOC}_2\text{H}_5\text{SCN})_2$. (Bis(β -thiocynoethyl)-phthalate). 1201P.
- 402-552-991-1012-1022.
Sebacic acid, bis(2-thiocynoethyl) ester; $\text{NCSCH}_2\text{CH}_2\text{OOC}(\text{CH}_2)_8\text{COOCH}_2\text{CH}_2\text{SCN}$. (Bis(β -thiocynoethyl)-sebacate). 1201P.
- 402-552-1001-1012-1022.
Succinic acid, bis(2-thiocynoethyl) ester; $(-\text{CH}_2\text{COOCH}_2\text{CH}_2\text{SCN})_2$. (Bis(β -thiocynoethyl)-succinate). 711P, 1201P, 1205P, 1432.
- 402-552-1013-1022.
Glycol bis(thiocynoacetate); $(\text{CH}_2\text{OOCCH}_2\text{SCN})_2$. (Ethylene glycol dithiocynoacetate). 1201P.
- 402-553-1003-1013-1023.
Glycerol tris(thiocynoacetate); $\text{NCSCH}_2\text{COOCH}(\text{CH}_2\text{OOCCH}_2\text{SCN})_2$. (Glycerol trithiocynoacetate). 711P, 1201P, 1205P, 1432.
- 402-571-1003-1022.
2-Propanone, 1, 3-dithiocyno-; $\text{NCSCH}_2\text{COCH}_2\text{SCN}$. (Thiocyanic acid, thiocynoacetyl methyl ester; α,γ -dithiocynoacetone). Fly spray, 112, 1032P.
- 402-581-1003-1021.
2-Propanol, 1, 3-dithiocyno-; $\text{NCSCH}_2\text{CHOHCH}_2\text{SCN}$. (α,γ -Di(thiocyno)propanol-2). 1201P.
- 402-591-851-951-1024.
 α,α' -m-Xylenediol, 4-chloro-6-methoxy-, dithiocyanate; $\text{CH}_3\text{O}(\text{C}_6\text{H}_3\text{ClCH}_2\text{SCN})_2$. (Thiocyanic acid, 2-chloro-6-methoxy-p-xylyl ester; 3-chloro-1-methoxy-, 4, 6-xylyldithiocyanate). 100% T green plant lice at 0.1%. 372P, 815P, 1178, 1246P.
- 402-591-951-1024.
 α,α' -m-Xylenediol, 4-methoxy-, dithiocyanate; $\text{CH}_3\text{O}(\text{C}_6\text{H}_4\text{CH}_2\text{SCN})_2$. (Thiocyanic acid, 6-methoxy-m-xylyl ester; 1-methoxy-2, 4-xylyldithiocyanate). T aphids at 0.25% and T as mothproofing agent. 372P, 815P, 1175, 1178.
- 402-591-952-1023.
 α,α' -m-Xylenediol, 4-benzyloxy-, dithiocyanate; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4(\text{CH}_2\text{SCN})_2$. (Thiocyanic acid, 4-pbenzylmethoxy-3-thiocyanomethylbenzyl ester). Fly spray, 112, 692P.
- 402-591-1012-1022.
Diethylene glycol dithiocyanate; $\text{O}(-\text{CH}_2\text{CH}_2\text{SCN})_2$. (Thiocyanic acid, 2-(2-thiocynoethoxy)ethyl ester; bis(β -thiocynoethyl ether). 112, 673P, 711P, 1032P, 1201P, 1205P, 1432.
- 402-592-621-1012-1022.
p-Dioxane, 2, 2'-bis(2-thiocynoethoxy)-; $(\text{C}_4\text{H}_8\text{O}_2)(\text{OC}_2\text{H}_4\text{SCN})_2$. (3-Bis(β -thiocynoethoxy)dioxane). 1201P.
- 402-592-621-1012-1022.
p-Dioxane, 2, 3-bis(2-thiocynoethoxy)-; $(\text{C}_4\text{H}_8\text{O}_2)(\text{OC}_2\text{H}_4\text{SCN})_2$. (2, 3-Bis(β -thiocynoethoxy) dioxane). Fly spray, 112, 1032P.
- 402-592-951-1012-1023.
Benzaldehyde bis(2-thiocynoethyl) acetal; $\text{C}_6\text{H}_5\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Bis(β -thiocynoethoxy)phenyl methane). 1201P.
- 402-592-951-1025.
 α,α' -p-Xylenediol, 2, 5-dimethoxy dithiocyanate; $(\text{CH}_3\text{O})_2\text{C}_6\text{H}_3(\text{CH}_2\text{SCN})_2$. (Thiocyanic acid, 2, 5-dimethoxy-p-xylyl ester; 1, 4-dimethoxy-2, 5-xylyldithiocyanate). T aphids at 1-1000 and T as mothproofing agent. 372P, 815P, 1175, 1178.
- 402-592-952-1012-1023.
Methane, bis(p-(2-thiocynoethoxy)phenyl)-; $\text{H}_2\text{C}(\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 2-p-(2-thiocynoethoxy)benzylpbenzoxyethyl ester; bis(β -thiocynoethoxyphenyl) methane). Fly spray, 112, 1032P.
- 402-592-995-1012-1022.
Eranthalddehyde bis(2-thiocynoethyl) acetal; $\text{C}_7\text{H}_{14}\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 2-(hexyl-(2-thiocynoethoxy)methoxy)ethyl ester; α,α -bis(β -thiocynoethoxy) heptane). T houseflies, 112, 1032P, 1201P.
- 402-592-1001-1004-1022.
Isobutyraldehyde bis(2-thiocynoethyl) acetal; $\text{CH}_3\text{CH}(\text{CH}_3)\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (α,α -Bis(β -thiocynoethoxy)- β -methyl propane). 1201P.
- 402-592-1001-1004-1022.
Isobutyraldehyde bis(3-thiocyanopropyl) acetal; $(\text{CH}_3)_2\text{CHCH}(\text{OC}_3\text{H}_6\text{SCN})_2$. (Thiocyanic acid, 3-[1-(3-thiocyanopropoxy)isobutoxy]propyl ester; α,α -bis(γ -thiocyanopropoxy)- β -methyl propane). Fly spray, 112, 1032P.
- 402-592-1001-1012-1022.
Butyraldehyde bis(2-thiocynoethyl) acetal; $\text{C}_4\text{H}_9\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (α,α -Bis(β -thiocynoethoxy)butane; thiocyanic acid, 2-[1-(2-thiocynoethoxy)butoxy]ethyl ester). T houseflies, 112, 1032P, 1201P.
- 402-592-1001-1012-1022.
Isobutyraldehyde bis(2-thiocynoethyl) acetal; $(\text{CH}_3)_2\text{CHCH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 2-[1-(2-thiocynoethoxy)isobutoxy]ethyl ester; α,α -bis(β -thiocynoethoxy)- β -methyl propane). Fly spray, 112, 1032P.
- 402-592-1001-1012-1022-1030.
Crotonaldehyde bis(2-thiocynoethyl) acetal; $\text{CH}_3\text{CH}=\text{CHCH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 2-[1-(2-thiocynoethoxy)-2-butenoxy]ethyl ester; α,α -bis(β -thiocynoethoxy) butene-2). T houseflies, 112, 1032P, 1201P.
- 402-592-1003-1012-1022.
Propionaldehyde bis(2-thiocynoethyl) acetal; $\text{C}_3\text{H}_7\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 2-[1-(2-thiocynoethoxy)propoxy]ethyl ester; α,α -bis(β -thiocynoethoxy) propane). Fly spray, 112, 1032P.
- 402-592-1003-1012-1023.
Propionaldehyde, γ -thiocyno-, bis(2-thiocynoethyl)-acetal; $\text{NCSCH}_2\text{CH}_2\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Thiocyanic acid, 3, 3-bis(2-thiocynoethoxy)propyl ester; α,α -bis(β -thiocynoethoxy)- γ -thiocyno-propane). Fly spray, 112, 1032P, 1201P.
- 402-592-1003-1014-1022.
Pentane, 1, 5-bis(2-thiocynoethoxy)-3-ethyl-; $\text{CH}_3\text{CH}_2\text{CH}(\text{C}_2\text{H}_4\text{OC}_2\text{H}_4\text{SCN})_2$. (α,α -Bis(β -thiocynoethoxy)ethyl propane). 711P, 1201P, 1205P, 1432.
- 402-592-1004-1023.
Methane, bis(3-thiocyanopropoxy)-; $\text{H}_2\text{C}(\text{OC}_3\text{H}_6\text{SCN})_2$. (Thiocyanic acid, 3-(3-thiocyanopropoxy)methoxy)propyl ester; bis(γ -thiocyanopropoxy) methane). Fly spray, 112, 1032P.
- 402-592-1012-1023.
Methane, bis(2-thiocynoethoxy)-; $\text{H}_2\text{C}(\text{OC}_2\text{H}_4\text{SCN})_2$. (Bis(β -thiocynoethoxy) methane). 711P, 1201P, 1205P, 1432.
- 402-592-1013-1022.
Acetaldehyde bis(2-thiocynoethyl) acetal; $\text{C}_2\text{H}_5\text{CH}(\text{OC}_2\text{H}_4\text{SCN})_2$. (α,α -Bis(β -thiocynoethoxy) ethane; thiocyanic acid, 2-[1-(2-thiocynoethoxy)ethoxy] ethyl ester). T houseflies, 112, 1032P, 1201P.
- 402-594-1013-1024.
Acetaldehyde bis[(2-thiocynoethoxy)methyl] acetal; $\text{C}_2\text{H}_5\text{CH}(\text{OCH}_2\text{OC}_2\text{H}_4\text{SCN})_2$. (α,α -Bis(β -thiocynoethoxy)methoxy ethane). T houseflies, 112, 1032P, 1201P.

- 402-594-1013-1024.
Ethane, 1, 2-bis[(2-thiocyanomethoxy)methoxy]-; (-CH₃OCH₂OC₂H₄SCN)₂. (α,α -Bis(β -thiocyanomethoxymethoxy)-ethane; thiocyanic acid, 2-[2-(2-thiocyanomethoxymethoxy)ethoxymethoxy]ethyl ester).
T houseflies. 112, 711P, 1032P, 1201P, 1205P, 1432.
- 402-691-1013-1023.
Triethylamine, 2, 2', 2''-trithiocyano-; N(C₂H₅SCN)₃. (Tris(β -thiocyanoethyl)amine). 1201P.
- 402-701-951-1003-1021.
 α,α -Toluenediol, m-cyano-, dithiocyanate; NCC₆H₄-CH(SCN)₂. (Thiocyanic acid, m-cyanobenzal ester). 1178, 1246P.
- 402-730-1023.
 α,α -Pyridinemethanediol dithiocyanate; C₅H₅NCH₂(SCN)₂. (Thiocyanic acid, picoline ester). 1178, 1246P.
- 402-781-881-951-1022-1027.
Thiocyanic acid, substituted phenylmethyl esters of; C₆H₅(R)(Salk)(CH₂SCN)₂.
The above formula wherein Alk stands for an alkyl radical, R for hydrogen, halogen, or an alkyl radical, and x stands for 1 or 2. 1178, 1388P.
- 402-781-1012-1022.
Sulfide, bis(2-thiocyanoethyl)-; S(CH₂CH₂SCN)₂. Bis(β -thiocyanoethyl) sulfide).
T houseflies. 112, 711P, 1032P, 1201P, 1205P, 1432.
- 402-841-951-1024.
 $\alpha,\alpha,\alpha',\alpha'$ -m-Xylenetetrol, (?) -bromo-, tetrathiocyanate; BrC₆H₄[CH(SCN)]₂. (Thiocyanic acid, 6(?) bromoisophthalal ester).
T plant lice when used at 0.16 mg./cm². 1178, 1247P.
- 402-851-951-1023.
 α,α -Toluenediol, 3-chloro-, dithiocyanate; ClC₆H₄-CH(SCN)₂. (Thiocyanic acid, m-chlorobenzal ester). 55% T plant lice at 2%. 1178, 1246P, 1247P.
- 402-951-1011-1022.
1, 2-Ethanediol, 1-phenyl-, dithiocyanate; C₆H₅-CH(SCN)CH₂SCN. (1-Phenyl-2-thiocyanomethyl ester of thiocyanic acid; styroldithiocyanate; dithiocyano styrene).
T *Piezma quadrata* and houseflies. 112, 380P, 384P, 385P, 1032P, 1178, 1473P.
- 402-951-1022.
Thiocyanic acid, m-phenylene ester; C₆H₄(SCN)₂. 570P.
- 402-951-1023.
 α,α -Toluenediol dithiocyanate; C₆H₅CH(SCN)₂. (Thiocyanic acid, benzal ester). 295, 372P, 380P, 384P, 385P, 648, 815P, 1178, 1245P, 1474P.
- 402-951-1025.
 $\alpha,\alpha,\alpha',\alpha'$ -m-Xylenetetrol tetrathiocyanate; C₆H₄[CH(SCN)]₂. (m-Xylene, ω,ω -tetrathiocyano-). 1178, 1247P.
- 402-951-1025.
 $\alpha,\alpha,\alpha',\alpha'$ -o-Xylenetetrol tetrathiocyanate; C₆H₄[CH(SCN)]₂. (o-Xylene, ω,ω -tetrathiocyano-). 1178, 1247P.
- 402-951-1025.
 $\alpha,\alpha,\alpha',\alpha'$ -p-Xylenetetrol tetrathiocyanate; C₆H₄[CH(SCN)]₂. (p-Xylene, ω,ω -tetrathiocyano-; thiocyanic acid, torepthalal ester). 70% T plant lice. 1178, 1247P.
- 402-957-970-1025.
Pinene, dithiocyano-; C₁₀H₁₆(SCN)₂. (Thiocyanic acid, thiocyanopinene ester; di-thiocyano-pinene).
Fly spray. 112, 1223P.
- 402-1003-1022.
1, 2-Propanediol dithiocyanate; CH₃CH(SCN)CH₂SCN. (2-Thiocyanopropyl ester of thiocyanic acid; propylene dithiocyanate).
T *Aphis rumicis*. 1432, 1484.
- 402-1003-1022.
1, 3-Propanediol dithiocyanate; NCSCH₂CH₂CH₂SCN. (Trimethylene dithiocyanate; 3-thiocyanopropyl ester of thiocyanic acid).
T *Aphis rumicis* and beetles; NT silkworm. 647, 1432, 1484, 1487.
- 402-1011-1021.
Ethanediol dithiocyanate, CU; C₂H₄(SCN)₂. (Ethyl-dithiocyanate).
NT *Malacosoma americana*. 119.
- 402-1011-1022.
Glycol dithiocyanate; NCSCH₂CH₂SCN. (Ethylene dithiocyanate; thiocyanic acid, 2-thiocyanoethyl ester).
T houseflies, *Piezma quadrata*, *Aphis rumicis*, and 0-25% T tent caterpillar at 0.1%. 112, 119, 380P, 384P, 385P, 1032P, 1178, 1473P, 1484.
- 402-1011-1022.
1, 1-Ethanediol dithiocyanate; CH₂CH(SCN)₂. (Thiocyanic acid, ethylidene ester). 1178, 1246P.
- 402-1022-1027.
1, 1-Alkanediol dithiocyanate; RCH(SCN)₂. (Thiocyanates, di-). 1178, 1246P.
- 402-1023.
Methanediol, dithiocyanate? CH₂(SCN)₂. (Thiocyanic acid, methylene ester). 1178, 1246P.
- 411-581-951-1021.
Isothiocyanic acid, p-hydroxyphenyl ester; HOC₆H₄-NCS. (p-Hydroxyphenyl isothiocyanate). 575P, 1432, 411-681-962-1021.
- 411-581-962-1021.
Isothiocyanic acid, cyclohexyl ester, compound with cyclohexylamine; C₆H₁₁NHC₆H₁₀NCS? (Cyclohexylisothiocyanate cyclohexylamine).
T *Myzus persicae*. 772.
- 411-851-951-1021.
Isothiocyanic acid, chlorophenyl ester; ClC₆H₄NCS. (Chlorophenyl isothiocyanate). 575P, 1432.
- 411-910-1003-1024.
Isothiocyanic acid, hydroxyabietyl ester; SCNCH₂-(C₁₅H₃₁)(CH₂)₂CH(CH₃)₂.
T house flies. 112, 1223P.
- 411-924-1021.
Isothiocyanic acid, naphthyl ester; C₁₀H₇NCS. (Naphthylisothiocyanate). 27, 295, 1207.
- 411-930-1025.
Isothiocyanic acid, bornyl ester; C₁₅H₂₇NCS.
Fly spray. 112, 1223P.
- 411-951-1003-1021.
Isothiocyanic acid, terpineyl ester; C₁₅H₂₇NCS.
Fly spray. 112, 1223P.
- 411-951-1021.
Isothiocyanic acid, phenyl ester; C₆H₅NCS. (Phenyl isothiocyanate; phenyl mustard oil).
T young codling moth larvae. 575P, 629, 930, 1432, 1487.
- 411-951-1022.
Isothiocyanic acid, benzyl ester; C₆H₅CH₂NCS. (Benzyl isothiocyanate; benzyl mustard oil). 575P, 1432.
- 411-961-1003-1021.
Isothiocyanic acid, menthyl ester; C₁₀H₁₇NCS.
Fly spray. 112, 1223P.
- 411-961-1021.
Isothiocyanic acid, cyclohexyl ester; C₆H₁₁NCS. (Cyclohexyl isothiocyanate).
NT *Myzus persicae* and *Tetranychus telarius*. 772, 1432.
- 411-975-1021.
Isothiocyanic acid, aryl esters, CU. 575P.
- 411-980-1021.
Isothiocyanic acid, myrcyl ester; C₁₀H₁₇NCS. (Mylcyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-980-1021.
Isothiocyanic acid, carnaubyl ester; C₁₅H₃₁NCS. (Carnaubyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-983-1021.
Isothiocyanic acid, 1-octadecyl ester; C₁₈H₃₇NCS. (Stearyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-983-1021-1030.
Isothiocyanic acid, oleyl ester; C₁₉H₃₉NCS. (Oleyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-985-1021.
Isothiocyanic acid, cetyl ester; C₁₈H₃₇NCS. (Cetyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-987-1021.
Isothiocyanic acid, 2, 4, 6, 8-tetramethyldecyl ester; CH₃CH₂CH(CH₃)CH₂CH(CH₃)CH₂CH(CH₃)CH₂CH(CH₃)CH₂NCS. (2, 4, 6, 8-Tetramethyldecanyl-1 isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-988-1021.
Isothiocyanic acid, 2, 4, 6-trimethyldecyl ester; CH₃CH₂CH(CH₃)CH₂CH(CH₃)CH₂CH(CH₃)CH₂CH₂NCS.

- (CH₃)₂CHNCS. (2, 4, 6-Trimethyldecanyl-1 isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-989-1021.
Isothiocyanic acid, dodecyl ester; C₁₂H₂₅NCS. (Lauryl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-989-1021.
Isothiocyanic acid, *sec*-dodecyl ester; (CH₃)₂CH-(CH₂)₁₀NCS. (*sec*-Dodecanyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-991-1021.
Isothiocyanic acid, 2, 6-dimethyloctyl ester; CH₃-CH₂CH(CH₃)CH₂CH₂CH₂CH(CH₃)CH₂NCS. (2, 6-Dimethyloctanyl-1 isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-992-1021.
Isothiocyanic acid, nonyl ester; C₉H₁₉NCS. (Nonyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-993-1021.
Isothiocyanic acid, 2, 4-dimethylhexyl ester; CH₃-CH₂CH(CH₃)CH₂CH(CH₃)CH₂NCS. (2, 4-Dimethylhexanyl-1 isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-993-1021.
Isothiocyanic acid, 2, 6-dimethylhexyl ester; CH₃-(CH₂)₄CH₂CH₂CH₂CH(CH₃)CH₂NCS. (2, 6-Dimethylhexanyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-993-1021.
Isothiocyanic acid, octyl ester; C₈H₁₇NCS. (Octyl isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-995-1021.
Isothiocyanic acid, 4-methylhexyl ester; CH₃CH₂CH-(CH₂)₃CH₂CH₂NCS. (4-Methylhexanyl-1 isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-997-1021.
Isothiocyanic acid, 2-methylamyl ester; CH₃CH₂CH₂-CH(CH₃)CH₂NCS. (2-Methylpentanyl-1-isothiocyanate).
T flies, aphids, etc. 1227P, 1432.
- 411-999-1021.
Isothiocyanic acid, amyl ester; C₅H₁₁NCS. (*n*-Amyl isothiocyanate; *n*-amyl mustard oil).
T as fish poison. 295, 1178.
- 411-999-1021.
Isothiocyanic acid, isoamyl ester; (CH₃)₂CHCH₂-CH₂NCS. (Isoamyl isothiocyanate; γ -methylbutyl isothiocyanate).
T goldfish. 295, 1178.
- 411-999-1021.
Isothiocyanic acid, *tert*-amyl ester; CH₃CH₂C-(CH₃)₂NCS. (*tert*-Amyl isothiocyanate).
NT as fish poison. 295, 1178.
- 411-1003-1021-1030.
Isothiocyanic acid, allyl ester; CH₂=CHCH₂NCS. (Allyl isothiocyanate; 2-propenyl isothiocyanate; allyl mustard oil).
100% T rice weevil and T *Agrotis*; ST codling moth; NT scale insects. 268, 846, 925, 1013, 1178, 1180, 1382, 1392, 1432.
- 411-1011-1021.
Isothiocyanic acid, ethyl ester; C₂H₅NCS. (Ethyl isothiocyanate; ethyl mustard oil).
100% T rice weevil, T *Chrysomphalus aurantii*, wireworms, and codling moth larvae. 268, 846, 915, 1178, 1180, 1432.
- 411-1021-1045.
Isothiocyanic acid, esters of, CU; RNCS.
T *Chrysomphalus aurantii*. 268, 1178, 1432.
- 411-1022.
Isothiocyanic acid, methyl ester; CH₃NCS. (Methyl isothiocyanate; methyl mustard oil).
T *Chrysomphalus aurantii*. 268, 1178.
- 412-581-951-1012.
Benzene, chlorodisothiocyanate-, CU; ClC₆H₄(NCS)₂. (Chlorophenylene diisothiocyanate). 575P, 1432.
- 412-951-1022.
Hydroquinone diisothiocyanate; C₆H₄(NCS)₂. (*p*-Phenylene diisothiocyanate). 575P, 1432.
- 412-951-1022.
Resorcinol diisothiocyanate; C₆H₄(NCS)₂. (*m*-Phenylene diisothiocyanate).
50-60% T tree lice. 575P, 1432.
- 412-951-1023.
Toluene, diisothiocyanate-, CU; CH₃C₆H₄(NCS)₂. (Tolylene diisothiocyanate). 575P, 1432.
- 412-951-1024.
Xylene, diisothiocyanate-, (CH₃)₂C₆H₄(NCS)₂. (Xylene diisothiocyanate). 575P, 1432.
Note: Inorganic thiocyanates and isothiocyanates are given the numbers of 1405 and 1406.
- 440-521-692-950-1024.
Methylene blue; (CH₃)₂N(C₁₂H₄NS)(CH₃)₂Cl. (Methylthionine chloride; 3, 9-bisdimethylaminophenazonium chloride).
T *Lucilia cuprina* larvae; NT clothes moth. 487, 849, 975, 1144, 1176.
- 440-571-851-950.
1, 4, 2-Benzothiazine-3(4)-one, 6-chloro-, O:(C₆H₅NS)Cl.
88% T codling moth larvae and 29% T mosquito larvae. 437, 1291.
- 440-571-924-1011.
7-Dibenzo[c,h]phenothiazine, 7-acetyl-, (C₆H₅NS)COCH₃. (*N*-Acetyl-2, 3, 9, 10-dibenzophenothiazine).
T *Lucilia cuprina* larvae. 849.
- 440-571-950.
3-Isophenothiazine-3-one; (C₁₂H₇NS):O. (Phenothiazine).
100% T mosquito larvae and 94% T codling moth larvae. 487, 1291.
- 440-581-801-950-1024-1359.
Phenazathionium methyl sulfate, 6-hydroxy-4, 5, 10-trimethyl-, HO(C₁₂H₄NS)(CH₃)₃SO₃CH₃. (4-Methyl-6-hydroxy-*N*-methyl-*S*-methylidiphenylamine sulfonium methoxysulfate). 526P.
- 440-581-950.
1-Phenothiazinol; (C₁₂H₇NS)OH. (Phenothiazine, 4-hydroxy-).
NT adult Colorado potato beetle. 606, 1432.
- 440-672-950.
Thionine; (C₁₂H₇NS)(NH₂)₂† (Lauth's violet).
NT mosquito larvae. 487.
- 440-801-950-951-1021-1291.
Phenazathionium chloride, 10-methyl-5-phenyl-, CH₃(C₁₂H₄NS)(Cl)C₆H₅. (*N*-Methyl-*S*-phenyldiphenylamine sulfonium chloride). 526P.
- 440-801-950-1025-1359.
Phenazathionium methyl sulfate, 3, 5, 6, 10-tetramethyl-, (CH₃)₄(C₁₂H₄NS)SO₃CH₃. (3, 6-Dimethyl-*N*-methyl-*S*-methylidiphenylamine sulfonium methoxysulfate). 526P.
- 440-924.
2, 3-Naphthothiazine, CU; C₁₂H₇NS. 323.
- 440-924.
7-Dibenzo[c,h]phenothiazine; C₂₀H₁₃NS. (2, 3, 9, 10-Dibenzo-phenothiazine).
T *Lucilia cuprina* larvae. 849.
- 440-924-950.
7-Benzo[c]phenothiazine; C₁₅H₁₁NS. (Thiophenyl β -naphthylamine; β -benzophenothiazine).
NT Mexican bean beetle and Colorado potato beetle. 457, 606, 1432.
- 440-924-950.
12-Benzo[a]phenothiazine; C₁₆H₁₁NS. (Thiophenyl α -naphthylamine; α -benzophenothiazine).
HT mosquito larvae; NT Mexican bean beetle and Colorado potato beetle. 457, 606, 1432.
- 440-950.
Phenothiazine; C₁₂H₇NS. (Phenothiazine; thiophenylamine).
T several species of insects. 487, 490, 546, 559, 606, 611, 723, 849, 1120, 1222P, 1233, 1329, 1432.
- 440-950.
Phenothiazine, residues from, CU. (Thiodiphenylamine residues).
80% T Mexican bean beetle. 806.
- 440-950-1011.
Phenothiazine, 10-ethyl-, (C₁₂H₇NS)C₂H₅. (*N*-Ethylphenothiazine; 6-ethylphenothiazine).

- 53% T mosquito larvae and T *Lucilia cuprina* larvae. 457, 488, 849, 1233.
- 440-950-1021.
Phenothiazine, 10-methyl-; $(C_{12}H_8NS)CH_3$. (N-Methyl thiophenylamine; phenothiazine, N-methyl). 45.5% T mosquito larvae and T *Lucilia cuprina* larvae; NT Mexican bean beetle. 457, 488, 606, 849, 1233, 1432.
- 440-950-1022.
Phenothiazine, 3, 7-dimethyl-; $(C_{12}H_7NS)(CH_3)_2$. (3, 9-Dimethyl phenothiazine).
T *Lucilia cuprina* larvae. 849.
- 440-950-1024.
Phenothiazine, 1, 3, 7, 9-tetramethyl-; $(C_{12}H_4NS)_4$. (3, 5, 7, 9-Tetramethyl phenothiazine).
T *Lucilia cuprina* larvae. 849.
For other derivatives of phenothiazine, see:
187-440-852-950.
187-440-950-989.
187-440-950-1011.
187-440-950-1011-1022.
- 460-541-731-950-1011.
Acetic acid, 2-benzothiazolylmercapto-; $(C_7H_4NS)_2SCH_2COOH$. (Glycolic acid, thio-, 1-benzothiazole). 18P, 85P, 594P, 1178.
- 460-571-671.
4-Thiazolidone, 2-amino-; $O:(C_5H_4NS)NH_2$.
NT Mexican bean beetle. 606.
- 460-571-691-796-951-1023-1030.
Rhodanine, 5(p-dimethylaminobenzylidene)-; $O:(C_5H_4NS):CHC_6H_4N(CH_3)_2$? (p-Dimethyl amino benzal rhodanine).
NT *Bombyx mori* larvae. 559.
- 460-571-700.
Pseudothiohydantoin; $O:(C_5H_4NS):NH$. (2-Imino-4-keto-tetrahydro-thiazole; 4-thiazolidone, 2-imino-).
NT Mexican bean beetle at 10%. 18P, 85P, 594P, 595P, 596P, 606, 1178, 1432.
- 460-571-700-952.
4-Thiazolidone, 3-phenyl-2-phenylimino-; $O:(C_6H_5NS):(NC_6H_5)C_6H_5$.
NT mosquito larvae. 487.
- 460-571-796.
Rhodanine; $O:(C_5H_4NS)_2S$. (2-Thio, 2, 4-thiazolidone).
NT *Bombyx mori* larvae. 18P, 85P, 559, 594P, 595P, 596P, 1178, 1432.
- 460-572.
2, 4(3, 5)-Thiazolidone; $O:(C_5H_4NS)_2O$. (2, 4-Diketo-tetrahydro-thiazole). 18P, 85P, 594P, 595P, 596P, 1178.
- 460-581-671-950.
6-Benzothiazolol, 2-amino-; $HO(C_7H_4NS)NH_2$. (Benzothiazole, 2-amino-6-hydroxy-). 18P, 85P, 594P, 595P, 596P, 1178.
- 460-581-731-950-1027.
Benzothiazolols, 2-hydroxyalkylmercapto-; $(C_7H_4NS)SROH$. 237P.
- 460-581-950.
2-Benzothiazolol; $(C_7H_4NS)OH$. (Benzothiazole, 2-hydroxy-). (Incorrectly listed as 1-hydroxy).
90% T aphids. 18P, 85P, 594P, 595P, 596P, 1178.
- 460-591-671-950-1011.
Benzothiazole, 2-amino-6-ethoxy-; $C_2H_5O(C_7H_4NS)_2NH_2$.
30-40% T Colorado potato beetle and Mexican bean beetle. 301P, 606, 1432.
- 460-591-671-950-1011-1313.
Benzothiazole, 2-amino-6-ethoxy-, fluosilicate; $C_2H_5O(C_7H_4NS)NH_2.H_2SiF_6$.
99% T black chrysanthemum aphid and T Mexican bean beetle and Colorado potato beetle. 301P, 307P, 606, 1178, 1179.
- 460-591-731-950-1027.
Benzothiazoles, 2-alkoxyalkylmercapto-; $(C_7H_4NS)_2SROH$. 237P.
- 460-591-791-950-1011.
Benzothiazole, 6-ethoxy-2-mercapto-; $C_2H_5O(C_7H_4NS)SH$.
NT Japanese beetle. 496, 1432.
- 460-591-950-1045.
2-Benzothiazolol, and derivatives of, CU; $(C_7H_4NS)OR$. (Benzothiazoles).
R is hydrogen or an atom or atom grouping which can replace hydrogen when it exercises its acidic functions. 85P, 1178.
- 460-671-851-950.
Benzothiazole, 2-amino-6-chloro-; $Cl(C_7H_4NS)NH_2$.
T Japanese beetle at 8 lbs./100 gal.; NT Colorado potato beetle and Mexican bean beetle. 496, 606, 1432.
- 460-671-924.
Naphtho[2,1]thiazole, 2-amino-; $(C_{11}H_6NS)NH_2$. (2-Amino-naphthothiazole).
10% T Mexican bean beetle. 606, 1432.
- 460-671-950-951-1021.
Primuline; $CH_3(C_7H_4NS)C_6H_4NH_2$.
NT acraworms. 150.
- 460-671-1021.
Thiazole, 2-amino-4-methyl-; $CH_3(C_5H_4NS)NH_2$. (Sulfocyanpropimin). 18P, 85P, 594P, 595P, 596P, 1178.
- 460-672-791-950-951-1108.
Benzothiazole, 2-mercapto-; compound with p-phenylmethanamine; $(C_7H_4NS)SH.H_2NC_6H_5$. (p-Aminophenylammonium-2-benzothiazolyl sulfide).
NT as mothproofing agent. 239.
- 460-672-791-950-951-1108.
Benzothiazole, 2-mercapto-; compound with p-phenylmethanamine; $((C_7H_4NS)SH)_2.C_6H_5(NH_2)_2$. [p-Phenylene-bis(ammonium-2-benzothiazolyl sulfide)].
NT as mothproofing agent. 239.
- 460-672-950.
Benzothiazole, 2, 5-diamino-; $(C_7H_4NS)_2(NH_2)_2$. (Benzothiazole, 1, 4-diamino-). 18P, 85P, 594P, 595P, 596P, 1178.
- 460-681-731-950-951-1021.
Benzothiazole, 2-anilinomethylmercapto-; $(C_7H_4NS)_2SCH_2NHC_6H_5$. ((Anilinomethyl)-1-benzothiazolyl sulphide).
94% T codling moth larvae and 88% T mosquito larvae. 487, 1291.
- 460-681-731-950-951-1022.
Benzothiazole, 2-(o-tolueno)methylmercapto-; $(C_7H_4NS)_2SCH_2NHC_6H_4CH_3$. (1-Benzothiazolyl-(o-toluenomethyl) sulphide).
75% T codling moth larvae. 1291.
- 460-681-731-950-951-1022.
Benzothiazole, 2-(p-tolueno)methylmercapto-; $(C_7H_4NS)_2SCH_2NHC_6H_4CH_3$. (1-Benzothiazolyl-(p-toluenomethyl) sulphide).
78% T codling moth larvae and T mosquito larvae. 487, 1291.
- 460-681-950-951.
Benzothiazole, 2-anilino-; $(C_7H_4NS)NHC_6H_5$. (2-(1-Anilino)benzothiazole).
11T codling moth larvae; 8% T mosquito larvae. 487, 1291.
- 460-691-791-950-1022.
Benzothiazole, 6-dimethylamino-2-mercapto-; $HS(C_7H_4NS)(CH_3)_2$.
NT mosquito larvae. 487.
- 460-691-950-1045.
Benzothiazole, 2-dimethylamino-, CU; $(C_7H_4NS)NRR'$. (Benzothiazoles). 85P, 1178.
- 460-691-1023.
Thiazole, 2-dimethylamino-4-methyl-; $(CH_3)_2N(C_5H_4NS)CH_3$.
90% T mosquito larvae. 487.
- 460-700-950.
Benzothiazoline, 2-imino-; $(C_7H_4NS):NH$.
11T codling moth at 4%; NT greenhouse red spider at 4%. 1481.
- 460-730-740-782-950-1021.
Benzothiazole, 2, 2'-dithiobis-, compound with nicotine; $[(C_7H_4NS)_2S]_2.C_{10}H_{14}N_2$. 1432.
- 460-730-740-782-950-1023.
Benzothiazole, 2, 2'-dithiobis[2-methyl-, compound with nicotine; $[(CH_3)_2(C_7H_4NS)_2S]_2.C_{10}H_{14}N_2$. (Mercaptoxylythiazole, nicotine salt). 1432.
- 460-730-740-791-924-1021.
Naphthothiazole, 2-mercapto-, compound with nicotine; $[(C_{11}H_6NS)_2S]_2.C_{10}H_{14}N_2$. 1432.
- 460-730-740-791-950-951-1021.
Benzothiazole, 2-mercapto-6-phenyl-, compound with nicotine; $C_6H_5(C_7H_4NS)SH.C_{10}H_{14}N_2$. (2-Mercapto-6-phenylbenzothiazole, nicotine salt). 1284P, 1432.

- 460-730-740-791-950-1021.
Benzothiazole, 2-mercapto-, compound with nicotine; $(C_7H_4NS)SH.C_{10}H_{14}N_2$. (2-Mercaptobenzothiazole, nicotine salt). 198, 1205P, 1234P, 1432.
- 460-730-740-791-950-1022.
Benzothiazole, 2, 2'-dithiois(methyl-, compound with nicotine; $(CH_3(C_7H_4NS)S)_2.C_{10}H_{14}N_2$. (Ditolylthiazyl disulfide, nicotine salt). 1432.
- 460-730-740-791-950-1022.
Benzothiazole, 2-mercapto-6-methyl-, compound with nicotine; $CH_3(C_7H_4NS)SH.C_{10}H_{14}N_2$. (2-Mercapto-6-methylbenzothiazole, nicotine salt). 1178, 1234P.
- 460-781-950-951.
Benzothiazole, 2-phenylmercapto-; $(C_7H_4NS)SC_6H_5$. 237P.
- 460-781-950-1045.
Benzothiazole, 2-mercapto-, derivatives of; $(C_7H_4NS)SR$.
R is hydrogen or an atom or atom grouping which can replace hydrogen when it exercises its acidic functions. 85P, 237P, 1178.
- 460-781-951-1027.
Benzothiazole, 2-alkylmercapto-; $(C_7H_4NS)SR$.
R is an alkyl group of not more than 6 carbon atoms or a hydroxyalkyl or alkoxyalkyl group and the C_6H_5 group. 237P.
- 460-782-950.
Benzothiazole, 2,2'-dithiois; $[C_7H_4NS)_2S]$. [Bis(2-benzothiazolyl)disulfide].
85% T codling moth larvae; NT mosquito larvae. 487.
- 460-791-950.
Benzothiazole, 2-mercapto-; $(C_7H_4NS)SH$. (2-Benzothiazolethiol; o-thiocarbamidothiophenol).
88% T mosquito larvae, T codling moth, and Japanese beetle; ST Colorado potato beetle and Mexican bean beetle. 85P, 172, 561, 606, 1178, 1291, 1432.
- 460-791-950-1021.
Benzothiazole, 2-mercapto-5-methyl-; $CH_3(C_7H_4NS)SH$.
100% T mosquito larvae. 487.
- 460-796-950-1011.
Benzothiazole, 3-ethyl-2-thiono-? $C_2H_5(C_7H_4NS):S?$ (N-Ethylbenzothiazolethione). 236P.
- 460-796-950-1021.
Benzothiazole, 3-methyl-2-thiono-? $CH_3(C_7H_4NS):S?$ (N-Methylbenzothiazolethione). 737P.
- 460-841-951-1011.
Thiazole, 4-(p-bromophenyl)-2-ethyl-; $BrC_6H_4(C_6H_4NS)C_2H_5$. 1478.
- 460-841-951-1011-1176-1291.
Thiazole, 4-(p-bromophenyl)-2-ethyl-, compound with mercuric chloride; $BrC_6H_4(C_6H_4NS)C_2H_5.HgCl_2$. 1478.
- 460-841-951-1021.
Thiazole, 4-(p-bromophenyl)-2-methyl-; $BrC_6H_4(C_6H_4NS)CH_3$. 1478.
- 460-841-951-1021-1176-1291.
Thiazole, 4-(p-bromophenyl)-2-methyl-, compound with mercuric chloride; $BrC_6H_4(C_6H_4NS)CH_3.HgCl_2$. 1478.
- 460-851-950-951.
Benzothiazole, 5-chloro-2-phenyl-; $Cl(C_7H_4NS)C_6H_5$.
76% T mosquito larvae. 172, 1178.
- 460-851-950-951.
Benzothiazole, 6-chloro-2-phenyl-; $Cl(C_7H_4NS)C_6H_5$.
88% T mosquito larvae. 172, 1178.
- 460-851-951-1011.
Thiazole, 4-(p-chlorophenyl)-2-ethyl-; $ClC_6H_4(C_6H_4NS)C_2H_5$. 1478.
- 460-851-951-1011-1176-1291.
Thiazole, 4-(p-chlorophenyl)-2-ethyl-, compound with mercuric chloride; $ClC_6H_4(C_6H_4NS)C_2H_5.HgCl_2$. 1478.
- 460-851-951-1021.
Thiazole, 4-(p-chlorophenyl)-2-methyl-; $ClC_6H_4(C_6H_4NS)CH_3$. 1478.
- 460-851-951-1021-1176-1291.
Thiazole, 4-(p-chlorophenyl)-2-methyl-, compound with mercuric chloride; $ClC_6H_4(C_6H_4NS)CH_3.HgCl_2$. 1478.
- 460-851-951-1021-1276.
Thiazole, 4-(p-chlorophenyl)-2-methyl-hydrobromide; $ClC_6H_4(C_6H_4NS)CH_3.HBr$. 1432, 1478.
- 460-871-951-1011.
Thiazole, 2-ethyl-4-(p-iodophenyl)-; $IC_6H_4(C_6H_4NS)C_2H_5$. 1478.
- 460-871-951-1011-1176-1291.
Thiazole, 2-ethyl-4-(p-iodophenyl)-, compound with mercuric chloride; $IC_6H_4(C_6H_4NS)C_2H_5.HgCl_2$. 1478.
- 460-871-951-1021.
Thiazole, 4-(p-iodophenyl)-2-methyl-; $IC_6H_4(C_6H_4NS)CH_3$. 1478.
- 460-871-951-1027-1176-1291.
Thiazole, 4-(p-iodophenyl)-2-methyl-, compound with mercuric chloride; $IC_6H_4(C_6H_4NS)CH_3.HgCl_2$. 1478.
- 460-881-950.
Benzothiazole, 2-halo-, CU; $(C_7H_4NS)X$. 374P.
- 460-881-875.
Benzothiazole, 2-halo-, aryl derivatives of; $R(C_7H_4NS)X$. (Benzothiazoles, 2-halogenoaryl-). (Incorrectly listed as 1-halogenoaryl). 374P, 681P, 1178.
- 460-950-951.
Benzothiazole, 2-phenyl-; $C_6H_5(C_7H_4NS)$. (Benzylaminothiophenol).
MT Japanese beetle, mosquito larvae, screwworms, and 35% T *Bombyx mori* larvae. 136, 172, 487, 539, 1178, 1432.
- 463-792-796-952.
A²-1, 3, 4-Thiodiazoline, 2, 2'-dithiois [4-phenyl-5-thio-; $[SC_6H_4(C_6H_4NS)C(C_6H_4NS)]_2$. (Disulphide, 4-phenyl-5-thio-delta²-1, 3, 4-thiodiazoline-2-).
NT culicine mosquito larvae. 172, 1178.
- 463-791-796-951.
A²-1, 3, 4-Thiodiazoline-2-thiol, 4-phenyl-5-thio-; $C_6H_5(C_6H_4NS):S$. (Delta²-1, 3, 4-thiodiazoline-2-mercaptan, 4-phenyl-5-thio-).
NT culicine mosquito larvae. 172, 1178.
- 477-853-952-1021.
Benzylamine, N-chloro-N-(2, 4, 6-trichlorophenyl)-; $Cl_3C_6H_2N(CH_2)C_6H_5$. (2, 4, 6-Trichlorophenyl benzylchloramine).
HT tent caterpillar at 1%. 119.
- 521-853-1021.
Methanesulfonyl chloride, trichloro-; CCl_3SOCl . (Perchloromethyl mercaptan).
HT *Sitophilus granarius*; MT *Chrysomphalus aurantii* and *Hippodamia convergens*; NT *Sitophilus oryzae*, *Triobolus*, and *Plodia* larvae. 268, 1042, 1110, 1178, 1180.
- 521-1001.
1-Butanesulfonyl chloride; C_4H_9SOCl . (n-Butanesulphochloride).
ST *Sitophilus oryzae*. 1180.
- 521-1021.
Thiophosgene; $CSCl_2$.
Used for treating corn; NT *Hippodamia convergens*. 1110, 1128P, 1432.
- 541-551-581-951-1001-1022.
Phthalic acid, 3-hydroxy-, butyl acid ester; $HOC_6H_4(COOH)COOC_4H_9$. (Phthalic acid, butyl ester, 3-hydroxy-).
T as mothproofing agent. 870P, 1175.
- 541-551-671-951-1011.
Phenol, p-amino-, oxalate; $H_2NC_6H_4OOCOOH$.
NT codling moths. 915.
- 541-551-691-951-1011-1022.
Phenol, p-dimethylamino-, oxalate; $(CH_3)_2NC_6H_4OOCOOH?$ (p-Dimethylamine phenol oxalate).
MT *Bombyx mori*. 561.
- 541-551-924-1001-1003-1023.
4-Cyclohexene-1, 2-dicarboxylic acid, 3, 6-endoethylene-3-isopropyl-6-methyl-, butyl acid ester; $Cis-H_2C_6H_4(COOH)COOC_4H_9$. (Butyl ester of 3-isopropyl 6-methyl 3, 6-endoethylene delta⁴-tetrahydrophthalic acid).
Fly spray. 112, 948P.
- 541-551-924-1003-1011-1023.
4-Cyclohexene-1, 2-dicarboxylic acid, 3, 6-endoethylene-3-isopropyl-6-methyl-, ethyl acid ester; $Cis-H_2C_6H_4(COOH)COOC_2H_5$. (Ethyl ester of 3-isopropyl 6-methyl 3, 6-endoethylene delta⁴-tetrahydrophthalic acid).
Fly spray. 112, 948P.
- 541-551-924-1003-1024.
4-Cyclohexene-1, 2-dicarboxylic acid, 3, 6-endoethylene-3-isopropyl-6-methyl-, methyl acid ester; $Cis-H_2C_6H_4(COOH)COOC_2H_5$. (Methyl ester of 3-isopropyl 6-methyl 3, 6-endoethylene delta⁴-tetrahydrophthalic acid).
Fly spray. 112, 948P.

- 541-551-924-1004-1023.
4-Cydohexene-1, 2-dicarboxylic acid, 3, 6-endoethyl-ene-3-isopropyl-6-methyl-, propyl acid ester; $C_{17}H_{32}O_4$. (Propyl ester of 3-isopropyl-6-methyl-3, 6-endoethylene delta⁴-tetrahydrophthalic acid).
Fly spray. 112, 948P.
- 541-551-924-1011-1021.
2-Naphthoic acid, acetoxy-, CU; $CH_3COOC_{10}H_7COOH$. (This compound was given as 2-acetoxy-2-naphthoic acid, which is chemically impossible).
T screwworm larvae at 0.67%. 944.
- 541-551-951-1001-1022.
Phthalic acid, butyl acid ester; $HOOCCH_2CH_2COOC_4H_9$. (n-Butyl phthalic acid).
NT *Bombyx mori*. 558.
- 541-551-951-1011-1021.
Acetylsalicylic acid; $CH_3COOC_6H_4COOH$. (Acetosal; acetosalin; acetosalic acid, acetosalicylic acid; acety sal; acetodin; anglopyrin; aspirin; corpyrin; helicon; salacetin; xasa).
T screwworms and Japanese beetles; NT *Tineola biselliella* and *Attagenus piccus*. 158, 739, 1008, 1178.
- 541-551-951-1023.
Phthalic acid, methyl acid ester; $C_6H_4(COOCH_3)_2$.
T as mothproofing agent. 407P, 868P, 1175.
- 541-561-584-1027-1110.
Alginate acid, antimony salt; $[OHCC(CHOH)_nCOO]_nSb$. (Antimony alginate).
T as mothproofing agent. 1036P, 1037P, 1176.
- 541-561-1045.
Acids, aldehydic, CU. (Aldehyde carboxylic acids).
T as mothproofing agent. 410P, 1175.
- 541-571-581-593-625-950-951-1003-1012-1022-1030.
Derric acid; $HOOCCH_2(CH_2O)_2C_6H_4CH_2CO(C_6H_5O)(OH)C_6H_5$. Associated with rotenone. 818.
- 541-571-582-593-620-950-951-1012-1024.
Toxicaric acid; $HOOCCH_2O(CH_2O)_2C_6H_4CH_2CO(C_6H_5O)(OH)_2(CH_3)_2$. Associated with rotenone. 618.
- 541-571-591-933-1023-1142.
Benzoic acid, 2-(2'-benzyl-5'-methylbenzoyl)- cupric salt; $[C_6H_5CH_2C_6H_4(CH_3)COOCuH(COO)_2]_2Cu$.
Fly spray. 98P, 112, 888P, 690P, 893P, 694P, 696P.
- 541-571-592-810-740-950-983-1011-1030.
Oleic acid, brucine salts. (Brucine oleate).
T as mothproofing agent. 1164P, 1165P, 1175, 1179.
- 541-571-592-820-625-852-950-1003-1011-1022-1030.
Rotenone, dichloroacetic acid compound; $C_{22}H_{32}O_6 \cdot C_2H_2O_2Cl_2$. 760P.
- 541-571-593-820-950-951-1012-1024.
Dequelic acid; $HOOCCH_2O(CH_2O)_2C_6H_4CH_2CO(C_6H_5O)(CH_3)_2$. Associated with rotenone. 618.
- 541-571-952-1022.
Benzoic acid, o-benzoyl-; $HOOCCH_2COC_6H_5$. (o-Benzoylbenzoic acid).
NT mosquitoes. 172.
- 541-571-999.
Levulinic acid; $CH_3COCH_2CH_2COOH$. (4-Oxopentanoic acid; acetopropionic acid; γ -ketovaleic acid).
MT codling moths. 1285.
- 541-581-591-700-952-1023.
Benzoic acid, p-(3-methoxy-4-hydroxybenzylidene) amino-; $HOOCCH_2N:CHC_6H_4(OH)OCH_3$. (3-Methoxy-4-hydroxybenzyl-p-aminobenzoic acid).
NT corn borer. 1120.
- 541-581-591-720-730-950-983-1011-1022-1033.
Oleic acid, quinine salt; $C_{18}H_{34}O_2 \cdot N_3HOCC_{17}H_{31}$. (Quinine oleate).
T as mothproofing agent (739); NT as mothproofing agent (985). 739, 985, 1176.
- 541-581-591-720-730-950-983-1011-1022-1033.
Oleic acid, quinidine salt; $C_{18}H_{34}O_2 \cdot N_4HOCC_{17}H_{31}$. (Quinidine oleate).
NT *Tineola biselliella* and *Attagenus piccus*. 739.
- 541-581-592-620-950-1023.
Hydroxynetric acid; $(CH_3O)_2(C_6H_5O)(OH)COOH$. Associated with rotenone. 618.
- 541-581-671-951-1003.
l-Tyrosine; $HOC_6H_4CH_2CH(NH_2)COOH$.
NT codling moths. 915.
- 541-581-671-951-1021-1291.
Salicylic acid, 5-amino-, hydrochloride; $HOC_6H_4COOH \cdot NH_4Cl$.
NT European corn borer. 1122.
- 541-581-720-730-950-983-1011-1021-1033.
Oleic acid, cinchonine salt; $C_{18}H_{34}O_2 \cdot HOCC_{17}H_{31}$. (Cinchonine oleate).
T as mothproofing agent. 739, 1176.
- 541-581-720-730-950-983-1011-1021-1033.
Oleic acid, cinchonidine salt; $C_{18}H_{34}O_2 \cdot HOCC_{17}H_{31}$. (Cinchonidine oleate).
T as mothproofing agent; non-repellent to clothes moths. 739, 1176.
- 541-581-730-740-951-1022.
Salicylic acid, nicotine salt; $(C_{10}H_{11}N_2)HOCC_6H_4OH$. (Nicotine salicylate).
NT tobacco worm moths. 553.
- 541-581-730-740-1003-1021.
Lactic acid, nicotine salt; $CH_3CH(OH)COOH \cdot C_{10}H_{11}N_2$. (Nicotine lactate).
T *Rhopalosiphum ribis*. 1207A.
- 541-581-730-950-951-1021.
Salicylic acid, quinoline ester; $(C_8H_7N)OCC_6H_4OH$. (Quinoline salicylate).
MT *Bombyx mori*; NT *Tineola biselliella* and *Attagenus piccus*. 561, 739, 1176.
- 541-581-740-950-1021.
2-Indolecarboxylic acid; $HO(C_8H_5N)COOH$. (Indo-lylic acid). 357P.
- 541-581-781-851-951.
Acids, halohydroxyphenyl-, CU; $X(OH)(COOH)XC_6H_2(1,2,3,5)$.
T clothes moths. 875P.
- 541-581-791-975.
Acids, carboxylic-ortho-hydroxy or derivatives. (Ortho-hydroxy-carboxylic acid or derivatives in which the para position to the hydroxyl group is occupied by sulphur).
T as mothproofing agent. 459P, 1176.
- 541-581-800-851-951-1021.
Salicylic acid, 5-chloro-, sulphurized. (Sulphurized 1-oxy-4-chloro-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 876P, 1176, 1179, 1324P.
- 541-581-800-924-1021.
1-Naphthoic acid, 2-hydroxy-, sulphurized. (Sulphurized 2-oxy-naphthoic acid).
T as mothproofing agent. 459P, 465P, 466P, 876P, 1178.
- 541-581-800-924-1021.
3-Naphthoic acid, 2-hydroxy-, sulphurized. (Sulphurized 2-hydroxy-3-naphthoic acid).
T clothes moths. 875P, 1179.
- 541-581-800-951-1021.
Salicylic acid, sulphurized. (Sulphurized 1-oxy-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 876P, 1176.
- 541-581-800-951-1022.
Salicylic acid, 3-methyl-, sulphurized. (Sulphurized 1-hydroxy-6-methyl-2-benzoic acid).
T as mothproofing agent. 875P, 1176, 1179, 1324P.
- 541-581-800-951-1022.
Salicylic acid, 5-methyl-, sulphurized. (Sulphurized 1-oxy-4-methyl-2-benzoic acid; sulfurized 2, 5-cresotic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 1176, 1179.
- 541-581-800-1045.
Carboxylic acids, hydroxy-, sulphurized, CU. (Sulphurized oxy carbonic acids).
T as mothproofing agent. 875P, 1179.
- 541-581-841-951-1022.
Salicylic acid, 5-bromo-3-methyl; $HOC_6H_3(Br)(CH_3)COOH$. (1-Oxy-6-methyl-4-bromo-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 876P, 1176, 1179, 1324P.
- 541-581-851-924-1021.
2-Naphthoic acid, 4-chloro-3-hydroxy-; $HO(CI)C_{10}H_7COOH$. (1-Chloro-2-hydroxy-3-naphthoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 1176, 1179.
- 541-581-851-951-1021.
Salicylic acid, 5-chloro-; $HOC_6H_3(Cl)COOH$. (1-Oxy-4-chloro-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 1176, 1179, 1324P.

- 541-581-851-951-1022.
2, 3-Cresotic acid, 5-chloro-; $\text{HO}(\text{C}_6\text{H}_4(\text{Cl})(\text{CH}_3)_2)\text{COOH}$. (Salicylic acid, 5-chloro-3-methyl-; 1-oxy-6-methyl-4-chloro-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 1176, 1179, 1324P.
- 541-581-851-951-1022.
2, 5-Cresotic acid, 3-chloro-; $\text{CH}_3\text{C}_6\text{H}_3(\text{Cl})(\text{OH})\text{COOH}$. (Cresotic acid, chloro-, chlorocresotinic acid).
T as mothproofing agent. 397P, 432P, 467P, 643P, 1176, 1179.
- 541-581-852-951-1021.
Salicylic acid, 3, 5-dichloro-; $\text{HO}(\text{Cl})_2\text{C}_6\text{H}_3\text{COOH}$. (1-Hydroxy-4, 6-dichloro-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 875P, 870P, 1176, 1179.
- 541-581-852-951-1021.
Salicylic acid, dichloro-, CU; $\text{HO}(\text{Cl})_2\text{C}_6\text{H}_3\text{COOH}$.
T as mothproofing agent. 423P, 445P, 456P, 1175, 1179.
- 541-581-853-951-1011-1021-1244.
p-Cresol, 2, 3, 6-trichloro-, zinc acetate compound; $\text{Zn}(\text{OOCCH}_3)_2 \cdot \text{HO}(\text{C}_6\text{H}_2(\text{Cl})_3)\text{CH}_3$. (Zinc acetate of 2, 3, 5-trichloro-4-hydroxy-1-methylbenzene). 362P.
- 541-581-872-953-1215-1359.
Stearic acid, 9, 10-dihydro-7-hydroxy-, sulfate, sodium salt. 1494.
- 541-581-881-951-1021.
Salicylic acids, o-hydroxy-, halogenated. (Phenol-o-carboxylic acids, halogenated).
T as mothproofing agent. 871P, 1179.
- 541-581-881-975.
Salicylic acid, 5-bromo-, and derivatives. (Orthohydroxy-carboxylic acid or derivatives in which the para position to the hydroxyl group is occupied by halogen).
T as mothproofing agent. 459P, 1176.
- 541-581-924.
1-Naphthoic acid, 2-hydroxy-; $\text{HO}(\text{C}_{10}\text{H}_7)\text{COOH}$. (2-Oxynaphthoic acid).
T as mothproofing agent. 459P, 1175.
- 541-581-924-1021.
2-Naphthoic acid, 3-hydroxy; $\text{HO}(\text{C}_{10}\text{H}_7)\text{COOH}$.
NT *Bombyx mori*. 553.
- 541-581-951-1011-1177.
Phenol, acetoxymercuri-, CU; $\text{HO}(\text{C}_6\text{H}_4\text{HgOOCCH}_3)\text{CH}_3$ (Mercury phenol acetate). 379P.
- 541-581-951-1021.
Salicylic acid; $\text{HO}(\text{C}_6\text{H}_4)\text{COOH}$. (o-Hydroxybenzoic acid).
T as mothproofing agent. 459P, 465P, 875P, 1176, 1179.
- 541-581-951-1021-1124.
Salicylic acid, cadmium salt; $\text{Cd}(\text{C}_7\text{H}_5\text{O}_2)_2 \cdot \text{H}_2\text{O}$. (Cadmium salicylate).
NT *Bombyx mori*. 561.
- 541-581-951-1021-1166.
Salicylic acid, lead salt; $(\text{HO}(\text{C}_6\text{H}_4)\text{COO})_2\text{Pb}$. (Lead salicylate).
NT codling moths. 915.
- 541-581-951-1021-1196.
Salicylic acid, potassium salt; $\text{HO}(\text{C}_6\text{H}_4)\text{COOK}$. (Potassium salicylate).
ST *Pieris rapae*. 635.
- 541-581-951-1021-1218.
Salicylic acid, sodium salt; $\text{HO}(\text{C}_6\text{H}_4)\text{COONa}$. (Sodium salicylate).
T *Aphis rumicis*. 1152.
- 541-581-951-1021-1220.
Salicylic acid, strontium salt; $(\text{HO}(\text{C}_6\text{H}_4)\text{COO})_2\text{Sr}$. (Strontium salicylate).
T as mothproofing agent. 422P, 430P, 889P, 1175.
- 541-581-951-1021-1244.
Salicylic acid, zinc salt; $(\text{HO}(\text{C}_6\text{H}_4)\text{COO})_2\text{Zn}$. (Zinc salicylate).
ST codling moths. 915.
- 541-581-951-1022.
3, 4-Cresotic acid; $\text{CH}_3\text{C}_6\text{H}_3(\text{OH})\text{COOH}$. (1-Hydroxy, 2-methyl, 4-benzoic acid; p-cresotic acid; p-cresotinic acid; p-bromosalicylic acid; 4-hydroxytoluene-3-carboxylic acid; cresotic acid; 5-methylbromosalicylic acid; 1-methylphenol(4)-carboxylic acid; hydroxymethylbenzoic acid).
T as mothproofing agent. 329P, 331P, 1176.
- 541-581-951-1022.
Salicylic acid, 5-methyl-; $\text{CH}_3\text{C}_6\text{H}_3(\text{OH})\text{COOH}$. (1-Oxy-4-methyl-2-benzoic acid).
T as mothproofing agent. 459P, 1176.
- 541-581-951-1022.
Benzoic acids, hydroxy, methyl-, CU; $\text{HO}(\text{C}_6\text{H}_4)(\text{CH}_3)\text{COOH}$. (Methyl hydroxy benzoic acids).
T as mothproofing agent. 1175, 1363P.
- 541-581-951-1023.
Salicylic acid, 3, 5-dimethyl-; $(\text{CH}_3)_2\text{C}_6\text{H}_3(\text{OH})\text{COOH}$. (1-Oxy-4,6-dimethyl-2-benzoic acid).
T as mothproofing agent. 459P, 465P, 466P, 876P, 1175.
- 541-581-952-1011.
Benzoic acid; $(\text{C}_6\text{H}_5)_2\text{C}(\text{OH})\text{COOH}$. (Diphenylglycolic acid; diphenylmethanolmethyl acid).
T as mothproofing agent; ST screwworms. 158, 329P, 332P, 1175.
- 541-581-954-1021-1193.
Phosphonium salicylate, benzyltriphenyl-; $(\text{C}_6\text{H}_5)_3\text{CH}_2(\text{C}_6\text{H}_5)_2\text{POOCC}_6\text{H}_4\text{OH}$.
T as mothproofing agent. 871P, 1179.
- 541-581-975.
Acids, carboxylic, hydroxyaromatic.
T as mothproofing agent. 456P, 1179.
- 541-581-980-1130.
Cocceric acid, cerium salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{Ce}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1164.
Cocceric acid, lanthanum salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{La}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1180-1198.
Cocceric acid, didymium salt. (Didymium is a mixture of neodymium and praseodymium).
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1228.
Cocceric acid, thallium salt; $\text{C}_{30}\text{H}_{50}(\text{OH})\text{COOTl}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1230.
Cocceric acid, thorium salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{Th}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1236.
Cocceric acid, titanium salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{Ti}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1240.
Cocceric acid, uranium salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{U}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-980-1245.
Cocceric acid, zirconium salt; $[\text{C}_{30}\text{H}_{50}(\text{OH})\text{COO}]_4\text{Zr}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1130.
Ricinoleic acid, cerium salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{Ce}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1164.
Ricinoleic acid, lanthanum salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{La}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1180-1198.
Ricinoleic acid, didymium salt. (Didymium is a mixture of neodymium and praseodymium).
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1228.
Ricinoleic acid, thallium salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{Th}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1230.
Ricinoleic acid, thorium salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{Th}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1236.
Ricinoleic acid, titanium salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{Ti}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-581-983-1030-1240.
Ricinoleic acid, uranium salt; $[\text{C}_{17}\text{H}_{33}(\text{OH})\text{COO}]_4\text{U}$.

- T as mothproofing agent. 780P, 781P, 782P, 1176.
541-581-983-1030-1245.
Ricinoleic acid, zirconium salt; $[C_{17}H_{32}(OH)COO]_4Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-581-1003.
Lactic acid, $CH_3CHOHCOOH$.
ST *Lucilia cuprina*; NT *Orthopodomyia signifer*. 849, 895.
541-581-1003-1110.
Lactic acid, antimony salt (exact constitution questionable). (Antimonyl lactate). 987P.
541-581-1003-1311.
Lactic acid, fluoboro-; $(BF_4)CH_3CH(OH)COOH$.
T as mothproofing agent. 634P, 1175, 1400P.
541-581-1011-1311.
Glycolic acid, fluoboro-; $(BF_4)(HOCH_2COOH)$.
T as mothproofing agent. 1175, 1400P.
541-582-665-933-1021.
Salicylic acid, 5-p-(4-hydroxyphenyl)-phenylazo-; $HOC_6H_4N=N-C_6H_4-C_6H_4(OH)COOH$. (5-[p-(p-Hydroxyphenyl)-phenylazo]-salicylic acid).
NT mosquitoes. 457.
541-582-720-730-950-951-1011-1022-1030.
Salicylic acid, cinchonine ester; $C_{20}H_{32}N_2O_6C_7H_5O_3$.
HT screwworms; ST silkworms. 156, 561.
541-582-951-1021.
 α -Resorcylic acid; $(HO)_2C_6H_3COOH$. (α -Resorcylic acid is 3, 5-dihydroxybenzoic acid and β -resorcylic acid is 2, 4-dihydroxybenzoic acid).
T as mothproofing agent. 462P, 1175, 1176, 1363P.
541-582-951-1021.
 β -Resorcylic acid; $(HO)_2C_6H_3COOH$. (Benzoic acid, 2, 4-dihydroxy-).
T as mothproofing agent. 462P, 471P, 1176.
541-582-983-1130.
Stearic acid, dihydroxy-, cerium salts; $[C_{17}H_{32}(OH)_2COO]_2Ce$.
T as mothproofing agent. 780P, 781P, 782P, 1170.
541-582-983-1164.
Stearic acid, dihydroxy-, lanthanum salts; $[C_{17}H_{32}(OH)_2COO]_3La$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1180-1195.
Stearic acid, dihydroxy-, didymium salts. (Didymium is a mixture of neodymium and praseodymium).
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1228.
Stearic acid, dihydroxy-, thallium salts; $[C_{17}H_{32}(OH)_2COO]_3Tl$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1230.
Stearic acid, dihydroxy-, thorium salts; $[C_{17}H_{32}(OH)_2COO]_4Th$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1236.
Stearic acid, dihydroxy-, titanium salts; $[C_{17}H_{32}(OH)_2COO]_4Ti$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1240.
Stearic acid, dihydroxy-, uranium salts; $[C_{17}H_{32}(OH)_2COO]_4U$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-582-983-1245.
Stearic acid, dihydroxy-, zirconium salts; $[C_{17}H_{32}(OH)_2COO]_4Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
541-583-951-1021.
Gallic acid; $(HO)_3C_6H_2COOH$. (3, 4, 5-Trihydroxybenzoic acid).
T screwworms at 0.33-0.67%; NT *Orthopodomyia signifer*. 156, 895.
541-591-951-951-1021.
Benzoic acid, 2-chloro-4-methoxy-; $(CH_3O)ClC_6H_3COOH$. 359P.
541-591-924-1022.
1-Naphthoic acid, 2-methoxy-; $CH_3OC_6H_4COOH$. 359P.
541-591-951-1011.
Acetic acid, phenoxy-; CaH_5OCH_2COOH . (Glycolic acid phenyl ether; phenoxyacetic acid).
ST screwworms at 0.67%. 156.
541-591-931-1022.
Benzoic acid *o*-methoxy-; $CH_3OC_6H_4COOH$. (Salicylic acid methyl ether).
NT *Bombyx mori*. 561.
541-591-951-1022.
Anisic acid; $CH_3OC_6H_4COOH$. (*p*-Methoxybenzoic acid).
ST screwworms at 0.67%. 156.
541-591-952-1011-1021-1177.
Acetic acid, benzoxyphenylmercuric salt; $CaH_5CH_2OC_6H_4Hg(OOCCH_3)_2$. (Acetic acid, phenylmethoxyphenylmercuric salt).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
541-591-952-1022-1142.
Benzoic acid, *o*-benzyloxy-, copper salt; $(C_6H_5CH_2OC_6H_4COO)_2Cu$. (Benzoic acid, *o*-phenylmethoxy-, copper salt).
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
541-591-952-1022-1244.
Benzoic acid, *o*-benzyloxy-, zinc salt; $(C_6H_5CH_2OC_6H_4COO)_2Zn$. (Benzoic acid, *o*-phenylmethoxy-, zinc salt).
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
541-592-620-950-1023.
Netoric acid; $C_{12}H_{14}O_8$.
Associated with rotenone. 618.
541-592-620-950-1023.
Dehydronetic acid; $C_{12}H_{12}O_8$.
Associated with rotenone. 618.
541-593-951-1024.
Benzoic acid, 3, 4, 5-trimethoxy-; $(CH_3O)_3C_6H_2COOH$. (Trimethyl gallic acid; gallic acid trimethyl ether).
ST screwworms at 0.07%; NT silkworms. 156, 561.
541-625-950-1030.
2-Benzofurancarboxylic acid; $(C_8H_7O)COOH$. (Coumarilic acid; coumarone carboxylic acid).
NT European corn borer. 357P, 1122.
541-625-1021.
2-Furancarboxylic acid; $(C_6H_5O)COOH$. (Furoic acid, pyromucic acid).
NT *Bombyx mori*. 357P, 559.
541-626-700-950-951-1022.
Benzoic acid, *p*-amino-, *N*-(3, 4-methylenedioxybenzylidene)-; $HOOC_6H_4N:CH(C_7H_5O_2)$. (3, 4-Methyleneoxybenzal-*p*-amino benzoic acid).
HT corn borer. 1120.
541-620-950-1003-1030.
Cinnamic acid, 3, 4-methylenedioxy-; $(CH_3O)_2C_6H_3CH:CHCOOH$.
NT European corn borer. 1122.
541-657-951-1021.
Benzoic acid, *p*-phenylhydrazino-; $CoH_5(NH)_2COHCOOH$.
ST *Bombyx mori*. 559.
541-659-952-1011-1022.
Benzoic acid, *N*-ethylbenzylidenehydrazono-; $CaH_5CH:NN(C_2H_5)C_6H_4COOH$. (Benzylidenephénylethylhydrazono carboxylic acid).
T as mothproofing agent. 873P, 1176.
541-659-952-1023.
Phthalic acid, *N*-methylphenylhydrazono-; $(COOH)_2C_6H_4CH:NN(CH_3)(C_6H_5)$. (Phthalic acid phenylmethyl hydrazono-).
T as mothproofing agent. 873P, 1176.
541-665-691-952-1023.
Benzoic acid, *o*-(4-dimethylamino-phenylazo)-; $(CH_3)_2NC_6H_4N:NC_6H_4COOH$. (*o*-(*p*-Dimethylamino-phenylazo)-benzoic acid).
NT mosquitoes. 457.
541-665-952-1022.
Benzoic acid, *p,p'*-azodi-; $(NC_6H_4COOH)_2$. (*p,p'*-Azobis- (Benzoic acid)-).
MT corn borer. 156, 1120.
541-668-952-983-1025.
Guanidine, xylol-, oleate; $[(CH_3)_2C_6H_4NH:]_2C:(NH)C_{17}H_{32}COOH$.
T as mothproofing agent. 192P, 1179.
541-668-975-1021-1027.
Guanidines, di-aryl substituted, fatty acid salts; $R_1NHC:(NH)NHR_2HOOCR^3$.
T as mothproofing agent. 192P, 1179.
541-668-1011-1022.
Creatine; $H_2NC:(NH)(CH_3)CH_2COOH$. (Methyl guanidino-acetic acid).
NT Colorado potato beetle, Mexican bean beetle, and as mothproofing agent. 606, 739, 1176.

- 541-671-781-851-951-1011.
Benzonethiol, 2-amino-, 4-chloro-; $\text{ClC}_6\text{H}_4(\text{NH}_2)\text{-SCH}_2\text{COOH}$. [$\{2\text{-Amino-4-chlorophenylmercapto}\}$ acetic acid].
HT mosquito larvae. 487.
- 541-671-872-951-1021.
Anthranilic acid, 3, 5-diiodo-; $\text{HOOCCH}_2(\text{NH}_2)\text{I}_2$. (Benzoic acid, amino-3, 5-diiodo-).
No promise as a taeniocide. 110, 653.
- 541-671-951-1003.
dl-Phenylalanine; $\text{C}_6\text{H}_5\text{CH}_2\text{CH}(\text{NH}_2)\text{COOH}$.
ST codling moths. 915.
- 541-671-951-1011.
Aniline acetate; $\text{C}_6\text{H}_5\text{NH}_2\text{HOOCCH}_3$.
ST *Tenebrio molitor*. 841.
- 541-671-951-1021.
Anthranilic acid; $\text{NH}_2\text{C}_6\text{H}_4\text{COOH}$. (o-Amino benzoic acid).
T codling moths and screwworms; ST oriental peach moths. 156, 915, 1291.
- 541-671-951-1021.
Benzoic acid, p-amino-; $\text{H}_2\text{NC}_6\text{H}_4\text{COOH}$. (p-Amino benzoic acid).
NT codling moths. 915.
- 541-671-997.
Leucine; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}(\text{NH}_2)\text{COOH}$.
ST oriental peach moths. 1094.
- 541-671-997.
Norleucine; $\text{CH}_3(\text{CH}_2)_3\text{CH}(\text{NH}_2)\text{COOH}$. (α-Amino caproic acid).
NT *Bombyx mori*. 561.
- 541-671-1003.
dl-Alanine; $\text{CH}_3\text{CH}(\text{NH}_2)\text{COOH}$.
NT codling moths. 915.
- 541-681-851-952-1021.
Anthranilic acid, N-(m-chlorophenyl)-; $\text{HOOCCH}_2\text{H}_4\text{-NHCH}_2\text{Cl}$. (N-(m-chlorophenyl)-anthranilic acid).
MT mosquito larvae. 487.
- 541-681-851-952-1021.
Anthranilic acid, N-(o-chlorophenyl)-; $\text{HOOCCH}_2\text{H}_4\text{-NHCH}_2\text{Cl}$. (N-(o-chlorophenyl)-anthranilic acid).
MT Mosquito larvae. 487.
- 541-681-951-1011.
Glycine, N-phenyl-; $\text{C}_6\text{H}_5\text{NHCH}_2\text{COOH}$. (Anilino-acetic acid; α-toluic acid, α-amino-).
NT screwworms. 156.
- 541-681-951-1022.
Anthranilic acid, N-methyl-; $\text{CH}_3\text{NHC}_6\text{H}_4\text{COOH}$. (Methylantranilic acid).
NT *Culex quinquefasciatus*. 157.
- 541-681-952-1021.
Anthranilic acid, N-phenyl-; $\text{C}_6\text{H}_5\text{NHC}_6\text{H}_4\text{COOH}$. (o-Anilino benzoic acid; phenylaminobenzoic acid).
ST *Culex quinquefasciatus*; NT screwworms. 156, 157.
- 541-681-952-1022.
Anthranilic acid, N-(m-tolyl)-; $\text{HOOCCH}_2\text{H}_4\text{NHC}_6\text{H}_3$.
MT mosquito larvae. 487.
- 541-681-952-1022.
Anthranilic acid, N-(o-tolyl)-; $\text{HOOCCH}_2\text{H}_4\text{NHC}_6\text{H}_3$.
MT mosquito larvae. 487.
- 541-681-952-1022.
Anthranilic acid, N-(p-tolyl)-; $\text{HOOCCH}_2\text{H}_4\text{NHC}_6\text{H}_3$.
MT mosquito larvae. 487.
- 541-696-1011-1023-1291.
Betaine hydrochloride; $\text{Cl}(\text{CH}_2)_3\text{NCH}_2\text{COOH}$. (Hydrochloride of trimethyl glycine; oxycneurine; lycin).
T *Aphis rumicis* and attractant for oriental peach moth; NT *Tineola biselliella* and *Attagenus piceus*. 739, 1094, 1152, 1176.
- 541-696-1011-1023-1450.
Betaine salts, CU.
T as mothproofing agent. 823P, 1176.
- 541-701-1003-1109.
Acetic acid, cyano-, ammonium salt; $(\text{CN})\text{CH}_2\text{-COONH}_4$.
T *Aphis rumicis*. 1152.
- 541-730-740-853-1011-1021.
Acetic acid, trichloro-, nicotine salt; $\text{Cl}_3\text{CCOOH}\cdot(\text{C}_{10}\text{H}_{14}\text{N}_2)$. (Nicotine trichloroacetate).
T *Rhopalsiphum ribis*. 1267A.
- 541-730-740-983-1021.
Stearic acid, nicotine salt; $\text{C}_{17}\text{H}_{33}\text{COOH}\cdot(\text{C}_{10}\text{H}_{14}\text{N}_2)$.
MT *Aphis rumicis* at 0.1%. 628.
- 541-730-740-983-1021-1030.
Oleic acid, nicotine salt; $\text{C}_{17}\text{H}_{33}\text{COOH}\cdot(\text{C}_{10}\text{H}_{14}\text{N}_2)$.
HT *Aphis rumicis*; T greenhouse insects. 628, 1007A.
- 541-730-740-983-1021-1033.
Linoleic acid, nicotine salt; $\text{C}_{17}\text{H}_{31}\text{COOH}\cdot(\text{C}_{10}\text{H}_{14}\text{N}_2)$. (Nicotine linoleate).
HT *Aphis rumicis* at 0.1%. 628.
- 541-730-740-989-1021.
Lauric acid, nicotine salt; $\text{C}_{11}\text{H}_{23}\text{COOH}\cdot(\text{C}_{10}\text{H}_{14}\text{N}_2)$. (Nicotine laurate).
HT *Aphis rumicis* at 0.1%. 628.
- 541-730-740-1011-1021.
Nicotine acetate; $(\text{C}_{10}\text{H}_{14}\text{N}_2)\text{HOOCCH}_3$.
T *Rhopalsiphum ribis*. 1267A.
- 541-730-950-951-1021.
Cinechophen; $\text{C}_6\text{H}_5(\text{C}_6\text{H}_5\text{N})\text{COOH}$. (2-Phenylquinoline-4-carboxylic acid; atophan).
T screwworms at 0.17-0.33%. 156.
- 541-730-950-958-1021.
Quinidine, 2, 3-dihydro-12-carboxylic acid; $(\text{C}_{20}\text{H}_{25}\text{-N}_2\text{O}_2)\text{COOH}$.
T screwworms at 0.67%; ST corn borer. 944, 1120.
- 541-730-950-1021.
Acridine, carboxylic derivatives.
T as mothproofing agent. 331P, 1178.
- 541-730-953-1030.
Oleic acid, pyridine salt; $\text{C}_{17}\text{H}_{33}\text{N}\cdot\text{COOH}\cdot\text{C}_5\text{H}_5$. (Pyridine oleate).
T *Polychrosis botrana*. 1020.
- 541-730-1021.
Nicotinic acid; $(\text{C}_6\text{H}_5\text{N})\text{COOH}$.
NT *Pieris rapae*. 635.
- 541-730-1021.
Piperidine, carboxylic acid; $(\text{NC}_5\text{H}_{10})\text{COOH}$. 357P.
- 541-730-1021-1291.
Nicotinic acid, hydrochloride; $\text{HOOCCH}_2\text{H}_4\text{N}\cdot\text{HCl}$.
NT codling moth. 915.
- 541-730-1021-1341.
Nicotinic acid, nitrate; $\text{HOOCCH}_2\text{H}_4\text{N}\cdot\text{HNO}_3$.
T *Aphis rumicis*. 1152.
- 541-730-1022.
Piperidine carboxylic acid, methyl-; $(\text{NC}_5\text{H}_9\text{CH}_3)\text{-COOH}$. 357P.
- 541-730-1027.
Fatty acids from luseed oil, piperidine salts, CU.
(Piperidides of luseed oil).
Fly spray. 112, 1224P.
- 541-732-1021.
Pyrazine carboxylic acid; $(\text{C}_4\text{H}_5\text{N}_2)\text{COOH}$? 357P.
- 541-740-950-1001.
3-Indolebutyric acid; $(\text{C}_8\text{H}_9\text{N})\text{C}_3\text{H}_5\text{COOH}$. (Indolebutyric acid).
NT *Culex quinquefasciatus*. 157.
- 541-740-950-1011.
3-Indoleacetic acid; $(\text{C}_8\text{H}_9\text{N})\text{CH}_2\text{COOH}$. (Indoleacetic acid).
NT *Culex quinquefasciatus*. 39P, 157.
- 541-740-1021.
2-Pyrrolidinecarboxylic acid; $(\text{C}_4\text{H}_8\text{N})\text{COOH}$. (Carboxylic acid of pyrrolidine). 357P.
- 541-740-1021.
2-Pyrrole carboxylic acid; $(\text{C}_4\text{H}_5\text{N})\text{COOH}$. (Carboxylic acid of pyrrole). 357P.
- 541-742-1003-1291.
Histidine, hydrochloride; $\text{C}_6\text{H}_5\text{N}_2\text{CH}_2\text{CH}(\text{NH}_2)\text{-COOH}\cdot\text{HCl}$. (α-Amino-5-imidazolepropionic acid).
NT Colorado potato beetle, Mexican bean beetle, and codling moth. 606, 915.
- 541-791-1011-1112.
Acetic acid, mercapto-, arsenic salt; $[\text{CH}_2(\text{SH})\text{COO}]_2\text{-As}$. (Arsenic trithioglycolate).
HT Colorado potato beetle and Mexican bean beetle. 606, 1432.
- 541-791-1011-1114.
Acetic acid, mercapto-, barium salt; $(\text{SECH}_2\text{COO})_2\text{-Ba}$. (Ba thioglycolate).
MT Mexican bean beetle; NT Colorado potato beetle. 606, 1432.
- 541-791-1014-1167.
Acetic acid, mercapto-, triethyl lead ester. (Triethyl lead thioglycolate).
T many insects. 161P.

- 541-825-1021.
2-Thiophene carboxylic acid; C_6H_5SCOOH . (Carboxylic acid of thiophene). 357P.
- 541-841-951-1021.
Benzoic acid, m-bromo-; BrC_6H_4COOH .
NT screwworms. 156.
- 541-841-951-1021.
Benzoic acid, o-bromo-; BrC_6H_4COOH .
NT European corn borer and screwworms. 156, 1122.
- 541-841-951-1021.
Benzoic acid, p-bromo-; BrC_6H_4COOH .
NT screwworms. 156.
- 541-841-997.
Caproic acid, o-bromo-; $CH_3(CH_2)_4CHBrCOOH$. (α -Bromo n-caproic acid; 2-bromohexanoic acid).
NT red scale. 268, 1180.
- 541-841-999.
Valeric acid, o-bromo-; $CH_3(CH_2)_3CHBrCOOH$. (α -Bromo n-valeric acid; 2-bromopentanoic acid).
NT red scale. 1180.
- 541-841-1001.
Butyric acid, o-bromo-; $CH_3CH_2CHBrCOOH$. (α -Bromo n-butyric acid; 2-bromobutanoic acid).
NT red scale. 1180.
- 541-841-1003.
Propionic acid, o-bromo-; $CH_3CHBrCOOH$. (dl-2-Bromopropanoic acid).
NT red scale. 1180.
- 541-841-1011-1114.
Acetic acid, bromo-, barium salt; $(BrCH_2COO)_2Ba$. (Barium bromoacetate).
T *Locustana pardalina* and *Nomadacris septemfasciata*. 1144.
- 541-842-951-1003.
Hydrocinnamic acid, α,β -dibromo-; $C_6H_5CHBrCHBrCOOH$. (i-Cinnamic acid dibromide).
NT as mothproofing agent. 239.
- 541-843-1011.
Acetic acid, tribromo-; Br_3CCOOH . (Tribromoethanoic acid, tribromoacetic acid). 890P.
- 541-851-951-1021.
Benzoic acid, o-chloro-; ClC_6H_4COOH .
T clothes moths; NT European corn borer and screwworms. 156, 875P, 1122.
- 541-851-951-1021.
Benzoic acid, p-chloro-; ClC_6H_4COOH .
ST screwworms; NT European corn borer. 156, 1122.
- 541-851-983-1213-1291.
Selenium chloride, 8-(1-carboxy-8-chlorohepta-decyl)-; $C_{17}H_{33}(SeCl_2)(Cl)COOH?$ (Oleic acid, seleno-).
T as mothproofing agent. 399P, 679P, 1160A, 1175.
- 541-851-1011-1114.
Acetic acid, chloro-, barium salt; $(ClCH_2COO)_2Ba$. (Barium chloroacetate).
T *Locustana pardalina* and *Nomadacris septemfasciata*. 1144.
- 541-851-1011-1128.
Acetic acid, chloro-, calcium salt; $(ClCH_2COO)_2Ca$. (Calcium chloroacetate).
T roaches and *Lucilia cuprina* larvae. 587, 1144.
- 541-851-1011-1142-1260.
Copper chloroacetarsenite; $(ClCH_2COO)_2Cu_3Cu(AsO_2)_2$.
T southern army worm and mosquito larvae; MT *Tribolium*. 274A, 1168.
- 541-851-1011-1218.
Acetic acid, chloro-, sodium salt; $CH_3ClCOONa$. (Neutral sodium monochloroacetate).
T aphids. 1085P.
- 541-851-1011-1311.
Acetic acid, chloro-, borofluoro-; $(BF_3)(CH_2ClCOOH)$.
T as mothproofing agent. 396P, 400P, 634P, 1175, 1400P.
- 541-851-1027-1164.
Cottonseed oil acids, chlorinated-, lanthanum salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-851-1027-1180-1198.
Cottonseed oil acids, chlorinated-, didymium salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-851-1027-1228.
Cottonseed oil acids, chlorinated-, thallium salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-851-1027-1230.
Cottonseed oil acids, chlorinated-, thorium salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-851-1027-1236.
Cottonseed oil acids, chlorinated-, titanium salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-851-1027-1245.
Cottonseed oil acids, chlorinated-, zirconium salts.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-852-1011-1142-1260.
Copper dichloroacetarsenite; $(Cl_2CHCOO)_2Cu_3Cu(AsO_2)_2$.
T southern army worm and mosquito larvae; MT *Tribolium*. 274A, 1168.
- 541-853-1011-1142-1260.
Copper trichloroacetarsenite; $(Cl_3CCOO)_2Cu_3Cu(AsO_2)_2$.
T southern army worm and mosquito larvae. 274A.
- 541-861-983.
Stearic acid, fluoro-, Cu; $C_{17}H_{33}FCOOH$. (Monofluorostearic acid). 345P.
- 541-861-983-1030-1218.
Oleic acid, fluoro-, sodium salt, Cu; $C_{17}H_{33}FCOONa$. (Sodium fluorooleate). 345P.
- 541-861-983-1126.
Stearic acid, fluoro-, calcium salt, Cu; $C_{17}H_{33}FCOO)_2Ca$. 345P.
- 541-861-990.
Undecanoic acid, fluoro-, Cu; $F(CH_2)_{10}COOH$. (Monofluoroundecanoic acid). 345P.
- 541-861-990-1246.
Undecanoic acid, fluoro-, salt, Cu. (Salt of monofluoroundecanoic acid). 345P.
- 541-861-1011.
Acetic acid, fluoro-; FH_3CCOOH .
T as mothproofing agent. 411P, 425P, 1175, 1389P.
- 541-862-983.
Stearic acid, difluoro-, Cu; $C_{17}H_{31}F_2COOH$. 345P.
- 541-862-983-1126.
Stearic acid, difluoro-, calcium salt, Cu; $(C_{17}H_{31}F_2COO)_2Ca$. 345P.
- 541-871-851.
Benzoic acid, o-iodo-; $(COOH)C_6H_4I$.
NT screwworms. 110, 156, 1229.
- 541-871-951.
Benzoic acid, p-iodo-; $(COOH)C_6H_4I$.
IT mosquito larvae. 110, 437, 1229.
- 541-910-1003-1022-1130.
Abietic acid, cerium salt; $(C_{19}H_{39}COO)_3Ce$. (Abietic acid; sylvic acid).
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1164.
Abietic acid, lanthanum salt; $(C_{19}H_{39}COO)_3La$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1180-1198.
Abietic acid, didymium salt.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1228.
Abietic acid, thallium salt; $C_{19}H_{39}COOTl$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1230.
Abietic acid, thorium salt; $(C_{19}H_{39}COO)_3Th$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1236.
Abietic acid, titanium salt; $(C_{19}H_{39}COO)_3Ti$.
T carpet beetle. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1240.
Abietic acid, uranium salt; $(C_{19}H_{39}COO)_3U$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-910-1003-1022-1245.
Abietic acid, zirconium salt; $(C_{19}H_{39}COO)_3Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-924-1011.
Acetic acid, α -naphthyl-; $C_{10}H_7CH_2COOH$. 39P.
- 541-924-1021.
1-Naphthoic acid; $C_{10}H_7COOH$. (α -Naphthoic acid).
ST Japanese beetle. 494.
- 541-924-1021.
2-Naphthoic acid; $C_{10}H_7COOH$. (β -Naphthoic acid; β -naphthalenecarboxylic acid).
NT *Bombus morio*. 559.
- 541-924-1021.
Naphthoic acids, Cu. (Naphthalene, carboxylic derivatives of).
T as mothproofing agent. 31P, 1176.

- 541-953-983-1030-1167.
Oleic acid, triphenyl lead salt; $C_{17}H_{33}COOPb(C_6H_5)_3$. (Triphenyl lead oleate).
T many insects. 161P.
- 541-951-1003.
Hydrocinnamic acid; $C_6H_5CH_2CH_2COOH$. (β -Phenylpropionic acid; benzenepropionic acid).
HT codling moths. 156, 1291.
- 541-951-1003-1030.
Cinnamic acid; $C_6H_5CH=CHCOOH$. (*trans*- β -Phenylacrylic acid; *trans*-benzenepropionic acid).
ST screwworms at 0.67%. 156.
- 541-951-1011.
 α -Toluic acid; $C_6H_5CH_2COOH$. (Acetic acid, phenyl).
T houseflies and as mothproofing agent; ST screwworms. 156, 332P, 1012, 1176.
- 541-951-1021.
Benzoic acid; C_6H_5COOH . (Benzenecarboxylic acid; Phenylformic acid).
T *Orthopodoma signifer* and as mothproofing agent; NT screwworms and corn borer. 43, 156, 895, 1122, 1176.
- 541-951-1021-1109.
Benzoic acid, ammonium salt; $NH_4C_6H_5O_2$. (Ammonium benzoate).
NT screwworms. 156.
- 541-951-1021-1166.
Benzoic acid, lead salt; $(C_6H_5CO_2)_2Pb$. (Lead benzoate).
NT *Melanoplus m. mexicanus*. 1150.
- 541-951-1021-1177-1291.
Benzoic acid, α -chloromercuri-. $HOOC-C_6H_4-HgCl$. (Mercury chlorobenzoic acid). 379P.
- 541-951-1021-1218.
Benzoic acid, sodium salt; C_6H_5COONa . (Sodium benzoate).
T *Aphis rumicis*; NT clothes moth, screwworms, *Melanoplus m. mexicanus*, and Mediterranean fruit fly. 156, 739, 963, 1150, 1152, 1176.
- 541-951-1021-1311.
Benzoic acid, fluoboro-. $(BF_4)C_6H_4COOH$? (Benzoatofluoboric acid). 634P.
- 541-952-1011-1111.
Acetic acid, diphenyl stibine salt; $CH_3COOSb(C_6H_5)_2$. (Stibine acetate, diphenyl).
T as mothproofing agent. 463P, 639P, 1175, 1176.
- 541-953-983-1193-1276.
Phosphonium bromide, ω -carboxyhexadecylmethyltriphenyl-. $(HOOCCH_2(CH_2)_{14}CH_2)(C_6H_5)_3PBr$. (ω -Carboxy-hexadecylmethyltriphenyl-phosphoniumbromide).
T as mothproofing agent. 867P, 1175.
- 541-953-1011-1193.
Phosphonium hydroxide, anhydro- ω -carboxyl-methyltriphenyl- (inner salt); $O:(C_6H_5OP)(C_6H_5)_2$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 541-968-988.
Chaulmoogric acid; $(C_6H_7)(CH_2)_{12}COOH$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-975.
Acid, carboxylic heterocyclic.
T as mothproofing agent. 329P, 357P, 1176.
- 541-975.
Acid, aromatic.
T as mothproofing agent. 329P, 1176.
- 541-980-1142-1260.
Copper melissosarsenite; $(CuOAs_2O_5)_2 \cdot Cu(C_{26}H_{59}O_2)_2$. 274B.
- 541-983.
Stearic acid; $C_{17}H_{33}COOH$. (Cetylacetic acid; n-octadecylic acid; stearinic acid; steafricanic acid).
T as mothproofing agent; NT *Aphis rumicis*. 289, 745P, 781P, 782P, 1176, 1378.
- 541-983-1013-1030-1167.
Oleic acid, triethyl lead salt. (Triethyl lead oleate).
T many insects. 161P.
- 541-983-1013-1167.
Stearic acid, triethyl lead salt. (Triethyl lead stearate).
T many insects. 161P.
- 541-983-1030.
Oleic acid; $C_{17}H_{33}COOH$. (9-Octadecenoic acid).
T *Aphis rumicis* and as mothproofing agent. 192P, 286, 1179, 1282P, 1378.
- 541-983-1030.
Elaidic acid; $CH_3(CH_2)_7CH=CH(CH_2)_7COOH$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1030-1109.
Oleic acid, ammonium salt; $C_{17}H_{33}COONH_4$. (Ammonium oleate).
T *Aphis rumicis* and as mothproofing agent. 842P, 843P, 1176, 1378.
- 541-983-1030-1114.
Oleic acid, barium salt; $(C_{17}H_{33}COO)_2Ba$. (Barium oleate).
NT codling moths and firebrats. 930, 1145.
- 541-983-1030-1130.
Oleic acid, cerium salt; $(C_{17}H_{33}COO)_2Ce$.
T as mothproofing agent; NT *Tineola biselliella* and *Attageus piceus* (739). 739, 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1142.
Oleic acid, copper salt; $(CH_3(CH_2)_7CH=CH(CH_2)_7COO)_2Cu$. (Copper oleate).
T termites. 319P, 1175.
- 541-983-1030-1142-1261.
Copper oleosarsenite; $[C_6H_7CH=CHC_7H_{11}COO]_2Cu \cdot 3Cu(AsO_4)_2$.
MT *Tribolium*. 473A, 1168.
- 541-983-1030-1164.
Oleic acid, lanthanum salt; $(C_{17}H_{33}COO)_3La$.
T as mothproofing agent; NT *Tineola biselliella* and *Attageus piceus* (739). 739, 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1166.
Oleic acid, lead salt; $Pb(C_{17}H_{33}COO)_2$. (Lead oleate).
T Japanese beetle. 1424.
- 541-983-1030-1172.
Oleic acid, magnesium salt; $(C_{17}H_{33}COO)_2Mg$. (Magnesium oleate).
NT clothes moths. 739, 1176.
- 541-983-1030-1180-1198.
Oleic acid, didymium salt.
T as mothproofing agent. 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1196.
Oleic acid, potassium salt; $C_{17}H_{33}COOK$. (Potassium oleate).
HT *Aphis rumicis*. 286.
- 541-983-1030-1218.
Oleic acid, sodium salt; $C_{17}H_{33}COONa$. (Sodium oleate; Eunatrol).
HT *Aphis rumicis*; T as mothproofing agent. 976P, 979P, 1176, 1378.
- 541-983-1030-1220.
Oleic acid, strontium salt; $(C_{17}H_{33}COO)_2Sr$. (Strontium oleate).
T as mothproofing agent. 422P, 430P, 869P, 1175.
- 541-983-1030-1228.
Oleic acid, thallium salt; $C_{17}H_{33}COOTl$.
T as mothproofing agent. 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1230.
Oleic acid, thorium salt; $(C_{17}H_{33}COO)_4Th$.
T as mothproofing agent; NT *Tineola biselliella* and *Attageus piceus* (739). 739, 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1236.
Oleic acid, titanium salt; $(C_{17}H_{33}COO)_4Ti$.
T as mothproofing agent. 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1240.
Oleic acid, uranium salt; $(C_{17}H_{33}COO)_4U$.
T as mothproofing agent. 745P, 781P, 782P, 985, 1167, 1176.
- 541-983-1030-1245.
Oleic acid, zirconium salt; $(C_{17}H_{33}COO)_4Zr$.
T as mothproofing agent. 745P, 781P, 782P, 985, 1167P, 1176.
- 541-983-1030-1311.
Oleic acid, fluoboro-. $(BF_4)(CH_2(CH_2)_7CH=CH(CH_2)_7COOH)$.
T as mothproofing agent. 634P, 1175, 1400P.
- 541-983-1033-1130.
Linoleic acid, cerium salt; $(C_{17}H_{33}COO)_2Ce$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1033-1184.
Linoleic acid, lanthanum salt; $(C_{17}H_{33}COO)_3La$.
T as mothproofing agent. 780P, 781P, 782P, 1176.

- 541-983-1033-1180-1198.
Linoleic acid, didymium salt.
T as mothproofing agent. 780P, 781P, 782P, 1170.
- 541-983-1033-1228.
Linoleic acid, thallium salt; $C_{17}H_{33}COOTl$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1033-1230.
Linoleic acid, thorium salt; $(C_{17}H_{33}COO)_4Th$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1033-1236.
Linoleic acid, titanium salt; $(C_{17}H_{33}COO)_4Ti$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1033-1240.
Linoleic acid, uranium salt; $(C_{17}H_{33}COO)_4U$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1033-1245.
Linoleic acid, zirconium salt; $(C_{17}H_{33}COO)_4Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1130.
Clupanodonic acid, cerium salt; $(C_{17}H_{31}COO)_2Ce$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1164.
Clupanodonic acid, lanthanum salt; $(C_{17}H_{31}COO)_3La$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1180-1198.
Clupanodonic acid, didymium salt.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1230.
Clupanodonic acid, thorium salt; $(C_{17}H_{31}COO)_4Th$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1240.
Clupanodonic acid, uranium salt; $(C_{17}H_{31}COO)_4U$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1035-1245.
Clupanodonic acid, zirconium salt; $(C_{17}H_{31}COO)_4Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1130.
Linolenic acid, cerium salt; $(C_{17}H_{31}COO)_2Ce$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1184.
Linolenic acid, lanthanum salt; $(C_{17}H_{31}COO)_3La$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1180-1198.
Linolenic acid, didymium salt.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1228.
Linolenic acid, thallium salt; $C_{17}H_{31}COOTl$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1230.
Linolenic acid, thorium salt; $(C_{17}H_{31}COO)_4Th$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1236.
Linolenic acid, titanium salt; $(C_{17}H_{31}COO)_4Ti$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1240.
Linolenic acid, uranium salt; $(C_{17}H_{31}COO)_4U$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1036-1245.
Linolenic acid, zirconium salt; $(C_{17}H_{31}COO)_4Zr$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 541-983-1109.
Stearic acid, ammonium salt; $C_{17}H_{35}COONH_4$. (Ammonium stearate).
T as mothproofing agent; NT *Aphis rumicis*. 103P, 1179, 1378.
- 541-983-1114.
Stearic acid, barium salt; $(C_{17}H_{35}COO)_2Ba$. (Barium stearate).
NT *Malacosoma americana*. 1008.
- 541-983-1142.
Stearic acid, copper salt; $(C_{17}H_{35}COO)_2Cu$. (Copper stearate).
T tent caterpillars at 0.1%. 119.
- 541-983-1142-1200.
Copper stearoarsenite; $(C_{17}H_{35}COO)_2Cu_3Cu(AsO_3)_4$.
HT *Tribolium*. 274B, 478A, 1168.
- 541-983-1166.
Stearic acid, lead salt; $(C_{17}H_{35}COO)_2Pb$. (Lead stearate).
NT tent caterpillars. 119.
- 541-983-1176.
Stearic acid, mercury salt; $(C_{17}H_{35}COO)_2Hg$. (Mercury stearate).
T tent caterpillars. 119.
- 541-983-1196.
Stearic acid, potassium salt; $C_{17}H_{35}COOK$. (Potassium stearate).
ST *Aphis rumicis*. 286.
- 541-983-1218.
Stearic acid, sodium salt; $C_{17}H_{35}COONa$. (Sodium stearate).
T as mothproofing agent. 781P, 1176.
- 541-985.
Palmitic acid; $CH_3(CH_2)_{14}COOH$. (Hexadecanoic acid; *n*-hexadecylic acid).
ST *Aphis rumicis*. 286, 1378.
- 541-985-1011-1177.
Palmitic acid, ethyl mercury salt; $C_5H_5HgOOC(C_2H_5)$. (Ethyl mercury palmitate). 1402P.
- 541-985-1106.
Palmitic acid, aluminum salt; $(C_{15}H_{31}COO)_3Al$. (Aluminum palmitate).
NT clothes moths. 739, 1176.
- 541-985-1109.
Palmitic acid, ammonium salt; $C_{15}H_{31}COONH_4$. (Ammonium palmitate).
NT *Aphis rumicis*, *Tineola biselliella*, and *Attageus piccus*. 739, 1378.
- 541-985-1142-1260.
Copper palmitoarsenite; $(C_{15}H_{31}COO)_2Cu_3Cu(AsO_3)_4$. 274B.
- 541-985-1196.
Palmitic acid, potassium salt; $C_{15}H_{31}COOK$. (Potassium palmitate).
MT *Aphis rumicis*. 286.
- 541-987.
Myristic acid; $C_{13}H_{27}COOH$.
NT *Aphis rumicis* at 5.0%. 286, 1378.
- 541-987-1109.
Myristic acid, ammonium salt; $C_{13}H_{27}COONH_4$. (Ammonium myristate).
MT *Aphis rumicis*. 1378.
- 541-987-1196.
Myristic acid, potassium salt; $C_{13}H_{27}COOK$. (Potassium myristate).
MT *Aphis rumicis*. 286.
- 541-988.
Tridecanoic acid; $C_{13}H_{27}COOH$. (Tridecyl acid).
100% T *Aphis rumicis*. 1378.
- 541-988-1109.
Tridecanoic acid, ammonium salt; $C_{13}H_{27}COONH_4$. (Ammonium tridecylate).
MT *Aphis rumicis*. 1378.
- 541-989.
Lauric acid; $C_{11}H_{23}COOH$. (Dodecanoic acid).
T *Aphis rumicis*. 286, 1378.
- 541-989-1109.
Lauric acid, ammonium salt; $C_{11}H_{23}COONH_4$. (Ammonium laurate).
HT *Aphis rumicis*. 1378.
- 541-989-1142-1261.
Copper lauroarsenite; $(C_{11}H_{23}COO)_2Cu_3Cu(AsO_3)_4$.
HT *Tribolium*. 274B, 478A, 1168.
- 541-989-1196.
Lauric acid, potassium salt; $C_{11}H_{23}COOK$. (Potassium laurate).
MT *Aphis rumicis*. 286.
- 541-989-1218.
Lauric acid, sodium salt; $C_{11}H_{23}COONa$. 1069.
- 541-990.
Hendecanoic acid; $C_{11}H_{23}COOH$. (Undecylic acid).
HT *Aphis rumicis*. 1378.
- 541-990-1030.
Hendecanoic acid, CU; $C_{11}H_{23}COOH$. (Undecenoic acid).
HT *Aphis rumicis*. 206P, 1378.
- 541-990-1030-1109.
Hendecanoic acid, ammonium salt, CU; $C_{11}H_{23}COONH_4$. (Ammonium undecenoate).
HT *Aphis rumicis*. 1378.
- 541-990-1109.
Hendecanoic acid, ammonium salt; $CH_3(CH_2)_9COONH_4$. (Ammonium undecylate).
HT *Aphis rumicis*. 1378.
- 541-991.
Capric acid; $C_{10}H_{21}COOH$.
T *Aphis rumicis*. 286, 1378.

- 541-991-1109.
Capric acid, ammonium salt; $C_8H_{17}COONH_4$. (Ammonium caprate).
HT *Aphis rumicis*. 1378.
- 541-991-1109.
Capric acid, potassium salt; $C_8H_{17}COOK$. (Potassium caprate).
MT *Aphis rumicis*. 286.
- 541-991-1218.
Capric acid, sodium salt; $C_8H_{17}COONa$. 1069.
- 541-992.
Pelargonic acid; $C_9H_{19}COOH$. (Nonanoic acid).
HT *Aphis rumicis*; T *Lucilia cuprina* larvae. 849, 1378.
- 541-992-1109.
Pelargonic acid, ammonium salt; $C_9H_{19}COONH_4$. (Ammonium pelargonate).
HT *Aphis rumicis*. 1378.
- 541-993.
Caprylic acid; $C_7H_{15}COOH$. (Caprylic acid; oitic acid; *n*-octoic acid; octylic acid).
T *Aphis rumicis*, *Lucilia cuprina*, and as mothproofing agent. 286, 849, 976P, 979P, 1176, 1378.
- 541-993-1109.
Caprylic acid, ammonium salt; $C_7H_{15}COONH_4$. (Ammonium caprylate).
HT *Aphis rumicis*. 1378.
- 541-993-1199.
Caprylic acid, potassium salt; $C_7H_{15}COOK$. (Potassium caprylate).
MT *Aphis rumicis*. 286.
- 541-993-1218.
Caprylic acid, sodium salt; $C_7H_{15}COONa$. 1069.
- 541-994-997-1109.
Caproic acid, diethylammonium salt; $CH_3(CH_2)_4COONH_2(C_2H_5)_2$. (Diethylamine caproate).
HT as fly spray. 112, 1127P.
- 541-995.
Enanthio acid; $C_8H_{17}COOH$. (Oenanthic (heptylic) acid; enanthylic acid; heptanoic acid; *n*-heptoleic acid); *n*-heptylic acid).
HT *Aphis rumicis*; T mosquito and *Lucilia cuprina* larvae. 849, 1070, 1293, 1378.
- 541-995-1109.
Enanthio acid, ammonium salt; $C_8H_{17}COONH_4$. (Ammonium oenanthate; ammonium heptanoate).
HT *Aphis rumicis*. 1378.
- 541-997.
Caproic acid; $C_6H_{13}COOH$. (Hexanoic acid; *n*-hexoic acid).
T *Aphis rumicis* and mosquito larvae. 286, 1070, 1293, 1378.
- 541-997-1109.
Caproic acid, ammonium salt; $C_6H_{13}COONH_4$. (Ammonium caproate).
MT *Aphis rumicis*. 1378.
- 541-997-1199.
Caproic acid, potassium salt; $C_6H_{13}COOK$. (Potassium caproate).
NT *Aphis rumicis* and *Macrosiphum rosae*. 286.
- 541-997-1218.
Caproic acid, sodium salt; $C_6H_{13}COONa$. 1069.
- 541-999.
Butyric acid, α -methyl-; $CH_3CH_2CH(CH_3)COOH$. (di-Methylethylacetic acid).
NT rice weevil. 1180.
- 541-999.
Valeric acid; C_5H_9COOH . (Valerianic (normal) acid; pentanoic acid).
HT *Aphis rumicis* and *Lucilia cuprina*; T diptera. 735, 849, 1293, 1378.
- 541-1001.
Butyric acid; C_4H_9COOH . (Butanoic acid; ethylacetic acid).
MT *Aphis rumicis*; T diptera. 735, 1293, 1378.
- 541-1001-1030.
Crotonic acid; C_5H_7COOH .
NT *Melanoplus m. mexicanus*. 1150.
- 541-1001-1030-1142-1261.
Copper crotonarsenite; $(CH_3CH:CHCOO)_2Cu_3Cu(AsO_4)_2$.
HT *Tribolium*. 478A, 1168.
- 541-1001-1142-1260.
Copper butyrosenite; $(C_4H_7COO)_2Cu_3Cu(AsO_4)_2$.
T southern army worm and mosquito larvae. 274A.
- 541-1003.
Propionic acid; C_3H_7COOH . (Propanoic acid; methylacetic acid).
HT *Aphis rumicis*; NT *Chrysomphalus aurantii*. 268, 1293, 1378.
- 541-1003-1142-1260.
Copper propionarsenite; $(C_3H_7COO)_2Cu_3Cu(AsO_4)_2$.
T southern army worm and mosquito larvae. 274A.
- 541-1003-1218.
Propionic acid, sodium salt; C_3H_7COONa . 1069.
- 541-1003-1311.
Propionic acid, fluoboro-; $(BF_4)(CH_3CH_2COOH)$.
T as mothproofing agent. 1175, 1400P.
- 541-1011.
Acetic acid; CH_3COOH . (Ethanoic acid; vinegar).
T Japanese beetle; MT *Aphis rumicis*; ST red scale; NT clothes moths; used with kerosene for head lice. 26, 175, 286, 397P, 425P, 464P, 975P, 978P, 1076, 1175, 1176, 1213AP, 1293, 1378, 1399P, 1423.
- 541-1011-1108.
Aluminum acetate; $(CH_3COO)_3Al$. (Alumini acetate; aluminum acetate; fluid gelatine; mordant salts; oil pulp; printer's acetate; red liquor waterproofing salts).
NT *Tineola biselliella* and *Attagenus piceus*. 338P, 739, 757P, 1176, 1179.
- 541-1011-1114.
Barium acetate; $(CH_3COO)_2Ba.H_2O$.
NT firebrats. 1145.
- 541-1011-1124.
Cadmium acetate; $(CH_3COO)_2Cd.3H_2O$.
NT *Bombyx mori*. 561.
- 541-1011-1125.
Calcium acetate; $(CH_3COO)_2Ca$. (Brown acetate; calcii acetate; diacetate of lime; grey acetate; pyrolignite of lime; vinegar salts).
T as mothproofing agent. 338P, 1176.
- 541-1011-1130.
Cerium acetate; $(CH_3COO)_3Ce$.
T as mothproofing agent. 757P, 1179.
- 541-1011-1142.
Copper acetate; $Cu(CH_3COO)_2.H_2O$.
T *Aphis* and as mothproofing agent; ST Mediterranean fruit fly; NT *Melanoplus m. mexicanus*. 175, 757P, 983, 1150, 1179.
- 541-1011-1142-1261.
Paris green; $(CH_3COO)_2Cu_3Cu(AsO_4)_2$. (Copper aceto-arsenite).
Standard insecticide, T many insects.
- 541-1011-1164.
Lanthanum acetate; $(CH_3COO)_3La$.
T as mothproofing agent. 757P, 1179.
- 541-1011-1166.
Lead acetate; $(CH_3COO)_2Pb$.
T *Popillia japonica* and T *Lucilia cuprina* at 0.1%; NT bedbugs. 493A, 849, 1288.
- 541-1011-1172.
Magnesium acetate; $(CH_3COO)_2Mg.xH_2O$.
NT *Melanoplus m. mexicanus*. 1150.
- 541-1011-1218.
Sodium acetate; CH_3COONa .
T as mothproofing agent. 319P, 1069, 1175.
- 541-1011-1229.
Strontium acetate; $(CH_3COO)_2Sr$.
T as mothproofing agent. 333P, 430P, 869P, 1175.
- 541-1011-1239.
Thorium acetate; $(CH_3COO)_2Th$.
T as mothproofing agent. 757P, 1179.
- 541-1011-1234.
Tin acetate; $(CH_3COO)_2Sn$.
T as mothproofing agent. 757P, 1179.
- 541-1011-1244.
Zinc acetate; $(CH_3COO)_2Zn$.
T aphids and as mothproofing agent. 175, 757P, 1179.
- 541-1011-1246.
Acetate, metal, CU.
T as mothproofing agent. 757P, 1179.
- 541-1011-1311.
Acetic acid, fluoboro-; $(BF_4)(CH_3COOH)$. (Boro-fluoroacetic acid).
T as mothproofing agent. 396P, 400P, 456P, 472P, 634P, 1175, 1176, 1179, 1359P, 1400P.
- 541-1011-1311.
Trifluoroboracetic acid; $(BF_4)_2(CH_3COOH)$. (Boro-

- trifluoro-acetic acid).
T as mothproofing agent. 400P, 403P, 1175.
- 541-1012-1177.
Acetic acid, ethylmercury salt; $C_2H_5HgOOCCH_3$. (Mercury, ethyl-acetate). 302P.
- 541-1013-1021-1167.
Formic acid, triethyllead salt. (Lead, triethyl-formate).
T many insects. 161P.
- 541-1013-1045-1167.
Resin acids, triethyl lead salt. (Triethyl lead resinate).
T many insects. 161P.
- 541-1021.
Formic acid; $HCOOH$. (Methanoic acid).
HT *Aphis rumicis*, houseflies, and *Chrysomphalus aurantii*; T as mothproofing agent. 175, 238, 327P, 333P, 337P, 339P, 937, 938P, 975P, 978P, 1012, 1176, 1375, 1416P.
- 541-1021-1114.
Barium formate; $(HCOO)_2Ba$.
NT firebrats, 1145.
- 541-1021-1142-1260.
Copper formoarsenite; $(HCOO)_2Cu_3(AsO_4)_2$.
T southern army worm and mosquito larvae. 274A.
- 541-1021-1166.
Lead formate; $(HCOO)_2Pb$.
T codling moths. 915.
- 541-1021-1311.
Formic acid, fluoboro-; $(BF_4)(HCOOH)$. (Boro-fluoro-formic acid).
T as mothproofing agent. 396P, 400P, 472P, 1175, 1176, 1400P.
- 541-1027.
Acids, fatty. CU; $RCOOH$. 1137P, 1175.
- 541-1027-1030-1142-1261.
Green, linseed oil. CU.
HT *Tribolium*. 478A, 1168.
- 541-1027-1142-1261.
Green, soybean oil. CU.
HT *Tribolium*. 478A, 1168.
- 541-1027-1142-1261.
Green, peanut oil. CU.
HT *Tribolium*. 478A, 1168.
- 541-1027-1142-1261.
Green, fish oil. CU.
MT *Tribolium*. 478A, 1168.
- 541-1027-1196.
Soap, potassium (made from coconut oil). CU.
HT *Aphis rumicis*. 286.
- 541-1027-1196.
Soap, potassium (made from cottonseed oil).
HT *Aphis rumicis*. 286.
- 541-1027-1196.
Soap, potassium (made from corn oil).
HT *Aphis rumicis*. 286.
- 541-1027-1196.
Soap, potassium (made from menhaden oil).
HT *Aphis rumicis*. 286.
- 541-1027-1196.
Soap, potassium (made from palm oil).
HT *Aphis rumicis*. 286.
- 541-1045.
Acids, carboxylic. CU; $RCOOH$.
T as mothproofing agent. 77P, 331P, 332P, 462P, 867P, 1175, 1176.
- 541-1045-1167.
Acid, dialkyl lead salts; R_2PbX . 161P.
- 541-1045-1311.
Acids, fluoboro organic; $(BF_4)(RCOOH)$. (Boro-fluoro organic acids).
T as mothproofing agent. 400P, 403P, 1175.
- 542-581-1001-1110.
Malic acid, antimony salt, (exact constitution questionable). (Antimonyl malate). 958P.
- 542-582-730-740-1001-1021.
Nicotine, bitartrate; $[(CHOHCOOH)_2]_2 \cdot (C_{10}H_{11}N_2)$.
HT greenhouse leaf tier and imported cabbage worm. 1372.
- 542-582-730-950-1001.
Quinoline, tartarate; $C_8H_7N \cdot (-CHOHCOOH)_2$.
NT *Bombus morio*. 561.
- 542-582-732-952-1022.
Disulfide, bis(2-carboxy-4-hydroxyphenyl)-; $[-S-C_6H_3(OH)COOH]_2$.
T as mothproofing agent. 875P, 1179.
- 542-582-782-952-1022.
Disulfide, bis(3-carboxy-2-hydroxyphenyl)-; $[-S-C_6H_3(OH)COOH]_2$.
T as mothproofing agent. 875P, 1179.
- 542-582-1001.
Tartaric acid; $HOOC(CHOH)_2COOH$.
T as mothproofing agent; used in ant baits. 26, 975P, 978P, 1133P, 1176, 1179.
- 542-582-1001-1109-1312.
Tartaric acid, ammonium salt, hydrofluoride; $[NH_4OOC(CHOH)_2COONH_4] \cdot HF$? (Ammonium tartrate hydrofluoride).
T clothes moths. 642P, 1175.
- 542-582-1001-1110-1196.
Tartaric emetic; $KO_2C(CHOH)_2CO_2SbO \cdot \frac{1}{2}H_2O$. (Antimony potassium tartrate).
T citrus thrips and *T. Lucilia cuprina* at 0.1%; NT *Melanoplus m. mexicanus* and clothes moths (739). 77P, 116, 739, 849, 1039P, 1150, 1176.
- 542-582-1001-1114.
Tartaric acid, barium salt; $BaC_4H_4O_6H_2O$. (Barium tartrate).
MT firebrats. 1145.
- 542-582-1001-1120-1196.
Potassium borotartarate.
NT *Tineola bisellata* and *Attagenus piceus*. 739, 1176.
- 542-582-1001-1142.
Tartaric acid, copper salt; $CuC_4H_4O_6 \cdot \frac{1}{2}H_2O$. (Copper tartrate).
NT Mediterranean fruit fly. 903.
- 542-582-1001-1196.
Potassium acid tartrate; $HOOC(CHOH)_2COOK$. (Potassium hydrogen tartrate).
T as mothproofing agent. 461P, 1176.
- 542-584-967-1110.
Saccharic acid, antimony salt, (exact constitution questionable). (Antimonyl saccharate). 990P.
- 542-591-951-1011-1021.
Benzoic acid, o-carboxymethoxy; $HOOCCH_2OC_6H_4COOH$. (Salicylacetic acid; o-carboxymethoxy-benzoic acid; salicylic-o-acetic acid).
NT screwworms. 156.
- 542-592-951-1014-1021.
Phthalic acid, 2-ethoxyethyl ester; $C_6H_4(COOC_2H_5OC_2H_5)_2$. (β-Ethoxy ethyl phthalate).
NT silkworms. 659.
- 542-593-951-1011-1023.
Rusic acid; $(CH_3O)_2C_6H_4(OCH_2COOH)COOH$.
Associated with rotenone. 618.
- 542-593-951-1012-1022.
Derrio acid; $(CH_3O)_2C_6H_4(OCH_2COOH)CH_2COOH$.
Associated with rotenone. 618.
- 542-657-852-953-1022.
Phthalic acid, dichloro-, phenylhydrazide;
 $(Cl)_2C_6H_4(COOHNH_2NH_2C_6H_5)_2$.
T as mothproofing agent. 328P, 330P, 1176.
- 542-657-952-1022.
Phthalic acid, phenylhydrazide; $C_6H_5NHNHC_6H_4(COOH)_2$?
T as mothproofing agent. 328P, 340P, 1176.
- 542-665-952.
Benzoic acid, p,p'-azodi-; $(NC_6H_4COOH)_2$. (Azobenzene dicarboxylic acid-[4,4']).
NT southern army worm at 4%. 1481.
- 542-671-1001.
L-Aspartic acid; $HOOCCH_2CH(NH_2)COOH$.
NT houseflies. 915, 1012.
- 542-672-782-1004.
L-Cystine; $[SCH_2CH(NH_2)COOH]_2$. (1-β,β'-Dithiodialanine; L-3,3'-dithiois(2-aminopropanoic acid); dicysteine).
MT codling moths. 915, 1432.
- 542-672-951-1011.
Aniline oxalate; $(COOH)_2 \cdot (C_6H_5NH_2)_2$.
ST Japanese beetle. 494.
- 542-730-1022.
Quinolinic acid; $(C_8H_7N)(COOH)_2$. (2, 3-Pyridine-carboxylic acid).
NT codling moths. 915.
- 542-740-1011-1022.
Oxalic acid, 2, 2-dimethylpyrrolidine salt; $(CH_3)_2C_4H_7N \cdot (-COOH)_2$. (α,α-Dimethylpyrrolidine oxalate).

- (neutral); pyrrolidine, 2,2-dimethyl-, oxalate).
T *Aphis rumicis*. 1151.
- 542-781-951-1013.
Ethane, 1, 1-bis(mercaptoacetic acid)-, 1-phenyl-;
 $\text{C}_6\text{H}_5\text{C}(\text{CH}_3)(\text{SCH}_2\text{COOH})_2$. (Methylphenylmethyl-
ene-bis(mercaptoacetic acid)-).
T codling moth larvae; NT mosquito larvae. 487,
1291.
- 542-781-952-1012.
Methane, bis(mercaptoacetic acid) diphenyl-; (C_6H_5)₂
 $\text{C}(\text{SCH}_2\text{COOH})_2$. (Diphenylmethylene-bis(mer-
captoacetic acid)-).
ST mosquito larvae. 487.
- 542-842-852-952-1021.
Methane, bis(bromochlorohydroxyphenyl)-; CH_3 -
[$\text{C}_6\text{H}_3(\text{Br})(\text{Cl})\text{OH}$]₂.
T as mothproofing agent. 455P, 1179.
- 542-842-952-1021.
Methane, bis(5-bromo-2-hydroxyphenyl)-; CH_3 -
[$\text{C}_6\text{H}_3(\text{Br})\text{OH}$]₂.
T as mothproofing agent. 458P, 1179.
- 542-854-951-1022.
Phthalic acid, 3, 4, 5, 6-tetrachloro-; $\text{C}_6\text{Cl}_4(\text{COOH})_2$.
(Tetrachlorophthalic acid).
NT *Bombyx mori*. 561.
- 542-951-1001-1022.
Phthalic acid, butyl-, CU; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{COOH})_2$.
NT *Bombyx mori*. 561.
- 542-951-1022.
Phthalic acid; $\text{C}_6\text{H}_4(\text{COOH})_2$. (Benzene-o-dicar-
boxylic acid).
T as screwworms and as mothproofing agent. 40P,
156, 1170.
- 542-951-1022.
Isophthalic acid; $\text{C}_6\text{H}_4(\text{COOH})_2$.
NT *Bombyx mori*. 559.
- 542-951-1022.
Phthalic acids, CU.
T as mothproofing agent. 1175, 1357P.
- 542-952-1022.
Benzoic anhydride; ($\text{C}_6\text{H}_5\text{CO}$)₂O. (Benzoic acid an-
hydride).
ST screwworms at 0.67%. 156.
- 542-908-1023-1109.
Camphoric acid, ammonium salt; $\text{C}_{10}\text{H}_{16}(\text{COONH}_4)_2$.
T *Aphis rumicis*. 1152.
- 542-980-1130.
Japanic acid, cerium salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂Ce.
(Nonadecamethylene-dicarboxylic acid).
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1164.
Japanic acid, lanthanum salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂La.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1180-1198.
Japanic acid, didymium salt.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1228.
Japanic acid, thallium salt; $\text{C}_{20}\text{H}_{38}(\text{COO})_2\text{Tl}$.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1230.
Japanic acid, thorium salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂Th.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1236.
Japanic acid, titanium salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂Ti.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1240.
Japanic acid, uranium salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂U.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-980-1245.
Japanic acid, zirconium salt; [$\text{C}_{20}\text{H}_{38}(\text{COO})_2$]₂Zr.
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 542-991.
Sebacic acid; $\text{COOH}(\text{CH}_2)_8\text{COOH}$. (Decanedioic acid).
NT *Bombyx mori* larvae. 559.
- 542-997.
Adipic acid; $\text{COOH}(\text{CH}_2)_4\text{COOH}$.
NT European corn borer. 1122.
- 542-1001.
Succinic acid; (CH_3COOH)₂.
NT houseflies. 1012.
- 542-1001-1027.
Succinic acid, substituted, CU; $\text{HOOCCH}_2\text{R}'\text{CH}_2\text{COOH}$.
173P.
- 542-1003-1011-1177.
Oxalic acid, propylmercury salt; ($\text{C}_3\text{H}_7\text{Hg}$)₂(OOC)₂.
(Propylmercurioxalate). 302P.
- 542-1003-1228.
Malonic acid, thallium salt; $\text{CH}_3(\text{COO})_2\text{Tl}$. (Thallous
malonate).
NT codling moths. 930.
- 542-1011.
Oxalic acid; (-COOH)₂.
T as mothproofing agent; NT clothes moths. (855).
975P, 978P, 984P, 985, 1133P, 1176, 1179.
- 542-1011-1109.
Ammonium oxalate; (-COONH₄)₂.
NT *Melanoplus m. mexicanus*. 1150.
- 542-1011-1114.
Barium oxalate; (-COO)₂Ba.
T *Malacosoma americana*; MT firebrats. 1008,
1144, 1145.
- 542-1011-1124.
Cadmium oxalate; (-COO)₂Cd.3H₂O.
MT *Bombyx mori* larvae. 561.
- 542-1011-1126.
Calcium oxalate; (-COO)₂Ca.
NT *Malacosoma americana*. 1008.
- 542-1011-1138.
Cobaltous oxalate; (-COO)₂Co.
NT tobacco worm moths. 553.
- 542-1011-1142.
Copper oxalate; (-COO)₂Cu.½H₂O.
T Mediterranean fruit fly. 963.
- 542-1011-1169.
Lead oxalate; (-COO)₂Pb.
T codling moths. 915.
- 542-1011-1172.
Magnesium oxalate; (-COO)₂Mg.2H₂O.
NT *Melanoplus m. mexicanus*. 1150.
- 542-1011-1196.
Potassium acid oxalate; HOOCOCOOK .
T as mothproofing agent. 1133P, 1179.
- 542-1011-1196-1312.
Potassium oxalate hydrofluoride; (-COOK)₂HF.
T as mothproofing agent. 642P, 1175.
- 542-1011-1218.
Sodium oxalate; (-COONa)₂.
NT *Orthopodomyia signifera*. 895.
- 542-1011-1244.
Zinc oxalate; (-COO)₂Zn.
ST codling moths. 915.
- 543-571-581-951-1001-1022.
Nicotinic acid; (HOOC)₂(HO) $\text{C}_6\text{H}_4\text{OC}(\text{CH}_3)_2\text{COOH}$.
Associated with rotenone. 618.
- 543-651-997.
Citric acid; $\text{HOOCCH}_2\text{C}(\text{OH})(\text{COOH})\text{CH}_2\text{COOH}$.
(Acidum citricum; oxytricarballic acid).
T mothproofing agent; NT *Orthopodomyia signifera*.
895, 975P, 976P, 978P, 979P, 984P, 1176.
- 543-581-997-1110.
Antimonic citrate (exact constitution questionable).
989P.
- 543-581-997-1110-1196.
Potassium antimonic citrate.
T *Scirtothrips citri*. 1144.
- 543-581-997-1172.
Magnesium citrate; ($\text{C}_6\text{H}_5\text{O}$)₂Mg.
NT *Melanoplus m. mexicanus*. 1150.
- 543-581-997-1218.
Sodium citrate; $\text{Na}_3\text{C}_6\text{H}_5\text{O}_7$.
NT screwworms. 156.
- 543-997-1030.
Aconitic acid; $\text{C}_6\text{H}_4(\text{COOH})_3$.
NT European corn borer. 1122.
- 544-584-594-620-1025.
Alginate acid. (Algie acid; algin).
T as mothproofing agent. 1038P, 1037P, 1176.
- 551-561-591-972-1001-1025-1030.
Chrysanthemic acid, vanillin ester; (C_9H_{16})₂-
 $\text{COOC}_6\text{H}_4(\text{CHO})\text{OCH}_3$. (Chrysanthemum monocar-
boxylic acid, vanillin ester).
MT *Aphis rumicis*. 650.
- 551-571-581-924-1012-1021.
2-Naphthoic acid, 4-nonyl-3-hydroxy-, ethyl ester;
 $\text{HOC}_{10}\text{H}_7(\text{COCH}_3)\text{COOC}_2\text{H}_5$.
ST corn borer. 1120.
- 551-571-620-625-1011-1021.
1, 4-Pyrone-2-carboxylic acid, 5, 8-dihydro-6-(2-
furyl)-, ethyl ester; ($\text{C}_8\text{H}_5\text{O}$)($\text{C}_4\text{H}_3\text{O}$)($\text{C}_2\text{H}_5\text{O}$) COOC_2H_5 .

- (Furfural acetone oxalate ethyl ester).
T houseflies at 2-5%. 793P.
- 551-571-620-625-1024.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, tetrahydrofurfuryl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOCH}_2(\text{C}_6\text{H}_5\text{O})$. (Mesityl oxide oxalate tetrahydrofurfuryl ester).
T houseflies at 2-5%. 793P.
- 551-571-620-951-1001-1021.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6-phenyl-, butyl ester; $\text{C}_6\text{H}_5(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_4\text{H}_9$. (Benzal acetone oxalate normal butyl ester).
T houseflies at 2-5%. 793P.
- 551-571-620-951-1011-1021.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6-phenyl-, ethyl ester; $\text{C}_6\text{H}_5(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_2\text{H}_5$. (Benzal acetone oxalate ethyl ester).
T houseflies at 2%. 793P.
- 551-571-620-951-1024.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, benzyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOCH}_2\text{C}_6\text{H}_5$. (Mesityl oxide oxalate benzyl ester).
T houseflies at 2%. 793P.
- 551-571-620-987-1011-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6-(2, 6, 6-trimethyl-1-cyclohexenyl)-, ethyl ester; $(\text{CH}_3)_3\text{-C}(\text{C}_6\text{H}_9\text{O})(\text{O})\text{COOC}_2\text{H}_5$. (β -ionone oxalate ethyl ester).
T houseflies at 2%. 793P.
- 551-571-620-961-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, cyclohexyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_9\text{O})(\text{O})\text{COOC}_6\text{H}_{11}$. (Mesityl oxide oxalate cyclohexyl ester).
T houseflies at 2%. 793P.
- 551-571-620-992-1011-1021-1035.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6-(2, 6-dimethyl-1, 3, 5-heptatrienyl)-, ethyl ester; $(\text{CH}_3)_2\text{-CHCH}_2\text{-CHC}(\text{CH}_3)_2\text{-CH}(\text{C}_6\text{H}_9\text{O})(\text{O})\text{COOC}_2\text{H}_5$. (Pseudolionone oxalate ethyl ester).
T houseflies at 2%. 793P.
- 551-571-620-999-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, amyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_5\text{H}_{11}$. (Mesityl oxide oxalate normal amyl ester).
T houseflies at 2%. 793P.
- 551-571-620-999-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, isomyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COO-CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$. (Mesityl oxide oxalate iso-amyl ester).
T houseflies at 2%. 793P.
- 551-571-620-989-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, sec amyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COO-CH}(\text{CH}_3)\text{C}_4\text{H}_9$. (Mesityl oxide oxalate secondary amyl ester).
T houseflies at 2%. 793P.
- 551-571-620-1001-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, butyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_4\text{H}_9$. (Indalone; α , α -dimethyl- α' -carbobotoxydihydro- γ -pyrone; butyl mesityl oxide oxalate; butyl ester of 2, 3, 5, 6-tetrahydro-4-keto-6-dimethyl-1, 4-pyran-2-carboxylic acid).
T mosquitoes, codling moths, and T houseflies at 2%. 502P, 793P, 1112, 1291.
- 551-571-620-1001-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, isobutyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COO-CH}_2\text{CH}(\text{CH}_3)_2$. (Isobutyl ester of α -dimethyl- α' -carboxydihydro- γ -pyrone).
T houseflies. 502P.
- 551-571-620-1001-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, sec-butyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOCH}(\text{CH}_3)\text{C}_3\text{H}_7$. (sec-Butyl ester of α -dimethyl- α' -carboxydihydro- γ -pyrone).
T houseflies. 502P.
- 551-571-620-1003-1011-1021-1030.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6-propenyl-, ethyl ester; $\text{CH}_3\text{CH}=\text{CH}(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_2\text{H}_5$. (Crotonal acetone oxalate ethyl ester).
T houseflies at 2%. 793P.
- 551-571-620-1003-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, propyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOC}_3\text{H}_7$. (Mesityl oxide oxalate normal propyl ester).
T houseflies at 2%. 793P.
- 551-571-620-1003-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, isopropyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOCH}(\text{CH}_3)_2$. (Mesityl oxide oxalate isopropyl ester).
T houseflies at 2%. 793P.
- 551-571-620-1003-1023.
1, 4-Pyrone-2-carboxylic acid, 5, 6-dihydro-6, 6-dimethyl-, methyl ester; $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})(\text{O})\text{COOCH}_3$. (Mesityl oxide oxalate methyl ester dihydropyrone isomer).
T houseflies at 2-5%. 793P.
- 551-571-851-952-1012.
Acetophenone, α -hydroxy-p-phenyl-, chloroacetate; HT codling moth larvae; MT mosquito larvae. 487, 1291.
- 551-571-951-987-999-1030.
Acetoacetic acid, γ -benzylidene-, tetradecyl ester; $\text{C}_6\text{H}_5\text{CH}=\text{CHCOCH}_2\text{COOC}_{14}\text{H}_{29}$. 1195P.
- 551-571-951-989-999-1030.
Acetoacetic acid, γ -benzylidene-, dodecyl ester; $\text{C}_6\text{H}_5\text{CH}=\text{CHCOCH}_2\text{COOC}_{12}\text{H}_{25}$. 1195P.
- 551-571-951-993-999-1030.
Acetoacetic acid, γ -benzylidene-, 2-ethylhexyl ester; $\text{C}_6\text{H}_5\text{CH}=\text{CHCOCH}_2\text{COOCH}_2\text{CH}(\text{C}_2\text{H}_5)\text{C}_4\text{H}_9$. 1195P.
- 551-571-952-972-1001-1003-1022-1030.
Acetophenone, α -hydroxy-p-phenyl-, chrysanthemumate; $\text{C}_6\text{H}_5\text{COOCH}_2\text{COOC}_6\text{H}_4\text{C}_6\text{H}_5$. (α -Hydroxy-p-phenylacetophenone chrysanthemum monocarboxylate).
MT mosquito larvae. 437.
- 551-571-952-1011-1021.
Acetophenone, α -hydroxy-p-phenyl-, formate; $\text{HCOO-CH}_2\text{COOC}_6\text{H}_4\text{C}_6\text{H}_5$.
HT mosquito and codling moth larvae. 487, 1291.
- 551-571-952-1012.
Acetophenone, α -hydroxy-p-phenyl-, acetate; $\text{C}_6\text{H}_5\text{COOCH}_2\text{COOC}_6\text{H}_4\text{C}_6\text{H}_5$.
HT codling moth larvae; MT mosquito larvae. 487, 1291.
- 551-571-1001-1011.
Acetoacetic acid, ethyl ester; $\text{CH}_3\text{COCH}_2\text{COOC}_2\text{H}_5$. (Ethyl acetoacetate; acetoacetic ester; ethyl-3-oxobutanate).
T cutworms and as mothproofing agent; MT codling moth larvae; NT rice weevil. 634P, 1009, 1012, 1176, 1180, 1241P, 1242P, 1285.
- 551-572-591-993-1012.
Isocaproic acid, α,γ -dioxo-, 2-ethoxy-, ethyl ester; $(\text{CH}_3)_2\text{CHCH}_2\text{COCH}_2\text{COOCH}_2\text{CH}_2\text{OC}_2\text{H}_5$. (α,γ -Diketoisocaproic acid, 2-ethoxy-, ethyl ester).
Fly spray. 112, 794P.
- 551-572-951-993-1024.
Isocaproic acid, α,γ -dioxo-, benzyl ester; $(\text{CH}_3)_2\text{CHCH}_2\text{COCH}_2\text{COOCH}_2\text{C}_6\text{H}_5$. (α,γ -Diketoisocaproic acid, benzyl ester).
Fly spray. 112, 794P.
- 551-572-951-997-1001.
Caproic acid, α,γ -dioxo-, ϵ -phenyl-, butyl ester; $\text{C}_6\text{H}_5\text{CH}_2\text{CH}_2\text{COCH}_2\text{COOOC}_4\text{H}_9$. (α,γ -Diketo- ϵ -phenylcaproic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-951-1001-1011.
Pyruvic acid, benzoyl-, ethyl ester; $\text{C}_6\text{H}_5\text{COCH}_2\text{CO- COOC}_2\text{H}_5$.
T flies. 112, 792P.
- 551-572-961-993.
Isocaproic acid, α,γ -dioxo-, cyclohexyl ester; $(\text{CH}_3)_2\text{CHCH}_2\text{COCH}_2\text{COOC}_6\text{H}_{11}$. (α,γ -Diketoisocaproic acid, cyclohexyl ester).
Fly spray. 112, 794P.
- 551-572-961-1002.
Cyclohexanecarboxylic acid, α,γ -dioxo-, butyl ester; $\text{C}_6\text{H}_{11}\text{COCH}_2\text{COOOC}_4\text{H}_9$. (γ -Cyclohexyl- α,γ -diketobutyric acid, butyl ester).
Fly spray. 112, 794P.

- 551-572-991-1001.
Pelargonic acid, α,γ -dioxo- δ -methyl-, butyl ester; $C_6H_{11}COCH_2(CH_2)COCH_2COCOOC_4H_9$. (α,γ -Diketo-delta-methylpelargonic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-992-1001.
Pelargonic acid, α,γ -dioxo-, butyl ester; $C_6H_{11}COCH_2COCOOC_4H_9$. (α,γ -Diketopelargonic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-993-997.
Isocaprylic acid, α,γ -dioxo-2-ethyl-, butyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_2CH(CH_3)_2$. (α,γ -Diketoisocaprylic acid, 2-ethyl-butyl ester).
Fly spray. 112, 794P.
- 551-572-993-999.
Isocaprylic acid, α,γ -dioxo-, isoamyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_2CH(CH_3)_2$. (α,γ -Diketoisocaprylic acid, isoamyl ester).
Fly spray. 112, 794P.
- 551-572-993-999.
Isocaprylic acid, α,γ -dioxo-, *sec*-amyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH(CH_3)C_2H_5$. (Isocaprylic acid, α,γ -dioxo-, 1-methyl-butyl ester; α,γ -diketoisocaprylic acid, 1-methyl-butyl ester).
Fly spray. 112, 794P.
- 551-572-993-1001.
Isocaprylic acid, α,γ -dioxo-, butyl ester; $(CH_3)_2CHCH_2COCH_2COCOOC_4H_9$. (α,γ -Diketoisocaprylic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-993-1001.
Caproic acid, α,γ -dioxo- δ , δ -dimethyl, butyl ester; $(CH_3)_2COCOCH_2COCOOC_4H_9$. (α,γ -Diketo-delta, delta-dimethylcaproic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-993-1001.
Isocaprylic acid, α,γ -dioxo-, isobutyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_2CH(CH_3)_2$. (α,γ -Diketoisocaprylic acid, isobutyl ester).
Fly spray. 112, 794P.
- 551-572-993-1001-1030.
Isocaprylic acid, α,γ -dioxo-, 2-methylallyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_2C(CH_3)=CH_2$. (α,γ -Diketoisocaprylic acid, 2-methylallyl ester).
Fly spray. 112, 794P.
- 551-572-993-1003.
Isocaprylic acid, α,γ -dioxo-, isopropyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH(CH_3)_2$. (α,γ -Diketoisocaprylic acid, isopropyl ester).
Fly spray. 112, 794P.
- 551-572-993-1003-1030.
Isocaprylic acid, α,γ -dioxo-, allyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_2CH=CH_2$. (α,γ -Diketoisocaprylic acid, allyl ester).
Fly spray. 112, 794P.
- 551-572-993-1011.
Isocaprylic acid, α,γ -dioxo-, ethyl ester; $(CH_3)_2CHCH_2COCH_2COCOOC_2H_5$. (α,γ -Diketoisocaprylic acid, ethyl ester).
Fly spray. 112, 794P.
- 551-572-993-1021.
Isocaprylic acid, α,γ -dioxo-, methyl ester; $(CH_3)_2CHCH_2COCH_2COCOOCH_3$. (α,γ -Diketoisocaprylic acid, methyl ester).
Fly spray. 112, 794P.
- 551-572-994.
Isocaprylic acid, α,γ -dioxo-, 2-ethylhexyl ester; $(CH_3)_2CHCH_2COCH_2COCOOC_6H_{13}$. (α,γ -Diketoisocaprylic acid, 2-ethylhexyl ester).
Fly spray. 112, 794P.
- 551-572-995-1001.
Enanthic acid, α,γ -dioxo-, butyl ester; $C_8H_{15}COCH_2COCOOC_4H_9$. (α,γ -Diketoenanthic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-995-1001.
Isocrotonic acid, α,γ -dioxo-, butyl ester; $(CH_3)_2CHCOCH_2COCOOC_4H_9$. (α,γ -Diketoisocrotonic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-997-1001.
Caproic acid, α,γ -dioxo-, butyl ester; $C_6H_{11}COCH_2COCOOC_4H_9$. (α,γ -Diketocaproic acid, butyl ester).
Fly spray. 112, 794P.
- 551-572-999-1011.
Valeric acid, α,γ -dioxo-, ethyl ester; $CH_3COCH_2COCOOC_2H_5$. (Ethyl acetyl pyruvate).
T flies at 1%. 112, 792P.
- 551-572-1001-1045.
Acids, carboxylic, α,γ -dioxo-, γ -substituted-, alkyl esters; $RCOCH_2COCOOR'$. (Carboxylic acid, γ -substituted- α γ -dioxo, alkyl ester; γ -substituted- α,γ -diketocarboxylic acid esters).
Fly spray. 112, 794P.
- 551-581-620-1024.
1, 2-Pyran, 6-carboxylic acid, 2, 2-dimethyl-4-hydroxy-, methyl ester; $(CH_3)_2C(C_6H_5O)(OH)COOCH_3$. (Methyl oxide oxalate methyl ester enol isomer).
T houseflies at 2-5%. 793P.
- 551-581-625-951-1003-1030.
2-Furanacrylic acid, *m*-hydroxyphenyl ester; $(C_6H_5O)CH:CHCOOC_6H_4OH$. (*m*-Hydroxyphenyl furylacrylate). 552.
- 551-581-625-951-1003-1030.
2-Furanacrylic acid, *o*-hydroxyphenyl ester; $(C_6H_5O)CH:CHCOOC_6H_4OH$. (*o*-Hydroxyphenyl furylacrylate). 552.
- 551-581-625-951-1003-1030.
2-Furanacrylic acid, *p*-hydroxyphenyl ester; $(C_6H_5O)CH:CHCOOC_6H_4OH$. (*p*-Hydroxyphenyl furylacrylate). 552.
- 551-581-625-951-1022.
Salicylic acid, tetrahydrofurfuryl ester; $(C_6H_5O)CHCOOC_4H_7O$. (Tetrahydrofurfuryl salicylate). 552.
- 551-581-730-740-951-1003-1021.
Hyocyanine; $C_{17}H_{23}O_3N$.
ST oriental peach moths. 1094.
- 551-581-730-740-951-1003-1021-1275.
Hyocyanine hydrobromide; $(C_{17}H_{23}O_3N)HBr$.
NT tobacco worm moths. 553.
- 551-581-730-740-951-1003-1021-1389.
Hyocyanine sulfate; $(C_{17}H_{23}O_3N)_2H_2SO_4$.
T *Aphis rumicis*. 1152.
- 551-581-730-740-951-1003-1021-1389.
Atropine sulphate; $(C_{17}H_{23}NO_3)H_2SO_4$.
T *Aphis rumicis*; NT Japanese beetle. 1008, 1152.
- 551-581-924-951-1021.
Salicylic acid, 2-naphthyl ester; $C_{10}H_7OOC_6H_4OH$. (β -Naphthyl salicylate).
MT codling moths; NT clothes moths and screwworms. 156, 739, 916, 1176.
- 551-581-951-999-1021.
Salicylic acid, amyl ester; $HOC_6H_4COOC_5H_{11}$. (Amyl salicylate).
NT oriental peach moths. 508.
- 551-581-951-1011-1021.
Benzoic acid, *p*-hydroxy-, ethyl ester; $HOC_6H_4COOC_2H_5$.
T as mothproofing agent. 404P, 870P, 1175.
- 551-581-951-1022.
Salicylic acid, methyl ester; $HOC_6H_4COOCH_3$. (Methyl salicylate).
T *Lucilia cuprina*; MT *Tenebrio molitor*; NT *Chrysomphalus aurantii*. 268, 841, 849.
- 551-581-951-1022.
Cresotic acids, methyl esters, CU; $HOC_6H_4COOCH_3$. (Benzoic acids, methoxyhydroxy-).
T as mothproofing agent. 1175, 1363P.
- 551-581-952-1021.
Salicylic acid, phenyl ester; $HOC_6H_4COOC_6H_5$. (Phenyl salicylate; Salol).
HT codling moths; T roaches and as mothproofing agent; ST screwworms and mosquitoes. 156, 487, 559, 587, 1164P, 1165P, 1175, 1179, 1291.
- 551-581-952-1021.
Benzoic acid, *o*-tolyl ester; $C_6H_4COOC_6H_4OH$. (*o*-Cresyl benzoate).
T codling moths. 915.
- 551-581-1003-1011.
Lactic acid, ethyl ester; $CH_3CH(OH)COOC_2H_5$. (Ethyl lactate; ethyl 2-hydroxypropanoate).
HT rice weevil. 1180.
- 551-581-1003-1021.
Lactic acid, methyl ester; $CH_3CH(OH)COOCH_3$. (Methyl lactate; methyl 2-hydroxypropanoate).
NT rice weevil. 1180.
- 551-581-1011-1021.
Glycol, monoformate; $HCHOOC_6H_4OH$. (β -Hydroxy-ethylformate).

- NT red scale. 268.
551-582-620-625-960-951.
Fluorescein; $C_{20}H_{12}O_6$. (Resorcinolphthalein).
HT codling moth larvae; NT mosquito larvae.
487, 1291.
- 551-582-1003-1011.
Acetin, mono-; $CH_3COOCH_2CHOHCH_2OH$.
T *Lucilia cuprina* larvae. 848.
- 551-583-625-980-1011.
Mannitan, monolaurate; $C_{11}H_{23}COO(C_6H_{11}O_4)$.
(NNO).
T many insects.
- 551-583-951-1022.
Gallic acid, methyl ester; $(OH)_3C_6H_2COOCH_3$. (Methyl gallate; methyl ester of 3, 4, 5-trihydroxybenzoic acid).
ST screwworms at 0.67%. 156.
- 551-588-852-951-1011-1142.
Phenol, 2, 4-dichloro-, copper acetate compound; $Cl_2C_6H_3OH.Cu(CH_3COO)_2$. (Copper acetate of 2, 4-dichlorophenol). 352P.
- 551-588-852-951-1011-1244.
Phenol, 2, 4-dichloro-, zinc acetate compound; $Cl_2C_6H_3OH.Zn(CH_3COO)_2$. (Zinc acetate of 2, 4-dichlorophenol). 352P.
- 551-588-853-951-1012-1142.
Toluene, 4-hydroxy-, 2, 3, 5-trichloro-, copper acetate compound; $Cl_3C_6H_2OH.Cu(CH_3COO)_2$. (Copper acetate of 2, 3, 5-trichloro-4-hydroxy-1-methylbenzene). 352P.
- 551-591-625-951-1003-1021-1030.
Furanacrylic acid, guaiacol ester; $(C_6H_5O)CH:CHCOOC_6H_4OCH_3$. (Guaiacol fulylacrylate). 552.
- 551-591-625-951-1022.
2-Furoic acid, 2-methoxyphenyl ester; $(C_6H_5O)COOC_6H_4OCH_3$. (Guaiacol furoate). 552.
- 551-591-851-951-1011-1022.
Benzoic acid, benzoyloxy-, 2-chloroethyl ester, CU; $C_6H_5CH_2OC_6H_4COOCH_2CH_2Cl$. (Benzoic acid, phenylmethoxy-, 2-chloroethyl ester).
Fly spray. 112, 693P.
- 551-591-851-952-1011-1021.
Benzoic acid, o-benzoyloxy-, 2-chloroethyl ester; $C_6H_5CH_2OC_6H_3(COOCH_2CH_2Cl)$. (Benzoic acid, o-phenylmethoxy-, 2-chloroethyl ester).
Fly spray. 94P, 112, 585P, 690P, 693P, 694P, 696P.
- 551-591-851-953-1003-1022.
Benzoic acid, 2-chloro-4-methoxy-, propyl ester; $CH_3O(C_6H_4)C_6H_3COOCC_3H_7$. (Propyl ester of 2-chloro-4-methoxy-1-benzoic acid). 359P.
- 551-591-951-999-1021.
Caproic acid, o-methoxyphenyl ester; $C_6H_5COOC_6H_4OCH_3$. (Guaiacol n-caproate).
NT *Chrysomphalus aurantii*. 268.
- 551-591-951-1001-1022.
Benzoic acid, o-methoxy-, butyl ester; $C_6H_5(OCH_3)COOC_4H_9$. (n-Butyl-o-methoxybenzoate).
NT *Bombyx mori*. 550.
- 551-591-951-1011-1022.
Anisic acid, ethyl ester; $CH_3OC_6H_4COOC_2H_5$. (Ethyl anisate).
T screwworms at 0.10-0.17%. 156.
- 551-591-951-1022.
Anisic acid, methyl ester; $CH_3OC_6H_4COOCH_3$. (Methyl anisate).
HT screwworms at 0.05-0.08%. 156.
- 551-591-952-1001-1021.
Benzoic acid, o-phenoxy-, butyl ester; $CaH_5OC_6H_4COOC_4H_9$. (Butyl ester of 2-phenoxy-1-benzoic acid). 359P.
- 551-591-952-1011-1021.
Acetic acid, benzoyloxy-o-phenyl ester; $C_6H_5CH_2OC_6H_4OOCCH_3$. (Ether, o-acetoxyphenyl phenyl).
Fly spray. 112, 685P, 690P, 693P, 694P, 695P, 696P.
- 551-591-952-1022.
Benzoic acid, o-methoxy-, phenyl ester; $CH_3OC_6H_4COOC_6H_5$. (Phenyl ester of 2-methoxy-1-benzoic acid). 359P.
- 551-591-952-1023.
Benzoic acid, o-benzoyloxy-, methyl ester; $C_6H_5CH_2OC_6H_4COOCH_3$. (Benzoic acid, o-phenylmethoxy-, methyl ester; benzyl ether of 2-hydroxy methyl benzoate).
Fly spray. 112, 693P.
- 551-591-954-1011-1021-1325.
Phosphonium hydroxide, (4-carbethoxyphenoxy) triphenyl-; $(C_6H_5OOCCH_2H_3O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
- 551-591-989-1012-1109-1389.
Diethyleneglycol sulfate, lauryl ester, ammonium salt; $NI_4OSO_2OCH_2CH_2OCH_2CH_2OCO(CH_2)_{10}CH_3$. Ammonium lauryl diethylene glycol sulfate).
MT mosquito larvae. 437.
- 551-592-952-1024.
Benzoic acid, 3, 5-dimethoxy-, benzyl ester; $(CH_3O)_2C_6H_3COOCH_2C_6H_5$. 359P.
- 551-592-1001-1013.
Ethanol, 2-(2-butoxyethoxy)-, acetate; $C_6H_5O(CH_2)_2O(CH_2)_2OOCCH_3$. (Diethylene glycol monobutyl ether acetate).
T black fly. 589P.
- 551-593-951-999-1011-1023.
Benzoic acid, 3, 5-dimethoxy-4-ethoxy-, amyl ester; $C_6H_5O(CH_3O)_2C_6H_3COOC_5H_{11}$. 359P.
- 551-593-951-1024.
Benzene, tetramethoxy-, CU? $C_6H_2(OCH_3)_4$. (Methoxy trimethyl gallate).
NT *Bombyx mori*. 561.
- 551-625-851-1003-1011-1030.
Ethanol, 2-chloro-, 2-furanacrylate; $C_6H_5OCH:CHCOOC_2H_4Cl$. (2-Chloroethyl β -furylacrylate). 552.
- 551-625-851-1011-1021.
Ethanol, 2-chloro-, furoate; $C_6H_5OCOOC_2H_4Cl$. (2-Chloroethyl furoate). 552.
- 551-625-852-1011-1021.
Acetic acid, dichloro-, tetrahydrofurfuryl ester; $CHCl_2COOCH_2(C_4H_7O)$. (Tetrahydrofurfuryl dichloroacetate). 552.
- 551-625-951-1003-1021-1030.
2-Furanacrylic acid, m-tolyl ester; $(C_6H_5O)CH:CHCOOC_6H_4CH_3$. (m-Cresyl furylacrylate). 552.
- 551-625-951-1003-1021-1030.
2-Furanacrylic acid, tolyl ester, CU; $(C_6H_5O)CH:CHCOOC_6H_4CH_3$. (Cresyl furylacrylate). 552.
- 551-625-951-1003-1021-1030.
Cinnamic acid, tetrahydrofurfuryl ester; $(C_6H_5O)CH_2OOCCH:CHC_6H_5$. (Tetrahydrofurfuryl cinnamate). 552.
- 551-625-951-1003-1030.
2-Furanacrylic acid, phenyl ester; $(C_6H_5O)CH:CHCOOC_6H_5$. (Phenyl furylacrylate). 552.
- 551-625-951-1022.
2-Furoic acid, m-tolyl ester; $(C_6H_5O)COOC_6H_4CH_3$. (m-Cresyl furoate). 552.
- 551-625-951-1022.
2-Furoic acid, p-tolyl ester; $(C_6H_5O)COOC_6H_4CH_3$. (p-Cresyl furoate; p-tolyl furoate; p-tolyl ester of pyromucic acid).
MT mosquito larvae. 487, 552.
- 551-625-972-1001-1024-1030.
Chrysanthemic acid, furfuryl ester; $(C_6H_5O)CH_2OOC(C_6H_5)(CH_3)CH:C(C_6H_5)_2$. (Chrysanthemum monocarboxylic acid, furfuryl ester).
MT *Aphis rumicis*. 650.
- 551-625-999-1021.
Pivalic acid, tetrahydrofurfuryl ester; $(C_6H_5O)CH_2OOC(CH_3)_3$. (Tetrahydrofurfuryl trimethylacetate). 552.
- 551-625-1003-1021-1030.
2-Furanacrylic acid, tetrahydrofurfuryl ester; $(C_6H_5O)CH_2OOCCH:CH(C_4H_7O)$. (Tetrahydrofurfuryl β -furylacrylate). 552.
- 551-625-950-1011-1021.
Piperonylic acid, ethyl ester; $CH_2O_2C_6H_5COOC_2H_5$. (Ethyl piperonylate).
NT as synergist with pyrethrum against houseflies. 617.
- 551-659-951-1011-1022.
Benzoic acid, (2-hydrazonoethyl)-, ethyl ester? $H_2N.NH.CHC(H_2C_6H_4COOC_2H_5)$. (Acetaldehyde phenylcarboxylic acid ethyl ester hydrazone; ethylidene-phenylcarboxylic acid ethyl ester hydrazone; ethylidenehydrazonophenylcarboxylic acid-ethyl ester).
T as mothproofing agent. 325P, 330P, 874P, 1176.
- 551-671-951-1011-1021.
Benzocaine; $NH_2C_6H_4COOC_2H_5$. (Ethyl p-aminobenzoate; anaesthesia).
NT screwworms. 156.

- 551-671-951-1022.
Anthranilic acid, methyl ester; $\text{NH}_2\text{C}_6\text{H}_4\text{COOCH}_3$.
(Anthranilate, methyl).
NT houseflies. 1276.
- 551-681-951-1012.
Glycine, N-phenyl-, ethyl ester $\text{C}_6\text{H}_5\text{NHCH}_2\text{COOC}_2\text{H}_5$.
T screwworms at 0.33-0.67%. 156.
- 551-681-972-1001-1012-1023-1030.
Chrysanthemic acid, diethanolamine ester; $\text{C}_2\text{H}_5\text{-NHCH}_2\text{H}_2\text{OOC}(\text{C}_6\text{H}_5)(\text{CH}_3)_2\text{CH:C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, diethanol amine ester).
MT *Aphis rumicis*. 650.
- 551-681-975-1027.
Acids, substituted aminocarboxylic-, esters, CU;
XIIIRCOOY. 193P.
- 551-701-730-740-983-1022-1030.
Oleic acid, nicotine cyanide compound. (Nicotine cyanide oleate). 918P.
- 551-701-730-953-1021-1030.
Oleic acid, pyridine cyanide compound. (Pyridine cyanide oleate). 916P.
- 551-701-951-999-1021-1030.
2-Buten-1-ol, 1-cyano-, benzoate; $\text{CH}_3\text{CH:CHCH}(\text{CN})\text{OOCCH}_2\text{C}_6\text{H}_5$. (Crotonaldehydecyanohydrin benzoate). 939P.
- 551-701-961-1011-1021.
Cyclohexanol, 1-cyano-, acetate; $\text{CH}_3\text{COO}(\text{C}_6\text{H}_{10})\text{CN}$. (Cyclohexanonecyanohydrin acetate). 939P.
- 551-701-1012.
Acetic acid, cyano-, ethyl ester; $\text{CH}_3(\text{CN})\text{COOC}_2\text{H}_5$. (Ethyl cyanoacetate).
MT codling moth; NT rice weevil. 915, 1180.
- 551-740-950-1001-1021.
3-Indolebutyric acid, methyl ester; $(\text{C}_6\text{H}_5\text{N})\text{C}_3\text{H}_5\text{-COOCH}_3$. (Methylindole butyrate).
HT *Culex quinquefasciatus*. 157.
- 551-792-924-999-1022.
1-Naphthoic acid, 2-methoxy-, amyl ester; $\text{CH}_3\text{-OC}_6\text{H}_4\text{COO}(\text{CH}_3)\text{C}_5\text{H}_5$. 359P.
- 551-841-1003-1011.
Propionic acid, α -bromo-, ethyl ester; $\text{CH}_3\text{CHBr-COOCH}_3$. (Ethyl 1-bromopropionate).
HT rice weevil. 1180, 1181.
- 551-841-1003-1011.
Propionic acid, β -bromo-, ethyl ester; $\text{BrCH}_2\text{CH}_2\text{-COOCH}_3$. (Ethyl β -bromopropionate).
MT rice weevil. 1180, 1181.
- 551-841-1003-1011.
Propanol, 2-bromo-, acetate; $\text{CH}_3\text{COOCH}_2\text{CHBrCH}_3$. (β -Bromo n-propyl acetate).
ST *Sitophilus oryzae*; NT red scale. 268, 1180.
- 551-841-1003-1011.
Propanol, 3-bromo-, acetate; $\text{CH}_3\text{COOCH}_2\text{CH}_2\text{CH}_2\text{Br}$. (3-Bromopropyl acetate; γ -bromopropyl acetate).
NT red scale and rice weevil. 268, 1180.
- 551-841-1003-1027.
Propionic acid, α -bromo-, alkyl ester, CU; $\text{CH}_3\text{CH}_2\text{-BrCOOR}$. 1181.
- 551-841-1003-1027.
Propionic acid, β -Bromo-, alkyl esters, CU; $\text{CH}_2\text{Br-CH}_2\text{COOR}$. 1181.
- 551-841-1011-1021.
Acetic acid, bromo-, methyl ester; $\text{CH}_3\text{BrCOOCH}_3$. (Methyl bromoacetate).
HT rice weevil; NT red scale. 268, 1180, 1181.
- 551-841-1012.
Ethanol, 2-bromo-, acetate; $\text{CH}_3\text{COOCH}_2\text{CH}_2\text{Br}$. (2-Bromoethyl acetate; β -bromoethyl acetate).
HT rice weevil; ST wireworms. 258, 845, 1180.
- 551-841-1012.
Acetic acid, bromo-, ethyl ester; $\text{CH}_2\text{BrCOOCH}_2\text{CH}_3$. (Ethyl bromoacetate; ethyl bromoethanoate).
HT rice weevil; ST red scale. 268, 1180, 1181.
- 551-842-951-1003-1011.
Hydrocinnamic acid, α,β -dibromo-, ethyl ester; $\text{C}_6\text{H}_5\text{CHBrCHBrCOOCH}_3$.
NT as mothproofing agent. 239.
- 551-851-951-1011-1021.
Acetic acid, chloro-, benzyl ester; $\text{C}_6\text{H}_5\text{CH}_2\text{OOCCH}_2\text{-Cl}$. (Benzyl chloroacetate).
NT red scale. 268.
- 551-851-961-1011.
Acetic acid, chloro-, cyclohexyl ester; $\text{C}_6\text{H}_{11}\text{OOCCH}_2\text{-Cl}$. (Cyclohexanol monochloroacetate).
- HT *Dermestes vulpinus*, cockroaches, flies, ants, aphids and Japanese beetles. 1085P.
- 551-851-980-1011.
Acetic acid, chloro-, dodecyl ester; $\text{C}_{12}\text{H}_{25}\text{COOCCH}_2\text{-H}_2$. (Chloroacetic acid, n-dodecyl ester).
Fly spray. 107P, 112.
- 551-851-1001-1011.
Acetic acid, chloro-, butyl ester; $\text{CH}_3\text{ClCOOCH}_2\text{-CH}_2\text{CH}_2\text{CH}_3$. (n-Butyl chloroacetate; butyl-2-chloroethanoate).
HT *Sitophilus oryzae*. 1180, 1181.
- 551-851-1001-1011.
Acetic acid, chloro-, sec-butyl ester; $\text{CH}_3\text{ClCOOCH}_2\text{-(CH}_2)_2\text{CH}_2\text{CH}_3$. (sec-Butyl chloroacetate).
HT *Sitophilus oryzae*. 1180, 1181.
- 551-851-1003-1011.
Propionic acid, α -chloro-, ethyl ester; $\text{CH}_3\text{ClCH}_2\text{-COOCH}_2\text{CH}_3$. (Ethyl 2-chloropropionate; ethyl 2-chloropropenoate).
HT rice weevil. 1180, 1181.
- 551-851-1003-1011.
Acetic acid, chloro-, isopropyl ester; $\text{CH}_3\text{ClCOOCH}_2\text{-(CH}_3)_2\text{CH}$. (Isopropyl chloroacetate).
HT rice weevil. 1180, 1181.
- 551-851-1003-1027.
Propionic acid, β -chloro-, alkyl esters, CU; $\text{CH}_3\text{-ClCH}_2\text{COOR}$. 1181.
- 551-851-1011-1021.
Acetic acid, chloro-, methyl ester; $\text{CH}_3\text{ClCOOCH}_3$. (Methyl chloroacetate; methyl chloroethanoate).
HT *Sitophilus oryzae*; T *Aphis rumicis*. 648, 1180, 1181, 1182P.
- 551-851-1012.
Acetic acid, chloro-, ethyl ester; $\text{CH}_3\text{ClCOOCH}_2\text{CH}_3$. (Ethyl chloroacetate; ethyl chloroethanoate).
HT *Sitophilus oryzae*. 1180, 1181.
- 551-851-1012.
Ethanol, 2-chloro-, acetate; $\text{CH}_3\text{COOCH}_2\text{CH}_2\text{Cl}$. (β -Chloroethyl acetate).
HT *Sitophilus oryzae*; T wireworms. 846, 1180.
- 551-852-951-1021.
Phenol, 2, 4-dichloro-, formate; $(\text{Cl})_2\text{C}_6\text{H}_3\text{OOCH}$. (Formate of 2, 4-dichlorophenol). 362P.
- 551-852-1011-1021.
Ethanol, 2, 2-dichloro-, formate; $\text{Cl}_2\text{CHCH}_2\text{OOCH}$. (β,β' -Dichloroethyl carbonate).
ST codling moth. 915.
- 551-852-1011-1027.
Acetic acid, dichloro-, alkyl esters, CU; CHCl_2COOR . 1181.
- 551-852-1012.
Acetic acid, dichloro-, ethyl ester; $\text{CHCl}_2\text{COOCH}_2\text{-CH}_3$. (Ethyl dichloroacetate; ethyl dichloroethanoate).
HT rice weevil. 1180, 1181.
- 551-852-1012.
Ethanol, 2-chloro-, chloroacetate; $\text{Cl}(\text{CH}_2)_2\text{OOCCH}_2\text{-Cl}$. (β -Chloroethyl monochloroacetate).
T *Dermestes vulpinus*. 1085P.
- 551-853-951-1012.
Benzyl alcohol, α -(trichloromethyl)-, acetate; $\text{C}_6\text{H}_5\text{-CH}(\text{CCl}_3)\text{OOCCH}_3$. (Trichloromethylphenylcarbinol acetate). 851P.
- 551-853-951-1022.
p-Cresol, 2, 3, 5-trichloro-, formate; $\text{CH}_3\text{Cl}_3\text{C}_6\text{-HIOOCH}$. (Formate of 2, 3, 5-trichloro-4-hydroxy-1-methylbenzene). 362P.
- 551-853-1001-1011.
Chlorotone acetate; $\text{Cl}_2\text{CC}(\text{CH}_3)_2\text{OOCCH}_3$. (Acetone-chloroform acetate; tertiary trichlorobutyl acetate). 851P.
- 551-853-1001-1011.
2-Propanol, 1, 3-dichloro-, 2-chloromethyl-, acetate; $\text{CH}_3\text{COOC}(\text{CH}_2\text{Cl})_2$. (β,β,β' -Trichloroisobutyl acetate).
NT red scale. 268.
- 551-853-1003-1011.
2-Propanol, 1, 3-dichloro-, chloroacetate; $(\text{CH}_2\text{Cl})_2\text{-COOCClCH}_2\text{Cl}$. (β,β' -Dichloroisopropyl monochloroacetate).
T *Dermestes vulpinus*. 1085P.
- 551-853-1003-1011.
2-Propanol, 1, 2, 3-trichloro-, acetate; $(\text{CH}_2\text{Cl})_3\text{CCl-OOCH}_2$? (Trichloroisopropyl acetate). 851P.

- 551-853-1011-1027.
Acetic acid, trichloro-, alkyl ester, CU; CCl_3COOR . 1181.
- 551-853-1012.
Acetic acid, trichloro-, ethyl ester; $\text{CCl}_3\text{COOCH}_2\text{CH}_3$ (Ethyl trichloroacetate).
HT rice weevil, 1180, 1181.
- 551-854-951-1012.
Benzyl alcohol, *p*-chloro- α -(trichloromethyl)-, acetate; $\text{ClCaH}_4\text{CH}(\text{CCl}_3)\text{OOCCH}_3$. (Trichloromethyl-*p*-chlorophenylcarbinol acetate). 851P.
- 551-854-1001-1011.
Chlortone chloroacetate; $\text{ClCH}_2\text{COOC}(\text{CH}_3)_2\text{CCl}_3$. (Acetone-chloroform monochloroacetate). 851P.
- 551-912-1012.
Acetic acid, 9-fluorenyl ester; $(\text{C}_{10}\text{H}_8)\text{OOCCH}_3$. (9-Fluorenyl acetate).
NT screwworm larvae. 944.
- 551-924-951-1021.
Benzoic acid, 2-naphthyl ester; $\text{C}_{10}\text{H}_7\text{OOCCH}_3$. (β -Naphthyl benzoate).
NT Clothes moths. 739, 1176.
- 551-924-951-1021.
Benzoic acid, naphthyl ester, CU; $\text{C}_{10}\text{H}_7\text{OOCCH}_3$. (Naphthyl benzoate).
ST Japanese beetle; NT *Tineola biselliella* and *Attagenus piceus*. 494, 739.
- 551-924-972-1001-1023-1030.
Chrysanthemic acid, 1-naphthyl ester; $\text{C}_{10}\text{H}_7\text{OOC}(\text{C}_6\text{H}_5)(\text{CH}_3)_2\text{CH}:\text{C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, α -naphthol ester).
ST *Aphis rumicis*. 650.
- 551-951-989-1021.
Benzoic acid, dodecyl ester; $\text{C}_{12}\text{H}_{25}\text{COOC}_6\text{H}_5$. (Benzoic acid, *n*-dodecyl ester).
Fly spray. 107P, 112.
- 551-951-999-1021.
Benzoic acid, amyl ester; $\text{C}_5\text{H}_5\text{COOC}_5\text{H}_{11}$. (Amyl benzoate).
T tobacco worm moths. 1012.
- 551-951-999-1021.
Benzoic acid, isomyl ester; $\text{C}_6\text{H}_5\text{COOC}_5\text{H}_{11}$. (Iso-amyl benzoate; 3-methyl-1-butanol benzoate).
NT red scale. 268.
- 551-951-1001-1011.
 α -Toluic acid, isobutyl ester; $\text{C}_6\text{H}_4\text{CHCOOCCH}_3$. (Iso-butyl phenylacetate).
ST oriental peach moth. 1094.
- 551-951-1001-1011.
Valeric acid, phenethyl ester; $\text{CH}_3(\text{CH}_2)_3\text{COOC}_2\text{H}_5$. (C_6H_5). (Phenyl ethyl valerate).
ST wireworm. 846.
- 551-951-1001-1021.
Benzoic acid, butyl ester; $\text{C}_6\text{H}_5\text{COOC}_4\text{H}_9$. (*n*-Butyl benzoate; butyl benzenecarboxylate).
NT red scale. 268.
- 551-951-1001-1021.
Benzoic acid, isobutyl ester; $\text{C}_6\text{H}_5\text{COOCH}_2\text{CH}(\text{CH}_3)_2$. (Isobutyl benzoate; β -methylpropyl benzenecarboxylate).
NT red scale. 268.
- 551-951-1001-1021.
Butyric acid, benzyl ester; $\text{CH}_3(\text{CH}_2)_2\text{CO}_2\text{CH}_2\text{C}_6\text{H}_5$. (Benzyl butyrate).
NT red scale. 268.
- 551-951-1003-1011-1030.
Cinnamic acid, ethyl ester; $\text{C}_6\text{H}_5\text{CH}:\text{CHCOOC}_2\text{H}_5$. (Ethyl cinnamate).
T oriental peach moth. 508.
- 551-951-1003-1021-1030.
Cinnamic acid, methyl ester; $\text{C}_6\text{H}_5\text{CH}:\text{CHCOOCH}_3$. (Methyl cinnamate).
Attractant for oriental peach moth; NT wireworms. 508, 846.
- 551-951-1011-1021.
Acetic acid, benzyl ester; $\text{CH}_3\text{COOCH}_2\text{C}_6\text{H}_5$. (Benzyl acetate).
T *Aphis rumicis* and as mothproofing agent; NT red scale. 268, 1152, 1175, 1455P.
- 551-951-1011-1021.
Benzoic acid, ethyl ester; $\text{C}_6\text{H}_5\text{COOC}_2\text{H}_5$. (Ethyl benzoate).
T *Lucilia cuprina* larvae. 849.
- 551-951-1021-1045.
Benzyl alcohol, esters, CU; $\text{C}_6\text{H}_5\text{CH}_2\text{OOCR}$. (Benzyl esters).
T as mothproofing agent. 4P, 413P, 1175.
- 551-951-1022-1356.
Phosphoric acid, tris (2-carbomethoxyphenyl) ester; $(\text{C}_6\text{H}_4\text{COOCH}_3)_3\text{PO}_4$. (Tri-(2-carbomethoxyphenyl) phosphate). 1016P.
- 551-951-1045.
Phenol esters.
T as mothproofing agent. 1101P, 1176.
- 551-951-1356.
Phosphoric acid, tris(carboalkoxyphenyl) ester; $(\text{ROOCC}_6\text{H}_4)_3\text{PO}_4$. (Tri-(carboalkoxy-phenyl) phosphate). 1016P.
- 551-952-1003-1011-1030.
Cinnamic acid, phenethyl ester; $\text{C}_6\text{H}_5(\text{CH}_2)_2\text{COO}(\text{CH}_2)_2\text{C}_6\text{H}_5$. (β -Phenyl ethyl cinnamate).
NT *Bombus mori* larvae. 559.
- 551-952-1003-1021-1030.
Cinnamic acid, benzyl ester; $\text{C}_6\text{H}_5\text{CH}:\text{CHCOOCH}_2\text{C}_6\text{H}_5$. (Cinnamate benzyl).
T houseflies. 1276.
- 551-952-1021.
Benzoic acid, phenyl ester; $\text{C}_6\text{H}_5\text{COOC}_6\text{H}_5$. (Phenyl benzoate).
NT screwworms. 156.
- 551-952-1021-1111.
Stibine diphenyl-, acetate; $(\text{C}_6\text{H}_5)_2\text{SbOOCCH}_3$.
T clothes moths. 639P.
- 551-952-1022.
Benzoic acid, benzyl ester; $\text{C}_6\text{H}_5\text{COOCH}_2\text{C}_6\text{H}_5$. (Benzoate benzyl).
MT tobacco worm moths; T houseflies. 1012, 1276.
- 551-952-1022.
m-Cresol benzoate; $\text{C}_6\text{H}_4\text{COOC}_6\text{H}_4\text{CH}_3$.
NT screwworms. 156.
- 551-952-1022.
p-Cresol benzoate; $\text{C}_6\text{H}_4\text{COOC}_6\text{H}_4\text{CH}_3$.
NT screwworms. 156.
- 551-952-1022-1356.
Phosphoric acid, *o*-carbomethoxyphenyl, diphenyl ester; $(\text{C}_6\text{H}_4)_2\text{C}_6\text{H}_3(\text{COOCH}_3)\text{PO}_4$. [(2-Carbomethoxy-phenyl) diphenyl phosphate]. 1016P.
- 551-953-1012-1103-1201.
Phosphonium chloride, *o*-carbomethoxymethyltriphenyl-; $(\text{C}_6\text{H}_4\text{OOCCH}_3)(\text{C}_6\text{H}_5)_3\text{PCl}$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 551-957-1003-1011-1021.
 α -Terpineol acetate; $\text{C}_{10}\text{H}_{17}\text{OOCCH}_3$. (Terpinyl acetate).
T wireworms, flies, oriental peach moth, and other insects. 508, 592P, 846.
- 551-957-1003-1021-1045.
 α -Terpineol esters. (Terpinyl esters).
T flies and other insects; fly spray. 93P, 94P, 112, 592P.
- 551-957-1004-1021.
 α -Terpineol propionate. (Terpinyl propionate).
T flies and other insects. 592P.
- 551-961-991.
Capric acid, cyclohexyl ester; $\text{CH}_3(\text{CH}_2)_8\text{COOC}_6\text{H}_{11}$. (Cyclohexyl caprate). 1174P.
- 551-961-1003-1011-1021.
Borneol acetate; $\text{C}_{10}\text{H}_{17}\text{OOCCH}_3$. (Bornyl acetate).
T wireworms. 846.
- 551-972-980-1001-1023-1030.
Chrysanthemic acid, ceryl ester; $\text{C}_{26}\text{H}_{52}\text{OOC}(\text{C}_2\text{H}_5)(\text{CH}_2)_2\text{CH}:\text{C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, ceryl ester).
MT *Aphis rumicis*. 650.
- 551-972-985-1001-1023-1030.
Chrysanthemic acid, cetyl ester; $\text{C}_{18}\text{H}_{36}\text{OOC}(\text{C}_2\text{H}_5)(\text{CH}_2)_2\text{CH}:\text{C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, cetyl ester).
MT *Aphis rumicis*. 650.
- 551-972-987-1001-1023-1030.
Chrysanthemic acid, tetradecyl ester; $\text{C}_{14}\text{H}_{28}\text{OOC}(\text{C}_2\text{H}_5)(\text{CH}_2)_2\text{CH}:\text{C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, myristyl ester).
MT *Aphis rumicis*. 650.
- 551-972-989-1001-1023-1030.
Chrysanthemic acid, dodecyl ester; $\text{C}_{12}\text{H}_{24}\text{OOC}(\text{C}_2\text{H}_5)(\text{CH}_2)_2\text{CH}:\text{C}(\text{CH}_3)_2$. (Chrysanthemum monocarboxylic acid, lauryl ester).
MT *Aphis rumicis*. 650.

- (C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, lauryl ester).
MT *Aphis rumicis*. 650.
- 551-972-990-1001-1023-1030.
Chrysanthemumic acid, 2-hendecyl ester; C₁₁H₂₃OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, undecyl-2 ester).
MT *Aphis rumicis*. 650.
- 551-972-991-1001-1023-1030.
Chrysanthemumic acid, decyl ester; C₁₀H₂₁OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, n-decyl ester).
MT *Aphis rumicis*. 650.
- 551-972-993-1001-1023-1030.
Chrysanthemumic acid, octyl ester; C₈H₁₇OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, octyl ester).
MT *Aphis rumicis*. 650.
- 551-972-997-1001-1023-1030.
Chrysanthemumic acid, hexyl ester; C₆H₁₃OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, hexyl ester).
ST *Aphis rumicis*. 650.
- 551-972-999-1001-1023-1030.
Chrysanthemumic acid, amyl ester; C₅H₁₁OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, n-amyl ester).
ST *Aphis rumicis*. 650.
- 551-972-999-1001-1023-1030.
Chrysanthemumic acid, isoamyl ester; (Chrysanthemum monocarboxylic acid, isoamyl ester).
ST *Aphis rumicis*. 650.
- 551-972-999-1001-1023-1030.
Chrysanthemumic acid; tert-amyl ester; (Chrysanthemum monocarboxylic acid, tertiary amyl ester).
ST *Aphis rumicis*. 650.
- 551-972-1001-1003-1023-1030.
Chrysanthemumic acid, propyl ester; C₃H₇OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, n-propyl ester).
ST *Aphis rumicis*. 650.
- 551-972-1001-1003-1023-1030.
Chrysanthemumic acid, isopropyl ester; (Chrysanthemum monocarboxylic acid, isopropyl ester).
ST *Aphis rumicis*. 650.
- 551-972-1001-1011-1023-1030.
Chrysanthemumic acid, ethyl ester; C₂H₅OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, ethyl ester).
MT *Aphis rumicis*. 650.
- 551-972-1002-1023-1030.
Chrysanthemumic acid, butyl ester; C₄H₉OOO-(C₆H₅)(CH₃)₂CH:C(CH₃)₂. (Chrysanthemum monocarboxylic acid, n-butyl ester).
MT *Aphis rumicis*. 650.
- 551-972-1002-1023-1030.
Chrysanthemumic acid, isobutyl ester; (Chrysanthemum monocarboxylic acid, isobutyl ester).
MT *Aphis rumicis*. 650.
- 551-972-1002-1023-1030.
Chrysanthemumic acid, sec-butyl ester; (Chrysanthemum monocarboxylic acid, secondary butyl ester).
ST *Aphis rumicis*. 650.
- 551-972-1002-1023-1030.
Chrysanthemumic acid, tert-butyl ester; (Chrysanthemum monocarboxylic acid, tertiary butyl ester).
MT *Aphis rumicis*. 650.
- 551-983-1021.
Stearic acid, methyl ester; C₁₇H₃₅COOCH₃. (Methyl stearate; methyl octadecanoate).
NT *Aphis rumicis*. 1378.
- 551-983-1021-1030.
Oleic acid, methyl ester; C₁₇H₃₃COOCH₃.
HT *Aphis rumicis*. 1378.
- 551-989-1021.
Lauric acid, methyl ester; C₁₂H₂₅COOCH₃. (Methyl laurate; dodecylate).
HT *Aphis rumicis*. 1378.
- 551-989-1021.
Formic acid, dodecyl ester; HCOOC₁₂H₂₅. (Formic acid, n-dodecyl ester).
Fly spray. 107P, 112.
- 551-989-1045.
Dodecyl alcohol, esters. (n-Dodecyl esters).
T lower forms of life. 107P.
- 551-990-1021.
Hendecanoic acid, methyl ester; C₁₀H₂₁COOCH₃. (Methyl undecenoate).
HT *Aphis rumicis*. 1378.
- 551-991-1011-1030.
Rhodinol acetate; CH₃COOCH₂CH₂CH(CH₃)CH₂CH₂CH:C(CH₃)CH₃. (2, 6-Dimethylocten-2-ol-8 acetate).
NT wireworms. 846.
- 551-991-1011-1033.
Geraniol acetate; (CH₃)₂C:CHC₂H₄C(CH₃)₂CHCH₂COOCH₃. (Geranyl acetate).
T *Lucilia cuprina*; ST wireworms; attractant for *Desmometops* sp.; not attractive to oriental peach moth. 508, 840, 849, 899.
- 551-991-1011-1033.
Linalol acetate; (CH₃)₂C:CHC₂H₄C(CH₃)₂(CH:CH₂)₂COOCH₃. (Linalyl acetate).
T *Lucilia cuprina* larvae; ST wireworms. 846, 849.
- 551-993-999.
Caprylic acid, amyl ester; CH₃(CH₂)₆COOCH₂(CH₂)₄CH₃. (Amyl caprylate).
NT wireworms. 846.
- 551-993-999.
Caprylic acid, isoamyl ester; C₇H₁₅COOCH₂CH₂CH(CH₃)₂. (Isoamyl n-caprylate; γ-methylbutyl octanoate).
NT red scale. 268.
- 551-993-1001-1033.
Geraniol butyrate; (CH₃)₂C:CHC₂H₄C(CH₃)₂CHCH₂COOC₂H₅. (Geranyl butyrate).
ST *Desmometops* sp. 899.
- 551-993-1011.
2-Octanol acetate; C₈H₁₇CH(CH₃)COOCH₃. (sec-Octyl acetate).
T *Sitophilus oryza*. 1180.
- 551-993-1021.
Caprylic acid, methyl ester; C₇H₁₅COOCH₃. (Methyl caprylate; methyl octanoate).
HT *Aphis rumicis*; ST wireworms; NT *Sitophilus oryza*. 846, 1180, 1378.
- 551-993-1021.
Formic acid, octyl ester; HCOO(CH₂)₇CH₃. (Octyl formate).
MT wireworms. 846.
- 551-995-1011.
Acetic acid, heptyl ester; CH₃COOC₇H₁₅. (n-Heptyl acetate).
T *Sitophilus oryza*. 1180.
- 551-995-1011.
Enanthic acid, ethyl ester; C₈H₁₇COOC₂H₅. (Ethyl n-heptylate; ethyl heptanoate).
NT rice weevil. 1180.
- 551-995-1021.
Enanthic acid, methyl ester; C₈H₁₇COOCH₃. (Methyl n-heptylate; methyl heptanoate).
HT *Aphis rumicis*; NT rice weevil. 1180, 1378.
- 551-997-999.
Caproic acid, isoamyl ester; CH₃(CH₂)₄COOC₂H₅. (Isoamyl n-caproate; γ-methyl butyl hexanoate).
NT red scale. 268.
- 551-997-1001.
Caproic acid, butyl ester; C₆H₁₃COOC₄H₉. (n-Butyl n-caproate; butyl hexanoate).
NT red scale and silkworm. 268, 559.
- 551-997-1001.
Caproic acid, isobutyl ester; CH₃(CH₂)₄COOCH₂CH(CH₃)₂. (Iso-butyl caproate).
ST red scale; NT *Bombix mori* larvae. 268, 559.
- 551-997-1011.
Caproic acid, ethyl ester; C₆H₁₃COOC₂H₅. (Ethyl n-caproate; ethyl hexanoate).
NT rice weevil. 1180.
- 551-997-1021.
Caproic acid, methyl ester; C₆H₁₃COOCH₃. (Methyl caproate; hexylate; methyl hexanoate).
MT *Aphis rumicis* and wireworms; NT rice weevil. 846, 1180, 1378.
- 551-999-1001.
Butyric acid, amyl ester; C₃H₇COO(CH₂)₄CH₃. (n-Amyl n-butyrate; pentyl butanoate).
NT red scale. 268.
- 551-999-1001.
Butyric acid, isoamyl ester; C₆H₇COOC₂H₅. (Iso-

- T *Lucilia cuprina* and *Chrysomphalus aurantii*. 268, 849.
- 551-1011-1021.
Formic acid, ethyl ester; HCOOC_2H_5 . (Ethyl formate; ethyl methanoate).
Used for fumigation of raisins, dried fruits, nuts, other foodstuffs, and stored tobacco; NT *Chrysomphalus aurantii*. 27, 268, 494, 1047, 1184.
- 551-1012.
Acetic acid, ethyl ester; $\text{CH}_3\text{COOC}_2\text{H}_5$. (Ethyl acetate).
T *Lucilia cuprina* and as mothproofing agent; NT red scale. 268, 849, 1175, 1241P, 1242P.
- 551-1012-1030.
Acetic acid, vinyl ester; $\text{CH}_3\text{COOC}::\text{CH}_2$. (Vinyl acetate).
ST *Chrysomphalus aurantii*. 268.
- 551-1022.
Formic acid, methyl ester; HCOOCH_3 . (Methyl formate; methyl methanoate).
HT *Aphis rumicis*; T *Lucilia cuprina*; ST red scale. 27, 257, 268, 763, 849, 1180, 1378.
- 552-571-1014.
Oxalacetic acid, diethyl ester; $\text{C}_2\text{H}_5\text{OOCOCOCH}_3$. COOC_2H_5 . (Oxalacetic ester).
T as mothproofing agent. 684P, 1175.
- 552-572-950-989-1021.
Cinnamic acid, α -acetyl-, 2-ethylhexyl ester? $\text{CH}_3\text{COC}::\text{CHCH}_2\text{C}_6\text{H}_5$ COOC_2H_5 $\text{CH}(\text{C}_2\text{H}_5)\text{C}_6\text{H}_5$? (Benzal-2-ethylhexylaceto-acetate). 1195P.
- 552-581-951-1002-1022.
Phthalic acid, 4-hydroxy-, dibutyl ester; HOOC_2H_4 $(\text{COOC}_4\text{H}_9)_2$. (1-Hydroxyphenyl-3, 4-dicarboxylic acid dibutyl ester; 1-hydroxy-3, 4-phthalic acid ester).
T as mothproofing agent. 404P, 1175.
- 552-581-1001-1012.
Malic acid, ethyl ester; $\text{C}_6\text{H}_5\text{OOCCH}_2\text{CH}(\text{OH})\text{COOC}_2\text{H}_5$. (Ethyl malate).
ST *Rhagoletis pomonella*. 899.
- 552-581-1003-1012.
Acetin, α,γ -di- $\text{CH}_3\text{COOCH}_2\text{CH}(\text{OH})\text{CH}_2\text{OOCCH}_3$. (Diacetin).
T *Lucilia cuprina* larvae. 849.
- 552-582-1002.
Tartaric acid, d -dibutyl ester; $\text{C}_4\text{H}_6\text{OOC}(\text{CHOH})_2$ COOC_4H_9 . (n -Butyl d -tartrate).
NT red scale. 268.
- 552-591-952-1011-1021.
Benzoic acid, o -acetoxy-, phenyl ester; $\text{CH}_3\text{COOC}_2\text{H}_5$ $\text{H}_5\text{COOC}_2\text{H}_5$. (Phenyl ester of 2-acetoxy-1-benzoic acid). 359P.
- 552-592-951-1012-1022.
Phthalic acid, bis(2-methoxyethyl) ester; C_6H_4 $(\text{COOCH}_2\text{CH}_2\text{OCH}_3)_2$. (β -Methoxy ethyl phthalate).
NT *Bombyx mori* larvae. 559.
- 552-592-951-1014.
Phthalic acid, bis(2-ethoxyethyl) ester; C_6H_4 $(\text{COOCH}_2\text{CH}_2\text{OC}_2\text{H}_5)_2$. (β -Ethoxy ethyl phthalate).
NT *Bombyx mori* larvae. 559.
- 552-592-1012-1022-1285.
Carbonic acid, bis(2-methoxyethyl) ester; $\text{OC}(\text{OCH}_2\text{CH}_2\text{OCH}_3)_2$. (β -Methoxy ethyl carbonate).
NT *Bombyx mori* larvae. 559.
- 552-621-1045.
 p -Dioxane, 2, 3-di-ol-, esters, CU; $\text{RCOO}(\text{C}_4\text{H}_9\text{O}_2)$ OOCRC . (Esters of 1, 4-dioxane-2, 3-di-ol). 1299P.
- 552-625-951-1004-1033.
Resorcinol, bis(2-furanacrylate); $[(\text{C}_4\text{H}_5\text{O})\text{CH}::\text{CH}::\text{COO}]_2\text{C}_6\text{H}_4$. (Resorcinol difurylacrylate). 552.
- 552-625-951-1022.
Pyrocatechol di(2-furoate); $[(\text{C}_4\text{H}_5\text{O})\text{COO}]_2\text{C}_6\text{H}_4$. (Catechol difuroate). 552.
- 552-625-951-1022.
Hydroquinone di(2-furoate); $[(\text{C}_4\text{H}_5\text{O})\text{COO}]_2\text{C}_6\text{H}_4$. (Hydroquinone difuroate). 552.
- 552-625-951-1022.
Resorcinol di(2-furoate); $[(\text{C}_4\text{H}_5\text{O})\text{COO}]_2\text{C}_6\text{H}_4$. (Resorcinol difuroate). 552.
- 552-625-1003-1011-1021.
Oxalic acid, propyl tetrahydrofurfuryl ester; $(\text{C}_3\text{H}_7\text{O})\text{CH}_2\text{OOCOCOOC}_3\text{H}_7$. (Tetrahydrofurfurylpropyl oxalate). 552.
- 552-825-1011-1022.
Oxalic acid, bis(tetrahydrofurfuryl) ester; $[(\text{C}_4\text{H}_7\text{O})\text{CH}_2\text{OOC}]_2$. (Tetrahydrofurfuryl oxalate). 552.
- 552-670-994-1004-1021.
Cyanamide, bis(carbomethoxy-2-ethyl)-; $[\text{C}_2\text{H}_5\text{OOC}::\text{CH}_2\text{CH}_2]_2\text{NCN}$. (β,β' -Dicarbomethoxy diethyl cyanamide). 669P.
- 552-670-1002-1012-1021.
Cyanamide, bis(carbobutoxy-2-ethyl)-; $[\text{C}_2\text{H}_5\text{OOC}::\text{CH}_2\text{CH}_2]_2\text{NCN}$. (β,β' -Dicarbobutoxy diethyl cyanamide). 669P.
- 552-670-1004-1023.
Cyanamide, bis(carbomethoxy-2-ethyl)-; $[\text{CH}_3\text{OOC}::\text{CH}_2\text{CH}_2]_2\text{NCN}$. (β,β' -Dicarbomethoxy diethyl cyanamide). 669P.
- 552-672-952-1011.
Oxalic acid, bis(p -aminophenyl) ester; $(-\text{COOC}_6\text{H}_4\text{NH}_2)_2$. (p -Amino phenol oxalate).
NT silkworm. 559.
- 552-692-952-1011-1021.
Oxalic acid, bis(p -dimethylaminophenyl) ester; $(-\text{COOC}_6\text{H}_4\text{N}(\text{CH}_3)_2)_2$. (p -Dimethylamine phenyl oxalate).
T codling moth; ST silkworm. 561.
- 552-730-740-951-1024-1291.
Cocaine hydrochloride; $\text{C}_{17}\text{H}_{21}\text{NO}_4\text{HCl}$.
T *Aphis rumicis*. 1152.
- 552-851-1004-1033-1045.
Acids, dicarboxylic, aliphatic (cycloaliphatic and aromatic) diallyl and bis(2-chloroallyl) ester. (Dibasic acid, diallyl esters).
Fly spray. 112, 1127P.
- 552-852-924-1004-1022-1030.
1, 2-Naphthalenedicarboxylic acid, bis(2-chloroallyl) ester; $\text{C}_{10}\text{H}_6(\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (1, 2-Naphthalenedicarboxylic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-951-1004-1022-1030.
Phthalic acid, bis(2-chloroallyl) ester; $\text{C}_6\text{H}_4(\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (Phthalic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-991-1004-1033.
Sebacic acid, bis(2-chloroallyl) ester; $(\text{CH}_2)_8(\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (Sebacic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-995-1003-1033.
Pimelic acid, bis(2-chloroallyl) ester; $(\text{CH}_2)_6(\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (Pimelic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-997-1004-1033.
Adipic acid, bis(2-chloroallyl) ester; $(\text{CH}_2)_4(\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (Adipic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-1001-1004-1033.
Maleic acid, bis(2-chloroallyl) ester; $(-\text{COOCH}_2\text{CHCl}::\text{CH}_2)_2$. (Maleic acid, di-(2-chloroallyl) ester).
Fly spray. 112, 216P.
- 552-852-1011-1012.
1, 3-Propanediol bis(chloroacetate); $(\text{CH}_2)_3(\text{OOC}_2\text{H}_4\text{Cl})_2$. (Trimethylene glycol dimonochloroacetate).
1, 3-propanediol dimonochloroacetate).
T *Dermestes vulpinus* larvae. 1085P.
- 552-852-1012.
Glycol bis(chloroacetate); $(\text{CH}_2)_2(\text{OOC}_2\text{H}_4\text{Cl})_2$. (Ethylene glycol dimonochloroacetate).
T *Musca domestica* larvae and T adults as fumigant. 1085P.
- 552-924-1003-1012-1023.
Bicyclo[2,2,1]-7-octene-2, 3-dicarboxylic acid, 4-isopropyl-1-methyl-, diethyl ester; $\text{C}_8\text{H}_{12}(\text{C}_6\text{H}_5)(\text{CH}_3)(\text{COOC}_2\text{H}_5)_2$. (4-Cyclohexene-1, 2-dicarboxylic acid, 3, 6-endoethylene-3-isopropyl-6-methyl-, diethyl ester; diethyl ester of 3-isopropyl 6-methyl 3, 6-endoethylene delta⁴-tetrahydrophthalic acid; diethyl petrex).
Fly spray. 112, 948P.
- 552-924-1003-1023-1027.
Bicyclo[2,2,1]-7-octene-2, 3-dicarboxylic acid, 4-isopropyl-1-methyl-, dialkyl (and monoalkyl) esters; $\text{C}_8\text{H}_{12}(\text{C}_6\text{H}_5)(\text{CH}_3)(\text{COOR})_2$. (4-Cyclohexene-1, 2-dicarboxylic acid, 3, 6-endoethylene-3-isopropyl-6-methyl-, alkyl ester; alkyl ester of a terpene dicarboxylic acid).
Fly spray. 112, 948P.

- 552-951-962.
Phthalic acid, dicyclohexyl ester; $C_6H_4(COOC_6H_{11})_2$. (Cyclohexyl phthalate).
NT *Bombyx mori* larvae. 559.
- 552-951-989-1022.
Phthalic acid, didodecyl ester; $C_6H_4(COOC_{12}H_{25})_2$. (Phthalic acid, di-n-dodecyl ester; n-dodecyl phthalate).
Fly spray. 107P, 112.
- 552-951-994-1011-1030.
Malonic acid, benzylidene-, bis(2-ethylhexyl) ester; $C_6H_5CH:C(COOC_6H_{13}CH(C_2H_5)_2)_2$. Benzal di-2-ethylhexylmalonate). 1194P.
- 552-951-1000-1022.
Phthalic acid, diamyl ester; $C_6H_4(COOC_5H_{11})_2$. (n-Amyl phthalate).
NT *Bombyx mori* larvae. 559.
- 552-951-1000-1022.
Phthalic acid, diisooamyl ester; $C_6H_4(COOC_5H_9CH(CH_3)_2)_2$. (Iso-amyl phthalate).
ST codling moth. 915.
- 552-951-1002-1011-1030.
Malonic acid, benzylidene-, dibutyl ester; $C_6H_5CH:C(COOC_4H_9)_2$. (Benzal dibutylmalonate). 1194P.
- 552-951-1002-1022.
Phthalic acid, dibutyl ester; $C_6H_4(COOC_4H_9)_2$. (Phthalate, dibutyl).
Repellent to houseflies. 993P, 1276.
- 552-951-1003-1011-1021.
Acetylacetic acid, propyl ester; $CH_3COOC_3H_7$. (Propyl ester of 2-acetoxy-1-benzoic acid). 350P.
- 552-951-1004-1022-1030.
Phthalic acid, diallyl ester; $C_6H_4(COOC_2H_5CH=CH_2)_2$.
MT as fly spray. 112, 216P.
- 552-951-1012.
Hydroquinone diacetate; $C_6H_4(OOCCH_3)_2$. (Quinol diacetate; p-phenylene diacetate; diacetylhydroquinone).
T screwworms at 0.10-0.17%. 156.
- 552-951-1012-1022.
Phthalic acid, diethyl ester; $C_6H_4(COOC_2H_5)_2$. (Ethyl phthalate).
T as mothproofing agent; repellent to houseflies and other insects; NT *Tineola biselluella* and *Attagenus piceus* (739). 739, 993P, 1175, 1176, 1241P, 1242P.
- 552-951-1021-1286.
Carbonic acid, diphenyl ester; $(C_6H_5O)_2CO$. (Phenyl carbonate; diphenyl carbonate).
NT corn borer and as mothproofing agent. 239, 1120.
- 552-951-1022-1027.
Phthalic acid, dialkyl ester, CU. (Dialkyl phthalates).
T flies and other insects. 993P.
- 552-953-1011-1022-1030.
Malonic acid, benzylidene-, dibenzyl ester; $C_6H_5CH:C(COOC_6H_5)_2$. (Benzal dibenzylmalonate). 1194P.
- 552-953-1022.
Resorcinol dibenzoate; $C_6H_3COOC_6H_5OOC_6H_5$.
NT screwworms. 156.
- 552-953-1024.
Phthalic acid, dibenzyl ester; $(C_6H_5CH_2COO)_2C_6H_4$. (Benzyl phthalate).
NT *Bombyx mori* larvae. 559.
- 552-957-1001-1003-1011-1021.
Terpinol acetate butyrate; $C_{10}H_{18}(OOCCH_3)OOCCH_2CH_3$. (Terpin acetate-butyrate).
Fly spray. 93P, 94P, 112.
- 552-957-1001-1004-1021.
Terpinol butyrate propionate; $C_{10}H_{18}(OOCCH_3)OOCCH_2CH_2CH_3$. (Terpin butyratepropionate).
Fly spray. 93P, 94P, 112.
- 552-957-1002-1003-1021.
Terpinol dibutyrate; $C_{10}H_{18}(OOCCH_2CH_3)_2$. (Terpin dibutyrate).
Fly spray. 93P, 112.
- 552-957-1003-1012-1021.
Terpinol diacetate; $C_{10}H_{18}(OOCCH_3)_2$. (Terpin diacetate).
Fly spray. 93P, 94P, 112.
- 552-957-1004-1011-1021.
Terpinol acetate propionate; $C_{10}H_{18}(OOCCH_3)OOCCH_2CH_3$. (Terpin acetate-propionate).
Fly spray. 93P, 94P, 112.
- 552-957-1004-1021.
Terpinol dipropionate; $C_{10}H_{18}(OOCCH_2CH_3)_2$. (Terpin dipropionate).
Fly spray. 93P, 112.
- 552-957-1004-1022.
4-Cyclohexene-1, 2-dicarboxylic acid, diallyl ester; $C_6H_8(COOC_2H_5CH=CH_2)_2$. (1, 2-Cyclohexenedicarboxylic acid, diallyl ester; diallyl ester of 4-cyclohexene-1, 2-dicarboxylic acid).
Fly spray. 112, 216P.
- 552-991-1004-1033.
Sebacic acid, diallyl ester; $(CH_2)_8(COOC_2H_5CH=CH_2)_2$.
Fly spray. 112, 216P.
- 552-991-1011.
Glycol diacetate; $CH_3(COOC_2H_5)OOC(CH_2)_2OOCCH_3$. (Ethylene diacetate).
NT silkworms. 559.
- 552-997-1004-1033.
Adipic acid, diallyl ester; $(CH_2)_4(COOC_2H_5CH=CH_2)_2$.
HT houseflies. 112, 216P.
- 552-1000.
Oxalic acid, diisooamyl ester; $(CH_3)_2CHCH_2COOC_5H_9CH(CH_3)_2$. (Diisooamyl oxalate; iso-amyl oxalate; bis (γ-methylbutyl) ethanedicate).
T codling moth; NT *Sitophilus oryzae*. 915, 1180.
- 552-1000-1221-1286.
Carbonic acid, diisooamyl ester; $CO(OC_5H_{11})_2$. (Iso-amyl carbonate).
NT red scale. 268.
- 552-1001-1012-1030.
Maleic acid, diethyl ester; $(CH_3COOC_2H_5)_2$. (Maleate diethyl).
T houseflies. 1276.
- 552-1002-1011.
Oxalic acid, dibutyl ester; $C_4H_6O_4$. (N-Butyl oxalate).
HT codling moth larvae. 915, 1291.
- 552-1002-1021-1286.
Carbonic acid, dibutyl ester; $CO(OCH_2CH_2CH_2CH_3)_2$. (n-Butyl carbonate).
NT red scale. 268.
- 552-1002-1021-1286.
Carbonic acid, diisobutyl ester; $[(CH_3)_2CHCH_2]_2CO$. (Diisobutyl carbonate).
T *Sitophilus oryzae*. 1180.
- 552-1003-1012.
Malonic acid, diethyl ester; $CH_3(COOC_2H_5)_2$. (Ethyl malonate).
T *Leptinotarsa decemlineata* and as mothproofing agent. 1009, 1175, 1242P.
- 552-1004-1011.
Oxalic acid, diisopropyl ester; $[-COOCH(CH_3)]_2$. (Iso-propyl oxalate).
ST codling moth. 915.
- 552-1004-1021-1286.
Carbonic acid, dipropyl ester; $(C_3H_7)_2CO$. (Di-n-propyl carbonate).
T *Sitophilus oryzae*. 1180.
- 552-1004-1033.
Malonic acid, diallyl ester; $CH_3(COOC_2H_5CH=CH_2)_2$.
Fly spray. 112, 216P.
- 552-1011-1022.
Glycol diformate; $HCOOCH_2CH_2OOCCH_3$. (Ethylene glycol diformate).
NT red scale. 268.
- 552-1011-1022.
Oxalic acid, dimethyl ester; $(COOCH_3)_2$. (Dimethyl oxalate; dimethyl ethanedicate; methyl oxalate).
NT rice weevil. 1189.
- 552-1012-1021.
Methanediol diacetate; $CH_3(OOCCH_3)_2$. (Methylenediacetate).
T as mothproofing agent. 417P, 1175.
- 552-1012-1021-1286.
Carbonic acid, diethyl ester; $CO(OC_2H_5)_2$. (Diethyl carbonate).
HT rice weevil; ST red scale. 268, 1180.
- 552-1013.
1, 1-Ethanediol diacetate; $CH_3CH(CH_3COO)_2$. (Ethylene diacetate; 1, 1-diacetoxy ethane).
NT rice weevil. 1180.

- 552-1013.
Oxalic acid, diethyl ester; $(COOC_2H_5)_2$. (Diethyl oxalate; diethyl oxalate; ethyl oxalate; oxalic acid).
NT codling moth larvae; *T. Lucilia cuprina* larvae; NT rice weevil. 849, 1180, 1291.
- 582-1023-1286.
Carbonic acid, dimethyl ester; $CO(OCH_3)_2$. (Dimethyl carbonate).
HT rice weevil; ST red scale. 268, 915, 1190.
- 552-1027.
Oxalic acid, dialkyl ester; $ROOCCOOR$. (Aliphatic ester of oxalic acid).
T muscariana. 908P.
- 553-593-822-955-1025.
a-Trithiane, tris(4-benzyloxy-3-methoxyphenyl)-; $C_{60}H_{54}O_6S_3$. [Tri-(thiovanillin benzoyl)].
HT codling moth larvae. 487, 1291.
- 553-853-1001-1013.
Glycerol tris(chloroacetate); $C_6H_5(OOCCl_2)_3$. (Glycerol trimonochloroacetate).
T *Dermestes vulpinus*, cockroaches, flies, ants, and aphids. 1085P.
- 553-951-1013.
Pyrogallol trisacetate; $C_6H_3(OOCC_2H_5)_3$.
NT screwworms. 156.
- 553-1003-1013.
Acetin, tri-; $CH_3COOCH(CH_3OOCC_2H_5)_3$.
ST *Lucilia cuprina* larvae. 849.
- 561-572-584-910-999-1021.
Barbaloin; $HOCH_2(C_6H_4O_2)OCH_3(CH_2OH)_2CHO$. (Alcin).
NT *Tineola biselliella* and *Attagenus piceus*. 739.
- 561-581-591-951-1011-1021.
Bourbonal; $C_6H_5OC_6H_4(OH)CHO$. (3-Ethoxy-4-hydroxybenzaldehyde).
T screwworms at 0.17-0.33%. 156.
- 561-581-951-1022.
Vanillin; $CH_3O(OH)C_6H_4CHO$? (4-Hydroxy-3-methoxybenzaldehyde? methylprotocatechuic aldehyde). 1480P.
- 561-581-851-951-1021.
Benzaldehyde, chlorohydroxy-, CU ; $Cl(OH)C_6H_4CHO$.
T as mothproofing agent. 1175, 1465P.
- 561-581-852-951-1021.
Benzaldehyde, 2, 6-dichloro-3-hydroxy-; $HO(Cl)_2C_6H_3CHO$.
T *Anthonus vorax*, *Dermestes*, other insects, and as mothproofing agent. 402P, 469P, 1175, 1176.
- 561-581-853-951-1021.
Benzaldehyde, 2, 4, 6-trichloro-3-hydroxy-; $Cl_3(OH)C_6H_2CHO$.
T as mothproofing agent. 402P, 415P, 469P, 1175, 1176.
- 561-581-924.
Naphthaldehyde, hydroxy derivatives of.
T as mothproofing agent. 469P, 1176.
- 561-581-951-1021.
Benzaldehyde, p-hydroxy-; HOC_6H_4CHO .
T as mothproofing agent. 404P, 870P, 1175.
- 561-581-951-1021.
Salicylaldehyde; HOC_6H_4CHO . (o-Hydroxy methylbenzaldehyde; o-hydroxybenzaldehyde; salicylic aldehyde).
T houseflies; ST codling moth larvae; NT *Chrysomphalus aurantii*. 268, 1002, 1276, 1285.
- 561-581-1001.
Aldol; $CH_3CHOHCH_2CHO$. (8-Oxybutyraldehyde; butanolal-3; 3-butanolal; oxybutyric acid).
NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 561-582-951-1021.
p-Resorcyaldehyde; $(HO)_2C_6H_4CHO$. (2, 4-Dihydroxybenzaldehyde; 2, 4-dihydroxybenzenecarbinol).
T screwworms at 0.33-0.67%. 156.
- 561-584-951-997-1021.
Salicin; $HOCH_2C_6H_4OC_6H_4O$.
NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 561-591-951-1011-1021.
Benzaldehyde, o-ethoxy-; $C_6H_5OC_6H_4CHO$.
T screwworms at 0.33-0.67%. 156.
- 561-591-951-1022.
Anisaldehyde; $CH_3OC_6H_4CHO$. (Anisic aldehyde; p-hydroxymethylbenzaldehyde; p-methoxybenzaldehyde; p-anisaldehyde; aubepine).
T houseflies, mosquito, and codling moth larvae; NT wireworms and red scale. 156, 157, 268, 846, 915, 1276.
- 561-592-951-1023.
Benzaldehyde, 2, 4-dimethoxy-; $(CH_3O)_2C_6H_3CHO$. (Resorcyaldehyde dimethyl ether; 2, 4-dimethoxybenzenecarbonal).
NT *Bombyx mori* larvae. 561.
- 561-592-951-1023.
Veratraldehyde; $(CH_3O)_2C_6H_3CHO$. (3, 4-Dimethoxybenzaldehyde; protocatechualdehyde dimethyl ether; 3, 4-dimethoxybenzenecarbonal).
T screwworms at 0.33-0.67%; NT silkworm larvae. 156, 561.
- 561-625-1021.
2-Furaldehyde; C_6H_5OCHO . (Furfural; 2-furan-carbonal; fural; furfuraldehyde; furole; furfurole).
HT codling moth larvae; MT *Aphis rumicis* and *Hippodamia convergens*; attractant for oriental peach moth. 508, 1110, 1152, 1285.
- 561-626-950-1021.
Piperonal; $CH_3(O_2)C_6H_4CHO$. (3, 4-Methylene-dioxybenzaldehyde; protocatechualdehyde methylene ether; heliotropin).
Attractant for oriental peach moth; NT codling moth larvae and as synergists with pyrethrum against houseflies. 508, 617, 1285.
- 561-691-951-1023.
Benzaldehyde, p-dimethylamino; $(CH_3)_2NC_6H_4CHO$.
NT *Malacosoma americana* and silkworm. 118, 561.
- 561-851-951-1021.
Benzaldehyde, o-chloro-; ClC_6H_4CHO .
T as mothproofing agent; NT codling moth larvae. 415P, 684P, 1175, 1285.
- 561-851-951-1021.
Benzaldehyde, p-chloro-; ClC_6H_4CHO .
T *Anthonus vorax*, *Dermestes*, and as mothproofing agent. 402P, 415P, 418P, 469P, 684P, 1175, 1176.
- 561-851-1011.
Acetaldehyde, chloro-; CH_3ClCHO . 1337P.
- 561-851-1001-1030.
Crotonaldehyde, chloro-, CU ; C_6H_5OCl . (Chloroacetal). 1337P.
- 561-852-951-1021.
Benzaldehyde, 2, 6-dichloro-; $Cl_2C_6H_3CHO$.
T as mothproofing agent. 415P, 1175.
- 561-852-1001.
Butyraldehyde, dichloro-, CU ; $C_4H_7Cl_2HO$. (Dichlorobutanol). 1337P.
- 561-853-1011.
Chloral; CCl_3CHO .
T as mothproofing agent; NT *Chrysomphalus aurantii*. 268, 402P, 469P, 849, 1176.
- 561-857-951-1021.
Benzaldehyde, chloro-, CU .
T as mothproofing agent. 408P, 409P, 1175, 1465P.
- 561-863-951-1021.
Benzaldehydes, trifluoromethyl-, CU ; $CF_3C_6H_4CHO$. 1244P.
- 561-924-1021.
Naphthaldehydes, CU ; $C_{10}H_7CHO$.
T as mothproofing agent. 408P, 409P, 1175.
- 561-951-993-1030.
Cinnamaldehyde, o-aryl-; $C_6H_5CH_2C(C_6H_5)_2CHO$. (2-n-Amyl, 3-phenyl propenal? o-n-amylicinnamaldehyde).
NT red scale. 268.
- 561-951-1003-1021.
Cinnamaldehyde; $C_6H_5C_6H_4CHO$. (Cuminaldehyde; Cuminaldehyde; $C_6H_5C_6H_4CHO$. (Cuminaldehyde; p-isopropylbenzaldehyde).
T wireworms; NT *Culex pipiens*; not effective as attractant for oriental peach moth. 508, 846, 1012.
- 561-951-1003-1030.
Cinnamaldehyde; $C_6H_5CH_2CHCHO$. (3-Phenylpropenal; β -phenylacrolein; cinnamic aldehyde).
NT codling moth larvae. 1285.
- 561-951-1021.
Benzaldehyde; C_6H_5CHO .
T housefly, *Leptinotarsa decemlineata*, and *Aphis rumicis*; NT screwworms, *Chrysomphalus aurantii*, and as attractant for oriental peach moth. 156, 268,

- 402P, 415P, 469P, 508, 884P, 1002, 1009, 1152, 1175, 1176, 1210P, 1241P, 1242P, 1465P.
- 561-975.
Aldehydes, aromatic, CU.
T as mothproofing agent. 408P, 1175.
- 581-991-1030.
Citronellal; $\text{CH}_3\text{C}(\text{CH}_3)(\text{CH}_2)_4\text{CH}(\text{CH}_3)\text{CH}_2\text{CHO}$.
T *Lucilia cuprina* larvae. 849.
- 561-991-1033.
Citral; $(\text{CH}_3)_2\text{C}=\text{CHCH}_2\text{CH}_2\text{C}(\text{CH}_3)=\text{CHCHO}$. (Geraniol).
T *Leptinotarsa decemlineata*, *Aphis rumicis*, and *Lucilia cuprina* larvae; attractant for oriental peach moth. 508, 849, 1009.
- 561-995.
Eneanthaldehyde; $\text{C}_9\text{H}_{17}\text{CHO}$. (Heptaldehyde; heptanal; heptyl aldehyde; enanthole).
HT rice weevil. 236P, 1180.
- 561-997.
Butyraldehyde, 2-ethyl-; $\text{CH}_3\text{CH}_2\text{CH}(\text{C}_2\text{H}_5)\text{CHO}$. (2-Ethylbutanal).
NT codling moth larvae. 1285.
- 561-997-1030.
2-Pentenal, 2-methyl-; $\text{CH}_3\text{CH}_2\text{CH}:\text{C}(\text{CH}_3)\text{CHO}$. (α -Methyl- β -ethylacrolein).
HT rice weevil. 1180.
- 561-999.
Valeraldehyde; $\text{CH}_3(\text{CH}_2)_3\text{CHO}$. (n-Valeraldehyde; pentanal; n-valeric aldehyde; n-amyl aldehyde).
NT red scale. 258.
- 561-999.
Butanal, 3-methyl-; $(\text{CH}_3)_2\text{CHCH}_2\text{CHO}$. (Isovaleraldehyde; isomyl aldehyde).
NT red scale and *Hippodamia convergens*. 1110, 1180.
- 561-1001.
Butyraldehyde; $\text{CH}_3\text{CH}_2\text{CH}_2\text{CHO}$. (Butanal; butyric aldehyde).
T as mothproofing agent; NT *Chrysomphalus aurantii* and wireworms. 268, 894P, 849, 1175, 1180.
- 561-1001.
Isobutyraldehyde; $(\text{CH}_3)_2\text{CHCHO}$. (2-Methylpropanal; isobutyl aldehyde).
NT *Chrysomphalus aurantii* and wireworms. 268, 849, 1180.
- 561-1001-1030.
Crotonaldehyde; $\text{CH}_3\text{CH}=\text{CHCHO}$. (2-Butenal).
T rice weevil, *Chrysomphalus aurantii*, and *Lucilia cuprina* larvae; NT *Tineola bisellidis* and *Attagenus plicatus*. 268, 802P, 739, 849, 1176, 1180, 1285.
- 561-1003.
Propionaldehyde; $\text{CH}_3\text{CH}_2\text{CHO}$ (n-Propylaldehyde).
NT *Chrysomphalus aurantii*. 268.
- 561-1003-1030.
Acrolein; $\text{CH}_2=\text{CHCHO}$. (Acrylaldehyde; propenal; acrylic aldehyde).
HT rice weevil; T red scale. 268, 1180.
- 561-1011.
Acetaldehyde; CH_3CHO . (Methylaldehyde; Meta).
T as mothproofing agent; NT red scale. 268, 402P, 849, 1175.
- 561-1011.
Metaldehyde; $(\text{C}_2\text{H}_3\text{O})_n$. (Polymer of acetaldehyde).
NT clothes moths. 739, 1176.
- 561-1021.
Formaldehyde; HCHO .
T houseflies and *Lucilia cuprina* larvae; T as mothproofing agent. 94P, 398P, 402P, 409P, 414P, 418P, 435P, 469P, 1457P, 1462P, 1465P; NT as mothproofing agent (42, 199, 1024, 1268, 1310); NT red scale. 42, 69P, 94P, 199, 208, 398P, 402P, 409P, 414P, 418P, 435P, 469P, 516, 832, 879P, 933, 1024, 1175, 1176, 1231, 1288, 1310, 1413, 1457P, 1462P, 1465P, 1483P.
- 561-1021.
Paraformaldehyde; $(\text{HCHO})_n$.
T as mothproofing agent. 182P, 184P, 1150, 1175, 1176, 1208P.
- Trioxymethylene and related compounds will be found under 622, since they are ring structures.
- 571-581-591-730-740-951-1003-1021.
Atropine; $\text{C}_{17}\text{H}_{27}\text{NO}_3$.
T clothes moths. 517P, 1175.
- 571-581-591-841-951-1002-1011.
Valerophenone, 5-bromo-4-tert-butyl-2-hydroxy-ethoxy-; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{Br})(\text{COC}_2\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-(4-bromo-5-tert-butyl-2-butaryl-phenoxy)-; β -hydroxy-ethyl ether of 3-tert-butyl-4-bromo-6-butaryl phenol).
Fly spray. 112, 230P.
- 571-581-591-851-951-1001-1012.
Acetophenone, 6-tert-butyl-3-chloro-2-(hydroxyethoxy)-; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{Cl})(\text{COCH}_3)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-(2-acetyl-4-tert-butyl-6-chlorophenoxy)-; β -hydroxy-ethyl ether of 2-chloro-4-tert-butyl-6-acetyl phenol).
Fly spray. 112, 230P.
- 571-581-591-951-993-1003-1011.
Propiophenone, 5-hydroxyethoxy-2-octyl-; $\text{C}_8\text{H}_{17}\text{C}(\text{COC}_2\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-(4-tert-octyl-3-propionylphenoxy)-; β -hydroxy-ethyl ether of 3-propionyl-4-tert-octyl phenol).
Fly spray. 112, 230P.
- 571-581-591-951-993-1004.
Propiophenone, 5-hydroxypropoxy-2-octyl-; $\text{C}_8\text{H}_{17}\text{C}(\text{COC}_2\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (Propanol, 3-(3-propionyl-4-tert-octylphenoxy)-; hydroxy-propyl ether of 3-propionyl-4-tert-octyl phenol).
Fly spray. 112, 230P.
- 571-581-591-951-999-1003-1011-1021.
Propiophenone, 2-tert-amyl-4-hydroxyethoxy-5-methyl-; $\text{C}_8\text{H}_9\text{COC}_6\text{H}_4(\text{CH}_3)(\text{OCH}_2\text{CH}_2\text{OH})\text{C}(\text{CH}_3)_2$. (Ethanol, 2-(5-tert-amyl-2-methyl-4-propionyl-phenoxy)-; β -hydroxy-ethyl ether of 2-methyl-4-propionyl-5-tert-amyl phenol).
Fly spray. 112, 230P.
- 571-581-591-951-1001-1012.
Acetophenone, 3-tert-amyl-4-hydroxyethoxy-; $\text{CH}_3\text{COC}_6\text{H}_4(\text{OCH}_2\text{CH}_2\text{OH})\text{C}(\text{CH}_3)_2$. (Ethanol, 2-(4-acetyl-2-tert-amylphenoxy)-; β -hydroxy-ethyl ether of 2-tert-amyl-4-acetyl phenol).
Fly spray. 112, 230P.
- 571-581-591-951-1001-1003-1011-1021.
Propiophenone, 3-tert-amyl-5-benzyl-2-hydroxyethoxy-; $\text{C}_8\text{H}_9\text{COC}_6\text{H}_4(\text{CH}_2\text{C}_6\text{H}_5)(\text{OCH}_2\text{CH}_2\text{OH})\text{C}(\text{CH}_3)_2$. (Ethanol, 2-(2-tert-amyl-4-benzyl-6-propionyl-phenoxy)-; β -hydroxy-ethyl ether of 2-tert-amyl-4-benzyl-6-propionyl phenol).
Fly spray. 112, 230P.
- 571-581-592-620-625-950-1003-1022-1030.
Summitol; $\text{C}_{21}\text{H}_{31}\text{O}_7$.
T insects but less than rotenone. 618.
- 571-581-592-620-625-950-1003-1022-1030.
Rotenone; $\text{C}_{21}\text{H}_{33}\text{O}_6$.
T goldfish. 618.
- 571-581-592-620-950-999-1022-1030.
Rotenonic acid; $\text{C}_{21}\text{H}_{31}\text{O}_8$.
Associated with rotenone. 618.
- 571-581-592-620-950-1022.
Apotoxinol; $\text{C}_{21}\text{H}_{31}\text{O}_8$.
Associated with rotenone. 618.
- 571-581-592-620-950-1024.
Tephrosin; $\text{C}_{21}\text{H}_{31}\text{O}_8$.
T *Bombus mori* and many insects but less than rotenone; T as fish poison. 543, 618, 629, 1276A.
- 571-581-592-951-1001-1012-1021.
Acetophenone, 5-tert-butyl-2-hydroxyethoxy-3-methoxy-; $\text{CH}_3\text{COC}_6\text{H}_4(\text{OCH}_3)(\text{OCH}_2\text{CH}_2\text{OH})\text{C}(\text{CH}_3)_3$. (Ethanol, 2-(2-acetyl-4-tert-butyl-6-methoxy-phenoxy)-; β -hydroxy-ethyl ether of 2-methoxy-4-tert-butyl-6-acetyl phenol).
Fly spray. 112, 230P.
- 571-581-625-1011.
Furan; $(\text{C}_4\text{H}_5\text{O})\text{CHOHCOCH}_2\text{H}_5\text{O}$.
NT *Bombus mori* larvae. 539.
- 571-581-626-950-1011.
Benzoin, 3, 4, 3', 4'-di-(methylenedioxy)-; $(\text{CH}_2)_2\text{O}_2\text{C}_6\text{H}_4\text{CHOHCOCH}_2\text{H}_5\text{O}:(\text{CH}_2)_2\text{O}_2$. (Piperonylolin).
NT European corn borer. 1122.
- 571-581-730-950.
9-Acridone, 4-hydroxy-; $(\text{C}_{13}\text{H}_9\text{N})\text{OH}$.
T screwworms at 0.67% 944.
- 571-581-730-950-1011.
Ketone, 2-hydroxyquinolyl methyl-, CU; $\text{HO}(\text{C}_6\text{H}_4\text{N})\text{COCH}_3$ (Aceto 2 hydroxyquinoline).
NT *Pieris rapae*. 835.
- 571-581-730-950-1011.
Ketone, 8-hydroxyquinolyl methyl-, CU† $\text{HO}(\text{C}_6\text{H}_4\text{N})\text{COCH}_3$ † (Aceto 8 hydroxyquinoline).
NT *Pieris rapae*. 835.

- 571-581-730-950-1011.
Ketone, 8-hydroxyisoquinolinyl methyl-, CU.
NT *Pieris rapae*. 635.
- 571-581-740-950.
Iaatin; $O:(C_6H_4N)OH$ (2, 3-Indoledione).
NT roaches. 567.
- 571-581-851-968.
Cyclopentanone, 1-chloro-2-hydroxy-; $O:(C_6H_5)-$
(C₂H₅)OH. 280P.
- 571-581-924-1011.
2-Acetonaphthone, 1-hydroxy-; $CH_3COC_6H_4OH$.
(2-Aceto-1-naphthol; 1-hydroxy-2-naphthyl methyl
ketone; 2-acetyl-1-naphthol).
NT *Culex quinquefasciatus* and NT screwworms at
0.67%. 156, 157, 1386P.
- 571-581-951-1003.
Promiophenone, *p*-hydroxy-; $C_6H_5COC_6H_4OH$.
NT European corn borer. 1122.
- 571-581-951-1011.
Acetophenone, *p*-hydroxy-; $CH_3COC_6H_4OH$.
MT codling moth larvae. 1265.
- 571-581-952.
Benzophenone, *p*-hydroxy-; $C_6H_5COC_6H_4OH$.
HT *Carpocapsa pomonella* larvae. 156, 487, 559,
1291.
- 571-581-952.
Benzophenones, hydroxy-, CU. (Ketones, hydroxy-
diphenyl).
T as mothproofing agent. 413P, 1175.
- 571-581-952-1003-1030.
Chalcone, 2-hydroxy-; $OHC_6H_4CH:CHCOC_6H_5$. (*o*-
Hydroxybenzalacetophenone).
NT screwworms. 156.
- 571-581-952-1011.
Benzoin; $C_6H_5CH(OH)COC_6H_5$. (Oxyphenylbenzyl-
ketone; phenylbenzoylcarbinol).
HT codling moth larvae; T as mothproofing agent;
NT screwworms. 156, 333P, 1176, 1291.
- 571-582-620-1021.
1, 4-Pyrone, 5-hydroxy-2-(hydroxymethyl)-; $O:-$
(C_6H_5O)(CH_2OH)OH. (Kojic acid).
HT codling moth larvae. 1291.
- 571-582-625-950-952.
Phenolphthalein; $O:(C_6H_4O)(C_6H_4OH)_2$.
ST screwworms and ST as mothproofing agent. 156,
974, 1176.
- 571-582-981-1021.
Acetophenone, 2, 4-dihydroxy-; $CH_3COC_6H_3(OH)_2$.
(Resacetophenone).
T screwworms at 0.33-0.67%. 156.
- 571-582-953-1021.
Auric; $O:(C_6H_4):C(C_6H_4OH)_2$. (Rosolic acid; para-
rosolic acid).
ST mosquito larvae. 487.
- 571-591-620-952-1022.
Coumarin, 4-methyl-7-(benzyloxy)-; $O:(C_6H_4O)-$
(CH_3)OCHC₆H₅. (Coumarin, 4-methyl-7-phenylme-
thoxy-).
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 690P.
- 571-591-951-1001-1021-1030.
3-Buten-2-one, 4-*p*-aniyl-; $CH_3OC_6H_4CH:CHCO-$
 CH_3 . (Anisalacetone).
HT mosquito and screwworm larvae. 156, 157.
- 571-591-951-1003-1011-1030.
Acetophenone, 2-allyloxy-; $CH_3COC_6H_4OCH_2CH=$
 CH_2 . (Propene, 3-(*o*-acetylphenoxy)-; allyl ether of
2-acetophenol).
Fly spray. 112, 209P.
- 571-591-951-1011-1021.
Acetophenone, *p*-methoxy-; $CH_3OC_6H_4COCH_3$. (*p*-
Anisyl methyl ketone; *p*-acetylanisole).
HT screwworms at 0.05-0.06%. 156.
- 571-591-952-1003-1021-1030.
Chalcone, 4-methoxy-; $CH_3OC_6H_4CH:CHCOC_6H_5$.
(Anisalacetophenone).
NT corn borer. 1120.
- 571-591-952-1011-1021.
Acetophenone, *o*-(benzyloxy)-; $C_6H_5CH_2OC_6H_4CO-$
 CH_3 . (Ether, *o*-acetylphenyl benzyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 571-591-952-1011-1021.
Acetophenone, *p*-(benzyloxy)-; $C_6H_5CH_2OC_6H_4CO-$
 CH_3 . (Ether, *p*-acetylphenyl benzyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 571-591-952-1022.
Benzophenone, *p*-methoxy-; $C_6H_5COC_6H_4OCH_3$.
ST screwworms at 0.67%. 156.
- 571-591-953-1022.
Benzophenone, 2-(benzyloxy)-; $C_6H_5CH_2OC_6H_4-$
 COC_6H_5 . (Ether, benzyl *o*-benzoylphenyl).
Fly spray. 112, 690P.
- 571-591-953-1022.
Benzophenone, 4-(benzyloxy)-; $C_6H_5CH_2OC_6H_4CO-$
 CH_3 . (Ether, benzyl *p*-benzoylphenyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 571-592-610-740-950-1011.
Brucine; $C_{21}H_{22}N_2O_4$. (Dimethoxystyrychne).
T as mothproofing agent; ST codling moth larvae.
915, 985, 1164P, 1165P, 1175, 1176, 1179.
- 571-592-610-740-950-1011-1389.
Brucine sulphate; $(C_{21}H_{22}N_2O_4)_2H_2SO_4$.
T *Aphis rumicis* and as mothproofing agent. 1152,
1164P, 1165P, 1175, 1179.
- For other Brucine salt see:
541-571-592-610-740-950-983-1011-1030.
571-592-620-625-851-950-1003-1022.
Rotenone hydrochloride; $C_{22}H_{23}O_5Cl$. 544.
- 571-592-620-625-950-1003-1022.
Rotenone, dihydro-; $C_{22}H_{23}O_5$.
M.I.D. *Bombyx mori* 0.01 mg./gm.; more toxic
than rotenone as fish poison. 542, 616, 629, 1276A.
- 571-592-620-625-950-1003-1022.
Isorotenone; $C_{22}H_{23}O_5$.
T goldfish and mosquito larvae; associated with
rotenone. 486A, 542, 616.
- 571-592-620-625-950-1003-1022-1030.
Rotenone; $C_{22}H_{23}O_5$.
T many species of insects; widely used insecticide.
466A, 545.
- 571-592-620-625-950-1022.
Elliptone; $C_{22}H_{23}O_5$.
Associated with rotenone. 616.
- 571-592-620-625-950-1022.
Malacel; $C_{22}H_{23}O_5$.
Associated with rotenone. 616.
- 571-592-620-950-1024.
Rotenone, β -dihydro-; $C_{22}H_{23}O_5$. (Dihydrodeguelin).
T mosquito larvae; associated with rotenone. 466A,
618.
- 571-592-620-950-1024.
Deguelin; $C_{22}H_{23}O_5$.
M.I.D. *Bombyx mori* larvae 0.01-0.012 mg./gm.
486A, 545, 629, 1276A.
- 571-592-620-950-1024.
 α -Toxicarol; $C_{22}H_{23}O_5$.
T insects but less than rotenone. 543, 616, 629.
- 571-592-620-950-1024.
 β -Toxicarol; $C_{22}H_{23}O_5$.
T insects but less than rotenone. 543, 616, 629.
- 571-592-626-730-950-951-1024-1389.
Berberine bisulphate; $C_{20}H_{19}O_6N.H_2SO_4?$
ST codling moth larvae. 915.
- 571-592-952-999-1022-1033.
3-Pentadienone, 1, 5-di-(*p*-methoxyphenyl)-; (CH_3-
 $OC_6H_4CH:CH-)_2C=O$. (Dianisylacetone).
NT screwworms. 156.
- 571-592-968-952-1024.
Cyclopentanone, 1, 4-di-(*p*-methoxybenzylidene)-;
 $O:(C_6H_4)(CHC_6H_4OCH_3)_2$. (Dianisylcyclopentanone).
ST *Cochliomyia americana* C. and P. larvae; NT
corn borer. 944, 1120.
- 571-593-620-625-1003-1011-1022-1030.
Rotenone, acetyl-; $C_{22}H_{23}O_6$.
T goldfish at less than 0.002 mg. per liter. 544.
- 571-593-625-626-730-950-1024-1389.
Narcotine sulfate; $(C_{22}H_{23}O_7N)_2H_2SO_4$.
T *Aphis rumicis*. 1152.
- 571-610-740-950-1011.
Strychnine; $C_{21}H_{22}N_2O_4$.
T as mothproofing agent; ST codling moth. 915,
1133P, 1179.
- 571-610-740-950-1011-1254.
Strychnine arsenite.
NT tobacco worm moths. 553.
- 571-610-740-950-1011-1389.
Strychnine sulfate; $(C_{21}H_{22}N_2O_4)_2H_2SO_4$.
T *Aphis rumicis* and screwworms; NT Japanese
beetle. 156, 1008, 1152.

- 571-620-825-950-1021.
Thianaphthene, 2-keto-4-methyl-5, 6-(2, 3-pyranil)-;
(C₈H₅O)(C₆H₅S):O(CH₃)? (4-Methyl-2-keto-pyranonaphthene).
HT codling moth larvae; NT mosquito larvae. 487, 1291.
- 571-620-841-950.
Xanthone, 3-bromo-; O:(C₁₅H₇O)Br. 540AP.
- 571-620-842-950.
Xanthone, 2,7-dibromo-; O:(C₁₅H₇O)Br₂. 540AP.
- 571-620-950.
Coumarin; O:(C₆H₄O). (1, 2-Benzopyrone; o-coumaric acid lactone; coumarinic lactone).
MT tobacco flea beetle, codling moth, and *Bombyx mori* larvae; NT as mothproofing agent. 239, 487, 559, 1012, 1175, 1291, 1357P.
- 571-620-950.
Xanthone; O:(C₁₅H₇O). (9-Xanthone; diphenylene ketone oxide).
T roaches, southern army worm, and mosquito larvae; MT *Lucilia sericata* larvae; ST codling moth and red spider. 27, 156, 457, 587, 949, 1120, 1144, 1291, 1312, 1322, 1481.
- 571-625-742-1011-1022-1291.
Pilocarpine hydrochloride; C₁₁H₁₅O₂N₂.HCl.
T *Aphis rumicis*; ST codling moth. 915, 1152.
- 571-625-825-950-1022-1030.
Thianaphthene, 3-keto-4-methyl-2-(furfurylidene)-;
C₁₄H₁₀O₂S. (1-Fural-4-methyl-2(1) thionaphthene).
MT codling moth larvae; NT mosquito larvae. 487, 1291.
- 571-625-851-951-1011.
Acetophenone, α-furfurylidene-p-chloro-; ClC₆H₄-COCH:CH(C₄H₃O). (p-Chloro-α-furalacetophenone).
HT codling moth larvae; MT mosquito larvae. 487, 1291.
- 571-625-950-961.
Dibenzofuran, 7-acetyl-1, 2, 3, 4-tetrahydro-; C₈H₅OC₆H₄COCH₃.
HT mosquito larvae. 487.
- 571-625-950-1011.
Dibenzofuran, 3-acetyl-; (C₁₅H₇O)COCH₃.
MT mosquito larvae. 487.
- 571-625-951-1003-1030.
Acetophenone, α-furfurylidene; C₆H₅COCH:CH(C₄H₃O). (Fural-acetophenone). 1291, 1369P.
- 571-625-951-1011-1021.
Acetophenone, α-furfurylidene, p-methyl-; CH₃C₆H₄COCH:CH(C₄H₃O). (α-Fural-p-methylacetophenone).
MT codling moth and mosquito larvae. 487, 488, 1291.
- 571-625-968-1022-1033.
Cyclopentanone, 2, 3-di-(furfurylidene)-; (C₈H₄O)₂-(CHC₄H₃O)₂. (Difurcyclopentanone).
HT codling moth larvae. 1291.
- 571-626-950-951-1003-1021.
Chalone, 3, 4-methyleneedioxy-4'-methyl-; (CH₃-O)₂C₆H₃CH₂CHCOCC₆H₄CH₃.
NT European corn borer. 1122.
- 571-626-950-968-1022.
Cyclopentanone, 1, 4-di-(piperonylidene)-; [(CH₃-O)₂C₆H₃CH₂]₂(C₆H₄)₂O. (Dipiperonalcyclopentanone).
T *Cochliomyia americana* C. and P. larvae at 0.67%. 944, 1120.
- 571-632-851-952-1021.
Propiophenone, p-chloro-α,β-epoxy-β-phenyl-; ClC₆H₄CO(C₂H₅O)C₆H₄. (α-(p-Chlorobenzoyl)-β-phenyl ethylene oxide).
NT as mothproofing agent. 239.
- 571-632-952-1021.
Propiophenone, α, β-epoxy-β-phenyl-; C₆H₅CO(C₂H₅O)C₆H₄. (α-Benzoyl-β-phenyl ethylene oxide).
NT as mothproofing agent. 239.
- 571-632-952-1022.
Propiophenone, α,β-epoxy-p-methyl-β-phenyl-; CH₃-C₆H₄CO(C₂H₅O)C₆H₄. (α-Phenyl-β-(p-tolyl) ethylene oxide).
NT as mothproofing agent. 239.
- 571-640-950-1176.
Anhydro-α-hydroxymercuribenzoic acid; C₆H₄COOHg.
(Mercury Benzoic acid). 379P.
- 571-671-851-975-1003-1027.
Ketone, aminohaloaryl-, CU; RCOCH(R')CH₂Y.
Where R is an aryl or chloroaryl group; R' is hydrogen or alkyl; and Y is the residue of an amine from the class consisting of primary and secondary amines. 719P.
- 571-671-952-1021.
Benzophenone, 4-amino-; C₆H₅COC₆H₄NH₂. (p-Aminobenzophenone; p-aminophenyl phenyl ketone; p-benzoylaniline).
MT codling moth larvae. 1285.
- 571-672-952-1021.
Benzophenone, 4, 4'-diamino-; (NH₂C₆H₄)₂CO.
NT European corn borer. 1122.
- 571-691-696-951-995-1023-1291.
Ammonium chloride, benzyl-(2-acetyl-3-methylbutyl)-dimethyl-; C₆H₅CH₂N(Cl)(CH₃)₂CH₂CH(CH₃)₂COCH₃. (Ammonium compound, benzyl 2-acetylisoamyl dimethyl chloride; benzylethylidene quaternary salt of β-acetyl-β-isopropylethylidimethylamine).
Fly spray. 112, 1411P.
- 571-691-955-1022.
2-Butanone, 4-dimethylamino-3-isopropyl-; CH₃-COCH(CH₃)(CH₃)₂CH₂N(CH₃)₂. (β-Acetyl-β-isopropylethyl-dimethylamine).
HT as fly spray. 112, 1411P.
- 571-691-1001-1022.
2-Butanone, 4-dimethylamino-; CH₃COCH₂CH₂N(CH₃)₂. (Dimethylamine, N-(2-acetylthyl)-; β-acetylthyl-dimethylamine).
T houseflies. 112, 1411P.
- 571-692-866-951-993-1025-1291.
Ammonium chloride, benzyl-(2-acetyl-2-N,N'-dimethylamino-3-methylbutyl)-dimethyl-; C₆H₅CH₂N(Cl)(CH₃)₂CH₂CH(CH₃)₂COCH₃. (Ammonium compound, benzyl 2-acetyl-2-N,N'-dimethylammoniumethylisoamyl dimethyl chloride; benzyl chloride quaternary salt of β-acetyl-β-isopropyl-trimethylene-tetramethyl-diamine).
T houseflies. 112, 1411P.
- 571-692-952-1025.
Benzophenone, di-(dimethylamino)-; (CH₃)₂NC₆H₄-COCC₆H₄N(CH₃)₂. (Tetramethyl diamino benzophenone).
NT *Bombyx mori* larvae and codling moth. 559, 561, 915.
- 571-692-993-1024.
2-Pentanone, 3, 3-bis(dimethylaminomethyl)-5-methyl-; CH₃COC(CH₂N(CH₃)₂)₂CH(CH₃)₂. (1, 3-Propanediamine, 2-acetyl-2-isopropyl-N,N,N',N'-tetramethyl-; β-acetyl-β-isopropyl-trimethylene-tetramethyl-diamine).
T as fly spray. 112, 1411P.
- 571-692-999-1024.
Acetone, α,α-bis(dimethylaminomethyl)-; CH₃COCH(CH₂N(CH₃)₂)₂. (1, 3-Propanediamine, 2-acetyl-N,N,N',N'-tetramethyl-; β-acetyl-trimethylene-tetramethyl-diamine).
HT as fly spray. 112, 1411P.
- 571-692-1027.
Ketone, amino-, CU; RCO₂NR₁NR₂ or RCO₂-(NR₂)₂. A pest-combating agent comprising at least one aliphatic amino-ketone, wherein R, R₁, R₂ and R₃ represent alkyl radicals.
Fly spray. 112, 1411P.
- 571-730-851-950.
9-Acridone, 2-chloro-; O:(C₁₄H₉N)Cl. (2-Chloro-acridone).
NT *Cochliomyia americana* C. and P. larvae. 944.
- 571-730-851-950.
9-Acridone, 4-chloro-; O:(C₁₄H₉N)Cl. (4-Chloro-acridone).
NT *Cochliomyia americana* C. and P. larvae. 944.
- 571-730-851-950-1011.
Ketone, 8-chloroquinolyl methyl-, CU; CH₃CO(C₈H₆N)Cl. (Aceto 8 chloroquinoline).
NT *Pieris rapae*. 635.
- 571-730-851-951-1003.
Propiophenone, p-chloro-β-piperidyl-; ClC₆H₄COCH₂C₆H₄CH₂NH. (α-Chlorobenzoyl-β-piperidino ethane). 719P.
- 571-730-950.
9-Acridone, dihydro-; O:(C₁₃H₉N). (Acridone).
MT codling moth at 4%; ST potato leaf hopper at 0.5%; NT screwworms. 156, 1481.

- 571-730-950-1011-1021.
Ketone, methyl(6-methylquinolyl)-, Cu ; $\text{CH}_3(\text{C}_6\text{H}_4\text{N})\text{COCH}_3$. (Aceto 6-methyl quinoline; *N*-acetyl-6-methyl quinoline?).
ST *Pieris rapae*. 635.
- 571-730-950-1021.
Carbostyryl, 4-methyl-; $\text{CH}_3(\text{C}_6\text{H}_4\text{N})\text{OH}$. (Lepidone).
ST silkworm; NT screwworms. 158, 559.
- 571-730-950-1021?
5-Acridone, 10-methyl-; $\text{O}:(\text{C}_{12}\text{H}_8\text{N})\text{CH}_3$.
HT mosquito larvae. 487.
- 571-730-951-1003.
Propiophenone, β -piperidyl-; $\text{C}_6\text{H}_5\text{COCH}_2\text{CH}_2\text{C}_6\text{H}_4\text{N}$.
NH. (α -Benzoyl- β -piperidino ethane). 719P.
- 571-730-1024.
4-Piperidone, 2, 2, 6, 6-tetramethyl-; $\text{O}:(\text{C}_6\text{H}_5\text{N})-(\text{CH}_3)_4$. (Triacetoneamine).
T *Aphis rumicis*. 1152.
- 571-732-950.
3, 4-Benzocinnolinone, Cu ; $\text{C}_{12}\text{H}_8\text{N}_2\text{O}$. (3, 4-Benzocinnoline oxide).
HT codling moth and mosquito larvae. 487, 1291.
- 571-733-1022.
2(1)- α -Trazone, 3, 4, 5, 6-tetrahydro-4, 6-dimethyl-; $\text{O}:(\text{C}_6\text{H}_5\text{N}_2)(\text{CH}_3)_2$. 361P.
- 571-740.
2-Pyrrolidone; $\text{O}:(\text{C}_4\text{H}_7\text{N})$. (Pyrrolidone).
T *Aphis rumicis*. 1153.
- 571-740-950.
Phthalimidine; $\text{O}:(\text{C}_6\text{H}_4\text{N})_2$.
T *Aphis rumicis*. 1152.
- 571-742.
5-Pyrazolone; $\text{O}:(\text{C}_6\text{H}_4\text{N}_2)$. (Pyrazolone).
T as mothproofing agent. 328P, 330P, 340P, 874P, 1178.
- 571-742-951-1021.
8-Pyrazolone, 3-methyl-1-phenyl-; $\text{O}:(\text{C}_6\text{H}_4\text{N}_2)-(\text{CH}_3)\text{C}_6\text{H}_5$.
NT greenhouse red spider and bean aphid at 4%; NT *Bombyx mori* and mosquito larvae. 457, 559, 1291, 1481.
- 571-742-951-1022.
Anipyrine; $\text{O}:(\text{C}_6\text{H}_4\text{N}_2)(\text{CH}_3)_2\text{C}_6\text{H}_5$. (Analgesine; anodyne; dimethylxyloquinizine; 2, 3-dimethyl-1-phenyl-5(2)-pyrazolone; oxydimethylquinizine; phenazone; phenyl-dimethyl-pyrazole; phenylene; phenyl-methyl-isopyrazolone; phenyl-methyl-phenazone; pyrazine; pyrazoline; sodaline).
NT screwworms, *Tinania bisulcella*, and *Attacus piceus*. 156, 739, 985, 1178.
- 571-742-1021.
5-Pyrazolone, 3-methyl-; $\text{O}:(\text{C}_6\text{H}_4\text{N}_2)\text{CH}_3$.
NT *Bombyx mori* larvae. 559.
- 571-801-820-950-1022-1389.
Thiaxanthonium ethyl sulfate, 5-methyl-; $\text{O}:(\text{C}_{12}\text{H}_8\text{S})(\text{CH}_3)\text{SO}_3\text{CH}_3$. (S-Methylthioxanthone sulfonium methoxysulfate). 526P.
- 571-820-924.
10-Thiaxanthone, 3, 4, 6, 7-dibenzo-; $\text{C}_{22}\text{H}_{12}\text{OS}$. (Dibenzo thioxanthone).
ST greenhouse red spider at 1%; NT southern army worm at 1%. 1481.
- 571-820-924-950.
10-Thiaxanthone, 2, 3-benzo-; $\text{C}_{17}\text{H}_{10}\text{OS}$. (Benzo-thioxanthone).
ST greenhouse red spider at 2%; NT southern army worm at 4%. 1481.
- 571-820-950.
Coumarin, 1-thio-; $\text{O}:(\text{C}_6\text{H}_4\text{S})$.
T codling moth. 1327.
- 571-820-950.
10-Thiaxanthone; $\text{O}:(\text{C}_{12}\text{H}_8\text{S})$. (Thioxanthone).
ST greenhouse red spider at 1 and 2%; NT southern army worm at 4%. 1481.
- 571-825-950-951-1011-1030.
2-Thianaphthenone, 4-(α -styryl)-; $\text{O}:(\text{C}_6\text{H}_4\text{S})\text{CH}_2\text{CH}_2\text{C}_6\text{H}_5$. (Benzal-4-methyl-2(1) thionaphthenone).
HT codling moth larvae. 1291.
- 571-825-950-951-1022-1030.
3-Thianaphthenone, 2-benzylidene-5-methyl-; $\text{O}:(\text{C}_6\text{H}_4\text{S})(\text{CH}_3)\text{CH}_2\text{C}_6\text{H}_5$. (1-Benzal-4-methyl-2(1)-thionaphthenone).
NT mosquito larvae. 487.
- 571-825-951-1021.
2-Thianaphthenone, 4-methyl-; $\text{O}:(\text{C}_6\text{H}_4\text{S})\text{CH}_3$. (4-Methyl-2-(1)-thionaphthenone).
HT codling moth larvae. 1291.
- 571-841-930-1023.
Camphor, monobromo-; $\text{BrC}_{10}\text{H}_{18}\text{O}$. (Camphor monobromated).
NT screwworms. 158.
- 571-841-951-1011-1021.
Acetophenone, α -bromo-; $\text{BrC}_6\text{H}_5\text{COCH}_3$. (Bromo-methylphenylketone).
T *Leptinotarsa decemlineata*. 1009.
- 571-841-952-1011.
Acetophenone, α -bromo-*p*-phenyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{COCH}_3$. Br. (*p*-Phenylphenacyl bromide).
HT codling moth larvae; MT mosquito larvae. 487, 488, 1291.
- 571-851-924.
1(2)-Naphthalene, 3, 4-dihydro-2-chloro-; $\text{ClC}_{10}\text{H}_8\text{O}$. (Naphthalene, α -keto-chlorotetrahydro-; α -keto-monochlorotetrahydronaphthalene; monochlorotetrahydronaphthalenon (1) 1-keto-monochlorotetrahydronaphthalene).
T as mothproofing agent. 1178, 1300P.
- 571-851-951-983-1022.
Ketone, α -chloro-heptadecyl xylol; $(\text{CH}_3)_2\text{C}_6\text{H}_4\text{COCH}(\text{Cl})(\text{CH}_2)_{15}\text{CH}_3$. (Ketone, α -chloroxylyl-heptadecyl).
NT houseflies. 1276.
- 571-851-951-1011.
Acetophenone, *p*-chloro-; $\text{CH}_3\text{COC}_6\text{H}_4\text{Cl}$. (Methyl *p*-chlorophenyl ketone).
HT codling moth larvae. 1285.
- 571-851-952-1012.
Acetophenone, α -chloro-*p*-phenyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{COCH}_3$. Cl. (*p*-Phenylphenacyl chloride).
ST screwworms at 0.87%; NT mosquito larvae. 158, 487.
- 571-851-1003.
2-Propanone, 1-chloro-; $\text{ClCH}_2\text{COCH}_3$. (Chloroacetone).
T *Sitophilus oryzae*; NT codling moth. 930, 1180.
- 571-852-924.
1(2)-Naphthalene, dichlorotetrahydro-; $\text{C}_{10}\text{H}_8(\text{Cl})_2\text{O}$. (Naphthalene, α -keto-dichlorotetrahydro).
T as mothproofing agent. 1178, 1300P.
- 571-852-951-1011.
Acetophenone, α -*p*-dichloro-; $\text{ClC}_6\text{H}_4\text{COCH}_3$. (*p*- α -Dichloroacetophenone).
T as mothproofing agent; NT corn borer. 239, 1120.
- 571-852-951-1011.
Acetophenone, 3, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{COCH}_3$.
T codling moth larvae and ST as mothproofing agent. 239, 1120, 1285.
- 571-852-952-1011.
Acetophenone, α , α -dichloro-*p*-phenyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{C}(\text{OCH}_3)_2$.
T screwworm larvae at 0.17%; NT mosquito larvae. 487, 944.
- 571-852-1003.
2-Propanone, 1, 3-dichloro-; $\text{ClCH}_2\text{COCH}_2\text{Cl}$. (α , α -Dichloroacetone). 1178, 1248P.
Phosgene — see 331-1021.
- 571-855-924.
1(2)-Naphthalene, 2, 2, 3, 4, 4-pentachloro-1, 2, 3, 4-tetrahydro-; $\text{O}:(\text{C}_{10}\text{H}_4\text{Cl})_2$. (2, 2, 3, 4, 4-Pentachloro-1-keto-1, 2, 3, 4-tetrahydro naphthalene).
NT *Bombyx mori* larvae. 561.
- 571-881-975-1027.
Amines, halogenated arylalkyl-, Cu .
T as mothproofing agent. 1178, 1365P.
- 571-912.
9-Fluorenone; $\text{O}:(\text{C}_{12}\text{H}_8)$. (9-Oxofluorene; ketofluorene; diphenylene ketone).
NT corn borer and *Pieris rapae*. 635, 1120.
- 571-912-951.
Ketone, acenaphthenylphenyl-; $\text{C}_6\text{H}_5\text{COC}_{10}\text{H}_7(\text{CH}_2)_2$.
NT screwworm larvae. 944.
- 571-912-951.
Ketone, 2-fluorophenyl-; $\text{C}_6\text{H}_5\text{COC}_6\text{H}_4\text{F}$.
NT screwworm larvae. 944.
- 571-924-1011.
Ketone, methyl 2-naphthyl-; $\text{CH}_3\text{COC}_{10}\text{H}_7$. (β -Acetonaphthone). 1368P.
- 571-930-1023.
Camphor, natural; $\text{C}_{15}\text{H}_{26}\text{O}$.
T rat flea, housefly, *Posteurella pestis*, and

- mothproofing agent: NT wireworms and *Hippodamia convergens*. 1P, 3P, 42, 66, 181P, 317P, 327P, 331P, 480P, 506P, 548, 574P, 583, 643A, 671, 796, 862P, 882P, 884P, 936P, 1024, 1025, 1077, 1101P, 1110, 1137P, 1138P, 1175, 1176, 1179, 1218, 1220, 1268P, 1261P, 1276, 1310, 1390, 1426P, 1465P, 1466P.
- 571-930-1023.
Camphor, synthetic.
T as mothproofing agent. 574P, 1179.
- 571-951-983-1022.
Ketone, heptadecylxyl-, CU; $(\text{CH}_3)_{17}\text{C}_6\text{H}_5\text{COC}_6\text{H}_5$.
NT houseflies. 1276.
- 571-951-989-1022.
Ketone, undecylxyl-, $(\text{CH}_3)_{11}\text{C}_6\text{H}_5\text{C}_6\text{H}_5$.
T houseflies. 1276.
- 571-951-999.
Valerophenone; $\text{CH}_3(\text{CH}_2)_4\text{COC}_6\text{H}_5$. (Phenyl butyl ketone).
NT wireworms. 846.
- 571-951-1003.
Propiophenone; $\text{C}_6\text{H}_5\text{COC}_2\text{H}_5$.
T houseflies. 1276.
- 571-951-1011.
Acetophenone; $\text{CH}_3\text{COC}_6\text{H}_5$. (Methyl phenyl ketone; bypnone; acetylbenzene).
T clothes moth, housefly, screwworms, *Lucilia cuprina* larvae, and codling moth larvae; NT *Melanophus m. mexicanus*. 158, 849, 915, 1175, 1241P, 1242, 1276, 1285, 1291.
- 571-951-1011-1021.
Acetophenone, *p*-methyl-, $\text{CH}_3\text{COC}_6\text{H}_4\text{CH}_3$. (Methyl *p*-tolyl ketone).
T codling moth larvae. 1285, 1291.
- 571-951-1021-1212-1291.
Selenium dichloride, bis(*p*-acetylphenyl)-; $(\text{CH}_3\text{COC}_6\text{H}_4)_2\text{SeCl}_2$.
T as mothproofing agent. 399P, 429P, 679P, 1175.
- 571-952-999-1032.
2, 4-Pentadien-1-one, 1, 5-diphenyl-, $\text{C}_6\text{H}_5\text{CH}:\text{CH}-\text{CH}:\text{COC}_6\text{H}_5$. (Cinnamyl acetophenone).
NT *Bombus mori* larvae and NT corn borer at 4 lbs./100 gal. 559, 1122.
- 571-952-999-1033.
3-Pentadienone, 1, 5-diphenyl-, $(\text{C}_6\text{H}_5\text{CH}:\text{CH})_2\text{CO}$. (Dibenzylacetone; cinnamone; dicinnamyl ketone; styryl ketone; distyryl ketone; 1, 4-pentadien-3-one, 1, 5-diphenyl).
NT corn borer. 156, 1120.
- 571-952-1001-1030.
3-Buten-2-one, 4-phenyl-, $\text{C}_6\text{H}_5\text{CH}:\text{CHCOCH}_3$. (Benzalacetone; benzylidene acetone; methyl styryl ketone; cinnamyl methyl ketone; acetocinnamone).
T screwworms at 0.17-0.33%. 156.
- 571-952-1003.
2-Propanone, 1, 3-diphenyl-, $(\text{C}_6\text{H}_5\text{CH}_2)_2\text{CO}$. (Ketone, dibenyl).
T houseflies. 1276.
- 571-952-1003-1030.
Chalcone; $\text{C}_6\text{H}_5\text{CH}:\text{CHCOC}_6\text{H}_5$. (Benzalacetophenone; benzylideneacetophenone; phenyl styryl ketone; 1, 3-diphenyl-2-propen-1-one).
T screwworms at 0.10-0.17%. 156.
- 571-952-1011.
Desoxybenzoic; $\text{C}_6\text{H}_5\text{CH}_2\text{COC}_6\text{H}_5$. (α -Phenylacetophenone; benzyl phenyl ketone).
100% T mosquito larvae and 97% T codling moth larvae. 487, 1291.
- 571-952-1011.
Acetophenone, *p*-phenyl-, $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{COCH}_3$.
NT screwworms. 156.
- 571-952-1021.
Benzophenone; $(\text{C}_6\text{H}_5)_2\text{CO}$. (Phenyl ketone; diphenyl ketone; benzoyl benzene; α -oxodiphenylmethane).
T codling moth larvae, screwworms, clothes moths, houseflies, and southern army worm. 156, 331P, 1176, 1276, 1285, 1481.
- 571-957-1001-1023-1030.
 α -Ionone; $(\text{CH}_3)_2\text{C}_6\text{H}_5\text{CH}:\text{CHCOCH}_3$. (4-(2, 6, 6-Trimethyl-2-cyclohexenyl)-3-buten-2-one).
NT wireworms. 846.
- 571-957-1001-1023-1030.
 β -Ionone; $(\text{CH}_3)_2\text{C}_6\text{H}_5\text{CH}:\text{CHCOCH}_3$. (4-(2, 6, 6-Trimethyl-1-cyclohexenyl)-3-buten-2-one).
ST wireworms. 846.
- 571-957-1003-1021-1030.
Carvone; $\text{C}_6\text{H}_5\text{O}$. (d-6, 8(9)-*p*-Menthadien-2-one; carvol).
T *Lucilia cuprina* larvae and T screwworms at 0.17-0.33%. 156, 849.
- 571-961.
Cyclohexanone; $\text{C}_6\text{H}_{10}\text{O}$.
T *Lucilia cuprina* and codling moth larvae and as mothproofing agent. 43, 44, 45, 156, 849, 1179, 1285.
- 571-961-1021.
Cyclohexanone, 2-methyl-, $\text{O}:(\text{C}_6\text{H}_9)\text{CH}_3$. (*o*-Methylcyclohexanone).
NT red scale. 268.
- 571-961-1021.
Cyclohexanone, 3-methyl-, $\text{O}:(\text{C}_6\text{H}_9)\text{CH}_3$. (*m*-Methylcyclohexanone).
NT red scale. 268.
- 571-961-1021.
Cyclohexanone, 4-methyl-, $\text{O}:(\text{C}_6\text{H}_9)\text{CH}_3$. (*p*-Methylcyclohexanone).
T clothes moths; NT red scale. 268, 401P, 405P, 1175.
- 571-961-1021.
Cyclohexanone, methyl-, CU; $\text{O}:(\text{C}_6\text{H}_9)\text{CH}_3$.
T as mothproofing agent. 94P, 405P, 1175, 1362P.
- 571-968.
Cyclopentanone; $\text{O}:(\text{C}_5\text{H}_9)$. (Ketopentamethylene; adipic ketone).
100% codling moth larvae. 158, 1285, 1291.
- 571-998-950.
1-Indanone; $\text{O}:(\text{C}_9\text{H}_7)$. (α -Hydrindone).
T houseflies. 1276.
- 571-998-952-1022-1033.
Cyclopentanone, 2, 5-dibenzal-, $\text{O}:(\text{C}_6\text{H}_5)(\text{CH}:\text{C}_6\text{H}_5)_2$. (Dibenzalicyclopentanone).
NT corn borer and screwworm larvae. 944, 1120.
- 571-998-972-1003-1021.
Thujone; $\text{C}_{10}\text{H}_{16}\text{O}$.
T *Lucilia cuprina* larvae. 849.
- 571-988.
2-Tridecanone; $\text{C}_{11}\text{H}_{22}\text{COCH}_3$. (Methyl undecyl ketone).
90% T *Bombus mori* larvae and T houseflies. 559, 1276, 1363P.
- 571-990.
6-Hendecanone; $\text{C}_9\text{H}_{18}\text{COC}_2\text{H}_5$. (Di-*n*-amyl ketone).
T *Sitophilus oryzae*. 1180.
- 571-991.
2-Octanone, 2, 6-dimethyl-, $\text{CH}_3\text{CH}_2\text{CH}(\text{CH}_3)-(\text{CH}_2)_3\text{CH}(\text{CH}_3)\text{COCH}_3$. 819P.
- 571-992.
2-Nonanone; $\text{CH}_3\text{CO}(\text{CH}_2)_6\text{CH}_3$. (Methyl heptyl ketone).
ST wireworms. 846.
- 571-992.
4-Heptanone, 2, 8-dimethyl-, $[(\text{CH}_3)_2\text{CHCH}_2]_2\text{CO}$. (Diisobutyl ketone; *s*-diisopropylacetone; isovalerone; valerone).
T codling moth larvae. 619P, 1285.
- 571-992-1033.
2, 5-Heptadien-4-one, 2, 6-dimethyl-, $(\text{CH}_3)_2\text{C}:\text{CHCOCH}:\text{C}(\text{CH}_3)_2$. (Cryptox; di-isophrone; phorone?).
T houseflies. 1278.
- 571-993.
2-Octanone; $\text{CH}_3\text{COC}_6\text{H}_{13}$. (Hexylmethyl ketone).
100% T codling moth larvae. 1285.
- 571-995.
Butyryl; $\text{C}_4\text{H}_7\text{COC}_2\text{H}_5$. (Dipropyl ketone).
T *Sitophilus oryzae*. 1180.
- 571-995.
2-Heptanone; $\text{CH}_3\text{COC}_5\text{H}_{11}$. (Methyl *n*-amyl ketone).
100% T codling moth larvae and T *Sitophilus oryzae*. 1180, 1285.
- 571-995.
3-Pentanone, 2, 4-dimethyl-, $(\text{CH}_3)_2\text{CHCOCH}(\text{CH}_3)_2$. (Diisopropyl ketone).
T codling moth larvae, NT red scale. 268, 1285.
- 571-997.
2-Hexanone; $\text{CH}_3\text{CO}(\text{CH}_2)_4\text{CH}_3$. (Methyl *n*-butyl ketone).
NT red scale. 268.

- 571-997.
Pinacolone; $\text{CH}_3\text{COC}(\text{CH}_3)_3$. (Methyl-*tert*-butyl ketone).
NT red scale. 268.
- 571-997.
2-Pentanone, 4-methyl-; $\text{CH}_3\text{COCH}_2\text{CH}(\text{CH}_3)_2$. (Isobutyl methyl ketone).
T codling moth larvae, NT red scale. 268, 1285.
- 571-997-1030.
Mesityl oxide; $(\text{CH}_3)_2\text{C}=\text{CHCOCH}_3$. (4-Methyl-3-penten-2-one; isopropylideneacetone).
100% T rice weevil and HT codling moth larvae. 1180, 1291.
- 571-999.
2-Pentanone; $\text{CH}_3\text{COC}_4\text{H}_9$. (Methyl *n*-propyl ketone).
MT codling moth larvae; NT *Chrysomphalus aurantii*. 268, 1285.
- 571-999.
3-Pentanone; $\text{C}_5\text{H}_{10}\text{COC}_2\text{H}_5$. (Diethyl ketone; sym-dimethylacetone; propione; ethyl ketone).
NT red scale. 268.
- 571-999.
2-Butanone, 3-methyl-; $\text{CH}_3\text{COCH}(\text{CH}_3)_2$. (Methyl isopropyl ketone).
100% T codling moth larvae; NT *Chrysomphalus aurantii*. 268, 555.
- 571-1001.
2-Butanone; $\text{CH}_3\text{COC}_2\text{H}_5$. (Methyl ethyl ketone).
MT codling moth larvae; NT wireworms, red scale, and *Aphis rumicis*. 268, 846, 1152, 1285.
- 571-1003.
Acetone; CH_3COCH_3 . (2-Propanone, dimethyl ketone).
T as mothproofing agent and as aphicides; NT red scale, *Aphis rumicis*, and *Tenebrio molitor*. 84, 268, 372P, 396P, 400P, 402P, 411P, 425P, 530P, 828P, 829P, 1010, 1152, 1164P, 1175, 1241P, 1242P, 1399P, 1400P, 1465P.
- 571-1003-1218-1393.
Acetone, sodium bisulphite compound with; $\text{CH}_3\text{COCH}_2\text{SO}_3\text{Na}$.
NT *Melanoplus m. mexicanus*. 1150.
Carbon dioxide — see 1128-1350.
Carbon monoxide — see 1128-1350.
- 571-1027-1046.
Ketone, alkylaryl-, $\text{C}_n\text{H}_{2n+1}\text{COR}_2$. R_1 is an alkyl group and R_2 is an aryl, an alkyl, or an aralkyl group. 1368P.
- 572-531-620-950.
Coumarin, acetyl-4-hydroxy-, $\text{C}_9\text{H}_6\text{O}_3$. (OH)- COCH_3 . (α -Acetobenzotetronic acid). 525P.
- 572-531-953-999.
1, 5-Pentanedione, 2-(α -hydroxyphenyl)-1, 5-diphenyl-; $\text{HOCH}_2\text{CH}(\text{CH}_2\text{COC}_6\text{H}_5)_2$. (2-Hydroxybenzaldiacetophenone).
ST as mothproofing agent; NT corn borer. 239, 1120.
- 572-582-910.
Anthraquinone; $\text{HOOC}_6\text{H}_3(\text{CO})_2\text{C}_6\text{H}_5\text{OH}$. (1, 5-Dihydroxyanthraquinone).
NT screwworms and *Pieris rapae*. 156, 635.
- 572-582-952.
Quinhydrone; $(\text{O})_2\text{C}_6\text{H}_4\cdot\text{C}_6\text{H}_4(\text{OH})_2$. (Benzoquinhydrone).
T roaches and 31.9% T corn borer; NT as mothproofing agent. 239, 587.
- 572-584-910.
Rufignallol; $\text{C}_{14}\text{H}_{18}\text{O}_8$. (Rufignallol acid).
NT screwworms. 156.
- 572-588-732-951-1011-1218.
Sodium phenobarbital; $\text{NaO}(\text{O})_2(\text{C}_6\text{H}_5\text{N}_2)(\text{C}_2\text{H}_5)_2\text{C}_6\text{H}_5$. (Sodium 5-ethyl-5-phenylbarbituric acid).
T screwworms at 0.17-0.33%; NT mosquito larvae. 156, 487.
- 572-588-732-1012-1218.
Sodium barbital; $\text{NaO}(\text{O})_2(\text{C}_6\text{H}_5\text{N}_2)(\text{C}_2\text{H}_5)_2$. (Sodium 5, 5-diethylbarbiturate).
T screwworms at 0.17-0.33%. 156.
- 572-591-954-1011-1023.
Benzophenone, 5-methyl-*o*-phenylmethoxy-2'- α -toluyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{COC}_6\text{H}_4\text{COC}_6\text{H}_3(\text{CH}_3)\text{OCH}_2\text{C}_6\text{H}_5$.
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
- 572-591-954-1023.
Ether, *p*-benzoylbenzyl *p*-benzoylphenyl-; $\text{C}_6\text{H}_5\text{COC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{COC}_6\text{H}_5$.
Fly spray. 112, 690P.
- 572-592-625-952.
Pinocresinol, dimethyl-; $(\text{C}_6\text{H}_5\text{O}_2)[\text{CH}_2\text{OC}_6\text{H}_3\text{COCH}_3]_2$.
NT when used as synergist with pyrethrum against houseflies. 617.
- 572-592-852-997-1004-1033.
Succinic acid, α,β -dimethyl-, di-(2-chloroallyl) ester; $(\text{CH}_2\text{CH})_2(\text{COOCH}_2\text{CH}_2\text{CH}_2)_2$.
Fly spray. 112, 216P.
- 572-592-852-1001-1004-1033.
Succinic acid, di-(2-chloroallyl) ester; $(\text{CH}_2)_2(\text{COOCH}_2\text{CH}_2\text{CH}_2)_2$.
69% T houseflies at 3%. 112, 216P.
- 572-592-953.
Phenoquinone; $\text{C}_{10}\text{H}_{12}\text{O}_4$.
NT corn borer. 1120.
- 572-592-1001-1004-1033.
Succinic acid, diallyl ester; $(\text{CH}_2)_2(\text{COOCH}_2\text{CH}=\text{CH}_2)_2$.
Fly spray. 112, 216P.
- 572-621-630-1003-1022.
Filicin (male fern); $(\text{CH}_3)_2(\text{C}_6\text{H}_5\text{O})_2(\text{O})\text{COC}_6\text{H}_5$?
HT mosquito larvae at 0.1%. 643A.
- 572-625-854-950.
Phthalic anhydride, tetrachloro-; $(\text{O})_2(\text{C}_6\text{H}_4)\text{Cl}_4$.
T screwworms at 0.33-0.67%. 156.
- 572-625-874-950.
Phthalic anhydride, tetraiodo-; $(\text{O})_2(\text{C}_6\text{H}_4)\text{I}_4$.
NT *Bombyx mori* larvae. 110, 559.
- 572-625-950.
Phthalic anhydride; $(\text{O})_2(\text{C}_6\text{H}_4\text{O})$. (Phthalanone).
ST screwworms at 0.67%. 156, 1291.
- 572-625-950-1022.
Cantharidin. (Hexahydro-3a, 7a-dimethyl-4, 7-epoxyisobenzofuran-1, 3-dione).
T most lepidopterous larvae. 583A.
- 572-671-910.
Anthraquinone, 1-amino-; $(\text{O})_2(\text{C}_{14}\text{H}_9)\text{NH}_2$. (α -Anthraquinonylamine).
NT screwworms. 156.
- 572-671-910.
Anthraquinone, 2-amino-; $(\text{O})_2(\text{C}_{14}\text{H}_9)\text{NH}_2$. (β -Anthraquinonylamine).
NT screwworms. 156.
- 572-672-910.
Anthraquinone, 2, 5-diamino-; $(\text{O})_2(\text{C}_{14}\text{H}_6)(\text{NH}_2)_2$.
NT Colorado potato beetle and Mexican bean beetle. 606.
- 572-682-910-952-1022.
Anthraquinone, 1, 4-ditoluino-; $(\text{O})_2(\text{C}_{14}\text{H}_8)(\text{NHC}_6\text{H}_4\text{CH}_3)_2$. 1444P.
- 572-732-742-1023.
Caffeine; $\text{C}_8\text{H}_{10}\text{N}_4\text{O}_2$. (1, 3, 7-Trimethylxanthine).
NT codling moth and clothes moth larvae. 915, 985, 1176.
- Caffeine arsenate.
ST tobacco worm moths. 553.
- Caffeine benzoate.
NT silkworms. 561.
- Caffeine citrate.
NT silkworms. 561, 915.
- Caffeine hydroxide.
NT silkworms. 561.
- Caffeine salicylate.
30% T silkworms. 561.
- Caffeine tannate.
40% T silkworms. 561.
- 572-732-796.
Barbituric acid, 2-thio-; $(\text{O})_2(\text{C}_4\text{H}_4\text{N}_2)_2\text{S}$. (Thio-barbituric acid).
69% T codling moths; NT *Bombyx mori* larvae. 487, 559, 1291, 1432.
- 572-740.
Succinimide; $(\text{O})_2(\text{C}_4\text{H}_5\text{N})$.
T *Aphis rumicis*. 1152.
- 572-740-842-950.
Isatin, 5, 7-dibromo-; $(\text{O})_2(\text{C}_6\text{H}_3\text{N})\text{Br}_2$. 527P.
- 572-740-950.
Phthalimide; $(\text{O})_2(\text{C}_6\text{H}_4\text{N})$. (1, 3-Isindoleidone; *o*-phthalic imide).
63% T codling moth larvae; NT screwworms and mosquito larvae. 156, 296, 487, 559, 915.

- 572-740-950-1030.
Indigotin; $C_{16}H_{10}N_2O_2$. (Indigo blue; indigo).
NT clothes moths and screwworms. 156, 974, 1176.
- 572-740-950-1196.
Potassium phthalimide; $(O)_2(C_8H_5N)K$.
NT *Tineola biselliella* and *Attagenus piceus*. 738, 1176.
- 572-740-950-1276.
Phthalimide, *N*-bromo-; $(O)_2(C_8H_4N)Br$. (Phthalic acid bromimide).
T as mothproofing agent. 1176, 1365P.
- 572-742-851-951-1021.
Hydantoin, 5-(*p*-chlorophenyl)-5-methyl-; $(O)_2(C_8H_7N)(CH_3)C_6H_4Cl$.
NT corn borer at 4 lb./100 gal. 1122.
- 572-742-851-1021.
Hydantoin, 5-methyl-5-phenyl-; $(O)_2(C_8H_7N)(CH_3)C_6H_5$.
NT corn borer at 4 lb./100 gal. 1122.
- 572-742-968.
Hydantoin, 5-pentamethylene; $(O)_2(C_8H_7N)(CH_2)_5C_6H_5$.
NT corn borer at 4 lb./100 gal. 1122.
- 572-742-1004.
Hydantoin, 5, 5-diisopropyl-; $(O)_2(C_8H_7N)(C_3H_7)_2$.
NT corn borer at 4 lb./100 gal. 1122.
- 572-750-950-951.
Phthalimide, *N*-phenyl-; $(O)_2(C_8H_5N)C_6H_5$.
NT corn borer at 4 lb./100 gal. 1122.
- 572-851-910.
Anthraquinone, 2-chloro-; $(O)_2(C_{14}H_7)Cl$. (β -Chloro-anthraquinone).
97% T codling moth larvae; NT *Bombyx mori* and mosquito larvae. 156, 487, 559, 1291.
- 572-854-951.
Chloranil; $(O)_2C_6Cl_4$. ("Spergon"; tetrachloroquinone; tetrachlorobenzquinone).
T eggs of *Oncopeltus fasciatus*; NT screwworms. 13, 156.
- 572-910.
Anthraquinone; $(O)_2(C_{14}H_9)$. (9, 10-Dihydroxy-9, 10-diketooanthracene).
T Japanese beetles, 63% T codling moth larvae, and ST greenhouse red spider; NT *Epilachna borealis*, clothes moths, southern army worm, and screwworms. 156, 331P, 494, 739, 1008, 1176, 1291, 1481.
- 572-910.
Phenanthrenequinone; $(O)_2(C_{14}H_9)$. (Phenanthraquinone; 9, 10-dihydro-9, 10-dioxophenanthrene).
NT *Bombyx mori* larvae. 559.
- 572-910-1021.
Anthraquinone, 2-methyl-; $(O)_2(C_{14}H_7)CH_3$. (β -Methyl anthraquinone).
89% T codling moth larvae; ST mosquito larvae; NT silkworm larvae. 487, 488, 559, 1291.
- 572-924.
1, 2-Naphthoquinone; $(O)_2(C_{10}H_6)$. (β -Naphthoquinone).
NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 572-924.
1, 4-Naphthoquinone; $(O)_2(C_{10}H_6)$. (1, 4-Dihydro-1, 4-diketooanthracene; α -naphthoquinone).
NT *Bombyx mori*, *Tineola biselliella*, and *Attagenus piceus*. 559, 739.
- 572-928.
1, 3-Indandione; $(O)_2(C_8H_6)$.
35% T houseflies. 791.
- 572-951.
Quinone; $C_6H_4O_2$. (*p*-Benzoquinone; 1, 4-cyclohexadienedione).
T screwworms at 0.17-0.33%. 156.
- 572-951-1001.
1, 3-Butanedione, 1-phenyl-; $CH_3COCH_2COC_6H_5$. (Benzoylacetone).
T houseflies and as mothproofing agent. 112, 227P, 684P, 1175, 1276.
- 572-952-1003.
1, 3-Propanedione, 1, 3-diphenyl-; $(C_6H_5CO)_2CH_3$. (Dibenzoyl methane).
T houseflies at 1%, 112, 792P.
- 572-932-1011.
Benzil; $(C_6H_5CO)_2$. (Diphenylglyoxal; dibenzoyl; bibenzoyl; diphenyl diketone).
T clothes moths, houseflies, and 81% T codling moth larvae. 156, 333P, 1176, 1276, 1285, 1291.
- 572-953-999.
1, 5-Pentanedione, 1, 3, 5-triphenyl-; $C_6H_5CH(CH_2COC_6H_5)_3$. (Benzaldiacetophenone; benzylidenediacetophenone).
ST as mothproofing agent; NT corn borer. 239, 1120.
- 572-997.
2, 5-Hexanedione; $CH_3COC_2H_4CH_2COC_2H_5$. (Acetylacetone; sym-diacetylene).
NT codling moth larvae. 1285.
- 572-999.
2, 4-Pentanedione; $CH_3COC_2H_4COC_2H_5$. (Acetylacetone).
T houseflies at 1%; MT *Chrysomphalus aurantii*. 112, 268, 792P.
- 572-1001.
2, 3-Butanedione; $CH_3COCOC_2H_5$. (Diacetyl; dimethylglyoxal; biacetyl; dimethyl diketone).
NT red scale and rice weevil. 268, 1180.
- 572-1027.
Ketones.
Fly spray. 112, 792P.
- 573-581-982-1011-1024.
2-[α -(2-Hydroxy-6-oxo-4, 4-dimethyl-1-cyclohexenyl)-ethyl]-5, 5-dimethyl-1, 3-cyclohexanedione; $(O)_2(C_6H_4)_2C_6H_4CH(CH_3)C_6H_4(CH_3)_2(CO)_2CH_3$.
NT as mothproofing agent. 239.
- 573-620-951-1022.
1, 2-Pyran-2, 4(3)-dione, 3-benzoyl-6-methyl-; $CH_3C_6H_4O(CO)_2COC_6H_5$. (Dehydrobenzoyl aceto acid).
16.1% T corn borer. 1120.
- 573-620-1011-1021.
1, 2-Pyran-2, 4(3)-dione, 3-acetyl-6-methyl-; $(O)_2(C_6H_5O)(CH_3)COC_6H_5$.
ST corn borer; NT as mothproofing agent. 239, 1120.
- 573-732.
Barbituric acid; $(O)_2(C_4H_4N_2)$. (Malonylurea; pyridintrione).
T screwworms at 0.17-0.33%; NT codling moth larvae. 156, 915.
- 573-732-742.
Uric acid; $C_5H_4N_4O_6$.
Attrahent for oriental peach moth. 1094.
- 573-732-842.
Barbituric acid, 5, 5-dibromo-; $(O)_2(C_4H_2Br_2N_2)Br_2$.
ST codling moth larvae. 156, 915.
- 573-732-852.
Barbituric acid, 5, 5-dichloro-; $(O)_2(C_4H_2Cl_2N_2)Cl_2$.
NT codling moth larvae. 915.
- 573-732-951-1011-1218.
Sodium phenobarbital — see 572-588-732-951-1011-1218.
- 573-732-999-1011.
Amytal; $(O)_2(C_4H_5N_2)(C_6H_5)C_2H_5$. (5-Ethyl-5-isoamylbarbituric acid).
NT mosquito larvae. 487.
- 573-732-1012.
Barbituric acid, 5, 5-diethyl-; $(O)_2(C_4H_6N_2)(C_2H_5)_2$. (Barbital; veronal; barbitone; malourea).
MT codling moth larvae and T screwworms at 0.10-0.17%. 156, 915.
- 573-732-1012-1218.
Sodium barbital — see 572-588-732-1012-1218.
- 573-733.
Cyanuric acid; $(O)_2(C_3H_3N_3)_2$. (s -Triazinetriol; trihydroxycyanidine; tricyanic acid).
NT mosquito larvae and rice weevil. 487, 1180.
- 573-742.
Parabenic acid; $(O)_2(C_8H_7N_2)$. (Oxalyl urea; imidazolidintrione).
NT codling moth larvae. 915.
- 573-924-928-1021.
1, 3-Indandione, 2-(2-naphthoyl)-; $(O)_2(C_8H_6)-COC_6H_4$. (2- β -Naphthoyl-1, 3-indandione).
40% T houseflies. 791.
- 573-928-951-1021.
1, 3-Indandione, 2-benzoyl-; $(O)_2(C_8H_6)COC_6H_5$.
50% T houseflies. 791.
- 573-928-951-1021.
1, 3-Indandione, 2-hexahydrobenzoyl-; $(O)_2(C_8H_7)-COC_6H_4$.

- 70% T houseflies. 791.
573-928-995.
1, 3-Indandione, 2-*enanthoyl*-; $(O)_2(C_8H_7)COC_8H_7$.
51% T houseflies. 791.
573-928-997.
1, 3-Indandione, 2-*caproyl*-; $(O)_2(C_8H_7)COC_6H_{13}$.
63% T houseflies. 791.
573-928-999.
1, 3-Indandione, 2-*pivalyl*-; $(O)_2(C_8H_7)COC_4H_9$.
59% T houseflies. 791.
573-928-999.
1, 3-Indandione, 2-*isovaleryl*-; $(O)_2(C_8H_7)COC_4H_9$.
80% T houseflies. 791.
573-928-999-1030.
1, 3-Indandione, 2-*senecoyl*-; $(O)_2(C_8H_7)COCH_2-C(CH_3)_2$.
33% T houseflies. 791.
573-928-1001.
1, 3-Indandione, 2-*butyryl*-; $(O)_2(C_8H_7)COC_4H_9$.
63% T houseflies. 791.
573-928-1001.
1, 3-Indandione, 2-*isobutyryl*-; $(O)_2(C_8H_7)COC_4H_9$.
58% T houseflies. 791.
573-928-1003.
1, 3-Indandione, 2-*propionyl*-; $(O)_2(C_8H_7)COC_3H_7$.
49% T houseflies. 791.
573-928-1011.
1, 3-Indandione, 2-*acetyl*-; $(O)_2(C_8H_7)COCH_3$.
37% T houseflies. 791.
573-955-993.
1, 7-Heptanedione, 4-benzoyl-1, 3, 5, 7-tetraphenyl-;
 $C_6H_5COCH[CH(C_6H_5)CH_2COC_6H_5]_2$. (Dibenzaltri-
acetophenone (isomer B)).
ST as mothproofing agent; NT corn borer. 239,
1120.
574-582-732.
Alloxantin; $C_8H_8N_4O_2 \cdot 2H_2O$. (Uroxin).
ST codling moth larvae. 915.
574-740-950-1011.
Phthalimide, *p,p'*-ethylenedi-; $(O)_2(C_8H_4N)CH_2-$
 $CH_2(C_8H_4N)(O)_2$.
NT *Bombyx mori* larvae. 559.
581-591-625-730-950-1022-1389.
Codeine sulphate; $(C_{18}H_{21}O_5N)_2 \cdot H_2SO_4$.
T *Aphis rumicis*. 1152.
581-591-665-952-952.
Guaiacol, 4-(2, 5-dichlorophenylazo)-; $Cl_2C_6H_3-$
 $NNC_6H_4(OCH_3)OH$.
NT mosquito larvae. 487.
581-591-665-952-1011.
Phenol, 4-(2, 5-dichlorophenylazo)-3-ethoxy-; Cl_2-
 $C_6H_3NNC_6H_4(OC_2H_5)OH$.
62% T mosquito larvae. 487, 488.
581-591-665-924-951-1021.
2-Naphthol, 1-(*o*-anisylazo)-; $CH_3OC_6H_4NNC_6H_4-$
 HO .
66% T mosquito larvae. 487.
581-591-681-692-1027.
Hydroxylamine compounds, CU; $R_1N(R_2)C(NH)R_3-$
 $NROH$.
R is selected from the group consisting of alkyl,
alkoxyalkyl, and hydroxyalkyl radicals, etc. 316P.
581-591-681-800-952-1011.
Phenol, *p*-phenetidine-; $C_6H_5OC_2H_4NHC_6H_4OH$.
(Sulfurised *p*-ethoxy-*p*-hydroxy-diphenylamine).
40% T Mexican bean beetle. 606, 1432.
581-591-720-730-950-1011-1022-1030.
Quinine; $C_{20}H_{24}N_2O_5 \cdot 3H_2O$.
T as mothproofing agent; NT codling moth larvae.
744P, 885P, 915, 1176, 1179, 1281, 1282P.
581-591-720-730-950-1011-1022-1030.
Quinidine; $C_{20}H_{24}O_5N_2$. (Isomer of quinine).
T as mothproofing agent. 739, 740P, 742, 743,
744P, 1176.
581-591-720-730-950-1011-1022-1030-1291.
Quinine hydrochloride; $C_{20}H_{24}O_5N_2 \cdot HCl$.
T as mothproofing agent. 739, 1176.
581-591-720-730-950-1011-1022-1030-1291.
Quinidine hydrochloride; $C_{20}H_{24}O_5N_2 \cdot HCl$.
T as mothproofing agent. 739, 1176.
581-591-720-730-950-1011-1022-1030-1312.
Quinidine hydrofluoride; $C_{20}H_{24}O_5N_2 \cdot HF$.
T as mothproofing agent. 739, 1176.
581-591-720-730-950-1011-1022-1030-1389.
Quinine sulphate; $(C_{20}H_{24}O_5N_2)_2 \cdot H_2SO_4$.
T as mothproofing agent; NT clothes moths (985).
739, 885P, 985, 1176.
581-591-720-730-950-1011-1022-1030-1389.
Quinidine sulphate; $(C_{20}H_{24}O_5N_2)_2 \cdot H_2SO_4$.
T *Aphis rumicis* and as mothproofing agent. 739,
744P, 1152, 1176.
Cinchona alkaloids.
T as mothproofing agent. 44, 192P, 739, 740P,
741P, 744P, 885P, 1176.
Cinchonine hydrochloride (exact constitution in-
definite); $C_{19}H_{21}N_2O_4 \cdot HCl$.
T as mothproofing agent. 739, 1176.
Cinchonine oleate (exact constitution indefinite);
 $C_{19}H_{21}N_2O_4 \cdot HOOC(C_{17}H_{33})$.
T as mothproofing agent. 739, 1176.
Quinine hydrochloride (exact constitution indefinite);
 $C_{20}H_{24}O_5N_2 \cdot HCl$.
T as mothproofing agent. 739, 1176.
Quinine oleate (exact constitution indefinite); $C_{20}-$
 $H_{24}O_5N_2 \cdot HOOC(C_{17}H_{33})$.
NT *Tineola biselliella* and *Attagenus piceus*. 739,
1176.
Quinoidine, (a mixture of quinotoxins prepared from
quinoidine).
T as mothproofing agent. 739, 1176.
Quinoidine oleate.
T as mothproofing agent. 739, 1176.
Quinoidine, (a mixture of cinchona alkaloids, con-
stitution unknown).
T as mothproofing agent; NT silkworms and *Me-*
lanoplus m. mexicanus. 561, 739, 740P, 744P, 745P,
1150, 1176.
Quinidine hydrochloride.
T as mothproofing agent. 739, 1176.
Quinidine oleate.
T as mothproofing agent. 739, 745P, 915, 1176.
For other cinchona alkaloid derivatives see:
541-581-591-720-730-950-983-1011-1022-1033.
541-581-720-730-950-983-1011-1021-1033.
541-582-720-730-950-981-1011-1022-1030.
For compounds related to quinine see:
541-730-950-981-1021.
541-730-950-983-1021.
581-720-730-950-1011-1021-1021-1030.
581-720-730-950-1011-1021-1030-1291.
581-720-730-950-1011-1021-1030-1312.
581-720-730-950-1011-1021-1030-1389.
581-591-791-924.
2-Naphthol, 1-(1-mercapto-2-naphthoxy)-; HSC_6H_4-
 $HOOC_6H_4OH$.
90% T mosquito larvae. 487.
581-591-841-851-951-961-1011.
Ethanol, 2-(4-(*p*-bromophenyl)-2-chlorocyclohex-
oxy)-; $BrC_6H_4C_6H_4(Cl)OC_6H_4OH$. (β -Hydroxy-
ethyl ether of 4-(4-bromophenyl)-2-chloro-cyclo-
hexanol).
T as fly spray. 112, 226P.
581-591-841-851-951-961-1011.
Ethanol, 2-(2-bromo-6-chloro-4-cyclohexylphenoxy)-;
 $ClC_6H_4C_6H_4(Cl)OC_6H_4OH$. (β -Hydroxy-ethyl
ether of 2-bromo-6-chloro-4-cyclohexyl-6-chlorophenol).
T as fly spray. 112, 226P.
581-591-841-851-951-961-1011.
Ethanol, 2-(4-bromo-2-chloro-5-cyclohexylphenoxy)-;
 $ClC_6H_4C_6H_4(Br)OC_6H_4OH$. (β -Hydroxy-ethyl
ether of 3-cyclohexyl-4-bromo-6-chlorophenol).
T as fly spray. 112, 226P.
581-591-841-851-951-961-1011.
Ethanol, 2-(4-bromo-2-(3-chlorocyclohexyl)phenoxy)-;
 $ClC_6H_4C_6H_4(Br)OC_6H_4OH$. (β -Hydroxy-ethyl
ether of 2-(3-chloro-cyclohexyl)-4-bromophenol).
Fly spray. 112, 226P.
581-591-841-851-951-993-1003.
1-Propanol, (2-bromo-6-chloro-4-*tert*-octylphenoxy)-;
 $C_8H_{17}C_6H_4(Br)(Cl)OC_3H_7OH$. (Hydroxy-
propyl ether of 2-bromo-4-*tert*-octyl-6-bromophenol).
Fly spray. 112, 231P.
581-591-841-851-951-999-1011.
Ethanol, 2-(4-*tert*-amyl-2-bromo-6-chlorophenoxy)-;
 $C_8H_{17}C_6H_4(Br)(Cl)OC_4H_9OH$. (β -Hydroxy-ethyl
ether of 2-bromo-6-chloro-4-*tert*-amyl phenol).
Fly spray. 112, 226P.

- 581-591-841-951-951-1001-1011.
Ethanol, 2-(2-bromo-4-*tert*-butyl-6-chlorophenoxy)-; $\text{C}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-chloro-4-*tert*-butyl-6-bromo-phenol).
Fly spray. 112, 230P, 231P.
- 581-591-841-951-952-1003.
1-Propanol, (2-bromo-6-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})(\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-hydroxy-3-bromo-5-chlorodiphenyl).
Fly spray. 112, 226P.
- 581-591-841-951-952-1011.
Ethanol, 2-(4-bromo-2-chloro-6-phenylphenoxy)-; $\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-chloro-5-bromodiphenyl).
Fly spray. 112, 226P.
- 581-591-841-951-952-1011.
Ethanol, 2-(2-bromo-6-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3-bromo-5-chloro-diphenyl).
Fly spray. 112, 226P.
- 581-591-841-951-961-1003.
1-Propanol, (2-bromo-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-bromo-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1003.
1-Propanol, (2-bromo-6-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-cyclohexyl-6-bromophenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1003.
1-Propanol, (4-bromo-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-cyclohexyl-4-bromophenol).
Fly spray. 112, 226P.
- 581-591-841-951-951-961-1011.
Ethanol, 2-[4-bromo-3-(2-chlorocyclohexyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-(2-chloro-cyclohexyl-4-bromophenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-[2-(*m*-bromocyclohexyl)phenoxy]-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-(3-bromo-cyclohexyl) phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-[2-(*o*-bromocyclohexyl)phenoxy]-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-(2-bromo-cyclohexyl) phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-[2-(*p*-bromocyclohexyl)phenoxy]-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-(4-bromo-cyclohexyl) phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-[4-(*p*-bromocyclohexyl)-phenoxy]-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-(4-bromo-cyclohexyl) phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-bromo-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-bromo-6-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-6-bromophenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011.
Ethanol, 2-(4-bromo-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (Hydroxy-propyl ether of 2-methyl-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-*tert*-octyl phenol).
Fly spray. 112, 231P.
- 581-591-841-951-961-1011.
Ethanol, 2-(5-bromo-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-5-bromo phenol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1011-1021.
Ethanol, 2-[4-(*p*-bromophenyl) 2-methylcyclohexoxy]-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4(4-bromophenyl)2-methyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-841-951-961-1003.
1-Propanol, (2-bromo-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-bromo-4-*tert*-octyl phenol).
Fly spray. 112, 231P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-bromo-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-*tert*-octyl phenol).
Fly spray. 112, 230P.
- 581-591-841-951-961-1011-1021.
Ethanol, 2-(2-bromo-6-methyl-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-4-*tert*-octyl-6-bromo phenol).
Fly spray. 112, 231P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-bromo-4-*tert*-heptylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-*tert*-heptyl phenol).
Fly spray. 112, 230P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-bromo-4-*tert*-hexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-*tert*-hexyl phenol).
Fly spray. 112, 230P, 231P.
- 581-591-841-951-961-1003.
1-Propanol, 4-*tert*-amyl-2-bromophenoxy-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-bromo-4-*tert*-amyl phenol).
Fly spray. 112, 231P.
- 581-591-841-951-961-1011.
Ethanol, 2-(2-*tert*-amyl-4-bromophenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-*tert*-amyl-4-bromo phenol).
Fly spray. 112, 230P.
- 581-591-841-951-961-1011.
Ethanol, 2-(4-*tert*-amyl-2-bromophenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-bromo-4-*tert*-amyl phenol).
Fly spray. 112, 230P, 231P.
- 581-591-841-951-961-1011.
Ethanol, 2-(5-*tert*-amyl-2-bromophenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-*tert*-amyl-6-bromo phenol).
Fly spray. 112, 230P.
- 581-591-841-951-961-1011-1021.
Ethanol, 2-(4-*tert*-amyl-2-bromo-6-methylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-4-*tert*-amyl-6-bromo-phenol).
Fly spray. 112, 231P.
- 581-591-841-951-961-1011-1021.
Ethanol, 2-(5-*tert*-amyl-4-bromo-2-methylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-5-*tert*-amyl-4-bromo-phenol).
Fly spray. 112, 230P.
- 581-591-841-951-1000.
1-Pentanol, (4-*tert*-amyl-2-bromophenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{Br})\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-bromo-4-*tert*-amyl phenol).
Fly spray. 112, 226P.
- 581-591-841-951-1000-1003.
1-Propanol, (2, 4-di-*tert*-amyl-6-bromophenoxy)-; $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_2(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2, 4-di-*tert*-amyl-6-bromo phenol).
Fly spray. 112, 231P.
- 581-591-841-951-1000-1011.
Ethanol, 2-(2, 4-di-*tert*-amyl-6-bromophenoxy)-;

- (C₆H₁₁)₂C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2, 4-di-tertiary-amyl-6-bromo phenol).
Fly spray. 112, 230P.
- 581-591-841-951-1001-1011.
Ethanol, 2-(2-bromo-4-*tert*-butylphenoxy)-; C₆H₅-C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-bromo-4-tertiary-butyl phenol).
Fly spray. 112, 230P, 231P.
- 581-591-841-951-1001-1011.
Ethanol, 2-(4-bromo-2-*tert*-butylphenoxy)-; C₆H₅-C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-bromo phenol).
Fly spray. 112, 230P.
- 581-591-841-951-1001-1011-1021.
Ethanol, 2-(2-bromo-4-*tert*-butyl-6-methylphenoxy)-; C₆H₅C₆H₃(Br)(CH₃)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-methyl-4-tertiary-butyl-6-bromo phenol).
Fly spray. 112, 231P.
- 581-591-841-952-997-1011.
Ethanol, 2-[4-isohexyl-2-(*o*-bromophenyl)phenoxy]-; BrC₆H₄C₆H₃(C₆H₁₃)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-2'-bromo-5-isohexyl diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-999-1011.
Ethanol, 2-(2-*n*-amyl-4-bromo-6-phenylphenoxy)-; C₆H₅C₆H₃(Br)(C₆H₁₁)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-3-*n*-amyl-5-bromodiphenol).
Fly spray. 112, 228P.
- 581-591-841-952-1001-1003.
1-Propanol, (2-bromo-6-isobutyl-4-phenylphenoxy)-; C₆H₅C₆H₃(Br)(C₆H₅)OC₂H₄OH. (Hydroxy-propyl ether of 4-hydroxy-3-isobutyl-5-bromo diphenyl).
Fly spray. 112, 229P.
- 581-591-841-952-1001-1003.
1-Propanol, (4-bromo-2-*tert*-butyl-6-phenylphenoxy)-; C₆H₅C₆H₃(Br)(C₆H₅)OC₂H₄OH. (Hydroxy-propyl ether of 2-hydroxy-3-tertiary-butyl-5-bromo diphenyl).
Fly spray. 112, 229P.
- 581-591-841-952-1001-1011-1021.
Ethanol, 2-(4-bromo-2-benzyl-6-*tert*-butylphenoxy)-; C₆H₅CH₂C₆H₃(Br)(C₆H₅)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-bromo-6-benzyl phenol).
Fly spray. 112, 230P.
- 581-591-841-952-1002-1011.
Ethanol, 2-[4-(*p*-bromophenyl)-2, 6-di-*tert*-butylphenoxy]-; BrC₆H₄C₆H₃(C₆H₅)OC₂H₄OH. (β -Hydroxy-ethyl ether of 4-hydroxy-3, 5-di-tertiary-butyl-4'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1003.
1-Propanol, (2-bromo-4-phenylphenoxy)-; C₆H₅C₆H₃(Br)OC₂H₄OH. (Hydroxy-propyl ether of 3-bromo-4-hydroxy-diphenyl).
Fly spray. 112, 228P, 229P.
- 581-591-841-952-1003.
1-Propanol, (2-bromo-6-phenylphenoxy)-; C₆H₅C₆H₃(Br)OC₂H₄OH. (Hydroxy-propyl ether of 2-hydroxy-3-bromo-diphenyl).
Fly spray. 112, 229P.
- 581-591-841-952-1003-1011.
Ethanol, 2-(4-bromo-2-phenyl-6-*n*-propylphenoxy)-; C₆H₅C₆H₃(Br)(C₆H₅)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-3-*n*-propyl-5-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-(2-bromo-4-phenylphenoxy)-; C₆H₅C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 3-bromo-4-hydroxy diphenyl).
Fly spray. 112, 228P, 229P.
- 581-591-841-952-1011.
Ethanol, 2-(2-bromo-5-phenylphenoxy)-; C₆H₅C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 3-hydroxy-4-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-(2-bromo-6-phenylphenoxy)-; C₆H₅C₆H₃(Br)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4, 6-dibromophenoxy)-; BrC₆H₄-C₆H₄OC₂H₄OH. (β -Hydroxy-ethyl ether of 3-hydroxy-2'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-(4-(*o*-bromophenyl)phenoxy)-; BrC₆H₄-C₆H₄OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-4'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-[3-(*p*-bromophenyl)phenoxy]-; BrC₆H₄-C₆H₄OC₂H₄OH. (β -Hydroxy-ethyl ether of 3-hydroxy-4'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-[3-(*p*-bromophenyl)phenoxy]-; BrC₆H₄-C₆H₄OC₂H₄OH. (β -Hydroxy-ethyl ether of 3-hydroxy-4'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1011.
Ethanol, 2-[4-(*o*-bromophenyl)phenoxy]-; BrC₆H₄-C₆H₄OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-4'-bromo diphenyl).
Fly spray. 112, 228P.
- 581-591-841-952-1012-1021.
Ethanol, 2-[4-benzyl-2-bromo-6-(*p*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(Br)(C₆H₅)OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-hydroxy-3-bromo-4'-ethyl-5-benzyl diphenyl).
Fly spray. 112, 228P.
- 581-591-842-951-961-1001.
1-Butanol, (4-cyclohexyl-2, 6-dibromophenoxy)-; C₆H₁₁C₆H₃(Br)₂OC₄H₉OH. (Hydroxy-butyl ether of 2, 6-dibromo-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-591-842-951-961-1003.
1-Propanol, (2-cyclohexyl-4, 6-dibromophenoxy)-; C₆H₁₁C₆H₃(Br)₂OC₃H₇OH. (Hydroxy-propyl ether of 2-cyclohexyl-4, 6-dibromo phenol).
Fly spray. 112, 226P.
- 581-591-842-951-961-1003.
1-Propanol, (3-cyclohexyl-4, 6-dibromophenoxy)-; C₆H₁₁C₆H₃(Br)₂OC₃H₇OH. (Hydroxy-propyl ether of 3-cyclohexyl-4, 6-dibromo phenol).
Fly spray. 112, 226P.
- 581-591-842-951-961-1003.
1-Propanol, (4-cyclohexyl-2, 6-dibromophenoxy)-; C₆H₁₁C₆H₃(Br)₂OC₃H₇OH. (Hydroxy-propyl ether of 2, 6-dibromo-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-591-842-951-961-1011.
Ethanol, 2-(2-cyclohexyl-4, 6-dibromophenoxy)-; C₆H₁₁C₆H₃(Br)₂OC₂H₄OH. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4, 6-dibromo phenol).
Fly spray. 112, 226P.

- 581-591-842-951-961-1011.
Ethanol, 2-(4-cyclohexyl-2, 6-dibromophenoxy)-;
 $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dibromo-4-cyclohexyl phenol).
Fly spray, 112, 228P.
- 581-591-842-951-993-1011.
Ethanol, 2-(2, 6-dibromo-4-*tert*-octylphenoxy)-;
 $\text{C}_8\text{H}_{17}\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dibromo-4-*tert*-octyl phenol).
Fly spray, 112, 230P, 231P.
- 581-591-842-951-999-1011.
Ethanol, 2-(4-*tert*-amyl-2, 6-dibromophenoxy)-;
 $\text{C}_8\text{H}_{17}\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dibromo-4-*tert*-amyl phenol).
Fly spray, 112, 231P.
- 581-591-842-951-1001-1003.
1-Propanol, (2-*tert*-butyl-2, 6-dibromophenoxy)-;
 $\text{C}_4\text{H}_9\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_6\text{H}_4\text{OH}$. (Hydroxy-propyl ether of 2, 6-dibromo-4-*tert*-butyl phenol).
Fly spray, 112, 230P.
- 581-591-842-951-1001-1011.
Ethanol, 2-(2-*tert*-butyl-4, 6-dibromophenoxy)-;
 $\text{C}_4\text{H}_9\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-*tert*-butyl-4, 6-dibromo phenol).
Fly spray, 112, 230P.
- 581-591-842-951-1001-1011.
Ethanol, 2-(4-*tert*-butyl-2, 6-dibromophenoxy)-;
 $\text{C}_4\text{H}_9\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dibromo-4-*tert*-butyl phenol).
Fly spray, 112, 230P, 231P.
- 581-591-842-952-1001.
1-Butanol, (2-bromo-5-(*p*-bromophenyl)phenoxy)-;
 $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_3(\text{Br})\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 3-hydroxy-4, 4'-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1003.
1-Propanol, (2, 4-dibromo-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3, 5-dibromo diphenyl).
Fly spray, 112, 229P.
- 581-591-842-952-1003.
1-Propanol, (2-bromo-4-(*p*-bromophenyl)phenoxy)-;
 $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_3(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-hydroxy-3, 4'-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(*m*-2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2', 4'-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(*o*-2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 4'-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(*p*-2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-2', 4'-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(2, 4-dibromo-5-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-4, 6-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(2, 4-dibromo-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3, 5-dibromo diphenyl).
Fly spray, 112, 228P, 229P.
- 581-591-842-952-1011.
Ethanol, 2-(2, 6-dibromo-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3, 5-dibromo diphenyl).
Fly spray, 112, 228P, 229P.
- 581-591-842-952-1011.
Ethanol, 2-(2-bromo-4-(*p*-bromophenyl)phenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-4', 5-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[4-bromo-2-(*o*-bromophenyl)phenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 5-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[4-bromo-3-(*m*-bromophenyl)phenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-3', 6-dibromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[4-bromo-2-(2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 4', 5-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[4-bromo-3-(2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2', 4', 6-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[5-(*m*-bromophenyl)-2, 4-dibromophenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-3', 4, 6-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[2-(*o*-bromophenyl)-4, 6-dibromophenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 3, 5-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[4-(*p*-bromophenyl)-2, 6-dibromophenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3, 4', 5-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(3-phenyl-2, 4, 6-tribromophenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_2(\text{Br})_3\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2, 4, 6-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-[2-(*o*-2, 4, 5-tribromophenyl)phenoxy)-; $\text{Br}_3\text{C}_6\text{H}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2', 4', 5'-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-842-952-1011.
Ethanol, 2-(*o*-2, 4, 6-tribromophenyl)phenoxy)-; $\text{Br}_3\text{C}_6\text{H}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 4', 6'-tribromo diphenyl).
Fly spray, 112, 228P.
- 581-591-844-952-1011.
Ethanol, 2-[2, 4-dibromo-6-(2, 4-dibromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})_2\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2', 3, 4', 5'-tetra-bromo diphenyl).
Fly spray, 112, 228P.
- 581-591-844-952-1011.
Ethanol, 2-(3-(*o*-bromophenyl)-2, 4, 6-tribromophenoxy)-; $\text{BrC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Br})_3\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2, 2', 4, 6-tetra-bromo diphenyl).
Fly spray, 112, 228P.
- 581-591-845-952-1011.
Ethanol, 2-[2, 6-dibromo-4-(2, 4, 6-tribromophenyl)phenoxy)-; $\text{Br}_2\text{C}_6\text{H}_3\text{C}_6\text{H}_2(\text{Br})_3\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-2', 3, 4', 5, 6'-penta-bromodiphenyl).
Fly spray, 112, 228P.
- 581-591-851-951-961-999.
1-Pentanol, (2-chloro-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2(\text{Cl})\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-chloro-4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-999.
1-Pentanol, (4-chloro-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2(\text{Cl})\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1001.
1-Butanol, (4-chloro-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2(\text{Cl})\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1003.
1-Propanol, (2-chloro-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2(\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-chloro-4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1003.
1-Propanol, (2-chloro-6-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_2(\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-chloro-6-cyclohexyl phenol).
Fly spray, 112, 226P.

- C₆H₅(C)(C)₂H₃OH. (Hydroxy-propyl ether of 2-cyclohexyl-6-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1003.
1-Propanol, 2-(4-chloro-2-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₃H₇O.H. (Hydroxy-propyl ether of 2-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1003.
1-Propanol, 2-(4-chloro-3-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₃H₇O.H. (Hydroxy-propyl ether of 3-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1003-1011.
Ethanol, 2-(4-*tert*-butyl-6-chloro-2-cyclohexylphenoxy)-; C₆H₁₁-C₆H₃(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-cyclohexyl-4-*tert*-butyl-6-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-981-1011.
Ethanol, 2-(2-(*m*-chlorocyclohexyl)phenoxy)-; C₆H₁₁-C₆H₄OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-(3-chloro-cyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-851-951-981-1011.
Ethanol, 2-(2-(*o*-chlorocyclohexyl)phenoxy)-; C₆H₁₁-C₆H₄OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-(2-chlorocyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-(*p*-chlorocyclohexyl)phenoxy)-; C₆H₁₁-C₆H₄OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-(4-chlorocyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(3-(*p*-chlorocyclohexyl)phenoxy)-; C₆H₁₁-C₆H₄OC₂H₅O.H. (β-Hydroxy-ethyl ether of 3-(4-chlorocyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(4-(*o*-chlorocyclohexyl)phenoxy)-; C₆H₁₁-C₆H₄OC₂H₅O.H. (β-Hydroxy-ethyl ether of 4-(2-chlorocyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-851-951-981-1011.
Ethanol, 2-(2-chloro-4-cyclohexylphenoxy)-; C₆H₁₁-C₆H₃(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-5-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 3-cyclohexyl-6-chlorophenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(3-chloro-4-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-cyclohexyl-3-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(3-chloro-4-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 3-chloro-4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol 2-(4-chloro-2-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(4-chloro-3-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 3-cyclohexyl-4-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(5-chloro-2-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-cyclohexyl-5-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(6-chloro-2-cyclohexylphenoxy)-; C₆H₁₁-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-cyclohexyl-6-chloro phenol).
Fly spray, 112, 226P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-*tert*-butyl-4-chlorophenoxy)-; C₆H₅-C₆H₄(Cl)OC₂H₅O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-butyl-phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-heptylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₃H₇O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-heptyl phenol).
Fly spray, 112, 231P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-hexylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₃H₇O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-hexyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-octylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₄H₉O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-nonylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₅H₁₁O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-nonyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-decylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₆H₁₃O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-decyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-undecylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₇H₁₅O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-undecyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-dodecylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₈H₁₇O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-dodecyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-tridecylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₉H₁₉O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-tridecyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-tetradecylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₁₀H₂₁O.H. (β-Hydroxy-ethyl ether of 2-chloro-4-*tert*-tetradecyl phenol).
Fly spray, 112, 230P.
- 581-591-851-951-961-1011.
Ethanol, 2-(2-chloro-4-*tert*-pentadecylphenoxy)-; C₆H₅-C₆H₄(Cl)OC₁₁H₂₃O.H. (β-Hydroxy-ethyl ether

- $\text{C}_6\text{H}_5\text{C}(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1001-1011.
 Ethanol, 2-(2-*tert*-butyl-5-chlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-5-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1001-1011.
 Ethanol, 2-(2-*tert*-butyl-6-chlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-6-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1001-1011.
 Ethanol, 2-(3-*tert*-butyl-4-chlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-tertiary-butyl-4-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1001-1011.
 Ethanol, 2-(4-*tert*-butyl-2-chlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-chloro-4-tertiary-butyl phenol).
 Fly spray, 112, 230P, 231P.
 581-591-851-951-1001-1011.
 Ethanol, 2-(4-*tert*-butyl-3-chlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-chloro-4-tertiary-butyl phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1001-1011-1021.
 Ethanol, 2-(4-*tert*-butyl-2-chloro-6-methylphenoxy)-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-4-tertiary-butyl-6-chloro phenol).
 Fly spray, 112, 231P.
 581-591-851-951-1002.
 1-Butanol, 4-*tert*-butyl-2-chlorophenoxy-; $\text{C}_6\text{H}_5\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (Hydroxy-butyl ether of 2-chloro-4-tertiary-butyl phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1002-1011.
 Ethanol, 2-(2, 5-di-*tert*-butyl-4-chlorophenoxy)-; $(\text{C}_6\text{H}_5)_2\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 5-di-tertiary-butyl-4-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-951-1002-1011.
 Ethanol, 2-(2, 4-di-*tert*-butyl-0-chlorophenoxy)-; $(\text{C}_6\text{H}_5)_2\text{C}(\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 4-di-tertiary-butyl-0-chloro phenol).
 Fly spray, 112, 230P, 231P.
 581-591-851-951-1021.
 Guaisol, 3-chloro-7 $\text{CH}_3\text{OC}_6\text{H}_4(\text{Cl})\text{OH}$. (Guaisols, *m*-chloro-).
 T as mothproofing agent, 409P, 1175.
 581-591-851-952-993-1011-1021.
 Ethanol, 2-(2-benzyl-6-chloro-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})(\text{CH}_2\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-benzyl-4-tertiary-octyl-6-chloro phenol).
 Fly spray, 112, 230P.
 581-591-851-952-999-1011.
 Ethanol, 2-(4-chloro-2-isomethyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})(\text{CH}_2\text{H})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-isomethyl-5-chloro diphenyl).
 Fly spray, 112, 229P.
 581-591-851-952-1001-1011.
 Ethanol, 2-(2-*sec*-butyl-6-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{H})(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3-secondary-butyl-5-chloro diphenyl).
 Fly spray, 112, 229P.
 581-591-851-952-1001-1011.
 Ethanol, 2-(4-*tert*-butyl-2-chloro-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-chloro-5-tertiary-butyl diphenyl).
 Fly spray, 112, 228P, 229P.
 581-591-851-952-1003.
 1-Propanol, 2-(2-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-hydroxy-3-chloro diphenyl).
 Fly spray, 112, 229P.
 581-591-851-952-1003.
 1-Propanol, 2-(2-chloro-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3-chloro diphenyl).
 Fly spray, 112, 228P, 229P.
 581-591-851-952-1003-1021.
 1-Propanol, 2-(4-chloro-6-phenyl-*o*-toloxyl)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})(\text{C}_6\text{H}_4)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3-methyl-5-chloro diphenyl).
 Fly spray, 112, 229P.
 581-591-851-952-1004.
 1-Propanol, 2-(2-chloro-6-phenyl-4-*n*-propylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2\text{H}_5(\text{Cl})(\text{C}_6\text{H}_7)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3-chloro-5-normal-propyl diphenyl).
 Fly spray, 112, 229P.
 581-591-851-952-1011.
 Ethanol, 2-[2-(*m*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-[2-(*p*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-2-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-12-(*p*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4'-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-[3-(*o*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2'-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-13-(*p*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-4'-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-14-(*m*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3'-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-14-(*o*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-2'-chloro diphenyl).
 Fly spray, 112, 228P.
 581-591-851-952-1011.
 Ethanol, 2-(2-chloro-3-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_2$

- $\text{H}_3(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-5-chloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-851-952-1011.
 Ethanol, 2-(4-chloro-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-chloro diphenyl).
 Fly spray. 112, 228P, 229P.
- 581-591-851-952-1011.
 Ethanol, 2-(4-chloro-3-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-6-chloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-851-952-1011.
 Ethanol, 2-(5-chloro-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4-chloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-851-952-1011-1021.
 Ethanol, 2-(2-chloro-4-methyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl})(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-chloro-5-methyl diphenyl).
 Fly spray. 112, 229P.
- 581-591-851-953-1001-1021.
 1-Butanol, (2-benzyl-6-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl})(\text{CH}_2\text{C}_6\text{H}_5)\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 4-hydroxy-3-chloro-5-benzyl diphenyl).
 Fly spray. 112, 228P.
- 581-591-851-953-1003-1021.
 1-Propanol, (4-benzyl-3-(p-chlorophenyl)phenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{CH}_2\text{C}_6\text{H}_5)(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 3-hydroxy-4'-chloro-6-benzyl diphenyl).
 Fly spray. 112, 229P.
- 581-591-851-953-1011-1021.
 Ethanol, 2-(2-benzyl-6-chloro-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl})(\text{CH}_2\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3-chloro-5-benzyl diphenyl).
 Fly spray. 112, 229P.
- 581-591-851-954-1003-1021-1193-1325.
 Phosphonium hydride, (chlorothymoxy) triphenyl.
 T as mothproofing agent. 441P, 1179.
- 581-591-851-952-1011.
 Ethanol, 2-(2-chloro-4-cyclohexylcyclohexyloxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_9(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-cyclohexyl-6-chlorocyclohexanol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-999.
 1-Pentanol, (2, 6-dichloro-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2, 6-dichloro-4-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1001.
 1-Butanol, (4-cyclohexyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2, 6-dichloro-4-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1001.
 1-Butanol, (2-cyclohexyl-4, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-cyclohexyl-4, 6-dichloro phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1003.
 1-Propanol, (4-cyclohexyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2, 6-dichloro-4-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1003.
 1-Propanol, (2-cyclohexyl-4, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2, 4-dichloro-6-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1011.
 Ethanol, 2-(4-cyclohexyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dichloro-4-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1011.
 Ethanol, 2-(4-chloro-2-(4-chlorocyclohexyl)phenoxy)-; $\text{C}_6\text{H}_9\text{C}_6\text{H}_3(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-(4-chloro-cyclo-hexyl)-4-chloro phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1011.
 Ethanol, 2-(2-chloro-4-(2-chlorocyclohexyl)phenoxy)-; $\text{C}_6\text{H}_9\text{C}_6\text{H}_3(\text{Cl})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-(2-chloro-cyclohexyl)-6-chloro phenol).
 Fly spray. 112, 226P.
- Fly spray. 112, 231P, 233P.
- 581-591-852-951-961-1011.
 Ethanol, 2-(2-cyclohexyl-4, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 4-dichloro-6-cyclohexyl phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-961-1011.
 Ethanol, 2-(2-cyclohexyl-3, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-3, 6-dichloro phenol).
 Fly spray. 112, 226P.
- 581-591-852-951-993-1003.
 1-Propanol, 3-(2, 6-dichloro-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_8\text{H}_{17}\text{OH}$. (Hydroxy-propyl ether of 2, 6-dichloro-4-*tert*-octyl phenol).
 Fly spray. 112, 231P.
- 581-591-852-951-995-1011.
 Ethanol, 2-(2, 6-dichloro-4-*tert*-heptylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_7\text{H}_{15}\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dichloro-4-*tert*-heptyl phenol).
 Fly spray. 112, 231P.
- 581-591-852-951-997-1011.
 Ethanol, 2-(2, 6-dichloro-4-*tert*-hexylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_6\text{H}_{13}\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dichloro-4-*tert*-hexyl phenol).
 Fly spray. 112, 230P.
- 581-591-852-951-999-1003.
 1-Propanol, 3-(4-*tert*-amyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2, 6-dichloro-4-*tert*-amyl phenol).
 Fly spray. 112, 230P.
- 581-591-852-951-999-1011.
 Ethanol, 2-(4-*tert*-amyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dichloro-4-*tert*-amyl phenol).
 Fly spray. 112, 231P.
- 581-591-852-951-1001-1011.
 Ethanol, 2-(2-*tert*-butyl-4, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-*tert*-butyl-4, 6-dichloro phenol).
 Fly spray. 112, 230P.
- 581-591-852-951-1001-1011.
 Ethanol, 2-(4-*tert*-butyl-2, 6-dichlorophenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2, 6-dichloro-4-*tert*-butyl phenol).
 Fly spray. 112, 230P, 231P.
- 581-591-852-952-999.
 1-Pentanol, 5-(3, 5-dichloro-2-biphenyloxy)-; $\text{C}_{10}\text{H}_7\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-hydroxy-3, 5-dichloro diphenyl; pentanol, (2, 4-dichloro-6-phenylphenoxy)-).
 Fly spray. 112, 228P.
- 581-591-852-952-999.
 1-Pentanol, 5-(3, 5-dichloro-4-biphenyloxy)-; $\text{C}_{10}\text{H}_7\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_5\text{H}_{11}\text{OH}$. (Pentanol, (2, 6-dichloro-4-phenylphenoxy)-; hydroxy-pentyl ether of 4-hydroxy-3, 5-dichloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-852-952-1001.
 1-Butanol, 4-(3, 5-dichloro-2-biphenyloxy)-; $\text{C}_8\text{H}_9\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_4\text{H}_9\text{OH}$. (Butanol, (2, 4-dichloro-6-phenylphenoxy)-; hydroxy-butyl ether of 2-hydroxy-3, 5-dichloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-852-952-1003.
 1-Propanol, 3-(3, 5-dichloro-4-biphenyloxy)-; $\text{C}_8\text{H}_9\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_3\text{H}_7\text{OH}$. (Propanol, 2, 6-dichloro-4-phenylphenoxy)-; hydroxy-propyl ether of 4-hydroxy-3, 5-dichloro diphenyl).
 Fly spray. 112, 228P.
- 581-591-852-952-1003.
 1-Propanol, 3-(3, 5-dichloro-2-biphenyloxy)-; $\text{C}_8\text{H}_9\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_3\text{H}_7\text{OH}$. (Ethanol, 2-(2, 4-dichloro-6-phenylphenoxy)-; β -Hydroxy-ethyl ether of 2-hydroxy-3, 5-dichloro diphenyl).
 46% T houseflies. 112, 228P, 229P.
- 581-591-852-952-1011.
 Ethanol, 2-(3, 5-dichloro-4-biphenyloxy)-; $\text{C}_8\text{H}_9\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-(2, 4-dichloro-6-phenylphenoxy)-; β -Hydroxy-ethyl ether of 2-hydroxy-3, 5-dichloro diphenyl).
 46% T houseflies. 112, 228P, 229P.
- 581-591-852-952-1011.
 Ethanol, 2-(3, 5-dichloro-4-biphenyloxy)-; $\text{C}_8\text{H}_9\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-(2, 6-dichloro-4-

- [illegible]

- β -hydroxy-ethyl ether of 3-hydroxy-2', 4, 4', 6, 6'-pentachloro diphenyl).
Fly spray, 112, 226P.
- 581-591-855-952-1011.
Ethanol, 2-(2', 3, 4', 5, 6'-pentachloro-2-biphenyl-yloxy)-; $\text{Cl}_5\text{C}_6\text{H}_2\text{C}_6\text{H}_3(\text{Cl}_2)\text{OC}_2\text{H}_4\text{OH}$. (Ethanol, 2-[2, 4-dichloro-6-(2, 4, 6-trichlorophenyl)phenoxy]-; β -hydroxy-ethyl ether of 2-hydroxy-2', 3, 4', 6, 6'-pentachloro diphenyl).
Fly spray, 112, 226P.
- 581-591-871-952-1003.
1-Propanol, 3-(4'-iodo-4-biphenyloxy)-; $\text{IC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_3\text{H}_7\text{OC}_2\text{H}_4\text{OH}$. (Propanol, *p*-(*p*-iodophenyl)-phenoxy-; hydroxy-propyl ether of 4-hydroxy-4'-iodo diphenyl).
Fly spray, 110, 112, 226P.
- 581-591-924-1021.
Naphthol, 2-methoxy-; $\text{HOC}_6\text{H}_4\text{OCH}_3$.
NT *Bombyx mori* larvae, 561.
- 581-591-932-1011-1023.
Ether, glycol pinene-.
Used with pyrethrum and rotenone against houseflies, 1103.
- 581-591-951-961.
1-Butanol, *p*-phenylcyclohexoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_{10}\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 4-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-999.
1-Pentanol, *o*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-999.
1-Pentanol, *p*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-999.
1-Pentanol, *o*-phenylcyclohexoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-1001.
1-Butanol, *m*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 3-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1001.
1-Butanol, *o*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1001.
1-Butanol, *p*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-999-1003.
1-Propanol, 4-*tert*-amyl-2-cyclohexylphenoxy-; $\text{C}_8\text{H}_{17}\text{C}_6\text{H}_9(\text{C}_6\text{H}_{11})\text{OC}_2\text{H}_4\text{OH}$. (Hydroxy-propyl ether of 2-cyclohexyl-4-tertiary-amyl phenol).
Fly spray, 112, 233P.
- 581-591-951-961-1000-1011.
Ethanol, 2-(2-*sec*-amyl-4-*tert*-amyl-6-cyclohexylphenoxy)-; $\text{C}_8\text{H}_{17}\text{C}_6\text{H}_9(\text{C}_6\text{H}_{11})(\text{C}_6\text{H}_{11})\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-secondary-amyl-4-tertiary-amyl-6-cyclohexyl phenol).
Fly spray, 112, 233P.
- 581-591-951-961-1001.
1-Butanol, *o*-phenylcyclohexoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_{10}\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-1001-1011.
Ethanol, 2-(2-*tert*-butyl-4-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-cyclohexyl phenol).
Fly spray, 112, 233P.
- 581-591-951-961-1001-1011.
Ethanol, 2-(4-*tert*-butyl-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4-tertiary-butyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1003.
1-Propanol, *m*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 3-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1003.
1-Propanol, *o*-cyclohexylphenoxy-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1003-1021.
1-Propanol, 2-(*m*-methylcyclohexyl)phenoxy-; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_6\text{H}_9\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-(3-methyl-cyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1003-1021.
1-Propanol, 4-(1-methylcyclohexyl)phenoxy-; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_6\text{H}_9\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-(1-methyl-cyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1003-1021.
1-Propanol, 2-(*m*-methylcyclohexyl)phenoxy-; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_6\text{H}_9\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-methyl-4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*m*-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*o*-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*p*-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-cyclohexyl phenol).
19% T houseflies at 5%. 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*m*-phenylcyclohexoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*o*-phenylcyclohexoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-1011.
Ethanol, 2-(*p*-phenylcyclohexoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-phenyl cyclohexanol).
Fly spray, 112, 226P.
- 581-591-951-961-1011-1021.
Ethanol, 2-(4-cyclohexyl-*o*-toloxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl 4-cyclohexyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011-1021.
Ethanol, 2-(2-cyclohexyl-*p*-toloxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4-methyl phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011-1021.
Ethanol, 2-[*o*-(*m*-methylcyclohexyl)phenoxy]-; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-(3-methylcyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011-1021.
Ethanol, 2-[*p*-(*o*-methylcyclohexyl)phenoxy]-; $\text{CH}_3\text{C}_6\text{H}_4\text{C}_6\text{H}_9\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-(1-methylcyclohexyl) phenol).
Fly spray, 112, 226P.
- 581-591-951-961-1011-1021.
Ethanol, 2-(2-methyl-4-phenylcyclohexoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_9(\text{CH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-phenyl-6-methyl cyclohexanol).
Fly spray, 112, 226P.

- 581-591-951-962-1011.
Ethanol, 2-(4-(1-phenylcyclohexyl)cyclohexyloxy)-; $C_{26}H_{40}O_2$ (β -Hydroxy-ethyl ether of 4-(1-phenylcyclohexyl)cyclohexanol).
Fly spray, 112, 230P.
- 581-591-951-968-999-1011-1021.
Ethanol, 2-(2-*tert*-amyl-6-cyclopentyl-4-methylphenoxy)-; $C_{28}H_{44}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2-cyclopentyl-4-methyl-6-*tert*-amyl phenol)).
Fly spray, 112, 233P.
- 581-591-951-968-1001-1011.
Ethanol, 2-(2-*tert*-butyl-4-cyclopentylphenoxy)-; $C_{26}H_{40}O_2$ (β -Hydroxy-ethyl ether of 2-*tert*-butyl-4-cyclopentyl phenol).
Fly spray, 112, 233P.
- 581-591-951-993-999.
1-Pentanol, *p*-*tert*-octylphenoxy-; $C_{24}H_{40}O_2$ (β -Hydroxy-pentyl ether of 4-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-951-993-999-1011.
Ethanol, 2-(4-*tert*-amyl-2-octylphenoxy)-; $C_{28}H_{44}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2-octyl-4-*tert*-amyl phenol)).
Fly spray, 112, 233P.
- 581-591-951-993-1001.
1-Butanol, *p*-*tert*-octylphenoxy-; $C_{26}H_{40}O_2$ (β -Hydroxy-butyl ether of 4-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-951-993-1001-1011.
Ethanol, 2-(2-*tert*-butyl-4-*tert*-octylphenoxy)-; $C_{30}H_{48}O_2$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2-*tert*-butyl-4-*tert*-octyl phenol)).
Fly spray, 112, 230P.
- 581-591-951-993-1003.
1-Propanol, *p*-*tert*-octylphenoxy-; $C_{26}H_{40}O_2$ (β -Hydroxy-propyl ether of 4-*tert*-octyl phenol).
Fly spray, 112, 230P, 231P.
- 581-591-951-993-1003-1011.
Ethanol, 2-(4-*tert*-octyl-2-*n*-propylphenoxy)-; $C_{28}H_{44}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2-*n*-propyl-4-*tert*-octyl phenol)).
Fly spray, 112, 230P.
- 581-591-951-993-1003-1022.
1-Propanol, (2, 6-dimethyl-4-*tert*-octylphenoxy)-; $(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-propyl ether of 2, 6-dimethyl-4-*tert*-octyl phenol).
Fly spray, 112, 231P.
- 581-591-951-993-1004-1011.
Ethanol, 2-(2, 5-diisopropyl-4-*tert*-octylphenoxy)-; $(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2, 5-diisopropyl-4-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-951-993-1011.
Ethanol, 2-(*o*-*tert*-octylphenoxy)-; $C_{26}H_{40}O_2$ (β -Hydroxy-ethyl ether of 2-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-951-993-1011.
Ethanol, 2-(*p*-*tert*-octylphenoxy)-; $C_{26}H_{40}O_2$ (β -Hydroxy-ethyl ether of 4-*tert*-octyl phenol).
Fly spray, 112, 230P.
- 581-591-951-993-1011-1021.
19.7% T houseflies at 5%. 112, 230P, 231P.
- 581-591-951-993-1011-1021.
Ethanol, 2-(2-methyl-4-*tert*-octylphenoxy)-; $C_{28}H_{44}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-ethyl ether of 2-methyl-4-*tert*-octyl phenol)).
Fly spray, 112, 230P, 231P.
- 581-591-951-995-1003.
1-Propanol, *p*-*tert*-heptylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-propyl ether of 4-*tert*-heptyl phenol).
Fly spray, 112, 231P.
- 581-591-951-995-1011.
Ethanol, 2-(*p*-heptylphenoxy)-; $C_{25}H_{40}O_2$ (β -Hydroxy-ethyl ether of 4-heptyl phenol).
Fly spray, 112, 234P.
- 581-591-951-998-1011.
Ethanol, 2-(*p*-*tert*-heptylphenoxy)-; $C_{25}H_{40}O_2$ (β -Hydroxy-ethyl ether of 4-*tert*-heptyl phenol).
Fly spray, 112, 230P.
- 581-591-951-997-1003.
1-Propanol, *p*-*tert*-hexylphenoxy-; $C_{24}H_{40}O_2$ (β -Hydroxy-propyl ether of 4-*tert*-hexyl phenol).
Fly spray, 112, 230P, 231P.
- 581-591-951-997-1011.
Ethanol, 2-(4-*n*-hexylphenoxy)-; $C_{26}H_{42}O_2$ (β -Hydroxy-ethyl ether of 4-*n*-hexyl phenol).
Fly spray, 112, 234P.
- 581-591-951-997-1011.
Ethanol, 2-(*p*-*sec*-hexylphenoxy)-; $C_{26}H_{42}O_2$ (β -Hydroxy-ethyl ether of 4-*secondary*-hexyl phenol).
Fly spray, 112, 234P.
- 581-591-951-997-1011.
Ethanol, 2-(*m*-*tert*-hexylphenoxy)-; $C_{26}H_{42}O_2$ (β -Hydroxy-ethyl ether of 3-*tert*-hexyl phenol).
Fly spray, 112, 230P.
- 581-591-951-997-1011.
Ethanol, 2-(*o*-*tert*-hexylphenoxy)-; $C_{26}H_{42}O_2$ (β -Hydroxy-ethyl ether of 2-*tert*-hexyl phenol).
Fly spray, 112, 230P.
- 581-591-951-997-1011.
Ethanol, 2-(*p*-*tert*-hexylphenoxy)-; $C_{26}H_{42}O_2$ (β -Hydroxy-ethyl ether of 4-*tert*-hexyl phenol).
Fly spray, 112, 230P, 231P, 234P.
- 581-591-951-998-1001.
1-Butanol, *p*-*tert*-amylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-butyl ether of 4-*tert*-amyl phenol).
Fly spray, 112, 230P, 232P.
- 581-591-951-999-1001.
1-Pentanol, *p*-*tert*-butylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-pentyl ether of 4-*tert*-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-999-1001-1011.
Ethanol, 2-(2-*tert*-amyl-4-*tert*-butylphenoxy)-; $C_{28}H_{44}O$ (β -Hydroxy-ethyl ether of 2-*tert*-amyl-4-*tert*-butyl phenol).
Fly spray, 112, 233P.
- 581-591-951-999-1002.
1-Pentanol, 2, 4-di-*tert*-butylphenoxy-; $(C_4H_9)_2OC_6H_4OH$ (β -Hydroxy-pentyl ether of 2, 4-di-*tert*-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-999-1003.
1-Propanol, *m*-*tert*-amylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-propyl ether of 3-*tert*-amyl phenol).
Fly spray, 112, 230P, 232P.
- 581-591-951-999-1003.
1-Propanol, *o*-*tert*-amylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-propyl ether of 2-*tert*-amyl phenol).
Fly spray, 112, 230P, 232P.
- 581-591-951-999-1003.
1-Propanol, *p*-*tert*-amylphenoxy-; $C_{25}H_{40}O_2$ (β -Hydroxy-propyl ether of 4-*tert*-amyl phenol).
Fly spray, 112, 230P, 231P, 232P.
- 581-591-951-999-1003-1011.
1-Propanol, (2-*tert*-amyl-6-ethylphenoxy)-; $C_{27}H_{44}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-propyl ether of 2-*tert*-amyl-6-ethyl phenol)).
Fly spray, 112, 233P.
- 581-591-951-999-1003-1012.
1-Propanol, 4-*tert*-amyl-2, 6-diethylphenoxy-; $C_{29}H_{46}O$ ($(CH_3)_2C(C_2H_5)OC_6H_4OH$ (β -Hydroxy-propyl ether of 2, 6-diethyl-4-*tert*-amyl phenol)).
Fly spray, 112, 230P.
- 581-591-951-999-1003-1021.
1-Propanol, 4-*tert*-amyl-*o*-toloxy-; $C_{27}H_{44}O$ (β -Hydroxy-propyl ether of 2-methyl-4-*tert*-amyl phenol).
Fly spray, 112, 233P.
- 581-591-951-999-1003-1021.
1-Propanol, 5-*tert*-amyl-*o*-toloxy-; $C_{27}H_{44}O$ (β -Hydroxy-propyl ether of 2-methyl-5-*tert*-amyl phenol).
Fly spray, 112, 230P.
- 581-591-951-999-1003-1022.
1-Propanol, (2-*tert*-amyl-4, 6-dimethylphenoxy)-;

- $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{CH}_3)_2\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 2, 4-dimethyl-6-tertiary-amyl phenol).
Fly spray. 112, 233P.
- 581-591-951-999-1004.
1-Propanol, 4-*tert*-amyl-2-*n*-propylphenoxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{C}_6\text{H}_5)\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 2-*n*-propyl-4-tertiary-amyl phenol).
Fly spray. 112, 231P.
- 581-591-951-999-1011.
Ethanol, 2-(*m*-*tert*-amylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-tertiary-amyl phenol).
Fly spray. 112, 230P, 232P.
- 581-591-951-999-1011.
Ethanol, 2-(*o*-*tert*-amylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-amyl phenol).
Fly spray. 112, 230P, 232P.
- 581-591-951-999-1011.
Ethanol, 2-(*p*-*n*-amylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-*n*-amyl phenol).
Fly spray. 112, 234P.
- 581-591-951-999-1011.
Ethanol, 2-(*p*-*tert*-amylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-tertiary-amyl phenol).
45% T houseflies at 3%. 112, 230P, 231P, 232P, 234P.
- 581-591-951-999-1011-1021.
Ethanol, 2-(2-*tert*-amyl-3-methylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-amyl-3-methyl phenol).
Fly spray. 112, 230P.
- 581-591-951-999-1011-1021.
Ethanol, 2-(2-*tert*-amyl-4-methylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-amyl-4-methyl phenol).
Fly spray. 112, 230P.
- 581-591-951-999-1011-1021.
Ethanol, 2-(5-*tert*-amyl-2-methylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-5-tertiary-amyl phenol).
Fly spray. 112, 230P.
- 581-591-951-999-1012.
Ethanol, 2-(4-*tert*-amyl-2-ethylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{C}_6\text{H}_5)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-ethyl-4-tertiary-amyl phenol).
Fly spray. 112, 234P.
- 581-591-951-999-1013.
Ethanol, 2-(2-*tert*-amyl-4, 6-diethylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{C}_6\text{H}_5)_2\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2, 4-diethyl-6-tertiary-amyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1000.
1-Pentanol, *p*-*tert*-amylphenoxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-pentyl ether of 4-tertiary-amyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1000-1003-1021.
1-Propanol, (2, 4-di-*tert*-amyl-6-methylphenoxy)-; $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_3(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 2, 4-di-tertiary-amyl-6-methyl phenol).
Fly spray. 112, 231P.
- 581-591-951-1000-1011.
Ethanol, 2-(2, 4-di-*tert*-amylphenoxy)-; $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2, 4-di-tertiary-amyl phenol).
Fly spray. 112, 230P, 231P, 233P.
- 581-591-951-1000-1011.
Ethanol, 2-(2, 4-di-*sec*-amyl-6-phenylphenoxy)-; $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3, 5-di-*n*-amyl diphenyl).
Fly spray. 112, 229P.
- 581-591-951-1000-1011.
Ethanol, 2-(2, 6-di-*n*-amyl-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{C}_6\text{H}_{11})_2\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3, 5-di-*n*-amyl diphenyl).
Fly spray. 112, 228P.
- 581-591-951-1001-1003.
1-Propanol, *p*-*sec*-butylphenoxy-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 4-secondary-butyl phenol).
Fly spray. 112, 234P.
- 581-591-951-1001-1003.
1-Propanol, *m*-*tert*-butylphenoxy-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 3-tertiary-butyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1003.
1-Propanol, *o*-*tert*-butylphenoxy-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 2-tertiary-butyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1003-1011.
1-Propanol, *p*-*tert*-butylphenoxy-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 4-tertiary-butyl phenol).
30% T houseflies at 3%. 112, 230P, 231P, 232P, 234P.
- 581-591-951-1001-1003-1011.
Ethanol, 2-(2-*tert*-butyl-4-*n*-propylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{C}_6\text{H}_7)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-*n*-propyl phenol).
Fly spray. 112, 229P.
- 581-591-951-1001-1003-1021.
1-Propanol, (4-*tert*-butyl-*o*-toloxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 2-methyl-4-tertiary-butyl phenol).
Fly spray. 112, 230P, 233P.
- 581-591-951-1001-1011.
Ethanol, 2-(*p*-butylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-butyl phenol).
Fly spray. 112, 234P.
- 581-591-951-1001-1011.
Ethanol, 2-(4-isobutylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-isobutyl phenol).
Fly spray. 112, 234P.
- 581-591-951-1001-1011.
Ethanol, 2-(*p*-*sec*-butylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-secondary-butyl phenol).
50% T houseflies at 3%. 112, 234P.
- 581-591-951-1001-1011.
Ethanol, 2-(*m*-*tert*-butylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-tertiary-butyl phenol).
Fly spray. 112, 230P, 232P.
- 581-591-951-1001-1011.
Ethanol, 2-(*o*-*tert*-butylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1011.
Ethanol, 2-(*p*-*tert*-butylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (4-Tertiary-butyl phenoxy ethanol).
T as mothproofing agent. 968P.
- 581-591-951-1001-1011-1021.
Ethanol, 2-(2-*tert*-butyl-4-methylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-methyl phenol).
Fly spray. 112, 230P, 233P.
- 581-591-951-1001-1011-1021.
Ethanol, 2-(2-*tert*-butyl-5-methylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-5-methyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1011-1021.
Ethanol, 2-(2-*tert*-butyl-6-methylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{CH}_3)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-6-methyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1011-1022.
Ethanol, 2-(4-*tert*-butyl-2, 6-dimethylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{CH}_3)_2\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2,6-dimethyl-4-tertiary-butyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1011-1022.
Ethanol, 2-(2-*tert*-butyl-4, 6-dimethylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{CH}_3)_2\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2,4-dimethyl-6-tertiary-butyl phenol).
Fly spray. 112, 230P.
- 581-591-951-1001-1012.
1-Butanol, 2,4-diethylphenoxy-; $(\text{C}_2\text{H}_5)_2\text{C}_6\text{H}_4\text{OC}_6\text{H}_5\text{OH}$. (Hydroxy-butyl ether of 2,4-diethyl phenol).
Fly spray. 112, 234P.
- 581-591-951-1001-1012.
Ethanol, 2-(2-*tert*-butyl-4-ethylphenoxy)-; $\text{C}_4\text{H}_9\text{C}_6\text{H}_4(\text{C}_2\text{H}_5)\text{OC}_6\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-4-ethyl phenol).
Fly spray. 112, 230P.

- 581-591-951-1001-1013.
Ethanol, 2-(4-*tert*-butyl-2,6-diethylphenoxy)-; $C_4H_9C_6H_3(C_2H_5)_2OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2,6-diethyl-4-tertiary-butyl phenol).
Fly spray, 112, 233P.
- 581-591-951-1002.
1-Butanol, *p*-*sec*-butylphenoxy; $C_4H_9C_6H_4OC_2H_4OH$. (Hydroxy-butyl ether of 4-*sec*-butyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1002.
1-Butanol, *o*-*tert*-butylphenoxy-; $C_4H_9C_6H_4OC_2H_4OH$. (Hydroxy-butyl ether of 2-tertiary-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-1002.
1-Butanol, *p*-*tert*-butylphenoxy-; $C_4H_9C_6H_4OC_2H_4OH$. (Hydroxy-butyl ether of 4-tertiary-butyl phenol).
Fly spray, 112, 230P, 232P.
- 581-591-951-1002-1003.
1-Propanol, (2,6-di-*tert*-butylphenoxy)-; $(C_4H_9)_2C_6H_3OC_3H_7OH$. (Hydroxy-propyl ether of 2,6-di-tertiary-butyl phenol).
Fly spray, 112, 233P.
- 581-591-951-1002-1003-1021.
1-Propanol, (4,6-di-*tert*-butyl-*o*-toloxy)-; $(C_4H_9)_2C_6H_3(CH_3)OC_3H_7OH$. (Hydroxy-propyl ether of 2,4-di-tertiary-butyl-6-methyl phenol; hydroxy-propyl ether of 2-methyl-4,6-tertiary-butyl phenol).
Fly spray, 112, 231P, 233P.
- 581-591-951-1002-1011.
Ethanol, 2-(2,4-di-*tert*-butylphenoxy)-; $C_4H_9C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2,4-di-tertiary-butyl phenol).
Fly spray, 112, 230P, 233P.
- 581-591-951-1002-1011.
Ethanol, 2-(2,5-di-*tert*-butylphenoxy)-; $(C_4H_9)_2C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2,5-di-tertiary-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-1002-1011.
Ethanol, 2-(2-*tert*-butyl-6-isobutylphenoxy)-; $(C_4H_9)_2C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2-tertiary-butyl-6-isobutyl phenol).
Fly spray, 112, 233P.
- 581-591-951-1002-1011.
Ethanol, 2-(2-*sec*-butyl-4-*tert*-butylphenoxy)-; $(C_4H_9)_2C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2-secondary-butyl-4-tertiary-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-1002-1011-1021.
Ethanol, 2-(2,4-di-*tert*-butyl-6-methylphenoxy)-; $(C_4H_9)_2C_6H_3(CH_3)OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2-methyl-4,6-di-tertiary-butyl phenol).
Fly spray, 112, 231P, 233P.
- 581-591-951-1002-1021.
1-Butanol, 5-*tert*-butyl-2-methylphenoxy-; $C_4H_9C_6H_3(CH_3)OC_4H_9OH$. (Hydroxy-butyl ether of 2-methyl-5-tertiary-butyl phenol).
Fly spray, 112, 230P.
- 581-591-951-1003-1011-1021.
Ethanol, 2-(4-*tert*-butyl-2-methylphenoxy)-; $C_4H_9C_6H_3(CH_3)OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2-methyl-4-tertiary-butyl phenol).
42% T houseflies at 3%. 112, 230P, 231P, 233P, 234P.
- 581-591-951-1003-1012.
Ethanol, 2-(2-ethyl-4-isopropylphenoxy)-; $C_4H_9C_6H_3(C_2H_5)OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2-ethyl-4-isopropyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1003-1012.
1-Propanol, (2,4-diethylphenoxy)-; $(C_2H_5)_2C_6H_4OC_3H_7OH$. (Hydroxy-propyl ether of 2,4-diethyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1003-1021-1030.
Eugenol; $HOC_6H_3(OCH_3)CH_2CH=CH_2$.
T *Leptinotarsa decemlineata*; NT oriental peach moth as attractant. 508, 1009.
- 581-591-951-1003-1021-1030.
Cinnacol, propenyl-, CU ; $HOC_6H_4(OCH_3)CH=CH_2$.
NT *Bombyx mori* larvae. 559.
- 581-591-951-1004-1011.
Ethanol, 2-(2,4-diisopropylphenoxy)-; $(C_3H_7)_2C_6H_3$
- $H_2OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2,4-diisopropyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1004-1011.
Ethanol, 2-(diisopropylphenoxy)-; CU ; $(C_3H_7)_2C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of diisopropyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1004-1021.
1-Propanol, 4-isopropyl-*o*-toloxy; $C_6H_7C_6H_3(CH_3)OC_3H_7OH$. (Hydroxy-propyl ether of 2-methyl-4-isopropyl phenol).
Fly spray, 112, 234P.
- 581-591-951-1011.
Phenol, *m*-ethoxy-; $C_6H_5OC_2H_4OH$. (Phenetol, 2-hydroxy-; resorcinol monoethyl ether).
T as mothproofing agent; NT screwworms. 156, 370P, 1175.
- 581-591-951-1011.
Ethanol, 2-phenoxy-; $C_6H_5OC_2H_4OH$. (Ethylene glycol monophenyl ether). 591P.
- 581-591-951-1013.
Ethanol, 2-(2,4-diethylphenoxy)-; $(C_2H_5)_2C_6H_3OC_2H_4OH$. (β -Hydroxy-ethyl ether of 2,4-diethyl phenol).
60% T houseflies at 3%. 112, 234P.
- 581-591-951-1021.
Guaiacol; $CH_3OC_6H_4OH$. (*o*-Methoxyphenol; pyrocatechol monomethyl ether; *o*-hydroxyanisole).
100% T *Aphis rumicis* at 5.0%; T clothes moths. 94P, 404P, 405P, 1175, 1362P, 1376.
- 581-591-951-1021.
Phenol, *p*-methoxy-; $CH_3OC_6H_4OH$. (Hydroquinone monomethyl ether).
T screwworms at 0.33-0.67%. 156.
- 581-591-951-1022.
Anisyl alcohol; $CH_3OC_6H_4CH_2OH$. (*p*-Methoxybenzyl alcohol; anisolethol).
T screwworms at 0.17-0.33%; NT wireworms, 156, 846.
- 581-591-951-1027.
Ethers, 4-*tert*-alkylphenyl hydroxyalkyl-; $XC_6H_4(Y)OCH_2CH_2OH$. (Hydroxy-alkyl ethers of 4-tertiary-alkyl phenols). R is hydrogen, the other R is hydrogen or a methyl radical, X is a tertiary alkyl group containing not more than 5 carbons, one Y is halogen, and the other Y is halogen or hydrogen.
Fly spray, 112, 231P.
- 581-591-951-1027.
Ethers, *tert*-alkylphenyl hydroxyalkyl-; $XC_6H_4(X)OCH_2CH_2OH$. (Hydroxyalkyl ethers). R is hydrogen, the other R is either a methyl radical or hydrogen, one X is a tertiary-alkyl radical containing not more than 5 carbons, another X is either an alkyl or a cyclo-alkyl radical, and the third X is hydrogen or an alkyl or cyclo-alkyl radical.
Fly spray, 112, 233P.
- 581-591-951-1027.
Ethers, *tert*-alkylphenyl hydroxyalkyl-; $(CH_3)_2C_6H_3(X)OCH_2CH_2OH$. (Hydroxy alkyl ether of tertiary alkyl phenols). R is an alkylene group containing 2 to 4 carbon atoms, and n is an integer not greater than 2.
Fly spray, 112, 232P.
- 581-591-951-1027.
Ethers, alkylphenyl hydroxyalkyl-; $XC_6H_4(Y)OROH$. (Hydroxy-alkyl ethers of alkyl phenols). R is an alkyl residue containing not more than 4 carbon atoms, X is an alkyl group, and Y is an alkyl group or hydrogen, the sum of the carbon atoms in the alkyl substituents on the ring being from 4 to 7.
Fly spray, 112, 227P, 234P.
- 581-591-951-1027.
Alcohols, substituted phenoxy-. Hydroxyalkyl ethers of a tertiary alkyl phenol in which the tertiary alkyl group contains from 4 to 6 carbon atoms, the benzene ring contains at least one additional substituent which is non-reactive with acids and alkalis in the esterification reaction, and the alkyl residue of the hydroxyalkyl radical contains at least 2 carbon atoms.
Fly spray, 112, 230P.
- 581-591-952-961-1003.
1-Propanol, 4-(1-phenylcyclohexyl) phenoxy-; C_6

- $\text{H}_3\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (Hydroxy-propyl ether of 4-(1-phenyl-cyclohexyl) phenol).
Fly spray. 112, 226P.
- 581-591-952-961-1011-1021.
Ethanol, 2-(4-benzyl-2-cyclohexylphenoxy)-; $\text{C}_6\text{H}_5\text{-CH}_2\text{C}_6\text{H}_4(\text{C}_6\text{H}_{11})\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4-benzyl phenol).
Fly spray. 112, 226P.
- 581-591-952-993-1003.
1-Propanol, (4-*tert*-octyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_4(\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-5-*tert*-octyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-993-1003-1021.
1-Propanol, (6-*tert*-octyl-4-phenyl-o-toloxyl)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)(\text{CH}_3)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-hydroxy-3-methyl-5-*tert*-octyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-993-1011.
Ethanol, 2-(2-*tert*-octyl-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)(\text{CH}_3)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-5-*tert*-octyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-993-1011.
Ethanol, 2-(4-*tert*-octyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*tert*-octyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-995-1011.
Ethanol, 2-(4-*sec*-heptyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)(\text{CH}_3)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*sec*-heptyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-995-1011.
Ethanol, 2-[p-(*p*-*tert*-heptylphenyl)phenoxy]-; $\text{C}_7\text{H}_{15}\text{C}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-4'-*tert*-heptyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-995-1011-1021.
Ethanol, 2-(2-benzyl-5-*tert*-heptylphenoxy)-; $\text{C}_7\text{H}_{15}\text{C}_6\text{H}_3(\text{CH}_3\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-*tert*-heptyl-6-benzyl phenol).
Fly spray. 112, 230P.
- 581-591-952-997-1003.
1-Propanol, (4-*isohexyl*-2-phenylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-5-*isohexyl* diphenyl).
Fly spray. 112, 228P.
- 581-591-952-997-1011.
Ethanol, 2-(4-*isohexyl*-2-phenylphenoxy)-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*isohexyl* diphenyl).
Fly spray. 112, 229P.
- 581-591-952-997-1011.
Ethanol, 2-[m-(*p*-*isohexylphenyl*)phenoxy]-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-*isohexyl*-4'-*isohexyl* diphenyl).
Fly spray. 112, 228P.
- 581-591-952-997-1011-1021.
Ethanol, 2-(2-benzyl-4-*tert*-hexylphenoxy)-; $\text{C}_6\text{H}_{13}\text{-C}_6\text{H}_3(\text{CH}_3\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-benzyl-4-*tert*-hexyl phenol).
Fly spray. 112, 230P.
- 581-591-952-999-1011.
Ethanol, 2-(4-*tert*-amyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*tert*-amyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-999-1011.
Ethanol, 2-[o(p-*isomylphenyl*)phenoxy]-; $\text{C}_6\text{H}_{11}\text{-C}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4'-*isomyl* diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1000-1011.
Ethanol, 2-(2,6-di-*tert*-amyl-4-phenylphenoxy)-; $(\text{C}_6\text{H}_{11})_2\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3,5-di-*tert*-amyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1003.
1-Propanol, (2-*tert*-butyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)(\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3-*tert*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1003.
1-Butanol, (4-*isopropyl*-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-hydroxy-5-*isopropyl* diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1001-1003.
1-Propanol, (4-*n*-butyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-5-*normal*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1003.
1-Propanol, (4-*tert*-butyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-5-*tertiary*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1003-1021.
1-Propanol, 4-benzyl-2-*tert*-butylphenoxy-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{CH}_3\text{C}_6\text{H}_5)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-*tert*-butyl-4-benzyl phenol).
Fly spray. 112, 230P.
- 581-591-952-1001-1003-1021.
1-Propanol, (2-*tert*-butyl-4-methyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)(\text{CH}_3)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-hydroxy-3-*tert*-butyl-5-methyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011.
Ethanol, 2-(2-*butyl*-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*tert*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011.
Ethanol, 2-(2-*sec*-butyl-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{CH}_3)(\text{CH}_3)\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3-*secondary*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011.
Ethanol, 2-(4-*sec*-butyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{CH}_3)(\text{CH}_3)\text{C}_6\text{H}_4\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*secondary*-butyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1001-1011.
Ethanol, 2-(2-*tert*-butyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-*tert*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011.
Ethanol, 2-(4-*tert*-butyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{-C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-*tertiary*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011-1021.
Ethanol, 2-(2-*tert*-amyl-4-benzylphenoxy)-; $\text{C}_6\text{H}_5\text{-CH}_2\text{C}_6\text{H}_3(\text{C}_6\text{H}_{11})\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-*tert*-amyl-4-benzyl phenol).
Fly spray. 112, 230P.
- 581-591-952-1001-1011-1021.
Ethanol, 2-(4-*tert*-butyl-6-phenyl-o-toloxyl)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{CH}_3)(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-methyl-5-*tertiary*-butyl diphenyl).
Fly spray. 112, 229P.
- 581-591-952-1001-1011-1022.
Ethanol, 2-(2-benzyl-4-*tert*-butyl-6-methylphenoxy)-; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_3(\text{CH}_3)(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-methyl-4-*tert*-butyl-6-benzyl phenol).
Fly spray. 112, 230P.
- 581-591-952-1001-1012.
Ethanol, 2-(2-*tert*-butyl-4-phenylethylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3\text{C}_6\text{H}_4(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-*tert*-butyl-4-phenylethyl phenol).
Fly spray. 112, 230P.
- 581-591-952-1001-1012.
Ethanol, 2-[5-*sec*-butyl-2-*m*-(ethylphenyl)phenoxy]-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4-*secondary*-butyl-5-ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1002-1003-1011.
Ethanol, 2-[2-*n*-butyl-5-(2,4-diisopropylphenyl)phenoxy]-; $(\text{C}_6\text{H}_5)_2\text{C}_6\text{H}_3\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_5\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-4-*n*-butyl-4',-6'-diisopropyl diphenyl).
Fly spray. 112, 228P.

581-591-952-1002-1004-1011.

Ethanol, 2-(2,6-di-*tert*-butyl-4-(2,4-diaopropylphenoxy))-phenoxy]; (C₆H₇)₂C₆H₃C₆H₃(C₆H₅)₂OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-3, 5-di-*tert*-butyl-4',6'-diisopropyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1002-1011.

Ethanol, 2-(2,4-di-*tert*-butyl-6-phenylphenoxy)-; (C₆H₅)₂C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-3,5-di-*tert*-butyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1002-1011.

Ethanol, 2-(2,4-di-*sec*-butyl-5-phenylphenoxy)-; (C₆H₅)₂C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-4,6-di-*secondary*-butyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1002-1011-1021.

Ethanol, 2-(4-benzyl-2,5-di-*tert*-butylphenoxy)-; C₆H₅CH₂C₆H₃(C₆H₅)₂OC₂H₄OH. (β-Hydroxy-ethyl ether of 2,5-di-*tert*-butyl-4-benzyl phenol).

Fly spray, 112, 228P.

581-591-952-1003-1011.

Ethanol, 2-(4-isopropyl-2-phenylphenoxy)-; C₆H₅-C₆H₄(C₆H₇)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-5-isopropyl diphenyl).

20% T houseflies at 5%, 112, 228P.

581-591-952-1003-1011.

Ethanol, 2-(4-phenyl-2-*n*-propylphenoxy)-; C₆H₅-C₆H₄(C₆H₇)OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-5-*n*-propyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1003-1021.

1-Propanol, (2-phenyl-*p*-toloxy)-; C₆H₅C₆H₄(CH₃)OC₂H₄OH. (Hydroxy-propyl ether of 2-hydroxy-5-methyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1003-1021.

1-Propanol, (4-phenyl-*o*-toloxy)-; C₆H₅C₆H₃(CH₃)OC₂H₄OH. (Hydroxy-propyl ether of 4-hydroxy-3-methyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1004.

1-Propanol, (2,4-diisopropyl-6-phenylphenoxy)-; C₆H₅C₆H₃(C₆H₇)₂OC₂H₄OH. (Hydroxy-propyl ether of 2-hydroxy-3,5-diisopropyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1004.

1-Propanol, (4-isopropyl-2-phenylphenoxy)-; C₆H₅-C₆H₄(C₆H₇)OC₂H₄OH. (Hydroxy-propyl ether of 2-hydroxy-5-isopropyl diphenyl).

25% T houseflies at 5%, 112, 228P.

581-591-952-1004.

1-Propanol, (4-phenyl-2-*n*-propylphenoxy)-; C₆H₅-C₆H₄(C₆H₇)OC₂H₄OH. (Hydroxy-propyl ether of 4-hydroxy-3-*n*-propyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1004-1011.

Ethanol, 2-(3,6-diisopropyl-2-phenylphenoxy)-; C₆H₅C₆H₃(CH₃)₂OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-3,6-diisopropyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1004-1011.

Ethanol, 2-[*p*-(2,4-dipropylphenyl)phenoxy]; (C₆H₇)₂C₆H₃C₆H₄OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-2',4'-di-*n*-propyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1011-1021.

Ethanol, 2-(2-phenyl-*p*-toloxy)-; C₆H₅C₆H₄(CH₃)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-5-methyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1011-1021.

Ethanol, 2-(4-phenyl-*o*-toloxy)-; C₆H₅C₆H₃(CH₃)OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-3-methyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1011-1021.

Ethanol, 2-(6-phenyl-*o*-toloxy)-; C₆H₅C₆H₃(CH₃)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-3-methyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1011-1022.

Ethanol, 2-(2,4-dimethyl-6-phenylphenoxy)-; C₆H₅-C₆H₃(CH₃)₂OC₂H₄OH. (β-Hydroxy-ethyl ether of

2-hydroxy-3,5-dimethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1011-1022.

Ethanol, 2-(2,6-dimethyl-4-phenylphenoxy)-; C₆H₅-C₆H₃(CH₃)₂OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-3,5-dimethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(2-ethyl-3-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-3-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(2-ethyl-4-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-3-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(2-ethyl-5-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-4-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(2-ethyl-6-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-3-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(3-ethyl-2-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-6-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(3-ethyl-4-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-2-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(3-ethyl-5-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-5-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(4-ethyl-2-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-5-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(4-ethyl-3-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-6-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(5-ethyl-2-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-4-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-(5-ethyl-4-phenylphenoxy)-; C₆H₅C₆H₄(C₂H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 4-hydroxy-2-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*m*-(*m*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-3'-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*m*-(*o*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-2'-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*m*-(*p*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-4'-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*o*-(*m*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-3'-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*o*-(*o*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 2-hydroxy-2'-ethyl diphenyl).

Fly spray, 112, 228P.

581-591-952-1012.

Ethanol, 2-[*o*-(*p*-ethylphenyl)phenoxy]-; C₆H₅C₆H₃(C₆H₅)OC₂H₄OH. (β-Hydroxy-ethyl ether of 3-hydroxy-4'-ethyl diphenyl).

Fly spray, 112, 228P.

- $\text{H}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4'-ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1012.
Ethanol, 2-[p-(*m*-ethylphenyl)phenoxy]-; $\text{C}_8\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3'-ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1012.
Ethanol, 2-[p-(*o*-ethylphenyl)phenoxy]-; $\text{C}_8\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-2'-ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1012.
Ethanol, 2-[p-(*p*-ethylphenyl)phenoxy]-; $\text{C}_8\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-4'-ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1013.
Ethanol, 2-[2-ethyl-4-(*p*-ethylphenyl)phenoxy]-; $\text{C}_8\text{H}_5\text{C}_6\text{H}_3\text{C}_2\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-4',5-diethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1014.
Ethanol, 2-[p-(2,4,6-triethylphenyl)phenoxy]-; $(\text{C}_6\text{H}_5)_3\text{C}_6\text{H}_2\text{C}_2\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-2',4',6'-triethyl-diphenyl).
Fly spray. 112, 228P.
- 581-591-952-1021.
Phenol, 4-benzyloxy-; $\text{HOC}_6\text{H}_4\text{OCH}_2\text{C}_6\text{H}_5$. (Hydroquinone monobenzyl ether).
NT *Bombyx mori* larvae. 559.
- 581-591-952-1022.
Cresol, *o*-benzyloxy-, CU; $\text{C}_6\text{H}_3\text{CH}_3\text{OCH}_2\text{C}_6\text{H}_5\text{OH}$? (Dibenzyl ethers, hydroxy-).
T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 581-591-953-1001-1011-1021.
Ethanol, 2-(4-benzyl-2-*tert*-butyl-6-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)_2[\text{C}(\text{CH}_3)_3]\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-*tert*-butyl-5-benzyl diphenyl).
Fly spray. 112, 228P.
- 581-591-953-1011-1021.
Ethanol, 2-(4-benzyl-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_3(\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-5-benzyl diphenyl).
Fly spray. 112, 228P.
- 581-591-953-1011-1021.
Ethanol, 2-[*m*-(*p*-benzylphenyl)phenoxy]-; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-4'-benzyl diphenyl).
Fly spray. 112, 228P.
- 581-591-953-1012.
Ethanol, 2-(4-phenyl-2-phenylethylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{C}_6\text{H}_5\text{C}_6\text{H}_5)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-3-phenyl ethyl diphenyl).
Fly spray. 112, 228P.
- 581-591-954-1003-1021-1193-1325.
Phosphonium hydroxide, thymoxyltriphenyl-; $\text{HC}(\text{C}(\text{CH}_3)_2\text{CH}_2\text{CH}(\text{C}(\text{CH}_3)_2)_2\text{COP}(\text{C}_6\text{H}_5)_3\text{OH}$?
T as mothproofing agent. 441P, 1179.
- 581-591-954-1193-1325.
Phosphonium hydroxide, *m*-hydroxyphenoxytriphenyl-; $\text{HOC}_6\text{H}_4\text{OP}(\text{C}_6\text{H}_5)_3\text{OH}$.
T as mothproofing agent. 441P, 1179.
- 581-591-957-1003-1022.
Ether, methyl terphenyl-; $\text{C}_{10}\text{H}_{11}\text{OCH}_3$. (Methyl ether of terpineol).
T houseflies when used with pyrethrum and rotenone. 1103.
- 581-591-957-1003-1022-1027.
Ether, aryl terphenyl, CU; $\text{C}_{10}\text{H}_{11}\text{OR}$. (Terpineol aliphatic ether). 1275P.
- 581-591-952-999.
Pentanol, *o*-cyclohexylcyclohexyloxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_6\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 2-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-952-1001.
Butanol, *o*-cyclohexylcyclohexyloxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy butyl ether of 2-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1001.
Butanol, *p*-cyclohexylcyclohexyloxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy butyl ether of 4-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1001-1011.
Ethanol, 2-(4-*tert*-butyl-2-cyclohexylcyclohexyloxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_9[\text{C}(\text{CH}_3)_3]\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-4-*tert*-butyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1003.
Propanol, *p*-cyclohexylcyclohexyloxy-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1011.
Ethanol, 2-(*m*-cyclohexylcyclohexyloxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_3\text{H}_7\text{OH}$. (β -Hydroxy-ethyl ether of 3-cyclohexyl cyclohexanol).
Fly spray. 112, 228P.
- 581-591-962-1011.
Ethanol, 2-(*o*-cyclohexylcyclohexyloxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_3\text{H}_7\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1011.
Ethanol, 2-(*p*-cyclohexylcyclohexyloxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_{10}\text{OC}_3\text{H}_7\text{OH}$. (β -Hydroxy-ethyl ether of 4-cyclohexyl cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1011-1021.
Ethanol, 2-(*m*-methylcyclohexyl)cyclohexyloxy-; $\text{CH}_3\text{C}_6\text{H}_{10}\text{C}_6\text{H}_{10}\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-(3-methylcyclohexyl)-cyclohexanol).
Fly spray. 112, 226P.
- 581-591-962-1027.
Alcohols, cyclohexylphenoxy substituted; $\text{RO}(\text{C}_6\text{H}_{11})\text{OH}$. (Hydroxy alkyl ethers of hydrogenated hydroxy diphenyl compounds).
Where R represents a hydrogenated hydroxyl diphenyl residue and n is an integer greater than 1.
Fly spray. 112, 228P.
- 581-591-962-1027.
Bicyclohexyl, hydroxy alkoxy derivatives; $\text{RO}(\text{C}_6\text{H}_{11})\text{OH}$. (Hydroxy alkyl ethers of hydrogenated hydroxyl diphenyl compound).
Fly spray. 112, 226P.
- 581-591-1012.
Ethanol, 2-ethoxy-; $\text{CH}_3\text{OHCH}_2\text{OC}_2\text{H}_5$ (Ethylene glycol monoethyl ether).
NT rice weevil. 302P, 1180.
- 581-592-841-951-999-1003-1021.
Propanol, 4-*tert*-amyl-2-bromo-8-methoxyphenoxy-; $\text{C}_6\text{H}_3\text{C}(\text{CH}_3)_2\text{C}_6\text{H}_2(\text{Br})\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 2-methoxy-4-*tert*-amyl-6-bromo-phenol).
Fly spray. 112, 230P.
- 581-592-841-951-1001-1011.
Ethanol, 2-(4-bromo-2-*tert*-butyl-8-methoxyphenoxy)-; $(\text{CH}_3)_3\text{C}(\text{Br})\text{C}_6\text{H}_2(\text{OCH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methoxy-4-bromo-6-*tert*-butyl phenol).
Fly spray. 112, 230P.
- 581-592-841-952-1011-1021.
Ethanol, 2-(4-bromo-2-methoxy-6-phenylphenoxy)-; $\text{C}_6\text{H}_3\text{C}_6\text{H}_4(\text{Br})(\text{OCH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-3-methoxy-5-bromodiphenyl).
Fly spray. 112, 228P.
- 581-592-841-953-1012-1022.
Ethanol, 2-(4-benzyl-2-(2-bromo-4-ethylphenyl)-6-methoxyphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_3(\text{Br})\text{C}_6\text{H}_4(\text{CH}_2\text{C}_6\text{H}_5)(\text{OCH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxyethyl ether of 2-hydroxy-2'-bromo-3-methoxy-4'-ethyl-5-benzyl diphenyl).
Fly spray. 112, 228P.
- 581-592-851-951-999-1011-1021.
Ethanol, 2-(4-*tert*-amyl-2-chloro-6-methoxyphenoxy)-; $\text{C}_6\text{H}_3(\text{CH}_3)_2\text{C}(\text{Cl})(\text{OCH}_3)\text{OC}_2\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methoxy-4-*tert*-amyl-6-chloro-phenol).
Fly spray. 112, 230P.
- 581-592-851-951-1012.
Phenol, 2-chloroethoxyethoxy-, CU; $\text{HOC}_6\text{H}_4\text{OCH}_2\text{CH}_2\text{OCH}_2\text{Cl}$. 1095P.
- 581-592-852-952-1011-1021.
Ethanol, 2-[3-chloro-8-methoxy-2-(*p*-chlorophenyl)phenoxy]-; $\text{ClC}_6\text{H}_4\text{C}_6\text{H}_2(\text{Cl})(\text{OCH}_3)\text{OC}_2\text{H}_4\text{OH}$.

- (β -Hydroxy-ethyl ether of 2-hydroxy-3-methoxy-4'-6-dichlorodiphenyl).
Fly spray. 112, 228P.
- 581-592-951-961-1003-1021.
Propanol, (4-cyclohexyl-2-methoxyphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (Hydroxy-propyl ether of 2-methoxy-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-592-951-961-1011-1021.
Ethanol, 2-(2-cyclohexyl-6-methoxyphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-cyclohexyl-6-methoxy phenol).
Fly spray. 112, 226P.
- 581-592-951-961-1001-102.
Ethanol, 2-(4-cyclohexyl-2-ethoxyphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-ethoxy-4-cyclohexyl phenol).
Fly spray. 112, 226P.
- 581-592-951-993-1011-1021.
Ethanol, 2-(3-methoxy-4-*tert*-octylphenoxy)-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_8\text{H}_{17}\text{OH}$. (β -Hydroxy-ethyl ether of 3-methoxy-4-*tert*-octyl phenol).
Fly spray. 112, 230P.
- 581-592-951-999-1001-1003.
Butanol, (2-*tert*-amyl-4-propoxyphenoxy)-; $\text{C}_4\text{H}_9\text{OC}_6\text{H}_4[\text{C}(\text{CH}_3)_2(\text{C}_6\text{H}_5)]\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy-butyl ether of 2-*tert*-amyl-4-propoxy phenol).
Fly spray. 112, 230P.
- 581-592-951-999-1003-1011.
Ethanol, 2-(4-*tert*-amyl-2-n-propoxyphenoxy)-; $\text{C}_4\text{H}_9\text{C}(\text{CH}_3)_2\text{C}_6\text{H}_4(\text{OC}_3\text{H}_7)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-n-propoxy-4-*tert*-amyl phenol).
Fly spray. 112, 230P.
- 581-592-951-1001-1003-1021.
Propanol, (4-*tert*-butyl-3-methoxyphenoxy)-; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{OCH}_3)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 3-methoxy-4-*tert*-butyl phenol).
Fly spray. 112, 230P.
- 581-592-951-1001-1011-1021.
Ethanol, 2-(4-*tert*-butyl-2-methoxyphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methoxy-4-*tert*-butyl phenol).
Fly spray. 112, 230P.
- 581-592-951-1001-1011-1021-1030.
Ethanol, 2-eugenolxy-? $\text{HOCH}_2\text{CH}_2\text{OC}_6\text{H}_4(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)$. (Ethylene glycol monoether ether). 591P.
- 581-592-951-1001-1011-1022.
Ethanol, 2-(4-*tert*-butyl-2-methoxy-6-methyl-phenoxy)-; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{CH}_3)(\text{OCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methoxy-4-*tert*-butyl-6-methyl phenol).
Fly spray. 112, 230P.
- 581-592-951-1001-1012.
Ethanol, 2-(2-acetyl-4-*tert*-butylphenoxy)-; $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{COCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-acetyl-4-*tert*-butylphenol).
Fly spray. 112, 230P.
- 581-592-951-1012.
Diethylene glycol monophenyl ether: $\text{HOCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{OC}_6\text{H}_5$. 591P.
- 581-592-951-1012-1021.
Diethylene glycol monobenzyl ether: $\text{HOCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{OC}_6\text{H}_5$. 591P.
- 581-592-952-999.
Pentanol, *p*-(*p*-methoxyphenyl)phenoxy-; $\text{CH}_3\text{OC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_5\text{H}_{11}\text{OH}$. (Hydroxy-pentyl ether of 4-hydroxy-4'-methoxy diphenyl).
Fly spray. 112, 228P.
- 581-592-952-1001-1011.
Ethanol, 2-(4-(*p*-butoxyphenyl) phenoxy)-; $\text{C}_4\text{H}_9\text{OC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 4-hydroxy-4'-butoxy diphenyl).
Fly spray. 112, 228P.
- 581-592-952-1001-1011-1021.
Ethanol, 2-(4-*tert*-butyl-2-methoxy-3-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OCH}_3)(\text{C}_6\text{H}_5)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 3-hydroxy-2-methoxy-6-*tert*-butyl diphenyl).
Fly spray. 112, 228P.
- 581-592-952-1001-1011-1022.
Ethanol, 2-(2-benzyl-4-*tert*-butyl-6-methoxyphenoxy)-; $(\text{C}_6\text{H}_5)_2\text{C}_6\text{H}_4(\text{CH}_3\text{C}_6\text{H}_5)(\text{OCH}_3)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-methoxy-4-*tert*-butyl-6-benzyl phenol).
Fly spray. 112, 230P.
- 581-592-952-1001-1021.
Butanol, (2-methoxy-5-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_4\text{H}_9\text{OH}$. (Hydroxy butyl ether of 3-hydroxy-4'-methoxy diphenyl).
Fly spray. 112, 228P.
- 581-592-952-1003-1021.
Propanol, (2-methoxy-4-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OCH}_3)\text{OC}_3\text{H}_7\text{OH}$. (Hydroxy-propyl ether of 4-hydroxy-5-methoxy diphenyl).
Fly spray. 112, 228P.
- 581-592-952-1012.
Ethanol, 2-(5-ethoxy-2-phenylphenoxy)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)\text{OC}_6\text{H}_4\text{OH}$. (β -Hydroxy-ethyl ether of 2-hydroxy-4-ethoxy diphenyl).
Fly spray. 112, 228P.
- 581-592-1013.
Ethanol, 2-(2-ethoxyethoxy)-; $\text{C}_6\text{H}_5\text{OCH}_2\text{CH}_2\text{OCH}_2\text{CH}_2\text{OH}$. (Diethylene glycol monoethyl ether; "Carbitol").
T Simuliidae spp. 589P.
- 581-620-950.
Xanthidrol; $(\text{C}_6\text{H}_5\text{O})\text{OH}$.
HT codling moth larvae. 487, 1120, 1323P.
- 581-625-1021.
Furfuryl alcohol; $(\text{C}_4\text{H}_5\text{O})\text{CH}_2\text{OH}$.
ST *Aphis rumicis*. 1152.
- 581-632-851-961.
Cyclohexanol, 2-chloro-1,2-epoxy-? $\text{Cl}(\text{C}_6\text{H}_9\text{O})\text{OH}$. (1-Chloro-2-hydroxycyclohexane oxide).
T parasites. 280P.
- 581-632-851-961-1021.
Cyclohexanol, 2-chloro-1,2-epoxy-5-methyl-; $\text{Cl}(\text{C}_6\text{H}_9\text{O})(\text{CH}_3)\text{OH}$. (1-Chloro-2-hydroxy-4-methylcyclohexane oxide).
T parasites. 280P.
- 581-632-851-968.
Cyclopentanol, 2-chloro-1,2-epoxy-; $\text{Cl}(\text{C}_5\text{H}_9\text{O})\text{OH}$. (1-Chloro-2-hydroxycyclopentane oxide). 280P.
- 581-665-841-924-951.
1-Naphthol, 5,6,7,8-tetrahydro-4-(*p*-bromophenylazo)-; $\text{C}_{10}\text{H}_{11}\text{N}:\text{NC}_6\text{H}_4\text{Br}$.
MT mosquito larvae. 487, 488.
- 581-665-841-952.
Phenol, 4-(*p*-bromophenylazo)-; $\text{BrC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{OH}$. (4-Hydroxy-4'-bromo azobenzene).
HT mosquito larvae; ST greenhouse red spider at 2%; NT southern army worm at 4%. 487, 488, 1458P, 1491.
- 581-665-841-952-1021.
m-Cresol, 4-(*p*-bromophenylazo)-; $\text{HO}(\text{CH}_3)\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{Br}$.
HT mosquito larvae. 150, 487, 488, 1441P.
- 581-665-841-952-1021.
o-Cresol, 4-(*p*-bromophenylazo)-; $\text{HO}(\text{CH}_3)\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{Br}$.
MT mosquito larvae. 487, 1441P.
- 581-665-852-924-951.
2-Naphthol, 1-(2,5-dichlorophenylazo)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
NT mosquito larvae. 487.
- 581-665-852-952.
Phenol, 4-(2,5-dichlorophenylazo)-; $\text{OHC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_3\text{Cl}_2$.
T mosquito larvae. 150, 487, 488, 1438P.
- 581-665-852-952-961.
Phenol, 2-cyclohexyl-4-(2,5-dichlorophenylazo)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{N}:\text{NC}_6\text{H}_4(\text{OH})\text{C}_6\text{H}_{11}$.
MT mosquito larvae. 487, 488.
- 581-665-852-952-1003-1021.
Carvacrol, 4-(2,5-dichlorophenylazo)-; $\text{CH}_3(\text{C}_6\text{H}_7)\text{C}_6\text{H}_4(\text{OH})\text{N}:\text{NC}_6\text{H}_3\text{Cl}_2$.
NT mosquito larvae. 487.
- 581-665-852-952-1003-1021.
Thymol, 6-chloro-2-(2,5-dichlorophenylazo)-; $\text{CH}_3(\text{C}_6\text{H}_7)\text{C}_6\text{H}_4(\text{OH})[\text{CH}(\text{CH}_3)_2]\text{N}:\text{NC}_6\text{H}_3\text{Cl}_2$.
NT mosquito larvae. 487.
- 581-665-852-952-1003-1021.
Thymol, 4-(2,5-dichlorophenylazo)-; $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})[\text{CH}(\text{CH}_3)_2]\text{N}:\text{NC}_6\text{H}_3\text{Cl}_2$.
NT mosquito larvae. 487.
- 581-665-852-952-1021.
m-Cresol, 4-(2,5-dichlorophenylazo)-;

- $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 MT mosquito larvae. 487, 488.
 581-665-952-952-1021.
o-Cresol, 4-(2,5-dichlorophenylazo)-;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 HT mosquito larvae. 487, 488, 1441P.
 581-665-952-952-1021.
p-Cresol, 2-(2,5-dichlorophenylazo)-;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 NT mosquito larvae. 487.
 581-665-952-952-1022.
 2,5-Xylenol, 4-(2,5-dichlorophenylazo)-;
 $(\text{CH}_3)_2\text{C}_6\text{H}_3(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 MT mosquito larvae. 487, 488, 1285.
 581-665-952-952-1022.
 2,6-Xylenol, 4-(2,5-dichlorophenylazo)-;
 $(\text{CH}_3)_2\text{C}_6\text{H}_3(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 NT mosquito larvae. 487.
 581-965-953-952-1021.
m-Cresol, 4-chloro-6-(2,5-dichlorophenylazo)-;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})(\text{Cl})\text{N}:\text{NC}_6\text{H}_4\text{Cl}_2$.
 NT mosquito larvae. 487.
 581-665-971-952-1021.
o-Cresol, 4-(*p*-iodophenylazo)-;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})\text{N}:\text{NC}_6\text{H}_4\text{I}$.
 HT mosquito larvae. 110, 487, 488, 1441P.
 581-665-924.
 1-Naphthol, 4-(1-naphthylazo)-;
 $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_{10}\text{H}_7$.
 NT mosquito larvae. 487.
 581-665-924.
 1-Naphthol, 4-(2-naphthylazo)-;
 $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_{10}\text{H}_7$. 1436P.
 581-665-924.
 2-Naphthol, 1-(1-naphthylazo)-;
 $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_{10}\text{H}_7$.
 NT mosquito larvae. 487.
 581-665-924-951.
 1-Naphthol, 4-phenylazo-;
 $\text{C}_6\text{H}_5\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$. 1436P.
 581-665-924-951.
 2-Naphthol, 1-phenylazo-; $\text{C}_6\text{H}_5\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
 ST greenhouse red spider; NT mosquito larvae
 and NT southern army worm at 4%. 487, 1481.
 581-665-924-951.
 Naphthol, phenylazo-, CU; RN: NR¹(OH).
 The general formula above where R and R¹ denote
 interchangeable homocyclic aryl nuclei, R being a
 single benzene ring and R¹ a naphthyl nucleus. 1435P.
 581-665-924-951.
 Phenol, (1-naphthylazo)-; $\text{C}_{10}\text{H}_7\text{N}:\text{NC}_6\text{H}_4\text{OH}$.
 1436P.
 581-665-924-951-1021.
 1-Naphthol, 4-(*o*-tolylazo)-; $\text{CH}_3\text{C}_6\text{H}_4\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
 1435P.
 581-665-924-951-1021.
 2-Naphthol, 1-(*o*-tolylazo)-; $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_6\text{H}_4\text{CH}_3$.
 NT corn borer. 1120, 1435P.
 581-665-924-951-1022.
 2-Naphthol, 1-[4-(*m*-xylyl)-azo]-;
 $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
 NT mosquito larvae. 487.
 581-665-924-951-1022.
 2-Naphthol, 1-xylylazo-, CU; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
 NT corn borer. 1120.
 581-665-924-952.
 2-Naphthol, 1-[*p*-(phenylazo)-phenylazo]-;
 $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$. (Sundan III).
 NT corn borer, screwworms, and mosquito larvae.
 156, 487, 1120.
 581-665-924-952-1022.
 2-Naphthol, 1-[4-(*o*-tolylazo)-2-tolylazo]-;
 $\text{CH}_3\text{C}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4(\text{CH}_3)\text{N}:\text{NC}_{10}\text{H}_7\text{OH}$.
 NT mosquito larvae. 487.
 581-665-924-952-1024.
 2-Naphthol, 1-xylylazoxyazo-;
 $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{N}:\text{N}(\text{CH}_3)_2\text{C}_6\text{H}_3\text{N}:\text{NC}_{10}\text{H}_7(\text{OH})$.
 NT corn borer. 1120.
 581-665-952.
 Phenol, *p*-phenylazo-; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4\text{OH}$.
 (*p*-Hydroxyazobenzene).
 T codling moth, mosquito larvae, and T screw-
 worms at 0.67%; ST greenhouse red spider;
 NT *Bombyx mori* larvae and southern army worm.
 156, 488, 559, 915, 1481.
 581-665-952-1021.
m-Cresol, 4-phenylazo-; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4(\text{CH}_3)\text{OH}$.
 HT mosquito larvae; ST greenhouse red spider at
 2%. 487, 488, 1481.
 581-665-952-1021.
o-Cresol, 4-phenylazo-; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4(\text{CH}_3)\text{OH}$.
 HT mosquito larvae; ST southern army worm at
 4% and ST greenhouse red spider at 2%. 487,
 1481.
 581-665-952-1021.
m-Cresol, phenylazo-, CU; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4(\text{CH}_3)\text{OH}$.
 (Benzeneazo-*m*-cresol).
 HT screwworms at 0.10-0.17%. 156.
 581-665-952-1021.
p-Cresol, phenylazo-, CU; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_4(\text{CH}_3)\text{OH}$.
 (Benzeneazo-*p*-cresol).
 T mosquito larvae and T screwworms at 0.33-0.67%;
 MT codling moth. 156, 488, 915.
 581-965-953.
 Phenol, 2,4-bis(phenylazo)-; $\text{HOC}_6\text{H}_3(\text{N}:\text{NC}_6\text{H}_5)_2$.
 (2,4-Bis benzene azo phenol).
 NT southern army worm at 4%. 1481.
 581-665-975-1027.
 Alkylazohydroxy compounds, CU.
 Compounds containing homocyclic nuclei joined by
 one azo group, and containing in addition to not less
 than one hydroxyl group, not less than one alkyl
 group. 1441P.
 581-671-951.
 Phenol, *m*-amino-; $\text{NH}_2\text{C}_6\text{H}_4\text{OH}$. (*m*-Hydroxyani-
 line).
 T codling moth and T screwworms at 0.33-0.67%.
 166, 916.
 581-671-951.
 Phenol, *o*-amino-; $\text{NH}_2\text{C}_6\text{H}_4\text{OH}$. (*o*-Hydroxyaniline).
 T Japanese beetle; ST screwworms at 0.97%.
 156, 404.
 581-671-951.
 Phenol, *p*-amino-; $\text{NH}_2\text{C}_6\text{H}_4\text{OH}$. (*p*-Hydroxyaniline).
 T screwworms; MT *Carpocapsa pomonella* larvae;
 NT *Melanoplus m. mexicanus*. 156, 916, 1150, 1291.
 581-671-951-1291.
 Phenol, *p*-amino-, hydrochloride; $\text{OHC}_6\text{H}_4\text{NH}_2\text{HCl}$.
 T screwworms at 0.17-0.33%. 166.
 581-671-987.
 Tridecanol, 3-aminomethyl-; $\text{CH}_3(\text{CH}_2)_3\text{CH}(\text{CH}_2)_9\text{NH}_2$.
 (*Amine* 2-hydroxyethyl- dodecyl).
 T houseflies. 1276.
 581-671-1011.
 Ethanol, 1-amino-? $\text{CH}_3\text{CH}(\text{NH}_2)\text{OH}$. (Aldehyde
 ammonia).
 ST *Aphis rumicis*. 1152.
 581-673-953-1021.
 Pararosanine; $\text{HOC}(\text{C}_6\text{H}_4\text{NH}_2)_2$. (Tri(*p*-amino-
 phenyl)carbinol; 4,4',4''-triaminotriphenyl-carbinol).
 NT mosquito larvae. 487.
 581-673-953-1022-1291.
 Fuchsine. (Mixture of rosaniline and pararosaniline
 hydrochlorides). (Amethyst; aniline red; azaleih;
 cerise; chestnut; erythrobenezine; fuchsiacine; fuch-
 sianita; garnet; geranium; geraldine; harmaline;
 magenta; magenta crystals; magenta red; magenta
 roseine; maroon; ponceau; roseine; rubenite; rube-
 nine; rubianin; rubine; Russian red; saiferrino).
 T *Lucilia cuprina* larvae; NT clothes moths.
 849, 974, 1176.
 581-673-953-1022-1291.
 Rosaniline hydrochloride; $\text{C}_{20}\text{H}_{18}\text{N}_2\text{HCl}$.
 NT codling moth. 915.
 581-681-800-952.
 Phenol, *p*-anilino-, sulfurized. (Sulfurized *p*-hydroxy-
 diphenylamine).
 NT adult Mexican bean beetle. 606, 1432.
 581-681-800-952-1021.
m-Cresol, *p*-anilino-, sulfurized. (Sulfurized *o*-met-
 hyl *p*-hydroxy-diphenylamine).
 NT adult Mexican bean beetle. 606, 1432.
 581-681-800-952-1021.
 Phenol, 4-(*p*-toluino)-, sulfurized. (Sulfurized
p-methyl *p*-hydroxy-diphenylamine).
 ST adult Mexican bean beetle. 606, 1432.
 581-681-952-1001-1030.
 Phenol, 4-anilino-2-isobutenyl-?

- $\text{HOC}_6\text{H}_4(\text{CH}_2\text{C}(\text{CH}_3)_2\text{CH}_2\text{NHC}_6\text{H}_5)$? (2-Methyl-4-anilino phenol). 1082P.
 581-681-952-1003-1030.
 Phenol, 2-allyl-4-anilino-; $\text{CH}_2=\text{CHCH}_2\text{C}_6\text{H}_4(\text{OH})\text{NHC}_6\text{H}_5$. 1082P.
 581-681-952-1021.
 Phenol, *p*-benzylamino-; $\text{OHC}_6\text{H}_4\text{NHC}_6\text{H}_5$? Monobenzyl *p*-amino phenol).
 NT *Bombyx mori* larvae. 561.
 581-681-961-1011.
 Ethanol, 2-cyclohexylamino-; $\text{HOCH}_2\text{CH}_2\text{NHC}_6\text{H}_{11}$? Cyclohexylethanolamine). 377P.
 581-691-951-961-1011-1021.
 Ethanol, 2-benzylamino-*N*-cyclohexyl-; $\text{C}_6\text{H}_{11}\text{N}(\text{CH}_2\text{C}_6\text{H}_5)\text{CH}_2\text{C}_6\text{H}_5\text{OH}$. (Cyclohexylamine, *N*-benzyl-*N*-hydroxyethyl-; *N*-ethylol-*N*-benzyl-cyclohexylamine).
 Fly spray. 112, 1015P.
 581-691-951-1012.
 Phenol, *m*-diethylamino-; $(\text{CH}_3)_2\text{NC}_6\text{H}_4\text{OH}$. (m-Hydroxydiethyl aniline).
 T as mothproofing agent. 404P, 870P, 1175.
 581-691-1011-1022.
 Ethanol, 2-dimethylamino-; $(\text{CH}_3)_2\text{NCH}_2\text{CH}_2\text{OH}$. (β -Dimethylamine ethyl alcohol).
 NT rice weevil. 1180.
 581-692-952-1025.
 Benzhydrol, *p,p'*-bis(dimethylamino)-; $\text{HOCH}(\text{C}_6\text{H}_4\text{N}(\text{CH}_3)_2)_2$. (Tetramethyl diamino benzhydrol; Michler's hydrol; tetramethyl 4,4'-diaminobenzhydrol).
 NT *Bombyx mori* and codling moth larvae. 559, 561, 915.
 581-699-730-841-851-952-1023-1291.
 Piperidinium chloride, 1-benzyl-1-(2-bromo-3-chloro-6-hydroxy-5-methylbenzyl)-; $(\text{C}_6\text{H}_5\text{N})(\text{CH}(\text{C}_6\text{H}_4\text{CH}_2\text{C}_6\text{H}_4\text{Br})(\text{Cl}))(\text{CH}_2\text{OH})$. (5-Bromo-2-methyl-4-chloro-1-hydroxy-dibenzylpiperidinium chloride).
 Used to mothproof wool. 678P.
 581-699-851-952-1024-1291.
 Ammonium chloride, benzylidimethyl(2-hydroxy-5-chlorobenzyl)-; $(\text{CH}_3)_2\text{N}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2\text{C}_6\text{H}_4\text{Cl})\text{OH}$.
 Used to mothproof wool. 678P.
 581-699-854-952-1012-1022-1291.
 Ammonium chloride, (3,4-dichlorobenzyl)(dichlorohydroxybenzyl) dimethyl-, CU ; $(\text{Cl}_2\text{C}_6\text{H}_3\text{CH}_2)_2\text{N}(\text{CH}_2\text{C}_6\text{H}_4\text{OH})(\text{CH}_2)_2\text{NCl}$. (4,6,3',4'-Tetrachloro-1-hydroxy-dibenzyl-diethyl ammonium chloride).
 Used to mothproof wool. 678P.
 581-699-1011-1023-1291.
 Choline hydrochloride; $\text{HOCH}_2\text{CH}_2\text{N}(\text{CH}_3)_3\text{OH}\cdot\text{HCl}$.
 T *Aphis rumicis*. 1152.
 581-700-781-952-1011-1291.
 Phenol, *p*-(2-amino-2-phenylthioethyl)-; $\text{HOC}_6\text{H}_4\text{CH}_2\text{C}(\text{NH}_2\text{HCl})\text{SC}_6\text{H}_5$. (*p*-Hydroxyphenyl-acetimidio-thiophenylether hydrochloride).
 MT mosquito larvae. 172, 1178.
 581-701-853-1003.
 Propionitrile, α -hydroxy- β -trichloro-7- $\text{Cl}_3\text{CCH}(\text{OH})\text{CN}$. (Chloral cyanohydrin).
 NT rice weevil. 1180.
 581-720-730-950-1011-1021-1030.
 Cinchonine; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}$.
 HT screwworms at 0.01-0.03%; T codling moth and silkworm larvae, and as mothproofing agent; ST *Culex quinquefasciatus* larvae. 156, 157, 561, 744P, 915.
 581-720-730-950-1011-1021-1030.
 Cinchonidine; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}$. (Stereoisomer of cinchonine).
 T as mothproofing agent; ST silkworm. 561, 740P, 744P, 985, 1176.
 581-720-730-950-1011-1021-1030-1291.
 Cinchonine hydrochloride; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}\cdot\text{HCl}$.
 HT screwworms; T as mothproofing agent; NT silkworms. 156, 561, 739, 1176, 1472P.
 581-720-730-950-1011-1021-1030-1291.
 Cinchonidine hydrochloride; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}\cdot\text{HCl}$.
 T as mothproofing agent. 739, 1176.
 581-720-730-950-1011-1021-1030-1312.
 Cinchonine hydrofluoride; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}\cdot\text{HF}$.
 T as mothproofing agent. 739, 1176.
 581-720-730-950-1011-1021-1030-1312.
 Cinchonidine hydrofluoride; $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}\cdot\text{HF}$.
 T as mothproofing agent. 739, 1176.
 581-720-730-950-1011-1021-1030-1339.
 Cinchonine sulfate; $(\text{C}_{19}\text{H}_{22}\text{N}_2\text{O})_2\text{H}_2\text{SO}_4$.
 HT screwworms; T *Aphis rumicis* and as mothproofing agent; NT silkworms. 156, 561, 739, 1152, 1176.
 581-720-730-950-1011-1021-1030-1389.
 Cinchonidine sulfate; $(\text{C}_{19}\text{H}_{22}\text{N}_2\text{O})_2\text{H}_2\text{SO}_4$.
 T *Aphis rumicis* and as mothproofing agent. 739, 1152, 1176.
 581-720-1021.
 Lupinine; $\text{C}_{16}\text{H}_{16}\text{N}_2\text{O}$.
 This commercial product was obtained from a Russian weed, *Anabasis Aphylla* L.
 T mosquito larvae. 171, 172.
 581-730.
 2-Pyridol; $\text{HO}(\text{C}_5\text{H}_4\text{N})$. (β -Hydroxypyridine).
 T *Aphis rumicis*. 1153.
 581-730-950.
 Carbostyryl; $\text{HO}(\text{C}_6\text{H}_4\text{N})$. (2-Hydroxyquinoline).
 T screwworms, *Phormia regina*, *Cochliomyia macellaria*, and *Lucilia sericata*; NT silkworms. 156, 559, 806.
 581-730-950.
 8-Quinololinol; $\text{HO}(\text{C}_8\text{H}_6\text{N})$. (8-Hydroxy quinoline).
 T codling moth and screwworms; MT mosquito larvae; NT *Tineola bielliiella*, *Attogonus piceus*, and *Bombyx mori* larvae. 156, 559, 561, 739, 915, 1176.
 581-730-950-1389.
 Quinocel; $\text{HOC}_6\text{H}_4\text{N}\cdot\text{H}_2\text{SO}_4$. (8-Hydroxyquinoline sulfate).
 T screwworms at 0.17-0.33%. 156.
 581-730-1003.
 Pyridol, dimethyl-, CU ; $\text{C}_5\text{H}_4\text{N}(\text{CH}(\text{CH}_3)_2\text{OH})$. (Dimethyl- β -pyridyl carbinol).
 ST *Aphis rumicis*. 1151.
 581-740-951-1021.
 Phenol, *p*-(α -*N*-methylpyrrolidyl)-; $\text{HOC}_6\text{H}_4(\text{C}_4\text{H}_8\text{N})\text{CH}_3$. [α -(*p*-Hydroxyphenyl)-(*N*-methylpyrrolidine)].
 NT *Aphis rumicis*. 261.
 581-781-882-975.
 Sulphides, bis(halogenohydroxyaryl)-; $\text{S}[\text{R}(\text{OH})\text{X}]_2$. 383P, 1178.
 581-782-952.
 Disulphide, bis(2-hydroxyphenyl)-; $(-\text{SC}_6\text{H}_4\text{OH})_2$. 383P, 1178.
 581-783-975.
 Polysulphide, bis-(hydroxyaryl)-; $\text{S}_x(\text{ROH})_2$.
 T as mothproofing agent. 383P, 1175.
 581-820-950.
 Xanthidol, thio-; $(\text{C}_{12}\text{H}_8\text{S})\text{OH}$.
 MT codling moth and mosquito larvae. 487, 1201.
 581-834-1021.
 Thiurane, 2-hydroxymethyl-; $(\text{C}_6\text{H}_5\text{S})\text{CH}_2\text{OH}$. (Oxypropylene sulfide).
 Fly spray. 112, 1389P.
 581-841-912.
 9-Fluorenone, 2-bromo-; $\text{Br}(\text{C}_{13}\text{H}_9)\text{OH}$.
 NT as mothproofing agent. 239.
 581-841-924.
 2-Naphthol, bromo-, CU ; $\text{Br}(\text{C}_{10}\text{H}_7)\text{OH}$. (Bromo- β -naphthol).
 NT codling moth. 930.
 581-841-951.
 Phenol, *p*-bromo-; $\text{BrC}_6\text{H}_4\text{OH}$.
 HT codling moth larvae; T as mothproofing agent. 398P, 402P, 415P, 469P, 1175, 1176, 1291, 1465P.
 581-841-952.
 Phenol, 2-bromo-4-phenyl-; $\text{C}_{13}\text{H}_9\text{BrO}$.
 HT mosquito larvae. 487.
 581-841-1003.
 1-Propanol, 3-bromo-? $\text{BrCH}_2\text{CH}_2\text{CH}_2\text{OH}$? (Propylene bromohydrin).
 NT *Chrysomelid*; *omphalus aurantii*. 268.
 581-841-1011.
 Ethanol, 2-bromo-; $\text{CH}_3\text{BrCH}_2\text{OH}$. (Ethylene bromohydrin).
 HT rice weevil. 1180.
 581-842-924.
 1-Naphthol, 2,4-dibromo-; $\text{Br}_2\text{C}_{10}\text{H}_7\text{OH}$. (2,4-Dibromo- α -naphthol).

- NT screwworms. 156.
581-842-924.
2-Naphthol, dibromo-, CU; $\text{Br}_2\text{C}_{10}\text{H}_7\text{OH}$.
T as mothproofing agent. 870P, 1175.
581-842-951.
Phenol, 2,5-dibromo-; $\text{Br}_2\text{C}_6\text{H}_3\text{OH}$.
T as mothproofing agent. 409P, 1175.
581-842-951-1021.
o-Cresol, 2,5-dibromo-; $\text{Br}_2\text{C}_6\text{H}_3(\text{CH}_3)\text{OH}$.
MT *Culex quinquefasciatus*. 157.
581-842-951-1021.
o-Cresol, 4,6-dibromo-; $\text{Br}_2\text{C}_6\text{H}_3(\text{CH}_3)\text{OH}$.
NT as mothproofing agent. 239.
581-842-952-1021.
o-Cresol, 2,4-dibromo-a-phenyl-;
 $\text{CH}_2(\text{C}_6\text{H}_5)\text{C}_6\text{H}_3(\text{Br})_2\text{OH}$. (Methane, 2-hydroxy-3,5-dibromo-diphenyl).
T as mothproofing agent. 415P, 418P, 455P, 1175, 1179.
581-843-951.
Phenol, 2,4,6-tribromo-; $\text{Br}_3\text{C}_6\text{H}_2\text{OH}$.
NT screwworms. 156.
581-845-951.
Phenol, pentabromo-; $\text{C}_6\text{Br}_5\text{OH}$.
T screwworms at 0.33-0.67%. 156.
581-847-924.
Naphthol, polybromo-, CU.
T rodents. 1179, 1388P.
581-847-952-1021.
Methane, brominated hydroxy diaryl.
T as mothproofing agent. 418P, 1175.
581-847-953-1021.
Methane, brominated hydroxy triaryl.
T as mothproofing agent. 418P, 1175.
581-851-924.
1-Naphthol, 4-chloro-; $\text{ClC}_{10}\text{H}_7\text{OH}$.
T as mothproofing agent. 94P, 402P, 1175.
581-851-951.
Phenol, m-chloro-; $\text{ClC}_6\text{H}_4\text{OH}$.
T as mothproofing agent. 94P, 409P, 418P, 1175, 1457P.
581-851-951.
Phenol, o-chloro-; $\text{ClC}_6\text{H}_4\text{OH}$. (1-Chloro-2-hydroxybenzene).
T houseflies and as mothproofing agent; ST screwworms. 94P, 156, 404P, 405P, 870P, 1002, 1175, 1302P.
581-851-951.
Phenol, p-chloro-; $\text{ClC}_6\text{H}_4\text{OH}$.
T screwworms and as mothproofing agent. 156, 398P, 402P, 404P, 410P, 414P, 415P, 417P, 418P, 870P, 1175, 1179, 1393P, 1455P, 1463P, 1464P, 1465P.
581-851-951.
Phenole, chloro-, CU.
T as mothproofing agent. 413P, 1175.
581-851-951-1001.
Phenol, 4-chloro-2-isobutyl-; $\text{C}_4\text{H}_9(\text{Cl})\text{C}_6\text{H}_4\text{OH}$.
T as mothproofing agent. 404P, 870P, 1175.
581-851-951-1001.
Phenol, p-chloro-isobutyl-, CU; $\text{C}_4\text{H}_9(\text{Cl})\text{C}_6\text{H}_4\text{OH}$.
T as mothproofing agent. 870P, 1175.
581-851-951-1003-1021.
m-Cresol, 4-chloro-6-isopropyl-;
 $(\text{CH}_3)(\text{Cl})(\text{CH}_2\text{CHCH}_3)\text{C}_6\text{H}_3\text{OH}$. (1-Methyl-3-hydroxy-4-isopropyl-6-chlorobenzene).
T as mothproofing agent. 404P, 1175.
581-851-951-1003-1021.
Thymol, p-chloro-; $\text{ClC}_6\text{H}_4(\text{CH}_3)[\text{CH}(\text{CH}_3)_2]\text{OH}$.
(3-Methyl-4-chloro-6-isopropylphenol).
ST screwworms at 0.57%. 156.
581-851-951-1003-1021.
Thymol, chloro-, and its isomers, CU;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{OH})\text{CH}(\text{CH}_3)_2(\text{Cl})$.
T weevils and other parasites of granaries and warehouses and as mothproofing agent.
870P, 1175, 1250P.
581-851-951-1021.
m-Cresol, 4-chloro-; $(\text{CH}_3)(\text{Cl})\text{C}_6\text{H}_3\text{OH}$. (1-Hydroxy-3-methyl-4-chlorobenzene; 2-chloro-5-hydroxy-toluene).
T screwworms and as mothproofing agent.
402P, 870P, 1175.
581-851-951-1021.
m-Cresol, 6-chloro-; $(\text{CH}_3)(\text{Cl})\text{C}_6\text{H}_3\text{OH}$. (6-Chloro-3-cresol).
T as mothproofing agent. 404P, 414P, 1175, 1465P.
581-851-951-1021.
o-Cresol, 3-chloro-; $(\text{CH}_3)\text{C}_6\text{H}_3(\text{Cl})\text{OH}$. (6-Chloro-2-cresol; 6-chloro-o-cresol).
T as mothproofing agent. 125P, 404P, 409P, 870P, 1175, 1457P.
581-851-951-1021.
o-Cresol, 4-chloro-; $(\text{CH}_3)\text{C}_6\text{H}_3(\text{Cl})\text{OH}$. (1-Methyl-2-oxy-5-chlorobenzol; 2-methyl-4-chlorophenol; 1-hydroxy-2-methyl-4-chlorobenzene).
T as mothproofing agent. 402P, 1175, 1455P.
581-851-951-1021.
o-Cresol, 5-chloro-; $(\text{CH}_3)\text{C}_6\text{H}_3(\text{Cl})\text{OH}$. (4-Chloro-2-cresol).
T as mothproofing agent. 409P, 469P, 1175, 1179.
581-851-951-1021.
p-Cresol, 2-chloro-; $(\text{CH}_3)\text{C}_6\text{H}_4(\text{Cl})\text{OH}$. (3-Chloro-4-cresol; o-chloro-p-cresol; 4-methyl-2-chlor-1-oxybenzol).
T as mothproofing agent. 94P, 414P, 870P, 1175, 1457P.
581-851-951-1021.
Cresol, chloro-, CU; $\text{Cl}(\text{CH}_3)\text{C}_6\text{H}_4\text{OH}$.
ST *Pieris rapae*. 635.
581-851-951-1022.
Phenol, chlorodimethyl-, CU; $\text{Cl}(\text{CH}_3)_2\text{C}_6\text{H}_3\text{OH}$.
T as mothproofing agent. 638P, 1179.
581-851-951-1177-1389.
Phenol, chloro-, mercury sulfate, CU;
 $[\text{ClC}_6\text{H}_4(\text{OH})\text{Hg}]_2\text{SO}_4 \cdot 379\text{P}$.
581-851-952.
Phenol, 2-chloro-4-phenyl-; $\text{C}_{13}\text{H}_9\text{ClO}$.
HT mosquito larvae; T as mothproofing agent.
487, 1179, 1341P.
581-851-952.
Phenol, 2-chloro-6-phenyl-; $\text{C}_{13}\text{H}_9\text{ClO}$.
ST screwworms at 0.67%; NT codling moth. 156, 930.
581-851-952.
Phenol, 4-chloro-2-phenyl-; $\text{C}_{13}\text{H}_9\text{ClO}$.
(4-Chloro-6-phenylphenol).
ST screwworms at 0.67%. 156.
581-851-952.
Phenol, chlorophenyl-, CU. (Biphenyl, chlorohydroxy; chlorohydroxydiphenyl).
T as mothproofing agent. 1179, 1341P.
581-851-952-1003.
Phenol, 2-chloro-4-(a-phenylisopropyl)-;
 $\text{HOC}_6\text{H}_4(\text{Cl})\text{C}(\text{CH}_3)_2\text{C}_6\text{H}_5$. (p-(a-phenyl isopropyl)-o-chlorophenol). 1090P.
581-851-952-1021.
o-Cresol, 4-chloro-a-phenyl-; $\text{CH}_2(\text{ClC}_6\text{H}_4\text{OH})\text{C}_6\text{H}_5$.
(Methane, 5-chloro-2-hydroxydiphenyl).
T as mothproofing agent. 1179, 1456P.
581-851-952-1022.
o-Cresol, 4-chloro-a-p-tolyl-; $\text{CH}_2(\text{ClC}_6\text{H}_3\text{OH})\text{C}_6\text{H}_4\text{CH}_3$. (Methane, 5-chloro-2-hydroxy-4'-methyl-diphenyl).
T as mothproofing agent. 1179, 1456P.
581-851-951.
Cyclohexanol, 2-chloro-; $\text{ClC}_6\text{H}_{11}\text{OH}$. (1-Chloro-2-hydroxycyclohexane). 280P.
581-851-951-1021.
Cyclohexanol, 2-chloro-5-methyl-; $\text{ClC}_6\text{H}_{11}(\text{CH}_3)\text{OH}$. (1-Chloro-2-hydroxy-4-methylcyclohexane). 280P.
581-851-1003.
1-Propanol, 3-chloro-; $\text{CH}_3\text{ClCH}_2\text{CH}_2\text{OH}$. (Trimethylene chlorohydrin).
NT rice weevil. 1180.
581-851-1003.
2-Propanol, 1-chloro-; $\text{CH}_3\text{CHClCH}_2\text{OH}$. (Propylene chlorohydrin).
HT rice weevil. 1180.
581-851-1011.
Ethanol, 2-chloro-; $\text{CH}_3\text{CICH}_2\text{OH}$. (Ethylene chlorohydrin; β -chloroethyl alcohol).
HT rice weevil; T codling moth larvae; NT red scale. 268, 555, 1180.
581-852-924.
1-Naphthol, 2,4-dichloro-; $\text{Cl}_2\text{C}_{10}\text{H}_6\text{OH}$.
NT screwworms. 156.

- 581-852-951.
Phenol, 2, 4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_4\text{OH}$. (1-Hydroxy-2,4-dichlorobenzene).
T screwworms and as mothproofing agent; NT codling moth. 156, 398P, 402P, 404P, 410P, 413P, 414P, 415P, 417P, 430P, 435P, 436P, 466P, 870P, 930, 1175, 1176, 1393P, 1463P.
- 581-852-951.
Phenol, 2,5-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OH}$.
T as mothproofing agent. 409P, 1175.
- 581-852-951.
Phenol, 2,6-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OH}$.
T as mothproofing agent. 94P, 404P, 414P, 1175.
- 581-852-951-1021.
Cresol, dichloro-, CU; $\text{Cl}_2\text{C}_6\text{H}_3(\text{OH})\text{CH}_3$. (Dichloro-cresol, crude).
HT *Aphis rumicis*. 1375.
- 581-852-952.
Phenol, p-(2,4-dichlorophenyl)-; $\text{HOC}_6\text{H}_4\text{C}_6\text{H}_3(\text{Cl})_2$.
NT codling moth. 930.
- 581-852-952-1021.
Phenol, 4-chloro-2-(o-chlorobenzyl)-; $\text{ClC}_6\text{H}_4(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})\text{OH}$.
T as mothproofing agent. 1175, 1179, 1455P, 1456P, 1464P.
- 581-852-952-1021.
o-Cresol, 2,4-dichloro- α -phenyl-; $\text{CH}_3(\text{C}_6\text{H}_3\text{Cl}_2)\text{C}_6\text{H}_4\text{OH}$. (Methane, 3,5-dichloro-2-hydroxy diphenyl).
T as mothproofing agent. 415P, 418P, 1175.
- 581-853-951.
Phenol, 2,4,5-trichloro-; $\text{Cl}_3\text{C}_6\text{H}_3\text{OH}$.
T as mothproofing agent; NT screwworms. 156, 404P, 410P, 870P, 1175, 1463P.
- 581-853-951.
Phenol, trichloro-, CU; $\text{Cl}_3\text{C}_6\text{H}_3\text{OH}$.
T mosquito larvae; NT codling moth larvae. 487, 555.
- 581-853-951-1011.
Benzyl alcohol, α -trichloromethyl-; $\text{C}_6\text{H}_5\text{CH}(\text{CCl}_3)\text{OH}$. (Trichloromethylphenylcarbinol). 851P.
- 581-853-951-1021.
Benzyl alcohol, trichloro-, CU; $\text{Cl}_3\text{C}_6\text{H}_3\text{CH}_2\text{OH}$.
T as mothproofing agent. 413P, 1175, 1393P.
- 581-853-953-1022.
Phenol, 4-chloro-2,6-bis(o-chlorobenzyl)-; $\text{ClC}_6\text{H}_4(\text{CH}_2\text{C}_6\text{H}_4\text{Cl})_2\text{OH}$. (Phenol, 2,6-bis(o-chlorobenzyl)-1)-4-chloro-; 2,6-bis(o-chlorobenzyl)-4-chlorophenol).
T as mothproofing agent. 1175, 1179, 1455P, 1456P.
- 581-853-1001.
2-Propanol, 1,1,1-trichloro-2-methyl-; $(\text{CH}_3)_3\text{C}(\text{OH})\text{CCl}_3$. (1,1,1-Trichloro-tert-butyl alcohol; chlorotone; chlorbutol; acetonechloroform; chlorbutanol).
T houseflies; ST rice weevil. 851P, 1180, 1276.
- 581-853-1003.
2-Propanol, 1,1,1-trichloro-; $\text{CCl}_3\text{CH}(\text{OH})\text{CH}_3$. 851P.
- 581-854-951.
Phenol, 2,3,4,6-tetrachloro-; $\text{Cl}_4\text{C}_6\text{H}_2\text{OH}$.
MT mosquito larvae; NT *Melariophilus m. mezaricus*. 487, 488, 1150.
- 581-854-951.
Phenol, tetrachloro-, CU; $\text{Cl}_4\text{C}_6\text{H}_2\text{OH}$.
T as mothproofing agent. 40P, 1176.
- 581-854-951-1021.
Cresol, tetrachloro-, CU; $\text{Cl}_4\text{C}_6\text{H}_2(\text{OH})\text{CH}_3$.
T as mothproofing agent. 40P, 1176.
- 581-854-952-1021.
o-Cresol, 4-chloro- α -(2,4,5-trichlorophenyl)-; $\text{CH}_3(\text{C}_6\text{H}_3\text{Cl}_3)\text{C}_6\text{H}_4\text{OH}$. (Methane, 2,4,5,5'-tetrachloro-2'-hydroxydiphenyl).
T as mothproofing agent. 1179, 1456P.
- 581-854-952-1021.
o-Cresol, 2,4-dichloro- α -(2,6-dichlorophenyl)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{CH}_2\text{C}_6\text{H}_3(\text{Cl})_2\text{OH}$. (Methane, 2,6,3',5'-tetrachloro-2'-hydroxydiphenyl).
T as mothproofing agent. 1179, 1394P.
- 581-854-952-1021.
Cresol, α -phenyl-tetrachloro-, CU. (Methane, tetrachlorohydroxydiphenyl).
T as mothproofing agent. 1179, 1456P.
- 581-855-951.
Phenol, pentachloro-; $\text{Cl}_5\text{C}_6\text{H}_2\text{OH}$.
T silkworm, *Lyctus species*, and as mothproofing agent; MT *Carpocapsa pomonella*; NT *Melanoplus m. mexicanus*. 26, 40P, 156, 561, 1150, 1176, 1291, 1376.
- 581-855-952-1021.
Cresol, pentachloro- α -phenyl-, CU. (Methane, pentachlorohydroxydiphenyl).
T as mothproofing agent. 1179, 1394P.
- 581-857-951-1003-1021.
Cresol, isopropyl-chloro-, CU; $\text{CH}_3(\text{Cl})\text{C}_6\text{H}_4\text{OH}[\text{CH}(\text{CH}_3)]_2$. (Chlorinated crude isopropylcresol).
T weevils and other parasites of granaries and warehouse. 1250P.
- 581-857-952-1021.
Cresol, α -aryl-chloro-, CU. (Methane, chlorinated hydroxy diaryl).
T as mothproofing agent. 418P, 1175.
- 581-857-953-1021.
Cresol, chloro- α -diaryl-, CU. (Methane, chlorinated hydroxy triaryl).
T as mothproofing agent. 418P, 1175.
- 581-861-951.
Phenol, p-fluoro-; $\text{FC}_6\text{H}_4\text{OH}$.
T as mothproofing agent. 414P, 1175, 1462P.
- 581-861-953.
1-Octadecanol-fluoro-, CU; $\text{F}(\text{C}_{17}\text{H}_{33})\text{OH}$. (Fluorooctadecyl alcohol). 345P.
- 581-865-924-951-1021.
Naphthol, methylarylate-, CU; $\text{CH}_3\text{R}^1\text{N}:\text{N}:\text{R}^2\text{OH}$. The general formula above where R^1 and R^2 denote interchangeable homocyclic aryl nuclei, R^1 being a single benzene ring and R^2 a naphthyl nucleus. 1435P.
- 581-871-951.
Phenol, m-iodo-; $\text{IC}_6\text{H}_4\text{OH}$.
T goldfish. 110, 547.
- 581-871-951.
Phenol, o-iodo-; $\text{IC}_6\text{H}_4\text{OH}$.
T goldfish. 110, 547.
- 581-871-951.
Phenol, p-iodo-; $\text{IC}_6\text{H}_4\text{OH}$.
T goldfish. 110, 547.
- 581-871-951-1003-1021.
Thymol, 4-iodo-; $\text{CH}_3(\text{C}_6\text{H}_4)_2\text{C}_6\text{H}_3(\text{I})\text{OH}$. (Aristol, thymol iodide; dithymol diiodide).
ST clothes lice. 110, 1003, 1011.
- 581-871-951-1021.
o-Cresol, iodo-, CU; $\text{IC}_6\text{H}_3(\text{CH}_3)\text{OH}$. (Moniodo-ortho-cresol).
T clothes lice. 110, 1011.
- 581-873-951.
Phenol, 2,4,6-triiodo-; $\text{I}_3\text{C}_6\text{H}_3\text{OH}$. (Triiodophenol).
T culicine mosquito larvae; NT screwworms and codling moth larvae. 110, 156, 467, 1291.
- 581-881-924.
Naphthols, p-halogenated, CU.
T as mothproofing agent. 410P, 1175.
- 581-881-951.
Phenols, p-halogenated, CU.
T as mothproofing agent. 402P, 410P, 417P, 1175.
- 581-887-951.
Phenols, halogenated, CU.
T as mothproofing agent. 458P, 1179.
- 581-910.
9-Anthrol; $(\text{C}_{10}\text{H}_7)\text{OH}$. (Anthranol; 9-hydroxy-anthracene). 584P.
- 581-912.
9-Fluorene; $\text{C}_{13}\text{H}_9\text{OH}$. (Fluorene alcohol; diphenylacetic acid).
ST corn borer. 1120.
- 581-924.
1-Naphthol; $\text{C}_{10}\text{H}_7\text{OH}$. (α -Naphthol; 1-hydroxy-naphthalene).
HT *Aphis rumicis*; T as mothproofing agent; ST screwworms; NT clothes moths (739). 156, 404P, 739, 870P, 1175, 1176, 1179, 1376, 1388.
- 581-924.
2-Naphthol; $\text{C}_{10}\text{H}_7\text{OH}$. (β -Naphthol; 2-hydroxy-naphthalene).
T termites and *Tineola biselliella*. 162, 404P, 413P, 430P, 490P, 509, 870P, 1137P, 1138P, 1175, 1176, 1179, 1388P, 1393P, 1407.

- 581-924.
Naphthols, CU; $C_{10}H_7OH$.
T rodents and insects. 1179, 1388P.
- 581-924.
1-Naphthol, 5,6,7,8-tetrahydro-; $C_{10}H_{12}O$.
(α -Naphthol, 5,6,7,8-tetrahydride; α -tetrahydro- α -naphthol).
HT mosquito larvae. 487.
- 581-924.
2-Naphthol, α -tetrahydro-, CU. (α -Tetrahydro- β -naphthol).
T as mothproofing agent. 404P, 870P, 1175.
- 581-924-952-1021.
Naphthalenemethanol, α,α -diphenyl-;
(C_6H_5)₂($C_{10}H_7$)COH. (Diphenyl α -naphthyl carbinol).
NT *Bombyx mori* larvae. 559.
- 581-930-1023.
Bornol; $C_{10}H_{18}O$.
HT codling moth larvae; T *Lucilia cuprina* larvae and as mothproofing agent; attractant for oriental peach moth. 508, 849, 1137, 1175, 1291.
- 581-951.
Phenol; C_6H_5OH . (Carbolic acid; hydroxybenzene; phenylic acid; phenic acid; phenyl hydrate).
HT *Lucilia sericata* larvae; T *Aphis rumicis*, Japanese beetle, and as mothproofing agent; NT *Melanoplus m. mexicanus*. 26, 94P, 175, 401P, 405P, 413P, 494P, 555, 870P, 1077, 1101P, 1150, 1152, 1175, 1176, 1179, 1210P, 1231P, 1268, 1338P, 1396, 1499P.
- 581-951-991.
Phenol, α -cyclohexyl-; $C_6H_{11}C_6H_4OH$.
HT *Carpocapsa pomonella* larvae; T houseflies; NT *Melanoplus m. mexicanus*. 112, 159, 651P, 1150, 1291.
- 581-951-991.
Phenol, p -cyclohexyl-; $C_6H_{11}C_6H_4OH$.
NT screwworms and *Melanoplus m. mexicanus*. 159, 1150.
- 581-951-999.
2-Butanol, 3-methyl-2-phenyl-;
(CH_3)₂CHC(C_6H_5)(CH_3)OH. (α -Isopropyl- α -methyl benzyl alcohol).
HT codling moth larvae. 1291.
- 581-951-999.
Phenol, p -(α,α -dimethylpropyl)-;
 $CH_3CH_2C(CH_3)_2C_6H_4OH$. (p -tert-Amylphenol).
T houseflies and T screwworms at 0.17-0.33%. 112, 159, 700P.
- 581-951-1001.
Phenol, p -butyl-; $C_4H_9C_6H_4OH$. (4-n-Butyl phenol).
T as mothproofing agent. 404P, 1175.
- 581-951-1001.
Phenol, isobutyl-, CU; $C_4H_9C_6H_4OH$.
T as mothproofing agent. 870P, 1175.
- 581-951-1001.
Phenol, p -2-(2-methylpropyl)-; $C_6H_5C_6H_4OH$. (p -tert-Butylphenol).
NT European corn borer. 1122.
- 581-951-1003-1021.
Carvacrol; (CH_3)₂CHC(H_3)(CH_3)OH.
T houseflies, *Aphis rumicis*, and *Lucilia cuprina* larvae. 849, 1153, 1276.
- 581-951-1003-1021.
Thymol; (CH_3)₂CHC(H_3)(CH_3)OH. (Isopropyl meta-cresol, 1,4-methylmethoxyethylphenol (3); methylpropylphenol, thyme camphor, thymic acid, 3-oxyl-methyl-4-isopropylbenzol; 5-methyl-2-isopropylphenol; 3-hydroxy- p -cymene).
T *Lucilia cuprina*, mosquitoes, screwworms, and as mothproofing agent. 159, 404P, 643A, 849, 870P, 1175, 1176, 1261P.
- 581-951-1003-1021.
 m -Cresol, 4-isopropyl-; (CH_3)₂CHC(H_3)(CH_3)OH. (1-Methyl-3-hydroxy-6-isopropyl-benzene).
T as mothproofing agent. 404P, 1175.
- 581-951-1003-1021.
Phenol, methyl isopropyl-, CU; (CH_3)₂CHC(H_3)(CH_3)OH.
NT oriental peach moth. 508.
- 581-951-1003-1030.
Cinnamyl alcohol; $C_6H_5CH_2CHCH_2OH$. (Cinnamic alcohol).
- T *Diabrotica duodecimpunctata*. 1012.
- 581-951-1011.
Ethanol, 2-phenyl-; $CaH_5CH_2CH_2OH$. (Phenyl ethyl alcohol).
T Japanese beetle. 949A.
- 581-951-1011-1021.
Benzyl alcohol, α,β -dimethyl-; $CH_3C_6H_4CH(CH_3)OH$.
HT codling moth larvae. 1291.
- 581-951-1021.
 m -Cresol; $CH_3C_6H_4OH$. (m -Methylphenol; m -hydroxy-toluene).
HT *Aphis rumicis*; T screwworms and clothes moths. 159, 404P, 870P, 1175, 1376.
- 581-951-1021.
 p -Cresol; $CH_3C_6H_4OH$. (o -Methylphenol; o -hydroxytoluene).
HT *Aphis rumicis*; T clothes moths, Japanese beetle and screwworms. 156, 401P, 405P, 494, 555, 723, 870P, 1175, 1376.
- 581-951-1021.
 p -Cresol; $CH_3C_6H_4OH$. (p -Methylphenol; p -hydroxytoluene).
HT *Aphis rumicis*; T screwworms and clothes moths. 94P, 159, 404P, 408P, 413P, 418P, 870P, 1175, 1376.
- 581-951-1021.
Cresol, CU; $CH_3C_6H_4OH$. (Cresylic acid (ortho-, meta-, and para-compounds); hydroxytoluene; methylphenol; oxytoluene; Lysol).
T *Aphis rumicis*, codling moth larvae, and as mothproofing agent. 508, 548, 555, 1024, 1025, 1152, 1176, 1231P.
- 581-951-1021.
Benzyl alcohol; $C_6H_5CH_2OH$. (Phenylcarbinol; α -hydroxytoluene).
T *Aphis rumicis*, *Leptinotarsa decemlineata*, and clothes moths; NT red scale. 288, 407P, 413P, 808P, 1009, 1152, 1175, 1455P.
- 581-951-1021-1177-1303.
Cresol, cyanomercuri-, CU; $HO(CH_3)C_6H_4HgCN$. 379P.
- 581-951-1021-1177-1405.
 o -Cresol, thiocyanomercuri-, CU; $HO(CH_3)C_6H_4HgSCN$. 1173, 1237P.
- 581-951-1022.
Benzyl alcohol, p -methyl-; $CH_3C_6H_4CH_2OH$.
T as mothproofing agent. 1175, 1455P.
- 581-951-1022.
2,4-Xylenol-; (CH_3)₂C₆H₃OH. (α,α -Xylenol)
T as mothproofing agent; NT *Pieris rapae*. 498, 635, 1175.
- 581-951-1022.
3,4-Xylenol; (CH_3)₂C₆H₃OH. (1,3,4-Xylenol).
NT *Pieris rapae*. 635.
- 581-951-1022.
2,6-Xylenol; (CH_3)₂C₆H₃OH. (2,6-Dimethylphenol; vic - m -xylenol).
HT *Carpocapsa pomonella* larvae. 1291.
- 581-951-1022.
3,5-Xylenol; (CH_3)₂C₆H₃OH. (sym -Xylenol; 5-hydroxy-1,3-dimethylbenzene).
T screwworms at 0.33-0.67% and as mothproofing agent. 156, 404P, 870P, 1175.
- 581-951-1027.
Phenol, p -alkylated, CU.
T as mothproofing agent. 408P, 1175.
- 581-951-1109-1182-1303.
Phenol, ammonium nickel cyanide complex. (Ammonium nickel cyanide phenol).
NT *Leptinotarsa decemlineata*. 1008.
- 581-951-1177-1405.
Phenols, thiocyanomercuri-, CU; $HOCH_2HgSCN$. 1178, 1237P.
- 581-952.
Phenol, o -phenyl-; $CaH_5C_6H_4OH$. (o -Hydroxydiphenyl; o -phenyl phenol).
T screwworms at 0.33-0.67%. 156.
- 581-952.
Phenol, p -phenyl-; $CaH_5C_6H_4OH$. (p -Hydroxydiphenyl).
ST screwworms at 0.07%. 156.
- 581-952.
Phenol, phenyl-, CU; $C_6H_5C_6H_4OH$. (Hydroxy biphenyl; hydroxy diphenyl).

- T as mothproofing agent. 412P, 1175, 1461P.
581-952-1003.
Phenol, 5-isopropyl-2-phenyl-, C₆H₅C(CH₃)₂(OH)C₆H₅. (2-Hydroxy-5-isopropyl-diphenyl). 210P.
581-952-1003-1021.
m-Cresol, 4-(*n*-phenylisopropyl); HOC(CH₃)₂(CH₂)₂C₆H₅. (Para-(*n*-phenyl isopropyl)-meta-cresol). 1060P.
581-952-1003-1021.
o-Cresol, 4-(*n*-phenylisopropyl); HOC(CH₃)₂(CH₂)₂C₆H₅. (Para-(*n*-phenyl isopropyl)-ortho-cresol). 1060P.
581-952-1021.
o-Cresol, *o*-phenyl-, C₆H₅CH₂C₆H₄OH. (*o*-Benzyl-phenol; methane, 2-hydroxydiphenyl). T clothes moths and T screwworms at 0.33-0.87%. 156, 418P, 870P, 1175.
581-952-1021.
p-Cresol, *n*-phenyl-, C₆H₅CH₂C₆H₄OH. (*p*-Benzyl-phenol; *p*-hydroxydiphenylmethane). T screwworms at 0.17-0.33%. 156, 404P, 870P, 1175.
581-952-1021.
Benzohydrol; (C₆H₅)₂CHOH. (Diphenylcarbinol; benzhydrol; hydroxydiphenylmethane). HT corn borer; T clothes moths, 413P, 1120, 1175.
581-952-1027.
Phenol, alkyl phenyl-, CU; C₆H₅C(CH₃)₂(R)OH. (Alkylhydroxybiphenyls). 112, 228P, 229P, 943.
581-953-1011-1193-1291.
Phosphonium chloride, hydroxyethyltriphenyl-, (C₆H₅)₃P(OCCl)₂. T as mothproofing agent. 394P, 395P, 807P, 871P, 1175, 1178, 1179.
581-953-1021.
Benzyl alcohol, *o,o*-diphenyl-, (C₆H₅)₂COH. (Triphenyl carbinol). NT *Bombyx mori* larvae. 158, 559.
581-957-1003-1021.
Terpineol; C₁₀H₁₇OH. (*d,l*-1-*p*-Menthene-8-ol?). T *Aphis rumicis*; attractant for oriental peach moth; NT wireworms at 468.0 mg./L. 508, 846, 1152.
581-961.
Cyclohexanol; C₆H₁₁OH. (Hexahydrophenol; hexalin). T *Aphis rumicis* and *Lucilia cuprina* larvae; ST screwworms at 0.67%. 158, 849, 1152.
581-961-1003-1021.
Menthol; C₁₀H₁₈O. (1-3-*p*-Menthanol; 1-hexahydrothymol). T clothes moths and oriental peach moth; NT *Chrysomphalus aurantii*, 268, 1094, 1137P, 1175.
581-975-1021.
Methanos, hydroxydiaryl-. T as mothproofing agent. 402P, 414P, 415P, 417P, 434P, 438P, 439P, 442P, 443P, 447P, 448P, 449P, 451P, 453P, 454P, 455P, 457P, 458P, 470P, 1175, 1179, 1394P, 1454P, 1455P, 1456P, 1458P, 1459P, 1460P, 1463P, 1465P, 1466P, 1568P.
581-975-1021 .
Methanes, hydroxytriaryl-. T as mothproofing agent. 94P, 402P, 408P, 409P, 410P, 414P, 415P, 417P, 434P, 438P, 439P, 442P, 443P, 447P, 448P, 449P, 451P, 453P, 454P, 455P, 457P, 458P, 1175, 1179, 1394P, 1454P, 1455P, 1456P, 1458P, 1459P, 1460P, 1463P, 1465P, 1466P, 1468P.
581-980.
Gossypol; C₂₀H₃₂O₇? (Gossypyl alcohol?). NT woolly aphids and Mexican bean beetle. 117.
581-983.
1-Octadecanol; CH₃(CH₂)₁₆CH₂OH. (*n*-Octadecyl alcohol). NT screwworms. 156.
581-986.
Dodecyl alcohol; CH₃(CH₂)₁₀CH₂OH. MT houseflies. 107P, 112.
581-991.
1-Octanol, 3,7-dimethyl-, (CH₃)₂C(CH₂)₂CH(CH₃)C₆H₄OH. (Dihydrocitronellol). HT codling moth larvae. 1291.
581-991-1030.
Rhodinol; CH₃CCH₂:C(CH₃)CH₂CHCH₂CH₂CH₂OH. (2,5-Dimethylheptene-2-cl-8). ST wireworms at 450.0 mg./L. 846.
581-991-1030.
Citronellol; CH₃C(CH₃)CH₂CH(CH₃)C₆H₄OH. HT codling moth larvae; T houseflies. 1276, 1291.
581-991-1033.
Geraniol; (CH₃)₂C=CHCH₂CH₂C(CH₃)₂(OH)CH₂:CH₃. (3,7-Dimethyl-2,6-octadien-1-ol). HT codling moth larvae; T houseflies, *Lucilia cuprina*, and as attractant for oriental peach moth. 508, 849, 1276, 1291.
581-991-1033.
Linalool; (CH₃)₂C=C(CH₃)CH₂C(CH₃)₂(OH)CH₂:CH₃. HT codling moth larvae; T houseflies and as attractant for oriental peach moth. 508, 1276, 1291.
581-992.
Nonyl alcohol; CH₃(CH₂)₈CH₂OH. (1-Nonanol). NT rice weevil. 1180.
581-993.
Octyl alcohol; CH₃(CH₂)₇CH₂OH. (1-Octanol; heptylcarbinol). T aphids; NT rice weevil. 768, 1152, 1180.
581-993.
dl-2-Octanol; CH₃CH(OH)CH₂CH₂CH₂CH₂CH₂CH₃. (*dl*-sec-Octyl alcohol). HT rice weevil. 1180.
581-995.
1-Butanol, 1-propyl-, (CH₃CH₂CH₂)₂COH. (Di-*n*-propyl carbinol). MT rice weevil. 1180.
581-995.
3-Pentanol, 2,4-dimethyl-, (CH₃)₂CHCH₂(OH)CH₂CH₂CH₃. (Disopropyl carbinol(?)). NT red scale. 268.
581-995.
3-Pentanol, 3-methyl-, (CH₃CH₂)₂COH. (Triethyl carbinol). HT rice weevil. 1180.
581-995.
Heptyl alcohol; CH₃(CH₂)₆CH₂OH. (1-Heptanol). NT rice weevil. 1180.
581-997.
1-Butanol, 1,1-dimethyl-, (CH₃)₂C(OR)CH₂CH₂CH₂CH₃. (Dimethyl *n*-propyl carbinol). HT rice weevil. 1180.
581-997.
Hexyl alcohol; CH₃(CH₂)₅CH₂OH. (1-Hexanol; amylcarbinol). NT rice weevil. 1180.
581-999.
Amyl alcohol; CH₃(CH₂)₄CH₂OH. ST red scale; NT rice weevil. 268, 1180.
581-999.
2-Pentanol; CH₃CH(OH)CH₂CH₂CH₃. (sec-Amyl alcohol). HT rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
581-999.
Isomyl alcohol; (CH₃)₂CHCH₂CH₂CH₂OH. (Isobutylcarbinol; 3-methyl-1-butanol). HT rice weevil; T codling moth; ST wireworms. 268, 846, 915, 1180.
581-999.
tert-Amyl alcohol; (CH₃)₂C(OH)CH₂CH₂CH₃. (2-Methyl-2-butanol; dimethylheptylcarbinol). HT rice weevil; T *Lucilia cuprina* larvae; ST wireworms; NT *Chrysomphalus aurantii*. 268, 849, 949, 1180.
581-999.
2-Butanol, 3-methyl-, CH₃CH(OH)CH(CH₃)₂. (Methyl isopropyl carbinol). NT *Chrysomphalus aurantii*. 268.
581-999.
3-Pentanol; (C₂H₅)₂COH. (Diethyl carbinol). HT rice weevil. 1180.

- 581-1001.
Butyl alcohol; $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$. (1-Butanol; propylcarbinol).
T clothes moths; NT rice weevil. 319P, 398P, 402P, 407P, 868P, 1175, 1180, 1242P, 1400P.
- 581-1001.
Isobutyl alcohol; $(\text{CH}_3)_2\text{CHCH}_2\text{OH}$. (2-Methyl-1-propanol; isopropylcarbinol).
HT rice weevil; ST wireworms. 846, 1180.
- 581-1001.
sec-Butyl alcohol; $\text{CH}_3\text{CH}(\text{OH})\text{CH}_2\text{CH}_3$. (2-Butanol; ethylmethylcarbinol).
HT rice weevil; ST red scale. 268, 1180.
- 581-1001.
tert-Butyl alcohol; $(\text{CH}_3)_3\text{COH}$. (2-Methyl-2-propanol; trimethylcarbinol).
HT rice weevil; NT wireworms. 846, 1180.
- 581-1003.
Propyl alcohol; $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$. (1-Propanol; ethylcarbinol).
MT rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
- 581-1003.
Isopropyl alcohol; $\text{CH}_3\text{CHOHCH}_3$. (2-Propanol; dimethylcarbinol).
HT rice weevil. 1180.
- 581-1003-1030.
Allyl alcohol; $\text{CH}_2=\text{CHCH}_2\text{OH}$. (2-Propen-1-ol).
HT rice weevil; T *Aphis rumicis* and *Leptinotarsa decemlineata*; ST red scale. 268, 1009, 1153, 1180.
- 581-1003-1261.
Glycerol di-metarsenite; $\text{CH}(\text{OH})[\text{CH}_2\text{OAsO}]_2$. 1132P.
- 581-1011.
Ethyl alcohol; $\text{CH}_3\text{CH}_2\text{OH}$. (Ethanol; methyl-carbinol; alcohol; spirit of wine).
T *Lucilia cuprina* larvae; MT rice weevil; ST red scale. 175, 268, 349, 1180.
- 581-1021.
Methyl alcohol; CH_3OH . (Methanol; carbinol; wood alcohol).
T clothes moths and *Lucilia cuprina* larvae; ST red scale; NT rice weevil. 268, 768, 807P, 849, 1179, 1180.
- 581-1027.
Primary aliphatic alcohols, CU.
(Having from 10 to 14 carbon atoms). 1126P.
- 582-501-854-952.
Ether, bis(dichloro-4-hydroxyphenyl)-; $(\text{HOC}_6\text{H}_4\text{Cl})_2\text{O}$. 360P.
- 582-591-872-952.
Phenol, *o,o'*-oxybis[4-iodo-; $(\text{HOC}_6\text{H}_4\text{I})_2\text{O}$. (Ether, bis(2-hydroxy-5-iodophenyl)-; bis(2-hydroxy-5-iodophenyl)-oxide). 110, 1035P.
- 582-591-952-1027.
Aliphatic alcohols, oxy derivatives, CU.
T as fly spray. 228P.
- 582-591-975.
Ether, bis(hydroxyaryl)-, CU; $(\text{HOR})_2\text{O}$. 360P.
- 582-591-1012.
Diethylene glycol; $\text{O}(\text{CH}_2\text{CH}_2\text{O})_2$. (2,2'-Oxy-diethanol; 2,2'-dihydroxyethyl ether). 1202P.
- 582-592-625-952-1022.
Fluoresinol; CaF_2O_8 .
NT when used as a synergist with pyrethrum against houseflies. 617.
- 582-625-730-950-1389.
Morphine sulphate; $(\text{C}_{17}\text{H}_{19}\text{NO}_5)_2\cdot\text{H}_2\text{SO}_4$.
NT Japanese beetle. 1008.
- 582-665-841-952.
Resorcinol, [4-(*p*-bromophenylazo)-; $\text{BrC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_3(\text{OH})_2$. (2,4-Dihydroxy-4'-bromo azobenzene).
T mosquito larvae; ST greenhouse red spider at 2%; NT southern army worm at 4%. 487, 488, 1438P, 1451.
- 582-665-852-924-951.
2-Naphthol, 1-(3,5-dichloro-2-hydroxyphenylazo)-; $\text{HOC}_{10}\text{H}_7\text{N}:\text{NC}_6\text{H}_3(\text{Cl})_2\text{OH}$.
HT mosquito larvae. 487.
- 582-665-852-952.
Resorcinol, 4-(2,5-dichlorophenylazo)-; $(\text{HO})_2\text{C}_6\text{H}_3\text{N}:\text{NC}_6\text{H}_3\text{Cl}_2$.
MT mosquito larvae. 487, 653.
- 582-665-952.
Phenol, *p,p'*-azodi-; $\text{HOC}_6\text{H}_4\text{N}:\text{NC}_6\text{H}_4\text{OH}$. (*p,p'*-Azobisphenol).
NT screwworms. 156, 1120.
- 582-665-952.
Resorcinol, 4-phenylazo-; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_3(\text{OH})_2$.
NT mosquito larvae. 487.
- 582-665-952.
Resorcinol, phenylazo-, CU; $\text{C}_6\text{H}_5\text{N}:\text{NC}_6\text{H}_3(\text{OH})_2$. (Benzenesoresorcinol).
NT screwworms. 156.
- 582-665-953.
Resorcinol, 2,4-bis(phenylazo)-; $(\text{HO})_2\text{C}_6\text{H}_3(\text{N}:\text{NC}_6\text{H}_5)_2$.
NT mosquito larvae. 487.
- 582-670-1012-1021.
Cyanamide, bis(2-hydroxyethyl)-; $(\text{CH}_2\text{OHCH}_2)_2\text{NCN}$. (*B,B'*-Dihydroxydiethyl cyanamide). 668P.
- 582-671-1001.
1,3-Propanediol, 2-amino-2-methyl-; $\text{CH}_3\text{OHC}(\text{CH}_3)-(\text{NH}_2)\text{CH}_2\text{OH}$.
NT European corn borer. 1122.
- 582-681-975.
Amine, bis(hydroxyaryl)-, CU. 360P.
- 582-681-1012.
Ethanol, 2,2'-iminodi-; $(\text{HOCH}_2\text{CH}_2)_2\text{NH}$.
T *Lucilia cuprina* larvae. 849.
- 582-682-652-1011.
Ethylenediamine, *N,N'*-bis (silyl)-; $\text{HOC}_6\text{H}_4\text{NHCCH}_2\text{CH}_2\text{NHC}_6\text{H}_4\text{OH}$. (*N,N'*-Diancyl-ethylene-diamine).
NT corn borer. 1120.
- 582-691-961-1022.
Ethanol, 2,2'-cyclohexyliminodi-; $\text{C}_6\text{H}_{11}\text{N}(\text{C}_6\text{H}_5\text{OH})_2$. (Diethanolecyclohexylamine). 377P.
- 582-691-975-1027.
Amine, alkyl-bis(hydroxyaryl)-. 360P.
- 582-702-781-975.
Sulphides, bis(cyanohydroxyaryl)-. 383P, 1178.
- 582-730-950-1011-1021-1030.
Cupreine, its salts and other derivatives; $\text{C}_{22}\text{H}_{35}\text{O}_2\text{N}_2$.
T as mothproofing agent. 744P, 1176.
- 582-781-842-952-1021.
p-Cresol, 2,2'-thiobis[6-bromo-; $[\text{BrC}_6\text{H}_3(\text{OH})_2(\text{CH}_3)]_2\text{S}$. (Sulphide, bis(3-bromo-2-hydroxy-5-methylphenyl). 383P, 1178.
- 582-781-844-952.
Phenol, *o,o'*-thiobis[4,6-dibromo-; $[\text{Br}_2\text{C}_6\text{H}_3(\text{OH})_2]_2\text{S}$. (Sulphide, bis(3,5-dibromo-2-hydroxyphenyl)-).
T staphylococci and as mothproofing agent. 383P, 1175, 1178.
- 582-781-844-952.
Phenol, *p,p'*-thiobis[3,5-dibromo-; $[\text{Br}_2\text{C}_6\text{H}_3(\text{OH})_2]_2\text{S}$. (Sulphide, bis(3,5-dibromo-4-hydroxyphenyl)-).
T as mothproofing agent. 383P, 1178.
- 582-781-847-952.
Phenol, *o,o'*-thiobis[3,4,6-tribromo-; $[\text{Br}_3\text{C}_6\text{H}_2(\text{OH})_2]_2\text{S}$. (Sulphide, bis(2-hydroxy-3,5,6-tribromophenyl)-).
T staphylococci. 383P, 1178.
- 582-781-852-952.
Phenol, *o,o'*-thiobis[4-chloro-; $[\text{ClC}_6\text{H}_3(\text{OH})_2]_2\text{S}$. Sulphide, bis(5-chloro-2-hydroxyphenyl)-).
T *Bacillus pyocyaneus* and as mothproofing agent. 383P, 1175, 1178.
- 582-781-924.
2-Naphthol, 1,1-thiodi-; $[\text{C}_{10}\text{H}_7(\text{OH})_2]_2\text{S}$. (Sulphide, bis(2-hydroxynaphthyl-1)-). 383P, 1178.
- 582-781-924-951.
2-Naphthol, 4-(*p*-hydroxyphenylthio)-; $\text{HOC}_6\text{H}_4\text{SC}_{10}\text{H}_7\text{OH}$. (Sulphide, 4-hydroxyphenyl-3-hydroxy-1-naphthyl). 383P, 1178.
- 582-781-951-1003-1021.
m-Cresol, 4,4'-thiobis[6-isopropyl-; $[\text{C}_6\text{H}_3(\text{CH}_3)(\text{OH})_2]_2\text{S}$. (Sulphide, bis(4-hydroxy-5-isopropyl-2-methylphenyl)-). 383P, 1178.
- 582-781-952.
Phenol, *p,p'*-thiodi-; $\text{S}(\text{C}_6\text{H}_4\text{OH})_2$. (Sulphide, bis(4-hydroxyphenyl)-). 383P, 1178.
- 582-781-952.
Phenol, *o*-(*p*-hydroxyphenylthio)-; $\text{S}(\text{C}_6\text{H}_4\text{OH})_2$. (Sulphide, 2,4-dihydroxydiphenyl-). 383P, 1178.

- 582-781-952-975-1022.
Sulphides, bis(benzylhydroxyaryl)-. 383P, 1178.
- 582-781-952-1022.
p-Cresol, 2,2'-thiodi-; $[\text{CH}_3\text{C}_6\text{H}_4(\text{OH})]_2\text{S}$.
(Sulphide, bis(4-hydroxy-3-methylphenyl)-).
383P, 1178.
- 582-781-954-1022.
o-Cresol, 4,4'-thiobis(*o*-phenyl-);
 $\text{S}[\text{C}_6\text{H}_4(\text{CH}_3\text{C}_6\text{H}_4)\text{OH}]_2$. (Phenyl sulphide, bis-4-hydroxy-3-benzyl).
T as mothproofing agent. 383P, 1175.
- 582-781-975.
Sulphides, bis(hydroxyaryl)-.
T clothes moths. 383P, 1178.
- 582-781-975-1113.
Sulphides, bis(hydroxyaryl)-, arsenic acids of.
383P, 1178.
- 582-781-1012.
Ethanol, 2,2'-thiodi-; $\text{HOCH}_2\text{CH}_2\text{SCH}_2\text{CH}_2\text{OH}$.
(Sulphide, β -hydroxyethyl-).
NT culicine mosquito larvae. 172, 1178.
- 582-782-924.
2-Naphthol, 1,1'-dithiodi-; $[\text{C}_{10}\text{H}_7(\text{OH})]_2\text{SS}$.
(Disulphide, bis(2-hydroxy-1-naphthyl)-).
383P, 1178.
- 582-783-842-952.
Phenol, *o,o'*-tetrahydrobis[4-hromo-; $[\text{BrC}_6\text{H}_4(\text{OH})]_2\text{SSS}$, (Trisulphide, bis(3-hromo-2-hydroxyphenyl)-).
383P, 1178.
- 582-783-924.
2-Naphthol, 1,1'-tetrathiodi-; $\text{HOC}_6\text{H}_4\text{SSSSC}_6\text{H}_4\text{OH}$.
5,5',8,8'-Dithio[1,1'-dithiobis(2-napthol)-].
NT mosquito larvae. 487.
- 582-783-952.
Phenol, *o,o'*-trithiodi-; $(\text{C}_6\text{H}_4\text{OH})_2\text{SSS}$. (Trisulphide, bis(2-hydroxyphenyl)-). 383P, 1178.
- 582-783-1027.
Polysulphides, bis-hydroxyaryl-. 383P, 1178.
- 582-842-852-952.
o,o'-Biphenol dibromodichloro-, CU;
 $\text{HO}(\text{Cl})(\text{Br})\text{C}_6\text{H}_3(\text{Br})\text{C}_6\text{H}_3(\text{Br})(\text{Cl})\text{OH}$. (Dibromodichloro-2,2'-dioxidiphenyl).
T as mothproofing agent. 412P, 1175, 1461P.
- 582-842-852-952-1021.
Phenol, *o,o'*-methylenebis[3-bromo-5-chloro-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl})(\text{Br})\text{OH})_2$. (Methane, 2,2'-dihydroxy-5,5'-dichloro-3,3'-dibromo-).
T as mothproofing agent. 1175, 1464P.
- 582-842-852-952-1021.
Phenol, methylenebis[bromochloro-, CU;
 $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl})(\text{Br})\text{OH})_2$. (Methane, dibromodichloro-dibromo-diphenyl).
T as mothproofing agent. 418P, 1175.
- 582-842-952-1004-1038.
p,p'-Biphenol, 3,3'-bis(2-bromoallyl)-;
 $[\text{C}_6\text{H}_4(\text{OH})(\text{CH}_2\text{C}(\text{Br})=\text{CH})]_2$. (Biphenyl, 3,3'-di-(2-bromoallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-842-952-1021.
Phenol, *o,o'*-methylenebis[3-bromo-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Br})\text{OH})_2$. (Methane, 2,2'-dihydroxy-5,5'-dibromodiphenyl; 2,2'-dioxo-5,5'-dibromodiphenylmethane).
T as mothproofing agent. 434P, 1175, 1465P.
- 582-844-952.
o,o'-Biphenol, 3,3',5,5'-tetrabromo-;
 $\text{HO}(\text{Br})\text{C}_6\text{H}_3(\text{Br})\text{C}_6\text{H}_3(\text{Br})\text{OH}$. (3,5,5',5'-Tetrabromo-2,2'-dioxidiphenyl).
T as mothproofing agent. 412, 1175, 1461P.
- 582-847-952-1023.
Cresol, methylenebis[bromo-, CU;
 $\text{CH}_2(\text{CH}_3\text{C}_6\text{H}_4(\text{Br})\text{OH})_2$. (Methane, bis(hydroxy-tolyl)-, brominated).
T as mothproofing agent. 455P, 1179.
- 582-851-951.
Hydroquinone, chloro-, CU; $\text{ClC}_6\text{H}_4(\text{OH})_2$.
T screwworms at 0.33-0.67%. 159.
- 582-851-951.
Resorcinol, 4-chloro-; $\text{ClC}_6\text{H}_4(\text{OH})_2$. (1,3-Dihydroxy-4-chlorobenzene).
ST screwworms at 0.67%. 158.
- 582-851-951-993.
Resorcinol, chloro-(2-ethylhexyl)-, CU. 818P.
- 582-851-951-1021.
Saligenin, 5-chloro-; $\text{HO}(\text{Cl})\text{C}_6\text{H}_4\text{CH}_2\text{OH}$. (Benzyl alcohol, 5-chloro-2-hydroxy).
T as mothproofing agent. 410P, 1175.
- 582-852-024-1021.
1-Naphthol, 2,2'-methylenebis[4-chloro-; $\text{CH}_2(\text{C}_{10}\text{H}_7(\text{Cl})\text{OH})_2$. (Methane, 1,1'-dihydroxy-4,4'-dichloro-2,2'-dinaphthyl; 1,1'-dioxo-4,4'-dichloro-2,2'-dinaphthylmethane).
T as mothproofing agent. 438P, 1175, 1179, 1457P.
- 582-852-951-1021.
Saligenin, 3,5-dichloro-; $\text{HO}(\text{Cl})\text{C}_6\text{H}_3\text{CH}_2\text{OH}$.
Benzal alcohol, 3,5-dichloro-2-hydroxy; 3,5-dichloro-2-oxybenzylalcohol).
T as mothproofing agent. 410P, 415P, 1175, 1463P.
- 582-852-952.
o,o'-Biphenol, dichloro-, CU; $\text{HO}(\text{Cl})\text{C}_6\text{H}_4\text{C}_6\text{H}_4(\text{Cl})\text{OH}$. (Dichloro-2,2'-dioxidiphenyl).
T as mothproofing agent. 412P, 1175, 1461P.
- 582-852-952-1004-1033.
p,p'-Biphenol, 3,3'-bis(2-chloroallyl)-;
 $[\text{C}_6\text{H}_4(\text{OH})(\text{CH}_2\text{C}(\text{Cl})=\text{CH})]_2$. (Biphenyl, 3,3'-di-(2-chloroallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-852-952-1011.
Phenol, ethylenedibis[2-chloro-, CU;
 $\text{C}_6\text{H}_4(\text{C}_6\text{H}_4(\text{Cl})\text{OH})_2$. (Methane bis(*o*-chlorohydroxyphenyl)-).
T as mothproofing agent. 1179, 1459P.
- 582-852-952-1021.
Phenol, *o,o'*-methylenebis[5-chloro-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl})\text{OH})_2$. (Methane, bis(5-chloro-2-hydroxyphenyl)-; 2,2'-dioxo-5,5'-dichlorodiphenylmethane).
T as mothproofing agent. 173, 398P, 402P, 443P, 450P, 451P, 458P, 1179, 1468P, 1405P.
- 582-852-952-1021.
Phenol, *o,o'*-methylenebis[6-chloro-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl})\text{OH})_2$. (Methane, bis(6-chloro-2-hydroxyphenyl)-).
T as mothproofing agent. 438P, 448P, 1179.
- 582-852-952-1022.
2,4-Xylenol, *o,o'*-bis(3,5-dichloro-2-hydroxyphenyl)-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl})\text{OH})_2$. (Methane, 3,5-dichloro-2,2'-dihydroxy-5-methyldiphenyl).
T as mothproofing agent. 1179, 1468P.
- 582-852-952-1023.
o-Cresol, 6,6'-methylenebis[4-chloro-; $\text{CH}_2(\text{ClC}_6\text{H}_3(\text{CH}_3)\text{OH})_2$. (Methane, bis(5-chloro-2-hydroxy-3-methylphenyl)-).
T as mothproofing agent. 458P, 1165P, 1175, 1179.
- 582-852-953-1021.
Phenol, *o,o'*-benzylidenebis[5-chloro-; $\text{CH}(\text{ClC}_6\text{H}_3(\text{OH})\text{C}_6\text{H}_4)_2$. (Methane, bis(5-chloro-2-hydroxyphenyl)-phenyl).
T as mothproofing agent. 458P, 1179.
- 582-852-953-1022-1359.
Phosphoric acid, di-*m*-chlorocresyl phenyl ester; $\{(\text{C}_6\text{H}_4)[(\text{CH}_2)(\text{OH})(\text{Cl})\text{C}_6\text{H}_3-]_2\text{PO}_4$. Monophenyl di-*m*-chlorocresyl ester of phosphoric acid).
T clothes moths. 877P.
- 582-853-952-1021.
Phenol, methylenebis(trichloro-, CU. (Methane, trichlorodihydroxy-diphenyl).
T as mothproofing agent. 1175, 1463P.
- 582-853-952-1021.
Phenol, 6-chloro-*o,o'*-methylenebis[4-chloro-; $\text{CH}_2(\text{C}_6\text{H}_3(\text{Cl}_2)\text{OH})_2$. (Methane, 2,2'-dihydroxy-3,5,5'-trichlorodiphenyl).
T as mothproofing agent. 410P, 450P, 1175, 1179.
- 582-853-953-1021.
Phenol, 2,2'-*p*-chlorobenzylidenebis[4-chloro-; $\text{CH}(\text{ClC}_6\text{H}_4\text{OH})_2\text{C}_6\text{H}_4\text{Cl}$. (Methane, bis(5-chloro-2-hydroxyphenyl)-2'-chlorophenyl).
T as mothproofing agent. 417P, 451P, 1175, 1179.
- 582-853-953-1021.
Phenol, 2,2'-*p*-chlorobenzylidenebis[4-chloro-; $\text{CH}(\text{ClC}_6\text{H}_4\text{OH})_2\text{C}_6\text{H}_4\text{Cl}$. (Methane, bis(5-chloro-2-hydroxyphenyl)-4'-chlorophenyl).
T as mothproofing agent. 451P, 458P, 1179.
- 582-853-1011.
Chloral hydrate; $\text{Cl}_3\text{CCH}(\text{OH})_2$. (2,2,2-Trichloro-1,1-ethanediol; trichloroethylidene glycol).
T *Aphis ramica*; NT *Tenebrio molitor*. 175, 841, 1152.

- 582-554-952.
o,o'-Biphenol, 3,3',5,5'-tetrachloro-;
HO(Cl₂)C₆H₂CaH₂(Cl₂)OH.
T clothes moths. 412P, 1175, 1461P.
- 582-554-952-1021.
Phenol, o,o'-methylenebis[3,5-dichloro-;
CH₂(Cl₂CaH₂OH)]₂. (Methane, bis(3,5-dichloro-2-hydroxyphenyl)-).
T as mothproofing agent. 435P, 436P, 443P, 455P, 458P, 1175, 1179, 1465P.
- 582-554-952-1021.
Phenol, p,p'-methylenebis[3,5-dichloro-; CH₂(Cl₂CaH₂OH)]₂. (Methane, bis(3,5-dichloro-4-hydroxyphenyl)-).
T as mothproofing agent. 438P, 1175, 1179, 1457P.
- 582-554-953-1021.
Phenol, benzylidenebis(dichloro-). CU. (Methane, dihydroxy tetrachloro-triphenyl).
T as mothproofing agent. 417P, 1175.
- 582-554-953-1021.
Phenol, 2,2'-(2,6-dichlorobenzylidene)bis(5-chloro-; CH(Cl₂CaH₂OH)₂CaH₂Cl₂). (Methane, bis(5-chloro-2-hydroxyphenyl)-2',6'-dichlorophenyl)-).
T as mothproofing agent. 443P, 451P, 1170.
- 582-555-953-1021.
Phenol, 2,2'-(o-chlorobenzylidene)bis[3,5-dichloro-; CH(Cl₂CaH₂OH)₂CaH₂Cl₂]. (Methane, bis(3,5-dichloro-2-hydroxyphenyl)-2',6'-dichlorophenyl)-).
T as mothproofing agent. 443P, 452P, 1175, 1179, 1465P.
- 582-555-952-1021.
Phenol, m,m'-methylenebis[2,4,6-trichloro-; CH₂(Cl₂H(Cl₂)OH)]₂. (Methane, bis(2,4,6-trichloro-3-hydroxyphenyl)-; 3,3'-dihydroxy-2',4',6',6'-hexachlorodiphenylmethane).
T as mothproofing agent. 439P, 1179, 1453P, 1454P.
- 582-555-953-1021.
Phenol, 2,2'-(2,4-dichlorobenzylidene)bis[3,5-dichloro-; CH(Cl₂CaH₂OH)₂CaH₂Cl₂]. (Methane, bis(3,5-dichloro-2-hydroxyphenyl)-2',4'-dichlorophenyl)-).
T as mothproofing agent. 444P, 1179.
- 582-556-953-1021.
Phenol, 2,2'-(2,6-dichlorobenzylidene)bis[3,5-dichloro-; CH(Cl₂CaH₂OH)₂CaH₂Cl₂]. (Methane, bis(3,5-dichloro-2-hydroxyphenyl)-2',6'-dichlorophenyl)-).
T as mothproofing agent. 443P, 444P, 461P, 452P, 1179.
- 582-557-952-1021.
Phenol, o,o'-chloromethylenebis[3,5-dichloro-; CH₂(Cl₂CaH₂OH)₂CaH₂Cl₂]. (Methane, bis(3,5-dichloro-2-hydroxyphenyl)-, chlorinated).
T as mothproofing agent. 455P, 1179.
- 582-562-952-1021.
Phenol, o,o'-methylenebis[5-fluoro-; CH₂(CaH₂(F)OH)]₂. (Methane, bis(5-fluoro-2-hydroxyphenyl)-).
T as mothproofing agent. 449P, 1179.
- 582-924.
1,4-Naphthalenediol; C₁₀H₆(OH)₂. (1,4-Naphthendiol; d-hydronaphthoquinone; 1,4-hydronaphthoquinone).
NT clothes moths. 739, 1176.
- 582-924.
2,7-Naphthalenediol; C₁₀H₆(OH)₂. (2,7-Dihydroxynaphthalene).
MT as mothproofing agent. 239.
- 582-924.
1,1'-Bi-2-naphthol; [C₁₀H₇(OH)]₂.
HT *Carpocapsa pomonella* larvae; MT mosquito larvae. 467, 1291.
- 582-924.
Bi-2-naphthol-. CU? HOC₁₀H₆C₁₀H₆OH. (β,β'-Dinaphthol).
NT *Coelomyia americana* C. and P. 944.
- 582-951.
Pyrocatechol; C₆H₄(OH)₂. (Pyrocatechin; 1,2-dihydroxybenzene; catechol; ortho-dioxybenzene; oxyphenic acid; 1,2-phenediol; pyrocatechic acid).
T screwworms and as mothproofing agent; MT *Aphis rumicis*; ST Colorado potato beetle and Mexican bean beetle; NT *Tineola biselliella* and *Attagenus piceus* (739). 156, 175, 239, 559, 606, 739, 1176, 1377.
- 582-951.
Resorcinol; C₆H₄(OH)₂. (1,3-Benzenediol; resorcin).
T screwworms, *Aphis rumicis*, and as mothproofing agent. 158, 404P, 870P, 1152, 1175, 1179, 1388P, 1407.
- 582-951.
Hydroquinone; C₆H₄(OH)₂. (1,4-Dihydroxybenzene; hydroquinol; para-dioxybenzene; p-dioxybenzol).
T screwworms and Japanese beetle; NT *Tineola biselliella*, *Attagenus piceus*, and NT corn borer at 4 lbs./100 gal. 156, 494, 739, 1122, 1176.
- 582-951-1000.
Hydroquinone, diamyl-, CU; [CH₂CH₂C(CH₃)₂CaH₂(OH)]₂.
MT codling moth larvae; NT *Bombyx mori* larvae. 659, 1291.
- 582-951-1022.
Hydroquinone, dimethyl-, CU; (CH₃)₂CaH₂(OH)₂.
NT *Bombyx mori* larvae. 561.
- 582-952.
o,o'-Biphenol; HOC₆H₄CaH₂OH. (o,o'-Dioxydiphenyl).
T as mothproofing agent. 412P, 1175, 1461P.
- 582-952-961.
Phenol, p,p'-cyclohexylidenedi-? C₆H₁₀(CaH₂OH)₂. (Cyclohexane, 4,4'-dihydroxydiphenyl; 4,4'-dioxydiphenylcyclohexane).
T as mothproofing agent. 94P, 405P, 1175, 1362P.
- 582-952-961-1021.
Phenol, p,p'-(4-methylcyclohexylidene)di-; CH₂CaH₂(CaH₂OH)₂. (Cyclohexane, 4,4'-dihydroxy-1,1'-diphenyl-4'-methyl).
T as mothproofing agent. 401P, 405P, 1175.
- 582-952-961-1022.
o-Cresol, 4,4'-cyclohexylidenedi-; C₆H₁₀(CaH₂(CH₃)OH)₂. (Cyclohexane, 4,4'-dihydroxy-3,3'-dimethyl-diphenyl-1,1'-).
T as mothproofing agent. 401P, 405P, 1175.
- 582-952-996-1033.
p,p'-Biphenol, 3,3'-bis(2-isobutylallyl)-; [-C₆H₃(OH)CH₂(C₂H₅)CH₂CH₂(CH₃)₂]₂. (Biphenol, 3,3'-di-(2-isobutylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-998-1033.
p,p'-Biphenol, 3,3'-bis(1-propylallyl)-; [-C₆H₃(OH)CH₂(C₂H₅)CH₂CH₂]₂. (Biphenyl, 3,3'-di-(1-propylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-998-1033.
p,p'-Biphenol, 3,3'-bis(3-propylallyl)-; [-C₆H₃(OH)CH₂CH₂CH₂CH₂CH₂]₂. (Biphenyl, 3,3'-di-(3-propylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-1000-1033.
p,p'-Biphenol, 3,3'-bis(1-methyl-2-butenyl)-; [-C₆H₃(OH)CH₂(CH₃)CH₂CH₂CH₃]₂. (4,4'-Dihydroxy-3,3'-bis(1-methyl-2-butenyl)-).
Fly spray. 95P, 112.
- 582-952-1000-1033.
p,p'-Biphenol, 3,3'-bis(1-ethylallyl)-; [-C₆H₃(OH)CH₂(C₂H₅)CH₂CH₂]₂. (Biphenyl, 3,3'-di-(1-ethylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-1000-1033.
p,p'-Biphenol, 3,3'-bis(2-pentenyl)-; [-C₆H₃(OH)CH₂CH₂:CHC₂H₅]₂. (Biphenyl, 4,4'-dihydroxy-3,3'-di-(2-pentenyl)-).
Fly spray. 112, 125P.
- 582-952-1002-1033.
p,p'-Biphenol, 3,3'-bis(1-methylallyl)-; [-C₆H₃(OH)CH₂(CH₃)CH₂CH₂]₂. (Biphenyl, 3,3'-di-(1-methylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-1002-1033.
p,p'-Biphenol, 3,3'-bis(2-methylallyl)-; [-C₆H₃(OH)CH₂(CH₃)CH₂CH₂]₂. (Biphenyl, 3,3'-di-(2-methylallyl)-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-1003.
Catechol, 4-(α-phenylisopropyl)-; (OH)₂CaH₂C(CH₃)₂CaH₂. 1089P.
- 582-952-1003.
Hydroquinone, 2-(α-phenylisopropyl)-; (OH)₂CaH₂C(CH₃)₂CaH₂. 1089P.

- 582-952-1003.
Resorcinol, 4-(α -phenylisopropyl)-;
(OH) \cdot C₆H₃(CH₂)₂C₆H₅. 1089P.
- 582-952-1003.
Phenol, *p,p'*-isopropylidenedi-; (CH₃)₂C(C₆H₄OH)₂.
(Di-(4-hydroxyphenyl) dimethylmethane). 300P.
- 582-952-1004-1027-1033.
p,p'-Biphenol, 3,3'-dialkyl-, CU;
[C₆H₄(OH)CH(R)C(R') \cdot CH(R'') \cdot]. (Biphenyl, 3,3'-dialkyl-4,4'-dihydroxy-; 3,3'-dialkyl-4,4'-dihydroxydiphenyl).
Fly spray. 112, 125P.
- 582-952-1004-1033.
p,p'-Biphenol, 3,3'-diallyl-; [C₆H₄(OH)CH₂CH=CH₂]₂.
(Biphenyl, 3,3'-diallyl-4,4'-dihydroxy-).
Fly spray. 112, 125P.
- 582-952-1023.
p-Cresol, 2,2'-methylenebis-; CH₃[C₆H₃(CH₃)OH]₂.
(Methane, 3,3'-dimethyl-6,6'-dihydroxydiphenyl;
3,3'-dimethyl-6,6'-dioxidiphenylmethane).
T as mothproofing agent. 37P, 1175.
- 582-954-1004-1033.
p,p'-Biphenol, 3,3'-bis(1-phenylallyl)-;
[C₆H₄(OH)CH(CH₃)CH₂CH₂]₂. (Biphenyl, 3,3'-di-(1-phenylallyl)-4,4'-dihydroxy-; 3,3'-di-(1-phenylallyl)-4,4'-dihydroxy-diphenyl).
Fly spray. 112, 125P.
- 582-956-1022.
Resorcinol, dihydrodimethyl-, CU; (HO) \cdot C₆H₄-(CH₃)₂.
NT silkworms. 292, 559.
- 582-997.
Pinacone; (CH₃)₂C(OH)COH(CH₃)₂. (2,3-Dimethyl-2,3-butanediol; tetramethylene glycol; pinacone). 698P.
- 582-1003-1260.
Triglycerol-orthoarsenite?
[CH₂(O)CH(OH)CH₂O]₃As? 1132P.
- 582-1003-1260.
Diglycerol-orthoarsenite;
[CH₂(OH)CH(OH)CH₂O]₂AsOH. 1132P.
- 582-1003-1260.
Monoglycerol-orthoarsenite;
CH₂(OH)CH(OH)CH₂OAsO₄H₂. 1132P.
- 582-1003-1261.
Monoglycerol-metaarsenite;
CH₂(OH)CH(OH)CH₂OAsO. 1132P.
- 583-593-822-953-1023.
 α -Trithiane, tris-(4-hydroxy-3-methoxyphenyl)-;
C₂H₅OAs₃. (Trithiovanillin).
HT codling moth larvae; NT mosquito larvae.
487, 1291.
- 583-691-1013.
Triethanolamine; (HOCH₂CH₂)₃N.
T *Lucilia cuprina* larvae. 849.
- 583-691-1013-1313.
Triethanolamine fluosilicate; (HOCH₂CH₂)₃NH₃SiF₆?
(Triethylamine, β,β,β' -trihydroxy-, fluosilicate).
T as mothproofing agent. 1179, 1225P, 1228P.
- 583-801-953-1291.
Sulfonium chloride, tris(*p*-hydroxyphenyl)-;
(HOC₆H₄)₃SCl. 526P.
- 583-851-951-1022.
2,6-Xylenol, 4-chloro- α,α' -dihydroxy-;
ClC₆H₃(CH₃OH)₂OH. (Phenol, 2,6-dimethylol-4-chloro-).
T as mothproofing agent. 1175, 1464P.
- 583-852-953-1023.
Menthol, α,α' -bis(5-chloro-2-hydroxyphenyl)-;
CH₃C₆H₃(CH₂CH₂(Cl)OH)₂OH. (Phenol, 2,6-bis(5-chloro-2-hydroxybenzyl)-4-methyl-).
T as mothproofing agent. 454P, 1179.
- 583-852-953-1025.
Menthol, α,α' -bis(5-chloro-2-hydroxy-*m*-tolyl)-;
CH₃C₆H₃(CH₂CH₂(CH₃)(Cl)OH)₂OH. (Phenol, 2,6-bis(5-chloro-2-hydroxy-3-methylbenzyl)-4-methyl-).
T as mothproofing agent. 454P, 1179.
- 583-853-953-1022.
Phenol, 4-chloro-2,6-bis(5-chloro-2-hydroxybenzyl)-;
ClC₆H₃(CH₂CH₂Cl)₂OH. (Phenol, 4-chloro-2,6-bis(5-chloro-2-hydroxybenzyl)-).
T as mothproofing agent. 453P, 1179.
- 583-854-953-1021.
m-Cresol, α,α' -bis(5-chloro-2-hydroxyphenyl)-2,4-dichloro-; CH(ClC₆H₄OH)₂C₆H₃(Cl)₂OH.
- (Methane, bis(5-chloro-2-hydroxyphenyl)-2',6'-dichloro-3'-hydroxyphenyl-).
T as mothproofing agent. 458P, 1179.
- 583-855-953-1021.
m-Cresol, α,α' -bis(5-chloro-2-hydroxyphenyl)-2,4,6-trichloro-; CH(ClC₆H₄OH)₂C₆H₃(Cl)₃OH.
(Methane, bis(5-chloro-2-hydroxyphenyl)-2',4',6'-trichloro-3'-hydroxyphenyl-).
T as mothproofing agent. 458P, 1179.
- 583-855-953-1022.
Phenol, 4-chloro-2,6-bis(3,5-dichloro-4-hydroxybenzyl)-; ClC₆H₃[CH₂C₆H₃(Cl)₂OH]₂OH.
T as mothproofing agent. 453P, 1179.
- 583-857-953-1021.
m-Cresol, α,α' -bis(3,5-dichloro-2-hydroxyphenyl)-2,4,6-trichloro-; CH(ClC₆H₃(Cl)₂OH)₂C₆H₃(Cl)₃OH.
(Methane, 2,2'-dihydroxy-3,5,3',5'-tetrachloro-3'-hydroxy-2',4',6'-trichlorodiphenyl; 2,2'-oxy-3,5,3',5'-tetrachloro-3'-oxy-2',4',6'-trichlorodiphenylmethane).
T as mothproofing agent. 434P, 1175, 1465P.
- 583-910.
9-Anthrol, 1,8-dihydroxy-; C₁₄H₈(OH)₂.
(1,8-Dihydroxyanthracene). 584P.
- 583-951.
Pyrogallol; C₆H₃(OH)₃. (1,2,3-Trihydroxybenzene; 1,2,3-benzenetriol).
T screwworms at 0.33-0.67%; MT *Aphis rumicis*; NT *Hypodamia convergens*. 156, 1110, 1152, 1377.
- 583-951.
Phloroglucinol; C₆H₃(OH)₃. (1,3,5-Trihydroxybenzene; 1,3,5-benzenetriol).
T *Aphis rumicis* and T screwworms at 0.33-0.67%. 156, 1152.
- 583-1003.
Glycerol; HOCH₂CH(OH)CH₂OH. (Glycerine).
T bedbugs and as mothproofing agent. 1179, 1268, 1282P.
- 584-591-620-625-993.
Sucrose; C₁₂H₂₂O₁₁.
(Cane sugar; saccharose).
NT *Lucilia cuprina*, *L. sericata*, and *Calliphora vicina*. 918.
- 584-665-952.
Pyrogallol, (*p*-hydroxyphenylazo)-, CU;
C₁₂H₁₀N₂O₄.
HT mosquito larvae. 487.
- 584-781-975.
Sulphides, bis(polyhydroxyaryl)-. 363P, 1178.
- 584-854-953-1021.
Resorcinol, 2,2'-methylenebis 3,5-dichloro-; CH₃[C₆H₃(Cl)₂(OH)]₂. (Methane, 2,2'-bis(3,5-dichloro-4-hydroxy-3,5,3',5'-tetrachlorodiphenyl); 2,2'-oxy-3,5,3',5'-tetrachlorodiphenylmethane).
T as mothproofing agent. 434P, 1175, 1465P.
- 584-881-952-1021-1027.
Phenol, alkylaryl-, CU; C₆H₅C(R)(CH₃)X.
An alkyl polyhydric phenol corresponding to the general formula above, wherein X is a phenolic radical selected from the class consisting of polyhydroxy aryl and polyhydroxy haloaryl radicals of the benzene series, and R is a lower alkyl radical. 1089P.
- 588-733-1109.
Cyanuric acid, ammonium salt; (CNOH)₃(NH₄)₃.
T *Aphis rumicis*. 1152.
- 588-851-952-1213.
Phenol, 2-chloro-6-phenyl-, sodium derivative;
ClC₆H₄(C₆H₅)ONa. (Sodium-2-chloro-6-phenylphenoxide).
HT mosquito larvae. 487.
- 588-852-951-1142-1389.
Phenol, 2,4-dichloro-, copper sulfate derivative;
Cl₂C₆H₃OH.CuSO₄. 362P.
- 588-852-951-1244-1291.
Phenol, 2,4-dichloro-, zinc chloride derivative;
Cl₂C₆H₃OH.ZnCl₂. 362P.
- 588-853-951-1021-1142-1389.
p-Cresol, 2,3,6-trichloro-, copper sulfate derivative;
Cl₃C₆H₃(CH₃)OH.CuSO₄. (Copper sulfate of 2,3,5-trichloro-4-hydroxy-1-methylbenzene). 362P.
- 588-853-951-1021-1244-1291.
p-Cresol, 2,3,6-trichloro-, zinc chloride derivative;
Cl₃C₆H₃(CH₃)OH.ZnCl₂. (Zinc chloride of 2,3,5-trichloro-4-hydroxy-1-methylbenzene). 362P.

- 588-853-951-1244.
Phenol, 2,4,5-trichloro-, zinc salt; $(\text{Cl}_3\text{C}_6\text{H}_3\text{O})_2\text{Zn}$. 966P.
- 588-854-951-1218.
Phenol, 2,3,4,5-tetrachloro-, sodium derivative; $\text{Cl}_4\text{C}_6\text{HONa}$. (Sodium 2,3,4,5-tetrachlorophenoxide). MT mosquito larvae. 457.
- 588-881-951-1142.
Phenols, substituted, copper derivatives. (Copper salts of halogen substituted phenols and cresols).
T as mothproofing agent. 40P, 758P, 1176.
- 588-951-1021-1126.
Cresol, calcium derivative, CU. (Calcium cresolate).
T flea beetle on root plants. 10P.
- 588-951-1021-1176-1303.
Cresol, cyanomercury derivative, CU;
 $\text{Hg}(\text{CN})(\text{OC}_6\text{H}_4\text{CH}_3)$. (Mercury cresolecyanide). 379P.
- 588-951-1021-1356.
Phosphoric acid, m-cresyl ester; $\text{PO}(\text{OC}_6\text{H}_4\text{CH}_3)_2$ (OH).
T clothes moths. 877P.
- 588-951-1021-1356.
Phosphoric acid, p-cresyl ester; $\text{PO}(\text{OC}_6\text{H}_4\text{CH}_3)_2$ (OH).
T clothes moths. 877P.
- 588-951-1413.
Thiophosphoric acid, cresyl ester, CU. (Cresol, thiophosphoric acid ester).
Used to increase the floatability on water of Paris green for killing *Anopheles* larvae. 1027P, 1173.
- 588-952-1218.
Phenol, o-phenyl-, sodium derivative; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{ONa}$. (o-Hydroxydiphenyl sodium salt).
T screwworms at 0.33-0.87%; NT codling moth. 156, 930.
- 588-953-1021-1356.
Phosphoric acid, diphenyl o-cresyl ester;
 $\text{PO}(\text{C}_6\text{H}_5\text{O})_2\text{C}_6\text{H}_4\text{CH}_3$.
T clothes moths. 877P.
- 588-989-1045.
Dodecyl alcohol, metallic derivatives, CU;
 $\text{C}_{12}\text{H}_{25}\text{OM}$.
T lower forms of life. 107P.
- 591-620-950.
Ether, bis(9-xanthyl)-; $(\text{C}_8\text{H}_{17}\text{OC}_6\text{H}_4\text{CH}_3)_2\text{O}$.
NT mosquito larvae. 487, 1291.
- 591-632-851-951-1021.
Ether, p-chlorophenyl-2,3-epoxypropyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$. (Oxirane, 2-(p-chlorophenoxy-methyl)-; 1-(4-chloro-phenoxy)-propylene oxide-2,3).
Fly spray. 14P, 112.
- 591-632-855-951-1021.
Ether, 2,3-epoxy-2-methylpropyl pentachlorophenyl-;
 $\text{CH}_3(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_2\text{Cl}_5$. (Oxirane, 2-methyl-2-(pentachlorophenoxy-methyl)-; 1-(pentachlorophenoxy)-2-methyl-propylene oxide-2,3).
Fly spray. 14P, 112.
- 591-632-855-951-1021.
Ether, 2,3-epoxypropyl pentachlorophenyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_2\text{Cl}_5$. (Oxirane, 2-(pentachlorophenoxy-methyl)-; 1-(pentachloro-phenoxy)-propylene oxide-2,3).
MT as fly spray. 14P, 112.
- 591-632-887-951-1021-1027.
Ether, 2,3-epoxy-2-methylpropyl halophenyl-, CU;
 $\text{CH}_3(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{Xn}$. (Oxirane, halogenated phenoxy-methyl; halogenated phenoxy propylene oxide).
Fly spray. 14P, 112.
- 591-632-951-981-1021.
Ether, 2,3-epoxypropyl o-phenylcyclohexyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_9\text{C}_6\text{H}_{11}$. (1-(2-Phenyl-cyclohexanoxy)-propylene oxide-2,3). 1300P.
- 591-632-951-981-1021.
Ether, o-cyclohexylphenyl 2,3-epoxypropyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{C}_6\text{H}_{11}$. 1-(2-Cyclohexyl-phenoxy)-propylene oxide-2,3). 1300P.
- 591-632-951-993-1021.
Ether, 2,3-epoxypropyl p-tert-octylphenyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{C}_8\text{H}_{17}$. (Oxirane, 2-(p-tert-octylphenoxy-methyl)-; 1-(4-tertiary-octyl-phenoxy)-propylene oxide-2,3).
- Fly spray. 112, 1301P.
- 591-632-951-1001-1021.
Ether, p-tert-butylphenyl 2,3-epoxypropyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_3$. (Oxirane, 2-(p-tert-butylphenoxy-methyl)-; 1-(4-tertiary butylphenoxy)-propylene oxide-2,3).
HT houseflies at 3%. 112, 1301P.
- 591-632-951-1021-1027.
Ether, alkylphenyl 2,3-epoxymethylpropyl-;
 $\text{R}'(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_4\text{R}$. (Oxirane, alkylphenoxy-methyl; alkylphenoxy propylene oxide). Wherein R represents an unsubstituted alkyl radical containing 4 to 8 carbon atoms, and R' is hydrogen or a methyl radical.
Fly spray. 112, 1301P.
- 591-632-961-1021.
Ether, cyclohexyl 2,3-epoxypropyl-;
 $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{OC}_6\text{H}_{11}$. (1-(Cyclohexanoxy)-propylene oxide-2,3). 1300P.
- 591-655-952-1011.
Hydrazohexene, p-ethoxy-; $\text{C}_6\text{H}_5\text{N}=\text{NHC}_6\text{H}_4\text{OC}_2\text{H}_5$.
T young screwworm larvae at 10%. 944.
- 591-665-671-952-1021.
o-Anisidine, 4-phenylazo-; $\text{C}_6\text{H}_5\text{N}=\text{NC}_6\text{H}_4\text{N}(\text{CH}_3)_2$ OCH₃. (2-Amino-5-azobenzene).
NT *Bombyx mori* larvae. 559.
- 591-665-852-924-951-1021.
Ether, [4-(2,5-dichlorophenylazo) - 1-naphthyl]methyl-;
 $\text{Cl}_2\text{C}_6\text{H}_3\text{N}=\text{NC}_6\text{H}_4\text{OCH}_3$.
NT mosquito larvae. 487.
- 591-665-952-1011.
Azohexene, p-ethoxy-; $\text{C}_6\text{H}_5\text{N}=\text{NC}_6\text{H}_4\text{OC}_2\text{H}_5$.
T young screwworm larvae at .08%. 944.
- 591-671-551-951-1003-1030.
Aniline, p-(2-chloroethoxy)-; $\text{H}_2\text{NC}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})_2$ CH₃. (Propene, 3-(p-aminophenoxy)-2-chloro-; 2-chloroethyl ether of 4-aminophenol).
Fly spray. 112, 209P.
- 591-671-951-1011.
m-Phenetidine; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NH}_2$.
T screwworms at 0.33-0.87%; MT *Culex quinquefasciatus* larvae. 156, 157.
- 591-671-951-1011.
o-Phenetidine; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NH}_2$. (o-Ethoxyaniline; o-aminophenetols).
T screwworms at 0.17-0.33%. 156.
- 591-671-951-1011.
p-Phenetidine; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NH}_2$. (p-Ethoxyaniline).
T codling moth, as mothproofing agent, and T screwworms at 0.10-0.17%; MT *Culex quinquefasciatus* larvae; NT *Melanophus m. mexicanus*. 156, 157, 333P, 915, 1150, 1176.
- 591-671-951-1011-1312.
Phenetidine hydrofluoride, CU; $\text{C}_6\text{H}_5\text{OC}_6\text{H}_4\text{NH}_2\text{BF}$.
NT *Tenebrio biselliella* and *Attagenus piceus*. 759, 1176.
- 591-671-951-1021.
m-Anisidine; $\text{CH}_3\text{OC}_6\text{H}_4\text{NH}_2$. (m-Methoxyaniline).
T screwworms at 0.17-0.33%; NT red scale. 156, 268.
- 591-671-951-1021.
o-Anisidine; $\text{CH}_3\text{OC}_6\text{H}_4\text{NH}_2$. (o-Methoxyaniline).
T codling moth and T screwworms at 0.17-0.33%; NT red scale and silkworm larvae. 156, 268, 561, 915.
- 591-671-951-1021.
p-Anisidine; $\text{CH}_3\text{OC}_6\text{H}_4\text{NH}_2$. (p-Methoxyaniline).
T screwworms at 0.10-0.17%; NT corn borer at 4 lbs./100 gal. 156, 1122.
- 591-671-952-1021-1027.
Ethers, amino-substituted phenyl benzyl-.
Fly spray. 112, 696P.
- 591-671-952-1021-1291.
p-Anisidine, a-phenyl-, hydrochloride;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NH}_2\text{HCl}$. (Aniline, 4-phenylmethoxy-, hydrochloride).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-681-952-1001-1021-1030.
p-Anisidine, N-(2-methylallyl)-a-phenyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NHCH}_2\text{C}(\text{CH}_3)=\text{CH}_2$. (Aniline, 4-phenylmethoxy-N-(2-methylallyl)-).
Fly spray. 112, 696P.

- 591-681-952-1003.
Diphenylamine, *p*-isopropoxy; $(\text{CH}_3)_2\text{CHOCC}_6\text{H}_5$ - NHC_6H_5 .
HT corn borer. 1120.
- 591-681-953-1022.
Benzylamine, *N*-(*p*-phenylmethoxyphenyl)-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{NHCH}_2\text{C}_6\text{H}_5$. (*p*-Benzyl amino phenyl benzyl ether).
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
- 591-682-800-953-1011.
Diphenylamine, *p*-ethoxyphenylamino, sulfurized, CU.
NT Mexican bean beetle. 606, 1432.
- 591-691-742-951-1024.
Pyrimidone; $(\text{CH}_3)_2\text{N}(\text{C}_6\text{H}_5)(\text{O})(\text{CH}_2)_2\text{C}_6\text{H}_5$.
(4-Dimethylaminoantipyrine; 1,5-dimethyl, 2-phenyl, 4-dimethylamino-3-pyrazolone).
T *Aphis rumicis*. 1152.
- 591-691-952-993-1024.
Benzylamine, *N,N*-dimethyl-5-octyl-2-phenylmethoxy-;
 $\text{C}_8\text{H}_{17}\text{CH}_2\text{OC}_6\text{H}_5\text{CH}_2\text{N}(\text{CH}_3)_2(\text{C}_6\text{H}_5)_2$.
Fly spray. 96P, 112, 688P, 690P, 693P, 694P, 696P.
- 591-691-954-1012-1193-1325.
Phosphonium hydroxide, *m*-(diethylaminophenyl) triphenyl-;
 $[(\text{C}_2\text{H}_5)_2\text{N}(\text{C}_6\text{H}_4\text{O})(\text{C}_6\text{H}_5)_3]\text{POH}$.
T as mothproofing agent. 441P, 1179.
- 591-691-975-1027-1030.
Amine, aryloxy, substituted, CU; $\text{R}(\text{OC}_6\text{H}_5)_2\text{NR}_1$ - R_2 . The formula above wherein R represents an aliphatic hydrocarbon group of less than 13 carbon atoms, C_6H_5 represents an alkylene chain of at least 2 carbon atoms in which n has a value of 2-4 inclusive, x represents an integer of at least one, R_1 represents a member of the class consisting of monovalent hydrocarbon groups and divalent aliphatic groups which in conjunction with R_2 , etc. 697P.
- 591-730-950-1021.
Quinoline, 6-methoxy-; $\text{CH}_3\text{OC}_6\text{H}_4\text{N}$.
NT *Bombyx mori* larvae. 561.
- 591-740-951-1022.
Pyrrolidine, 2-(*p*-methoxyphenyl)-1-methyl-;
 $\text{C}_6\text{H}_4\text{N}(\text{CH}_3)\text{C}_6\text{H}_4\text{OCCH}_3$. (α -(*p*-methoxyphenyl)-*N*-methylpyrrolidine).
T *Aphis rumicis*. 261.
- 591-781-953-1022.
Ether, benzyl *p*-henzylthiophenyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{SCH}_2\text{C}_6\text{H}_5$. (Sulfide, benzyl 4-phenylmethoxyphenyl-).
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
- 591-820-950.
Ether, bis(9-thioxanthyl)-; $(\text{C}_{12}\text{H}_8\text{S})_2\text{O}$.
NT mosquito larvae. 457.
- 591-841-851-952-1021.
Ether, *p*-bromobenzyl *o*-chlorophenyl-;
 $\text{BrC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$.
Fly spray. 112, 688P.
- 591-841-851-952-1021.
Ether, *p*-bromobenzyl *p*-chlorophenyl-;
 $\text{BrC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$.
Fly spray. 112, 688P.
- 591-841-851-952-1021.
Ether, *p*-bromophenyl *o*-chlorobenzyl-;
 $\text{ClC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{Br}$.
Fly spray. 112, 688P.
- 591-841-951-1003.
Ether, γ -bromopropyl phenyl-; $\text{C}_6\text{H}_5\text{OC}_3\text{H}_6\text{Br}$.
HT *Carpocapsa pomonella* larvae; T *Aphis rumicis*. 648, 1291.
- 591-841-951-1011.
Phenetole, *o*-bromo-; $\text{BrC}_6\text{H}_4\text{OC}_2\text{H}_5$. (*o*-Bromophenyl ethyl ether).
MT *Culex quinquefasciatus*. 157.
- 591-841-951-1011.
Phenetole, *p*-bromo-; $\text{BrC}_6\text{H}_4\text{OC}_2\text{H}_5$. (*p*-Bromophenyl ethyl ether).
T *Culex quinquefasciatus*; ST screwworms at 0.67%. 156, 157.
- 591-841-951-1021.
Anisole, *o*-bromo-; $\text{BrC}_6\text{H}_4\text{OCH}_3$. (1-Bromo-2-methoxybenzene; *o*-bromophenyl methyl ether).
MT *Culex quinquefasciatus*. 157.
- 591-841-951-1021.
Anisole, *p*-bromo-; $\text{BrC}_6\text{H}_4\text{OCH}_3$. (1-Bromo-4-methoxybenzene; *p*-bromophenyl methyl ether).
HT *Culex quinquefasciatus*; T screwworms. 156, 157.
- 591-841-952.
Ether, *p*-bromodiphenyl-; $\text{BrC}_6\text{H}_4\text{OC}_6\text{H}_5$.
NT red scale. 268.
- 591-841-952-999-1011.
Ether, 5-*tert*-amyl-2-hiphenyl-3-bromo ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Br})(\text{OC}_4\text{H}_9)\text{C}(\text{CH}_3)_2\text{C}_6\text{H}_5$. (Ethyl ether of 2-bromo-4-*tert*-amyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-841-952-1001-1021.
Ether, benzyl 2-bromo-4-*tert*-butylphenyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{Br})(\text{C}(\text{CH}_3)_3)$.
Fly spray. 112, 688P.
- 591-841-952-1003-1021.
Ether, *p*-bromobenzyl 2-bromo-4-*tert*-butylphenyl-;
 $\text{BrC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_3(\text{Br})(\text{C}(\text{CH}_3)_3)$.
Fly spray. 112, 688P.
- 591-841-952-1003-1030.
Ether, allyl 2-bromo-4-hiphenyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Br})(\text{OCH}_2\text{CH}_2\text{CH}_3)$. (Propene, 3-(*o*-bromoxenoxy)-; allyl ether of 2-bromo-4-phenyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-841-952-1021.
Ether, benzyl *p*-bromophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{Br}$.
Fly spray. 112, 688P.
- 591-841-952-1021.
Ether, *p*-bromobenzyl phenyl-; $\text{BrC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_5$.
Fly spray. 112, 688P.
- 591-841-1012.
Ether, 2-bromomethyl ethyl; $\text{BrCH}_2\text{CH}_2\text{OCH}_2\text{CH}_3$.
(1-Bromo-2-ethoxyethane; β -bromomethyl ether).
HT rice weevil; NT wireworms and red scale. 268, 846, 1180.
- 591-842-924-953-1193-1325.
Phosphonium hydroxide, dibromo-2-naphthoxy triphenyl-;
 $(\text{Br}_2\text{C}_{10}\text{H}_6\text{O})(\text{C}_6\text{H}_5)_3\text{POH}$. (Phosphonium hydroxide, (dibromo- β -naphthoxy)triphenyl).
T as mothproofing agent. 441P, 1179.
- 591-842-951-1011.
Ether, 2-bromomethyl *p*-bromophenyl-;
 $\text{CH}_2\text{BrCHOC}_6\text{H}_4\text{Br}$. (β -(4-Bromo-phenoxy)-ethyl bromide). 211P.
- 591-842-952-1021.
Ether, *p*-bromobenzyl *p*-bromophenyl-;
 $\text{BrC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{Br}$.
Fly spray. 112, 688P.
- 591-842-952-1021.
Ether, benzyl 2,4-dibromophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{Br})_2$.
Fly spray. 112, 688P.
- 591-843-951-1003-1030.
Ether, allyl 2,4,6-tribromophenyl-; $\text{Br}_3\text{C}_6\text{H}_2\text{OCH}_2\text{CH}_3$. (Propene, 3-(2,4,6-tribromophenoxy)-; allyl ether of 2,4,6-tribromophenol).
Fly spray. 112, 209P.
- 591-843-951-1021.
Anisole, 2,4,6-tribromo-; $\text{CH}_3\text{OC}_6\text{H}_2\text{Br}_3$.
NT screwworms. 156.
- 591-851-924-951-1021.
Ether, *p*-chlorophenyl 1-naphthylmethyl-;
 $\text{C}_{10}\text{H}_7\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-851-924-1003-1030.
Ether, 2-chloroallyl 4-methylnaphthyl-, CU;
 $\text{CH}_3\text{C}_{10}\text{H}_7\text{OCH}_2\text{C}(\text{Cl})\text{CH}_2$. (Propene, 2-chloro-3-(4-methylnaphthoxy)-; 2-chloro-allyl ether of 4-methylnaphthol).
Fly spray. 112, 209P.
- 591-851-924-1004-1030.
Ether, 2-chloroallyl naphthyl, CU; $\text{C}_{10}\text{H}_7\text{OCH}_2\text{C}(\text{Cl})\text{CH}_2$. (Propene, 2-chloro-3-naphthoxy-; 2-chloro-allyl ether of naphthol).
Fly spray. 112, 209P.
- 591-851-951-961-1003-1030.
Ether, allyl cyclohexylchlorophenyl, CU;
 $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}_2\text{CH}_3$. (Propene, 2-(chloro-2-cyclohexylphenoxy)-; allyl ether of chloro-2-cyclohexyl phenol).
Fly spray. 112, 209P.

- 591-851-951-961-1003-1030.
Ether, 2-chloroallyl cyclohexylphenyl;
 $\text{C}_6\text{H}_4(\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3)$. (Propene, 2-chloro-3-(p-cyclohexylphenoxy)-; 2-chloro-allyl ether of 4-cyclohexyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-851-951-1001-1003-1030.
Ether, allyl-4-*tert*-butyl-2-chlorophenyl-;
 $(\text{CH}_3)_3\text{CC}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}:\text{CH}_2$. (Propene, 3-(4-*tert*-butyl-2-chlorophenoxy)-; allyl ether of 2-chloro-4-*tert*-butyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-851-951-1001-1003-1030.
Ether, allyl-4-*tert*-butylphenyl-;
 $(\text{CH}_3)_3\text{CC}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 3-(p-*tert*-butylphenoxy)-2-chloro-; 2-chloroallyl ether of 4-*tert*-butyl phenol).
MT houseflies at 3%. 112, 206P.
- 591-851-951-1002.
Ether, 3-chloroisobutyl 4-*tert*-butylphenyl-;
 $\text{ClCH}_2\text{CH}(\text{CH}_3)\text{CH}_2\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_3$. (γ-(4-Tertiary-butyl-phenoxy)-isobutyl chloride). 211P.
- 591-851-951-1003-1022-1030.
Ether, 2-chloroallyl xylol; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-(dimethylphenoxy)-; 2-chloroallyl ethers of mixed isomeric dimethyl phenols).
Fly spray. 112, 209P.
- 591-851-951-1003-1030.
Ether, 2-chloroallyl phenyl; $\text{C}_6\text{H}_5\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-phenoxy-; 2-chloro-allyl ether of phenol).
Fly spray. 112, 209P.
- 591-851-951-1004-1021-1030.
Ether, 2-chloroallyl thymol;
 $\text{CH}_3\text{C}_6\text{H}_4(\text{CH}(\text{CH}_3)_2\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3)$. (Propene, 2-chloro-3-thymoxy-; 2-chloro-allyl ether of thymol).
Fly spray. 112, 209P.
- 591-851-951-1004-1021-1030.
Ether, carvacryl 2-chloroallyl;
 $(\text{CH}_3)_2\text{CHC}_6\text{H}_4(\text{CH}_3)\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 3-carvacroxy-2-chloro-; 2-chloro-allyl ether of carvacrol).
Fly spray. 112, 209P.
- 591-851-951-1011.
Phenetole, p-chloro-; $\text{ClC}_6\text{H}_4\text{OC}_6\text{H}_5$. (1-Chloro-4-ethoxybenzene; p-chlorophenyl ethyl ether).
ST screwworms at 0.67%. 156.
- 591-851-951-1021.
Anisole, p-chloro-; $\text{ClC}_6\text{H}_4\text{OCH}_3$.
ST screwworms at 0.67%. 156.
- 591-851-952-993-1021.
Ether, o-chlorobenzyl p-(1,1,3,3-tetramethyl-butyl)-phenyl-; $\text{ClC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_3\text{CH}_2\text{C}(\text{CH}_3)_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-851-952-1001-1011.
Ether, 5-*tert*-butyl-3-chloro-2-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{C}(\text{CH}_3)_3\text{OC}_6\text{H}_4\text{H}_2$. (Ethyl ether of 2-chloro-4-*tert*-butyl-6-phenylphenol).
Fly spray. 112.
- 591-851-952-1001-1022.
Ether, benzyl 4-*tert*-butyl-2-chloromethylphenyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4(\text{CH}_2\text{Cl})\text{C}(\text{CH}_3)_3$.
Fly spray. 112, 688P.
- 591-851-952-1003-1011-1030.
Ether, 2-chloroallyl p-phenylethylphenyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-(p-phenylethylphenoxy)-; 2-chloro-allyl ether of 4-phenyl-ethyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1021-1030.
Ether, allyl 2-chloro-4-biphenylphenyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}:\text{CH}_2$. (Propene, 3-(4-benzyl-2-chlorophenoxy)-; allyl ether of 2-chloro-4-benzyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1021-1030.
Ether, p-benzylphenyl 2-chloroallyl-;
 $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 3-(p-benzylphenoxy)-2-chloro-; 2-chloro-allyl ether of 4-benzyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1030.
Ether, 2-biphenyl 2-chloroallyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-(o-phenylphenoxy)-; 2-chloro-allyl ether of 2-phenyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1030.
Ether, 3-biphenyl 2-chloroallyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-(m-phenylphenoxy)-; 2-chloroallyl ether of meta-phenyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1030.
Ether, allyl 2-chloro-4-biphenylphenyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}:\text{CH}_2$. (Propene, 3-(o-chlorophenoxy)-; allyl ether of 2-chloro-4-phenyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-851-952-1003-1030.
Ether, allyl 6-chloro-2-biphenylphenyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}:\text{CH}_2$. (Propene, 3-(2-chloro-6-phenylphenoxy)-; allyl ether of 6-chloro-2-phenyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-851-952-1003-1030.
Ether, allyl 4-chloro-2-biphenylphenyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{Cl})\text{OCH}_2\text{CH}:\text{CH}_2$. (Propene, 3-(4-chloro-2-phenylphenoxy)-; allyl ether of 4-chloro-2-phenyl phenol).
Fly spray. 112, 209P.
- 591-851-952-1003-1030.
Ether, 4-biphenyl 2-chloroallyl-;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Propene, 2-chloro-3-phenoxy-; 2-chloro-allyl ether of 4-phenyl phenol).
MT houseflies at 3%. 112, 209P.
- 591-851-952-1021.
Ether, benzyl o-chlorophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$.
MT houseflies at 3%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-851-952-1021.
Ether, benzyl p-chlorophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{Cl}$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-851-953-1021.
Ether, 2-biphenyl o-chlorobenzyl-;
 $\text{ClC}_6\text{H}_4\text{CH}_2\text{OC}_6\text{H}_4\text{C}_6\text{H}_5$. (Ether, o-chlorobenzyl o-phenylphenyl).
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-851-954-1003-1193-1325.
Phosphonium hydroxide, (isobutyl-4-chlorophenoxy) triphenyl-; $[\text{C}_6\text{H}_4(\text{Cl})\text{C}_6\text{H}_4\text{O}(\text{C}_6\text{H}_5)_3]\text{POH}$.
T as mothproofing agent. 441P, 1179.
- 591-851-954-1021-1193-1325.
Phosphonium hydroxide, (2-chloro-toloxyl) triphenyl-; $[\text{Cl}(\text{CH}_3)\text{C}_6\text{H}_4\text{O}(\text{C}_6\text{H}_5)_3]\text{POH}$. (Phosphonium hydroxide, (2-chloro-1-methylphenoxy)-triphenyl-).
T as mothproofing agent. 441P, 1179.
- 591-851-954-1021-1193-1325.
Phosphonium hydroxide, (2-chloro-p-toloxyl) triphenyl-; $[\text{Cl}(\text{CH}_3)\text{C}_6\text{H}_4\text{O}(\text{C}_6\text{H}_5)_3]\text{POH}$. (Phosphonium hydroxide, (2-chloro-4-methylphenoxy)-triphenyl-).
T as mothproofing agent. 441P, 1179.
- 591-851-954-1193-1325.
Phosphonium hydroxide, (o-chlorophenoxy) triphenyl-; $[\text{ClC}_6\text{H}_4\text{O}(\text{C}_6\text{H}_5)_3]\text{POH}$.
T as mothproofing agent. 441P, 1179.
- 591-851-954-1193-1325.
Phosphonium hydroxide, (p-chlorophenoxy) triphenyl-; $[\text{ClC}_6\text{H}_4\text{O}(\text{C}_6\text{H}_5)_3]\text{POH}$.
T as mothproofing agent. 441P, 1179.
- 591-851-1022.
Ether, chloromethyl methyl-; $\text{ClCH}_2\text{OCH}_3$. (Chloromethyl ether).
NT rice weevil and red scale. 268, 1180.
- 591-851-1027-1030.
Ethers, alkylaryl, chloro-, CU;
 $\text{RO}(\text{C}_6\text{H}_4\text{O})_x\text{C}_6\text{H}_4\text{Y}$. (Aryloxy-polyalkylene ether chlorides).
Wherein R represents an aromatic radical, Y is a member of the group consisting of chlorine and bromine, n represents an integer from 2 to 5 inclusive, and x is an integer not greater than 4.
123P.
- 591-852-951-1001-1003-1030.
Ether, 4-*tert*-butyl-2-chlorophenyl 2-chloroallyl-;

- (CH₃)₂CC₆H₄(Cl)OCH₂C(Cl):CH₃. (Propene, 3-(4-*tert*-butyl-2-chlorophenoxy)-2-chloro-; 2-chloroallyl ether of 2-chloro-4-tertiary butyl phenol).
Fly spray. 112, 209P.
- 591-852-951-1001-1011.
Ether, 4-*tert*-butyl-2-chlorophenyl 2-chloroethyl-; (CH₃)₂CC₆H₄(Cl)OCH₂CH₂Cl. (β-(2-Chloro-4-tertiarybutyl-phenoxy)-ethyl chloride). 211P.
- 591-852-951-1003-1030.
Ether, allyl 2,4-dichlorophenyl-; Cl₂C₆H₃OCH₂CH=CH₂. (Propene, 3-(2,4-dichlorophenoxy)-; allyl ether of 2,4-dichlorophenol).
Fly spray. 112, 209P.
- 591-852-952-1021.
Ether, *o*-chlorobenzyl *o*-chlorophenyl-; ClC₆H₄CH₂OC₆H₄Cl.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-852-952-1021.
Ether, *o*-chlorobenzyl *p*-chlorophenyl-; ClC₆H₄CH₂OC₆H₄Cl.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-852-952-1023.
Ether, benzyl 2,4-bis(chloromethyl)phenyl-; C₆H₅CH₂OC₆H₃(CH₂Cl)₂.
Fly spray. 112, 688P.
- 591-852-954-1193-1325.
Phosphonium hydroxide, (2,4-dichlorophenoxy)-triphenyl-; (Cl₂C₆H₃O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-852-954-1193-1325.
Phosphonium hydroxide, (2,6-dichlorophenoxy) triphenyl-; (Cl₂C₆H₃O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-852-1012.
Ether, 1,2-dichloroethyl ethyl; CH₂ClCH₂ClOCH₂CH₃. (α,β-Dichloroethyl ether).
HT rice weevil; NT wireworms. 846, 1180.
- 591-852-1012.
Ether, bis(2-chloroethyl)-; (ClCH₂)₂O. (Bis-(β-chloro-ethyl) ether; β,β'-dichloroethylether; 1-chloro-2-(β-chloroethoxy)-ethane; *sym*-dichloro-ethyl ether).
T wireworms, rice weevil, and *Conotrachelus nemus* phar. 302P, 846, 1143, 1180, 1331.
- 591-852-1022.
Ether, bis(chloromethyl)-; ClCH₂OCH₂Cl. (Dichloromethyl ether).
HT rice weevil; NT red scale. 268, 1180.
- 591-852-1027.
Ether, bis(chloroalkyl)-. (Dichloroalkyl ethers). 1088P.
- 591-853-954-1193-1325.
Phosphonium hydroxide, trichlorphenoxy triphenyl-; (Cl₃C₆H₂O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-854-951-1003-1030.
Ether, 2-chloroallyl 2,4,6-trichlorophenyl-; Cl₃C₆H₂OCH₂C(Cl):CH₂. (Propene, 2-chloro-3-(2,4,6-trichlorophenoxy)-; 2-chloro-allyl ether of 2,4,6-trichlorophenol).
Fly spray. 112, 209P.
- 591-861-951-1021.
Anisole, *o*-fluoro-; FC₆H₄OCH₃.
NT *Chrysomphalus aurantii*. 263.
- 591-861-951-1021.
Anisole, *p*-fluoro-; FC₆H₄OCH₃.
NT *Chrysomphalus aurantii*. 268.
- 591-871-951-1011.
Phenetole, *p*-iodo-; IC₆H₄OCH₂CH₃.
T screwworms. 110, 156.
- 591-871-951-1021.
Anisole, *o*-iodo-; IC₆H₄OCH₃.
T screwworms. 110, 156, 946.
- 591-871-952-1001-1011.
Ether, *tert*-butylido-2-biphenyl ethyl, CU; C₆H₅C₆H₄(I)(OC₆H₅)(C₆H₅)₂. (Ethyl ether of tertiary-butyl-mono-iodo-6-phenylphenol).
Fly spray. 110, 112, 212P.
- 591-871-952-1021.
Ether, benzyl-*p*-iodophenyl-; C₆H₅CH₂OC₆H₄I. (4-Iodophenyl benzyl ether).
T houseflies and other insect pests. 110, 112, 688P.
- 591-881-975-1003-1030.
Ethers, allyl phenyl, substituted; ROX. (Propene, substituted phenoxy-; allyl ethers of substituted phenols).
Wherein R represents an aromatic radical and X is selected from the group consisting of the allyl and 2-chloroallyl radicals.
Fly spray. 112, 209P.
- 591-881-975-1027.
Ethers, alkylaryl, halogenated, CU; ROC₆H₄R₂X.
- 591-910-1003-1030.
Ether, allyl phenanthryl, CU; C₁₀H₇OCH₂CH=CH₂. (Propene, 3-phenanthroxy-; allyl ether of phenanthrol).
Fly spray. 112, 209P.
- 591-924-951.
Ether, 2-naphthyl phenyl-; C₁₀H₇OC₆H₅. (β-Naphthyl phenyl ether).
MT houseflies at 3%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-951-993-1021.
Ether, tetrahydronaphthylmethyl 4-(1,1,3,3-tetramethylbutyl)phenyl-; C₁₀H₁₁CH₂OC₆H₄CH(CH₃)₃C(CH₃)₃.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-951-1001-1021.
Ether, *p*-*tert*-butylphenyl tetrahydronaphthyl-; C₁₀H₁₁CH₂OC₆H₄C(CH₃)₃.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-951-1021.
Ether, benzyl 1-naphthyl-; C₆H₅CH₂OC₁₀H₇. (Benzyl α-naphthyl ether).
T houseflies; NT *Bombus mori* larvae. 112, 559, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-951-1021.
Ether, 1-naphthylmethyl phenyl-; C₁₀H₇CH₂OC₆H₅.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-951-1021.
Ether, phenyl 2-tetrahydronaphthylmethyl-; C₁₀H₁₁CH₂OC₆H₅.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-952-1021.
Ether, 2-biphenyl 1-naphthylmethyl-; C₁₀H₇CH₂OC₆H₄C₆H₅.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-952-1021.
Ether, 2-biphenyl tetrahydronaphthylmethyl-; C₁₀H₁₁CH₂OC₆H₄C₆H₅.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-924-953-1193-1325.
Phosphonium hydroxide, α-naphthoxytriphenyl-; (C₁₀H₇O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-924-953-1193-1325.
Phosphonium hydroxide, β-naphthoxytriphenyl-; (C₁₀H₇O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-924-953-1193-1325.
Phosphonium hydroxide, (tetrahydro-β-naphthoxy)-triphenyl-; (C₁₀H₁₁O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-924-954-1193-1325.
Phosphonium hydroxide, (1-benzyl-2-naphthoxy)triphenyl-; (C₆H₅CH₂C₁₀H₆O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-924-954-1193-1325.
Phosphonium hydroxide, (4-benzyl-1-naphthoxy)triphenyl-; (C₆H₅CH₂C₁₀H₆O)(C₆H₅)₃POH.
T as mothproofing agent. 441P, 1179.
- 591-924-1003-1030.
Ether, allyl naphthyl-, CU; C₁₀H₇OCH₂CH=CH₂. (Propene, 3-naphthoxy-; allyl ether of naphthol).
Fly spray. 112, 209P.
- 591-924-1011.
Ether, ethyl 2-naphthyl.
Repellent for blowflies. 1185.

- 591-924-1011.
Ether, ethyl 1-tetrahydronaphthyl-; $C_{10}H_{11}OC_2H_5$.
(ar- α -Tetrahydronaphthoethyl ether). 909P.
- 591-924-1011.
Ether, ethyl 2-tetrahydronaphthyl-; $C_{10}H_{11}OC_2H_5$.
(ar- β -Tetrahydronaphthoethyl ether). 909P.
- 591-924-1021.
Ether, methyl 1-tetrahydronaphthyl-; $C_{10}H_{11}OCH_3$.
(ar- α -Tetrahydronaphtholmethyl ether). 909P.
- 591-924-1021.
Ether, methyl 2-tetrahydronaphthyl-; $C_{10}H_{11}OCH_3$.
(ar- β -Tetrahydronaphtholmethyl ether). 909P.
- 591-924-1021.
Ether, methyl-1-naphthyl-; $C_{10}H_7OCH_3$.
(1-Methoxynaphthalene; methyl α -naphthyl ether).
HT *Carpocapsa pomonella* larvae; T *Leptinotarsa decemlineata*. 561, 1009, 1291.
- 591-924-1021.
Ether, methyl 2-naphthyl-; $C_{10}H_7OCH_3$. (β -Naphthyl methyl ether; Nercolin).
NT clothes moths. 739, 1176.
- 591-930-1011-1022.
Ether, ethyl terpenyl-, CU. (Ethyl ether of mixed terpene hydrocarbons).
T houseflies when used with pyrethrum and rotenone. 1103.
- 591-930-1023.
Ether, methyl terpenyl-, CU. (Methyl ether of mixed terpene hydrocarbons).
T houseflies when used with pyrethrum and rotenone. 1103.
- 591-932-1011-1023.
Ether, ethyl pinyl-; $C_{10}H_{15}OC_2H_5$. (Ethyl ether of pinene).
T houseflies when used with pyrethrum and rotenone. 1103.
- 591-932-1024.
Ether, methyl pinyl-; $C_{10}H_{15}OCH_3$. (Methyl ether of pinene).
T houseflies when used with pyrethrum and rotenone. 1103.
- 591-951-961-1021.
Anisole, *p*-cyclohexyl-; $C_6H_{11}OC_6H_4OCH_3$.
T screwworms at 0.33-0.67%. 156.
- 591-951-983-1003-1030.
Ether, allyl 4-octadecylphenyl-;
 $C_{18}H_{35}C_6H_4OCH_2CH_2CH_3$. (Propene, 3-(*p*-octadecanoylphenoxy)-; allyl ether of 4-octadecanilphenol).
Fly spray. 112, 209P.
- 591-951-993-1003-1030.
Ether, allyl *p*-tert-octylphenyl-;
 $C_8H_{17}C_6H_4OCH_2CH_2CH_3$. (Propene, 3-(*p*-tert-octylphenoxy)-; allyl ether of 4-tertiaryoctyl phenol).
Fly spray. 112, 209P.
- 591-951-999-1003-1030.
Ether, allyl *p*-tert-amylphenyl-; $C_5H_9C(CH_3)_2C_6H_4OCH_2CH_2CH_3$. (Propene, 3-(*p*-tert-amylphenoxy)-; allyl ether of 4-tertiary amyl phenol).
Fly spray. 112, 209P.
- 591-951-999-1021.
Ether, *p*-tert-amylphenyl methyl-;
 $CH_3OC_6H_4C(CH_3)_2C_6H_5$. (*p*-Methoxy-*tert*-amylbenzene).
T screwworms at 0.33-0.67%. 156.
- 591-951-1001-1003.
Ether, allyl *p*-tert-butylphenyl-;
 $(CH_3)_3CC_6H_4OCH_2CH_2CH_3$. (Propene, 3-(*p*-tert-butylphenoxy)-; allyl ether of 4-tertiary butyl phenol).
Fly spray. 112, 209P.
- 591-951-1001-1021.
Ether, benzyl butyl-; $C_8H_9CH_2OC_4H_9$. (*n*-Butyl benzylether).
NT *Chrysomphalus aurantii*. 268.
- 591-951-1003-1021-1030.
Ether, allyl *o*-tolyl-; $CH_3C_6H_4OCH_2CH_2CH_3$. (Propene, 3-*o*-toloxy-; allyl ether of orthocresol).
Fly spray. 112, 206P.
- 591-951-1003-1021-1030.
Anethole; $CH_3OC_6H_4CH_2CHCH_3$. (*p*-Propenylphenyl-methyl ether; *p*-propenylanisole; methyl allsphenol).
T houseflies and screwworm larvae; attractant for oriental fruit moth; NT red scale. 156, 268, 508, 1180, 1276.
- 591-951-1011.
Phenetole; $C_6H_5OC_2H_5$. (Ethyl phenyl ether).
NT screwworms. 156.
- 591-951-1021.
Anisole; $C_6H_5OCH_3$. (Methoxybenzene; methyl phenyl ether).
T clothes moths; NT screwworms. 156, 268, 508, 561, 1153, 1175, 1242P, 1376, 1377.
- 591-951-1022.
Ether, methyl *m*-tolyl-; $CH_3C_6H_4OCH_3$. (*m*-Cresyl methyl ether; 3-methoxytoluene).
NT *Bombyx mori* larvae. 561.
- 591-952.
Phenyl ether; $C_6H_5OC_6H_5$. (Diphenyl ether).
T mosquito larvae; ST houseflies at 2%. 112, 172, 687P.
- 591-952-961-1021.
Ether, benzyl *o*-cyclohexylphenyl-; $C_6H_{11}C_6H_4OCH_2C_6H_5$.
Fly spray. 112, 691P.
- 591-952-961-1021.
Ether, benzyl *p*-cyclohexylphenyl-; $C_6H_{11}C_6H_4OCH_2C_6H_5$.
MT houseflies at 2%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-975-1021.
Ethers, benzyl phenyl, acyl-, substituted. Phenyl benzyl ethers having an organic acyl group as a substituent in at least one of the benzene rings. 690P.
- 591-952-993-999.
Ether, sec-amyl 5-octyl-2-biphenyl-;
 $C_8H_{17}C_6H_4(C_6H_4)_2OC_8H_{17}$. (sec-Amylother of 4-*tert*-octyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-993-1001.
Ether, 5-*tert*-butyl-2-biphenyl *n*-octyl-;
 $C_8H_9C_6H_4(C_6H_4)_2OC_8H_{17}$. (*n*-Octyl ether of 4-*tert*-octyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-993-1011.
Ether, ethyl 5-*tert*-octyl-2-biphenyl-;
 $C_8H_5C_6H_4(C_6H_4)_2OC_2H_5$. (Ethyl ether of 4-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-993-1021.
Ether, benzyl *o*-(1-methylheptyl)phenyl-;
 $C_8H_9CH_2OC_6H_4C_7H_{15}$.
Fly spray. 112, 691P.
- 591-952-993-1021.
Ether, benzyl *p*-(1,1,3,3-tetramethylbutyl) phenyl-;
 $C_8H_9CH_2OC_6H_4C(CH_3)_3CH_2C(CH_3)_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-993-1022.
Ether, benzyl 2-methyl-4-(1-methylheptyl)phenyl-;
 $C_8H_9CH_2OC_6H_4(C_6H_4)_2CH(CH_3)C_7H_{15}$.
Fly spray. 112, 691P.
- 591-952-997-1011.
Ether, ethyl 5-*tert*-hexyl-2-biphenyl-;
 $C_8H_9C_6H_4(C_6H_4)_2OC_2H_5$. (Ethyl ether of 4-*tert*-hexyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-999-1001.
Ether, *n*-amyl 5-*tert*-butyl-2-biphenyl-;
 $C_5H_{11}C_6H_4(C_6H_4)_2OC_5H_{11}$. (*n*-Amyl ether of 4-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-999-1001.
Ether, 4-*tert*-amyl-3-biphenyl isobutyl-;
 $C_5H_9C_6H_4(C_6H_4)_2OCH_2CH(CH_3)_2$. (Isobutyl ether of 2-*tert*-amyl-5-phenylphenol).
Fly spray. 112, 212P.
- 591-952-999-1011.
Ether, 5-*tert*-amyl-2-biphenyl ethyl-;
 $C_5H_9C_6H_4(C_6H_4)_2OC_2H_5$. (Ethyl ether of 4-*tert*-amyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-999-1021.
Ether, *tert*-amylphenyl benzyl-; $C_8H_9CH_2OC_6H_4C_5H_{11}$.
Fly spray. 112, 691P.
- 591-952-999-1021.
Ether, benzyl 4-(1,1-dimethylpropyl)phenyl-;
 $C_8H_9CH_2OC_6H_4C(CH_3)_2C_3H_7$.

- Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1001-1003.
Ether, 6-*tert*-butyl-3-biphenyl isopropyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4[\text{OCH}(\text{CH}_3)_2]\text{C}(\text{CH}_3)_3$. (Isopropyl ether
of 3-phenyl-4-*tert*-butylphenol).
Fly spray. 112, 212P.
- 591-952-1001-1003-1030.
Ether, allyl 4-*tert*-butyl-2-biphenyl;
 $\text{CH}_2=\text{CHCH}_2\text{OC}_6\text{H}_4(\text{C}_6\text{H}_5)_2$. (Propene, 3-(4-*tert*-butyl-2-phenylphenoxy)-; allyl ether of 4-*tert*-butyl-2-phenylphenol).
Fly spray. 112, 209P.
- 591-952-1001-1011.
Ether, 3-*tert*-butyl-2-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)\text{C}(\text{CH}_3)_3$. (Ethyl ether of 2-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1001-1011.
Ether, 3-*tert*-butyl-4-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)\text{C}(\text{CH}_3)_3$. (Ethyl ether of 2-*tert*-butyl-4-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1001-1011.
Ether, 5-*tert*-butyl-2-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)\text{C}(\text{CH}_3)_3$. (Ethyl ether of 4-*tert*-butyl-6-phenylphenol).
HT houseflies at 3%, 112, 212P.
- 591-952-1001-1011-1021.
Ether, 5-*tert*-butyl-3-methyl-2-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)(\text{CH}_3)\text{C}(\text{CH}_3)_3$. (Ethyl ether of 2-methyl-4-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1001-1021.
Ether, benzyl *p*-*tert*-butylphenyl;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{C}(\text{CH}_3)_3$.
ST houseflies at 2%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1001-1021.
Ether, benzyl *o*-(2-methylallyl)phenyl;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3$.
Fly spray. 112, 691P.
- 591-952-1001-1021.
Ether, 5-*tert*-butyl-2-biphenyl methyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OCH}_3)\text{C}(\text{CH}_3)_3$. (Methyl ether of 4-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1001-1021.
Ether, benzyl *p*-(1-methylpropyl)-phenyl;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}_2\text{CH}_2\text{CH}_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1002.
Ether, *n*-butyl 5-*tert*-butyl-2-biphenyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{OC}_4\text{H}_9)\text{C}(\text{CH}_3)_3$. (*n*-Butyl ether of 4-*tert*-butyl-6-phenylphenol).
Fly spray. 112.
- 591-952-1002.
Ether, *tert*-butyl 4-*tert*-butyl-2-biphenyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4[\text{OC}(\text{CH}_3)_3]\text{C}(\text{CH}_3)_3$. *tert*-Butyl ether of 4-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1002-1011.
Ether, 3,5-di-*tert*-butyl-2-biphenyl ethyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_3[\text{C}(\text{CH}_3)_3]_2\text{OC}_2\text{H}_5$. (Ethyl ether of 2,4-di-*tert*-butyl-6-phenylphenol).
Fly spray. 112, 212P.
- 591-952-1003-1021-1030.
Ether, *o*-allylphenyl benzyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}_2\text{CH}_3$.
MT houseflies at 2%. 112, 688, 690P, 693P, 694P, 695P, 696P.
- 591-952-1003-1021-1030.
Ether, allyl 4-benzylphenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{C}_6\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$.
(Propene, 3-(*p*-benzylphenoxy)-; allyl ether of 4-benzylphenol).
Fly spray. 112, 209P.
- 591-952-1003-1022.
Ether, benzyl 2-isopropyl-5-methylphenyl;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{CH}_3)_2\text{CH}(\text{CH}_3)_2$.
Fly spray. 112, 691P.
- 591-952-1003-1022.
Ether, benzyl thymyl;
 $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4(\text{CH}_3)\text{CH}(\text{CH}_3)_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1003-1030.
Ether, allyl 2-biphenyl; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$.
(Propene, 3-*o*-phenylphenoxy)-; allyl ether of 2-phenylphenol).
Fly spray. 112, 209P.
- 591-952-1003-1030.
Ether, allyl 4-biphenyl; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$.
(Propene, 3-*para*-oxy; allyl ether of 4-phenylphenol).
MT houseflies at 3%. 112, 209P.
- 591-952-1011.
Ether, 4-biphenyl ethyl; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$.
(*p*-Ethoxydiphenyl).
T screwworms at 0.10-0.17%. 156, 559.
- 591-952-1021.
Ether, benzyl phenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_5$.
ST houseflies at 2%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1021.
Ether, 2-biphenyl methyl; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_3$.
(*o*-Methoxydiphenyl).
ST screwworms at 0.67%. 156.
- 591-952-1021.
Ether, 4-biphenyl methyl; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}_3$.
(*p*-Methoxydiphenyl).
T screwworms at 0.05-0.08%. 156.
- 591-952-1021-1027.
Ethers, alkylphenyl benzyl, CU; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{R}$.
Wherein R is an alkyl group containing at least 2 carbon atoms.
Fly spray. 112, 688P, 691P.
- 591-952-1022.
Ether, benzyl *m*-tolyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1022.
Ether, benzyl *o*-tolyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1022.
Ether, benzyl *p*-tolyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{CH}_3$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1022.
Benzyl ether; $\text{C}_6\text{H}_5\text{CH}_2\text{OCH}_2\text{C}_6\text{H}_5$.
NT red scale. 268.
- 591-952-1023.
Ether, benzyl xylyl, CU; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_3(\text{CH}_3)_2$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-952-1027.
Ethers, acylphenyl substituted, CU;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4(\text{R})\text{OC}_6\text{H}_4\text{R}'$.
Alkyl ethers of alkylated phenyl-phenols, wherein at least one tertiary alkyl radical is attached to the benzene ring, and having the above formula, wherein R represents a tertiary alkyl group and n an integer.
Fly spray. 112, 212P.
- 591-952-1027.
Ethers, acylphenyl acylbenzyl, CU.
An insecticidal composition containing a phenyl benzyl ether having an organic acyl group as a substituent in at least one of the benzene rings.
Fly spray. 112, 690P.
- 591-952-1045.
Ethers, benzyl-substituted phenyl, CU; BzOPh(A)Y .
The above formula wherein Bz represents a benzyl group, Ph represents a phenyl nucleus, Y represents a member of the group consisting of hydrogen, aliphatic hydrocarbon groups, and a nitro group, and A represents a neutral substituent selected from the group consisting of salts, esters, and amides of -COOH and -SO₃H groups.
Fly spray. 112, 693P.
- 591-953-1021.
Ether, benzyl 2-biphenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{C}_6\text{H}_5$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
- 591-953-1021.
Ether, benzyl 4-biphenyl; $\text{C}_6\text{H}_5\text{CH}_2\text{OC}_6\text{H}_4\text{C}_6\text{H}_5$.
(Ether, benzyl xenyl; benzyl 4-phenylphenyl ether).

- MT houseflies at 2%. 112, 688P, 690P, 693P, 694P, 695P, 696P.
591-953-1021.
Ether, diphenylmethyl phenyl; $(C_6H_5)_2CHOC_6H_5$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
591-953-1022.
Ether, benzyl p-benzylphenyl; $C_6H_5CH_2OC_6H_4CH_2C_6H_5$.
Fly spray. 112, 688P, 690P, 693P, 694P, 695P, 696P.
591-954-1021-1193-1325.
Phosphonium hydroxide, m-toloxyltriphenyl-;
 $(CH_3C_6H_4O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-954-1021-1193-1325.
Phosphonium hydroxide, o-toloxyltriphenyl-;
 $(CH_3C_6H_4O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-954-1021-1193-1325.
Phosphonium hydroxide, p-toloxyltriphenyl-;
 $(CH_3C_6H_4O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-954-1022-1193-1325.
Phosphonium hydroxide, (3,5-dimethylphenoxy)triphenyl-; $\{(CH_3)_2C_6H_3O\}(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-954-1023-1193-1325.
Phosphonium hydroxide, phenoxytri-o-tolyl-;
 $(C_6H_5O)(CH_3C_6H_4)_3POH$.
T as mothproofing agent. 441P, 1179.
591-954-1193-1325.
Phosphonium hydroxide, phenoxytriphenyl-;
 $(C_6H_5O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-955-1021-1193-1325.
Phosphonium hydroxide, (o-benzylphenoxy)triphenyl-;
 $(C_6H_5CH_2C_6H_4O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-955-1021-1193-1325.
Phosphonium hydroxide, (p-benzylphenoxy)triphenyl-;
 $(C_6H_5CH_2C_6H_4O)(C_6H_5)_3POH$.
T as mothproofing agent. 441P, 1179.
591-957-1003-1022-1027.
Ether, alkyl terphenyl-, CU; $(CH_3)_3C(OR)C_6H_5(OH)CH_3$.
(Terphenyl aliphatic ether). 1275P.
591-999-1021.
Ether, amyl methyl-; $CH_3(CH_2)_4OCH_3$. (Methyl n-amyl ether; 1-methoxypentane).
HT rice weevil; NT red scale. 268, 1180.
591-1000.
Amyl ether; $C_5H_{11}OC_2H_5$.
NT rice weevil. 1180.
591-1000.
Isoamyl ether; $\{(CH_3)_2CHCH_2CH_3\}_2O$.
NT rice weevil. 1180.
591-1001-1011.
Ether, butyl ethyl; $C_4H_9OC_2H_5$. (Ethyl n-butyl ether; 1-ethoxybutane).
HT rice weevil; ST red scale. 268, 1180.
591-1001-1013-1356.
Phosphoric acid (β -butoxyethyl)-diethyl ester;
 $(C_4H_9OC_2H_5)(C_2H_5)_2PO_4$.
T as mothproofing agent. 440P, 446P, 1179.
591-1001-1021.
Ether, butyl methyl-; $CH_3OC_4H_9$. (Methyl n-butyl ether; 1-methoxybutane).
HT rice weevil; ST red scale. 268, 1180.
591-1002.
Butyl ether; $C_4H_9OC_2H_5$.
MT rice weevil. 1180.
591-1003-1011-1030.
Ether, allyl ethyl-; $C_2H_5OCH_2CH=CH_2$. (3-Ethoxypropene).
MT wireworms at 805.0 mgs. per liter. 268, 846, 1180.
591-1004.
Propyl ether; $C_3H_7OC_2H_5$.
HT rice weevil; T *Chrysomphalus aurantii*. 268, 1180.
591-1004.
Isopropyl ether; $(CH_3)_2CHOCH(CH_3)_2$.
HT rice weevil; T *Chrysomphalus aurantii*. 268, 1180.
591-1012.
Ethyl ether; $C_2H_5OC_2H_5$. (Ethoxyethane; ethyl oxide; sulfuric ether; diethyl ether; ether).
ST red scale and rice weevil; NT screwworms. 26, 268, 1180.
592-626-950-1003-1022-1030.
Apiole; $CH_3:CHCH_2C_6H_4(CH_3O)_2(CH_2O)_2$. (1-Allyl-2,5-di-methoxy 3,4-methylenedioxybenzene).
ST *Lucilia cuprina* larvae. 849.
592-650-852-952-1022.
Triazene, 1,3-bis(4-chloro-2-methoxyphenyl)-;
 $Cl(CH_3O)C_6H_4N:NNHC_6H_4(OCH_3)Cl$. (4-Chloro-2-methoxyphenyldiazoamino-2'-methoxy-4'-chlorobenzene). 341P.
592-665-671-952-1022.
o-Anisidine, 4-(o-anisylazo)-;
 $CH_3OC_6H_4N:NC_6H_4(NH_2)OCH_3$. (2-Amino-5-azo-anisole).
MT greenhouse red spider at 2%; NT silkworm and NT southern army worm at 4%. 659, 1481.
592-665-672-952.
o-Anisidine, 4,4'-azodi-; $[CH_3O(H_2N)C_6H_4N:]_2$. (4,4'-Azobis(o-anisidine)-).
NT mosquito larvae. 487.
592-665-852-952-1022.
Azobenzene, 2,5-dichloro-2',4'-methoxy-;
 $Cl_2C_6H_3N:NC_6H_3(OCH_3)_2$. (4-(2,5-Dichlorophenyl-azo)-resorcinol dimethyl ether).
NT mosquito larvae. 487.
592-665-952-1012.
Phenetole, p,p'-azodi-; $(C_6H_5OC_6H_4)_2N$. (p,p'-Azobisphenetole).
NT screwworms. 156, 1120.
592-672-952.
Dianisidine, CU; $[-C_6H_4(NH_2)OCH_3]_2$. (Di(methoxy-aniline)-).
NT screwworms and codling moth. 156, 915.
592-681-952-1003.
Diphenylamine, 4,4'-disopropoxy-; $(C_6H_5OC_3H_7)_2N$. (p-Isopropoxydiphenylamine).
NT mosquito larvae. 487.
592-681-952-1022.
Diphenylamine, 4,4'-dimethoxy-; $(CH_3OC_6H_4)_2N$. (p,p'-Dimethoxydiphenylamine).
MT mosquito larvae. 487.
592-701-951-1023.
Benzonitrile, 2,6-dimethoxy-; $(CH_3O)_2C_6H_4CN$.
NT mosquito larvae. 172.
592-781-852-954-1022.
Sulfide, bis(5-chloro-2-phenylmethoxyphenyl)-;
 $[C_6H_4CH_2OC_6H_4(Cl)]_2S$.
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
592-781-954-1022.
Sulfide, bis(4-phenylmethoxyphenyl)-;
 $(C_6H_5CH_2OC_6H_4)_2S$.
Fly spray. 112, 688P, 690P, 691P, 692P, 693P, 694P, 695P, 696P.
592-841-851-951-1003-1011-1021.
Ether, 4-(3-bromotolyl)-2-(3-chloropropoxyethyl)-;
 $CH_3(Br)C_6H_4OC_2H_4OC_3H_7Cl$. (Ethane, 1-(2-bromo-p-tolxy)-2-(3-chloropropoxy)-; β -(2-bromo-4-methyl phenoxy)- γ' -chloro ethyl propyl ether).
Fly spray. 112, 213P.
592-841-851-951-1003-1011-1030.
Ether, 2-bromoallyl 2-(p-chlorophenoxy)ethyl;
 $ClC_6H_4OC_2H_4OCH_2CH_2C(Br)CH_3$. (β -4-Chlorophenoxy-ethyl) (2-bromo-allyl) ether).
Fly spray. 112, 1019P.
592-841-851-951-1004-1021.
Ether, 2-(2-bromo-p-tolyl)-1-(2-chloropropoxy)propyl-;
 $Br(CH_3)C_6H_4OCH_2CH_2CH_2OC_3H_7Cl$. (Propane, 2-(2-bromo-p-tolxy)-1-(2-chloropropoxy)-; β -(2-bromo-4-methyl-phenoxy)- β' -chloro ethyl propyl ether).
Fly spray. 112, 215P.
592-841-851-951-1012-1021.
Ether, 2-(4-bromotolyl)-2-chloroethoxyethyl;
 $Br(CH_3)C_6H_4OC_2H_4OC_2H_4Cl$. (Ethane, 1-(4-bromo-o-tolxy)-2-(2-chloroethoxy)-; β -(2-methyl-4-bromophenoxy)- β' -chlorodiethyl ether).
MT houseflies at 3%. 112, 213P, 215P.
592-841-852-951-1012.
Ether, 2-bromo-4-chlorobenzyl 2-chloroethoxyethyl;
 $Cl(Br)C_6H_4OC_2H_4OC_2H_4Cl$. (Ethane, 1-(2-bromo-

- 4-chlorophenoxy)-2-(2-chloroethoxy)-; β -(2-bromo-4-chlorophenoxy)- β' -chlorodiethyl ether).
MT houseflies at 3%. 112, 214P, 215P.
- 592-841-853-951-1003-1011-1030.
Ether, 2-bromoallyl 2-(2,4,6-trichlorophenoxy)ethyl;
 $\text{Cl}_3\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{Br})\text{CH}_3$. (β -(2,4,6-Trichlorophenoxy)ethyl)-2-(bromoallyl) ether).
Fly spray, 112, 1019P.
- 592-841-853-951-1004.
Ether, 1-(2-bromopropylisopropyl) 2,4,6-trichlorophenyl-;
 $\text{Cl}_3\text{C}_6\text{H}_3\text{OCH}(\text{CH}_3)\text{CH}_2\text{OCH}_2\text{CH}(\text{Br})\text{CH}_3$. (Propane, 1-2-bromopropoxy)-2-(2,4,6-trichlorophenoxy)-; β -(2,4,6-trichloro-phenoxy)- β' -bromodipropyl ether).
Fly spray, 112, 215P.
- 592-841-853-951-1012.
Ether, 2-bromoethoxyethyl 2,4,6-trichlorophenyl-;
 $\text{Cl}_3\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(2,4,6-trichlorophenoxy)-; β -(2,4,6-trichlorophenoxy)- β' -bromodiethyl ether).
Fly spray, 112, 214P, 215P.
- 592-841-853-951-1012.
Ether, 2-bromo-4,6-dichlorophenyl 2-chloroethoxyethyl-;
 $\text{Cl}_2(\text{Br})\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-bromo-4,6-dichlorophenoxy)-2-(2-chloroethoxy)-; β -(2-bromo-4,6-dichloro-phenoxy)- β' -chloro-diethyl).
MT houseflies at 3%. 112, 214P, 215P.
- 592-841-853-951-1012.
Ether, 4-bromo-2,6-dichlorophenyl 2-chloroethoxyethyl-;
 $\text{Cl}_2(\text{Br})\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(4-bromo-2,6-dichlorophenoxy)-2-(2-chloroethoxy)-; β -(4-bromo-2,6-dichloro-phenoxy)- β' -chloro-diethyl ether).
MT houseflies at 3%. 112, 214P, 215P.
- 592-841-853-951-1012-1021.
Ether, 2-bromoethoxyethyl 3-(2,4,6-trichlorotolyl)-;
 $\text{Cl}_3(\text{CH}_3)\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(2,4,6-trichloro-m-toloxyl)-; β -(2,4,6-trichloro-5-methyl-phenoxy)- β' -bromodiethyl ether).
Fly spray, 112, 213P.
- 592-841-871-951-1012.
Ether, 2-bromoethoxyethyl p-iodophenyl-;
 $\text{IC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(p-iodophenoxy)-; β -(4-iodophenoxy)- β' -bromo-diethyl ether).
T houseflies, 110, 112, 214P.
- 592-842-851-951-1012.
Ether, 2-chloroethoxyethyl 2,4-dibromophenyl-;
 $\text{Br}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(2,4-dibromophenoxy)-; β -(2,4-dibromophenoxy)- β' -chlorodiethyl ether).
MT houseflies at 3%. 112, 214P, 215P.
- 592-842-951-999-1012.
Ether, 4-amyl-2-bromophenyl 2-bromoethoxyethyl-;
 $\text{C}_5\text{H}_{11}\text{C}_6\text{H}_3(\text{Br})\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(4-n-amyl-2-bromophenoxy)-; β -(2-bromo-4-n-amyl-phenoxy)- β' -bromodiethyl ether).
Fly spray, 112, 213P, 215P.
- 592-842-951-1012.
Ether, 2-bromoethoxyethyl 2-bromophenyl-;
 $\text{BrC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(o-bromophenoxy)-2-(2-chloroethoxy)-; β -(2-bromo-phenoxy)- β' -chloro-diethyl ether).
Fly spray, 112, 214P.
- 592-843-851-951-1012.
Ether, 2-chloroethoxyethyl 2,4,6-tribromophenyl-;
 $\text{Br}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(2,4,6-tribromophenoxy)-; β -(2,4,6-tribromophenoxy)- β' -chlorodiethyl ether).
Fly spray, 112, 214P.
- 592-844-951-1012.
Ether, 2-bromoethoxyethyl 2,4,6-tribromophenyl-;
 $\text{Br}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(2,4,6-tribromophenoxy)-; β -(2,4,6-tribromophenoxy)- β' -bromodiethyl ether).
Fly spray, 112, 215P.
- 592-845-951-1012-1021.
Ether, 2-bromoethoxyethyl 3-(2,4,5,6-tetrabromotolyl)-;
 $\text{Br}_4(\text{CH}_3)\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Br}$. (Ethane, 1-(2-bromoethoxy)-2-(2,4,5,6-tetrabromo-m-toloxyl)-; β -(2,4,5,6-tetrabromo-3-methyl-phenoxy)- β' -bromo-diethyl ether).
Fly spray, 112, 213P.
- 592-851-871-951-1012.
Ether, m-chlorophenyl 2-iodoethoxyethyl-;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ethane, 1-(m-chlorophenoxy)-2-(2-iodoethoxy)-; β -(3-chloro-phenoxy)- β' -iodo-diethyl ether).
Fly spray, 110, 112, 213P.
- 592-851-871-951-1012.
Ether, p-chlorophenyl 2-iodoethoxyethyl-;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ether, 2-(p-chlorophenoxy)-2-(2-iodo-p-toloxyl)-; β -(2-iodo-4-methylphenoxy)- β' -chloro diethyl ether).
T flies, mosquitoes, moths, and similar insects. 110, 112, 213P, 215P.
- 592-851-871-951-1012-1021.
Ether, 4(3-chlorotolyl) 2-iodoethoxyethyl-;
 $\text{Cl}(\text{CH}_3)\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ethane, 1-(2-chloro-p-toloxyl)-2-(2-iodoethoxy)-; β -(2-chloro-4-methylphenoxy)- β' -iodo diethyl ether).
Fly spray, 110, 112, 213P.
- 592-851-951-991-1004-1030.
Ether, 2-chloroallyl 3-(o-cyclohexylphenoxy)propyl-;
 $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}(\text{CH}_3)_2$. (γ -2-Cyclohexyl-phenoxypropyl) (2-chloroallyl) ether).
Fly spray, 112, 1019P.
- 592-851-951-991-1012.
Ether, 2-chloroethoxyethyl p-cyclohexylphenyl-;
 $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (β -(2-Chloroethoxy)-4-cyclohexylphenetole; 2-(2-chloroethoxy)ethyl (4-cyclohexylphenyl) ether).
T many species of insects. 13.
- 592-851-951-1001-1011-1021-1030.
Ether, chlorobutenyl 2-toloxylethyl, CU;
 $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}(\text{Cl})\text{CH}_3$. ((β -Toloxylethyl) (monochloro-butenyl) ether).
Fly spray, 112, 1019P.
- 592-851-951-1001-1012-1030.
Ether, 2-(2-chloro-4-tert-butylphenoxy)ethyl vinyl;
 $(\text{CH}_3)_3\text{C}(\text{Cl})\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OCH}=\text{CH}_2$. (β -(2-Chloro-4-tert-butyl phenoxy)-ethyl vinyl ether).
Fly spray, 112, 1017P.
- 592-851-951-1003-1011-1021-1030.
Ether, 2-chloroallyl 2-o-toloxylethyl;
 $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{CH}_3)_2$. (β -(2-Toloxylethyl) (2-chloro-allyl) ether).
Fly spray, 112, 1017P, 1018P, 1019P.
- 592-851-951-1003-1011-1030.
Ether, allyl 2-(p-chlorophenoxy)ethyl;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$. (β -(4-Chlorophenoxy)-ethyl allyl ether).
Fly spray, 112, 1017P, 1018P.
- 592-851-951-1011-1022.
Acetophenone, o-chloro-, dimethyl ketal;
 $(\text{CH}_3)_2\text{C}(\text{Cl})\text{C}_6\text{H}_4\text{C}(\text{OCH}_3)_2$. (o-Chloroacetophenone-dimethylketal).
T wheat weevil. 343P, 1160P.
- 592-851-951-1012-1030.
Ether, 2-(p-chlorophenoxy)ethyl vinyl;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}=\text{CH}_2$. (β -(4-Chloro-phenoxy)-ethyl vinyl ether).
Fly spray, 112, 1017P, 1018P.
- 592-851-951-1023.
Benzaldehyde, o-chloro-, dimethyl acetal;
 $\text{ClC}_6\text{H}_4\text{CH}(\text{OCH}_3)_2$.
T as mothproofing agent. 417P, 1175.
- 592-851-952-1001-1003-1030.
Ether, 4-biphenylloxy-2-butyl 2-chloroallyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OCH}(\text{C}_6\text{H}_5)\text{CH}_2\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Ether, 2-chloroallyl 2-xenoxybutyl; (β -4-xenoxy-butyl) (2-chloro-allyl) ether).
Fly spray, 112, 1019P.
- 592-851-952-1001-1011-1030.
Ether, 2-biphenylloxy-2-ethyl 3-chloromethyl-allyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{C}(\text{Cl})\text{CH}_3$. (Ether, 3-chloromethylallyl 2-(o-phenylphenoxy) ethyl; (β -2-xenoxy-ethyl) (3-chloromethylallyl) ether).
Fly spray, 112, 1019P.
- 592-851-952-1003-1011-1030.
Ether, 2-biphenyl 2-ethyl 2-chloroallyl;
 $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_3$. (Ether, 2-chloro-allyl 2-(o-phenylphenoxy) ethyl; (β -2-xenoxyethyl) (2-chloro-allyl) ether).
Fly spray, 112, 1019P.

592-851-953-1011-1021.

Methane, (p-chlorophenoxy) (diphenyl)ethoxy-;
 $\text{ClC}_6\text{H}_4\text{OC}(\text{C}_6\text{H}_5)_2\text{OC}_6\text{H}_5$.
 Fly spray. 112, 683P, 690P, 693P, 694P, 695P,
 696P.

592-851-995-1027.

2-Propanone, 1-chloro-, dialkyl ketal;
 $(\text{CH}_3)_2\text{CHC}(\text{OR})_2\text{CCl}(\text{CH}_3)_2$. (Monochloroisopropyl
 ketone dialkyl ketal). 343P.

592-851-1003-1012.

2-Propanone, 1-chloro-, diethyl ketal;
 $(\text{CH}_3\text{CH}_2)\text{CH}_2\text{C}(\text{OC}_2\text{H}_5)_2$. (Monochloroacetone-diethyl-
 ketal).

T wheat weevil. 343P, 1160P.

592-851-1013.

Acetaldehyde, chloro-, diethyl acetal;
 $\text{ClCH}_2\text{CH}(\text{OC}_2\text{H}_5)_2$. (Diethyl chloroacetal). 1337P.

592-851-1045.

Ethers, aroxydialkyl chloroalkoxy, CU;
 $\text{RO}[(\text{R}')(\text{R}'')\text{CnH}_{2m}\text{O}]\text{wC}_6\text{H}_4\text{NCl}$. (Ethane, 1-(2-
 chloroalkoxy)-2-(aroxalkoxy)-; chloroalkoxy aroxy
 dialkyl ethers.

The formula above wherein R represents an aroma-
 tic radical, R' and R'' represent a member of the
 group consisting of hydrogen and methyl, w is one
 of the integers 2 or 3, m is not greater than 3,
 and n is not greater than 4.

Fly spray. 112, 207P.

592-852-951-997-1012.

Ether, 2-chloroethoxyethyl-2-chloro-4-tert-hexylphe-
 nyl-; $(\text{C}_6\text{H}_5)_2\text{C}(\text{CH}_3)\text{C}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$.
 (Ethane, 1-(2-chloroethoxy)-2-(2-chloro-4-tert-hexyl-
 phenoxy)-; β -(2-chloro-4-tertiary hexyl-phenoxy)- β' -chloro-diethyl ether).

Fly spray. 112, 213P.

592-852-951-1001-1004-1021.

Ether, 2-(3-chloro-5-tert-butyltolyl) 3-chloropropoxy-
 propyl-; $(\text{CH}_3)_2\text{CClC}_6\text{H}_4(\text{CH}_3)(\text{Cl})\text{OC}_3\text{H}_6\text{OC}_3\text{H}_6\text{Cl}$.
 (Propane, 1-(3-chloropropoxy)-3-(1-chloro-6-methyl-
 4-tert-butylphenoxy)-; γ -(2-chloro-4-tertiary butyl-
 6-methyl-phenoxy)- γ' -chloro dipropyl ether).

Fly spray. 112, 213P.

592-852-951-1001-1012.

Ether, 2-chloro-4-tert-butylphenyl-2-chloroethoxy-
 ethyl-; $(\text{CH}_3)_2\text{CClC}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane,
 1-(2-chloroethoxy)-2-(4-tert-butyl-2-chlorophenoxy)-;
 β -(2-chloro-4-tertiarybutyl-phenoxy)- β' -chloro-diethyl
 ether; ethane, 1-(4-tert-butyl-2-chlorophenoxy)-
 2-(2-chloroethoxy)-).

Fly spray. 112, 213P, 215P.

592-852-951-1001-1012-1021.

Ether, 2-(3-chloro-5-tert-butyltolyl) 2-chloroethoxy-
 ethyl-; $(\text{CH}_3)_2\text{CClC}_6\text{H}_4(\text{CH}_3)(\text{Cl})\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$.
 (Ethane, 1-(4-tert-butyl-2-chloro-6-methylphenoxy)-
 2-(2-chloroethoxy)-; β -(2-methyl-4-tertiary butyl-
 6-chloro-phenoxy)- β' -chloro diethyl ether).

Fly spray. 112, 215P.

592-852-951-1003-1011-1030.

Ether, 2-chloroallyl 2-(p-chlorophenoxy)ethyl;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_2$. ((β -4-chlorophenoxy-
 ethyl)(2-chloroallyl) ether).

Fly spray. 112, 1019P.

592-852-951-1001-1003-1011-1030.

Ether, 2-chloroallyl 2-(4-tert-butyl-2-chlorophenoxy)
 ethyl; $(\text{CH}_3)_2\text{CClC}_6\text{H}_4(\text{Cl})\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{Cl})\text{CH}_2$.
 ((β -2-Chloro-4-tertiary-butyl-phenoxy-ethyl)
 (2-chloro-allyl) ether).

Fly spray. 112, 1019P.

592-852-951-1012.

Ether, 2-chloroethoxyethyl o-chlorophenyl-;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-
 2-(o-chlorophenoxy)-; β -(2-chlorophenoxy)- β' -chloro-
 diethyl ether).

MT houseflies at 3%. 112, 214P, 215P.

592-852-951-1012.

Ether, 2-chloroethoxyethyl p-chlorophenyl-;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-
 2-(p-chlorophenoxy)-; (2-(2-chloroethoxy)ethyl) (4-
 chlorophenyl) ether; β -(2-chloroethoxy)-4-chloro-
 phenetole).

T many species of insects. 13, 112, 214P, 215P.

592-852-952-1002-1021.

Methane, bis(2-n-butoxy-5-chlorophenyl)-;
 $\text{CH}_3(\text{ClC}_6\text{H}_3\text{OC}_4\text{H}_9)_2$. (2,2'-Di-n-butoxy-5,5'-dichlo-
 rodiphenyl methane).

T as mothproofing agent. 447P, 457P, 1179.

592-852-953-1013.

Ethane, 1-chloroethoxy-2-[α -chloro- α' -(α -methyl-
 benzyl)-2-biphenyl]-;
 $\text{ClC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{C}(\text{C}_6\text{H}_5)(\text{Cl})\text{CH}(\text{C}_6\text{H}_5)\text{C}_6\text{H}_5$. (β -
 2-Phenyl- α -phenylethyl-chloro-phenoxy)-
 β' -chlorodiethyl ether).

T nematodes and insects. 1387AP.

592-852-995-1027.

3-Pentanone, 2,4-dichloro-2,4-dimethyl-, dialkyl ke-
 tal; $(\text{CH}_3)_2\text{CClC}(\text{OR})_2\text{CCl}(\text{CH}_3)_2$. (Dichloroisopro-
 pyl ketone dialkyl ketal). 343P.

592-852-1003-1022.

2-Propanone, 1,1-dichloro-, dimethyl ketal;
 $(\text{CH}_3)_2\text{CH}_2\text{C}(\text{OCH}_3)_2$. (1,1-Dichloroacetone-dime-
 thylketal).

T wheat weevil. 1160P.

592-852-1003-1022.

2-Propanone, 1,3-dichloro-, dimethyl ketal;
 $(\text{CH}_3\text{Cl})_2\text{C}(\text{OC}_2\text{H}_5)_2$. (1,3-Dichloro- acetone - dime-
 thylketal).

T wheat weevils. 343P, 1160P.

592-853-871-951-1004.

Ether, 1-[(2-iodoisopropoxy)isopropyl] 2,4,6-trichlo-
 rophenyl-; $(\text{CH}_3)_2\text{ICOC}_2\text{H}_4\text{CH}(\text{Cl})_2\text{OC}_6\text{H}_2\text{Cl}_3$.
 (Ethane, 1-(2-iodoisopropoxy)-2-methyl-2-(2,4,6-
 trichlorophenoxy)-; β -(2,4,6-trichloro-phenoxy)-
 β' -iodo-diisopropyl ether). 110, 123P.

592-853-871-951-1012.

Ether, 2-iodoethoxyethyl 2,4,6-trichlorophenyl-;
 $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ether, 2-iodo-2'-(2,4,6-
 trichlorophenoxy)diethyl; β -(2,4,6-trichloropheno-
 xy)- β' -iodo-diethyl ether).

T black carpet beetle. 110, 112, 122P, 123P.

592-853-951-1001-1012.

Ether, 2-chloroethoxyethyl 4-tert-butyl 2,6-dichlo-
 rophenyl-; $(\text{CH}_3)_2\text{CClC}_6\text{H}_4(\text{Cl})_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$.
 (Ethane, 1-(2-chloroethoxy)-2-(4-tert-butyl-2,6-
 dichlorophenoxy)-; β -(2,6-dichloro-4-tertiary butyl-
 phenoxy)- β' -chloro-diethyl ether).

Fly spray. 112, 213P, 215P.

592-853-951-1003-1011-1030.

Ether, allyl 2-(2,4,6-trichlorophenoxy)ethyl; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2$. (β -(2,4,6-Trichlorophenoxy)-
 ethyl allyl ether).

Fly spray. 112, 1017P, 1018P.

592-853-951-1012.

Ether, 2-chloroethoxyethyl 2,4-dichlorophenyl-;
 $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroetho-
 xy)-2-(2,4-dichlorophenoxy)-; β -(2,4-dichlorophen-
 oxy)- β' -chloro-diethyl ether).

MT houseflies at 3%. 112, 214P, 215P.

592-853-951-1012-1021.

Ether, 2-chloroethoxyethyl 2-(3,5-dichlorotolyl)-;
 $\text{CH}(\text{Cl})_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloro-
 ethoxy)-2-(4,6-dichloro-o-toloxyl)-; β -(2,4-dichlo-
 ro-6-methyl phenoxy)- β' -chloro-diethyl ether).

MT houseflies at 3%. 112, 215P, 215P.

592-853-952-1004.

Ether, 3-(3-chloropropoxy)-2-propyl 2,4-dichloro-
 phenyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OCH}(\text{CH}_3)\text{CH}_2\text{OC}_3\text{H}_6\text{Cl}$. (Propane,
 1-(3-chloropropoxy)-2-(2,4-dichloro-phenoxy)-; β -
 (2,4-dichloro-phenoxy)- γ' -chloro-dipropyl ether).

Fly spray. 112, 214P.

592-854-951-997-1004.

Ether, 3-(3-chloropropoxypropyl) 2-hexyl-3,4,6-tri-
 chlorophenyl-; $\text{C}_6\text{H}_{13}(\text{Cl}_3)\text{C}_6\text{HOC}_3\text{H}_6\text{OC}_3\text{H}_6\text{Cl}$.
 (Propane, 1-(3-chloropropoxy)-3-(3,4,6-trichloro-2-
 n-hexylphenoxy)-; γ -(2,4,5-trichloro-6-normal-hexyl-
 phenoxy)- γ' -chloro-dipropyl ether).

Fly spray. 112, 213P.

592-854-951-1001-1011.

Ether, 2-(1-chloropropoxy)ethyl 2,4,6-trichlorophe-
 nyl-; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OCH}_2(\text{Cl})\text{C}_3\text{H}_7$. (Ethane, 1-(2-
 chloropropoxy)-2-(2,4,6-trichlorophenoxy)-; β -(2-
 4,6-trichloro-phenoxy)- β' -chloro-ethyl propyl ether).

Fly spray. 112, 214P.

592-854-951-1004.

Ether, 3-(3-chloropropoxy)propyl 2,4,6-trichlorophe-
 nyl-; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_3\text{H}_6\text{OC}_3\text{H}_6\text{Cl}$. (Propane, 1-(3-chlo-
 ropropoxy)-3-(2,4,6-trichlorophenoxy)-; γ -(2,4,6-
 trichloro-phenoxy)- γ' -chloro-dipropyl ether).

Fly spray. 112, 215P.

592-854-951-1012.

Ether, 2-chloroethoxyethyl 2,4,6-trichlorophenyl-;

- $\text{Cl}_2\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(2,4,6-trichlorophenoxy)-; β -(2-chloroethoxy)-2,4,6-trichlorophenylene; (2-(2-chloroethoxy)-ethyl) (2,4,6-trichlorophenyl) ether).
HT houseflies when dissolved in kerosene;
T many species of insects. 113, 112, 208P, 215P.
- 592-854-951-1012.
Ether, 2-chloroethoxyethyl, 3,4,6-trichlorophenyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(2,4,6-trichlorophenoxy)-; β -(2,4,6-trichlorophenoxy)- β' -chloro-diethyl ether).
MT houseflies at 3%. 112, 214P, 215P.
- 592-951-951-1012-1022.
Ether, 2-chloroethoxyethyl, 2,3,4,6-tetrachloro-2-tolyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(3,6-dimethyl-2,4,6-trichlorophenoxy)-; β -(2,4,6-trichloro-3,5-dimethylphenoxy)- β' -chloro-diethyl ether).
Fly spray. 112, 213P, 215P.
- 592-855-951-1012.
Ether, (2-(2-chloroethoxy)ethyl) (2,3,4,6-tetrachlorophenyl)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(2,3,4,6-tetrachlorophenoxy)-; β -(2-chloroethoxy)-2-(tetrachloro-m-tolyl)-; β -(2,4,5,6-tetrachloro-3-methyl-phenoxy)- β' -chloro-diethyl ether).
T many species of insects. 113, 112, 214P.
- 592-855-951-1012-1022.
Ether, 2-chloroethoxyethyl, 2,3,4,6-tetrachloro-2-tolyl-; $\text{CH}_3(\text{CH}_2)_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(tetrachloro-m-tolyl)-; β -(2,4,5,6-tetrachloro-3-methyl-phenoxy)- β' -chloro-diethyl ether).
Fly spray. 112, 215P.
- 592-855-953-1002-1021.
Methane, bis(2-n-butoxy-3,5-dichlorophenyl)-4'-chlorophenyl-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4)_2\text{C}_6\text{H}_4\text{Cl}$. (2,2'-Di-n-butoxy-3,5,3',5',4''-pentachlorotriphenyl methane).
T as mothproofing agent. 447P, 457P, 1179.
- 592-856-951-1012.
Ether, 2-chloroethoxyethyl pentachlorophenyl-; $\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-(pentachlorophenoxy)-; β -(pentachloro-phenoxy)- β' -chloro-diethyl ether).
Fly spray. 112, 214P, 215P.
- 592-857-953-1002-1021.
Methane, bis(2-n-butoxy-3,5-dichlorophenyl)-2',4',5'-trichlorophenyl-; $\text{CH}(\text{Cl}_2\text{C}_6\text{H}_3\text{OC}_2\text{H}_4)_2\text{C}_6\text{H}_3\text{Cl}_3$. (2,2'-Di-n-butoxy-3,5,3',5',2'',4'',5''-heptachlorotriphenylmethane).
T as mothproofing agent. 447P, 457P, 1179.
- 592-871-951-951-1012.
Ether, 2-(α -cyclohexylphenoxy)-2'-iododiethyl- $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (β -(2-Cyclohexyl-phenoxy)- β' -iodo-diethyl ether).
T houseflies. 110, 112, 122P, 123P.
- 592-871-951-1012.
Ether, 2-iodo-2'-phenoxydiethyl-; $\text{C}_6\text{H}_5\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (β -Phenoxy- β' -iodo-diethyl ether).
MT houseflies. 110, 112, 122P, 123P.
- 592-871-952-1012.
Ether, 4-biphenyl 1-(2-iodoethoxyethyl)-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ethane, 1-(2-iodoethoxy)-2-xenoxy-; β -(4-xenoxy)- β' -iodo-diethyl ether).
110, 123P.
- 592-881-1021-1045.
Acetals of halogenated ketones; $\text{RCOR}(\text{X})\text{OR}$. (Stabilized by addition of an acid-binding substance such as MgO , and Na_2HPO_4). 1159P.
- 592-887-951-1027.
Ethers, alkylhalophenoxyalkyl haloalkyl-; $\text{Xn}(\text{Yn})\text{C}_6\text{H}_4\text{ORORX}$. (Ethane, haloalkoxy alkylhalophenoxy-).
The above formula wherein each R represents an alkylene radical containing not more than 3 carbon atoms, each X represents halogen, Y represents an alkyl group containing not more than 6 carbon atoms, and n and n' are integers, the sum of which is not greater than 5.
Fly spray. 112, 213P.
- 592-887-951-1027.
Ethers, haloalkoxyalkyl haloalkyl-; $\text{XnC}_6\text{H}_4\text{ORORX}$. (Ethane, haloalkoxy haloalkoxy-).
The above formula wherein each R represents an alkylene radical containing not more than 3 carbon atoms, each X represents halogen, and n represents an integer not greater than 5.
Fly spray. 112, 214P.
- 592-887-951-1027.
Ethers, aryloxy-halo-dialkyl-; $\text{Xn}(\text{Ym})\text{C}_6\text{H}_4\text{ORORX}$.
The above formula wherein each R represents an alkyl radical containing not more than 3 carbon atoms, each X a halogen, Y either hydrogen or an alkyl radical containing not more than 6 carbon atoms, n an integer not greater than 5, and m an integer not greater than 2.
Fly spray. 112, 215P.
- 592-951-951-1004-1030.
Ether, allyl p-cyclohexylphenoxypropyl-; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{CH}_3$. (4-Cyclohexylphenoxy-propyl allyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-951-1012-1030.
Ether, 2-(α -cyclohexylphenoxy)ethyl vinyl; $\text{C}_6\text{H}_{11}\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$. (β -(2-Cyclohexylphenoxy)-ethyl vinyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-1000.
Benzene, 1,4-diamyloxy-; $\text{C}_6\text{H}_4(\text{OC}_4\text{H}_9)_2$. (Diamylhydroquinone).
MT mosquito and codling moth larvae; NT *Bombyx mori* larvae. 487, 559, 1291.
- 592-951-1001-1011-1021-1030.
Ether, 2-methyl 2-(2-toloxyl)ethyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{C}(\text{CH}_3)_2\text{CH}_3$. (β -(2-Toloxyl)-ethyl 2-methyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-1001-1012-1030.
Ether, 2-(p-tert-butylphenoxy)ethyl vinyl; $(\text{CH}_3)_3\text{CC}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$. (β -(4-tertiary-Butyl-phenoxy)-ethyl vinyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-1003-1011-1021-1030.
Ether, allyl 2-(α -toloxyl)ethyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{CH}_3$. (β -(2-Toloxyl)-ethyl allyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-1003-1011-1030.
Ether, allyl 2-phenoxyethyl-; $\text{C}_6\text{H}_5\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{CH}_3$. (β -Phenoxy-ethyl allyl ether).
T houseflies. 112, 1017P, 1018P.
- 592-951-1004-1030.
Ether, allyl phenoxypropyl-; $\text{C}_6\text{H}_5\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}_2\text{CH}_3$. CH_3 . (Phenoxy-propyl allyl ether).
T houseflies. 112, 1017P, 1018P.
- 592-951-1012.
Benzene, 1,3-diethoxy-; $\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)_2$. (Resorcinol diethyl ether).
T screwworms at 0.17-0.33%. 158.
- 592-951-1012.
Benzene, 1,4-diethoxy-; $\text{C}_6\text{H}_4(\text{OC}_2\text{H}_5)_2$. (Hydroquinone diethyl ether).
T screwworms at 0.17-0.33%. 158.
- 592-951-1012-1021-1030.
Ether, 2-toloxyl vinyl, CU; $\text{CH}_3\text{C}_6\text{H}_4\text{OC}_2\text{H}_4\text{OCH}_2\text{CH}=\text{CH}_2$. (β -Toloxyl-ethyl vinyl ether).
Fly spray. 112, 1017P, 1018P.
- 592-951-1022.
Veratrole; $\text{C}_8\text{H}_6(\text{OCH}_3)_2$. (1,2-Dimethoxybenzene).
HT screwworms; NT *Aphis rumicis*. 156, 1377.
- 592-951-1022.
Benzene, 1,3-dimethoxy-; $\text{C}_6\text{H}_4(\text{OCH}_3)_2$. (Resorcinol dimethyl ether).
T screwworms at 0.33-0.87%. 158.
- 592-951-1022.
Benzene, 1,4-dimethoxy-; $\text{C}_6\text{H}_4(\text{OCH}_3)_2$. (Hydroquinone dimethyl ether).
T screwworms at 0.10-0.17%; NT *Bombyx mori*. 156, 561.
- 592-952-1003.
Propane, 1,3-diphenoxy-; $\text{C}_6\text{H}_5\text{OCH}_2\text{CH}_2\text{CH}_2\text{OC}_6\text{H}_5$. (α,γ -Diphenoxypropane; trimethylene glycol diphenyl ether).
NT screwworms. 158.
- 592-952-1011.
Ethane, 1,2-diphenoxy-; ($\text{C}_6\text{H}_5\text{OC}_2\text{H}_5$)₂. (α,β -Diphenoxyethane; glycol diphenyl ether; ethylene diphenyl ether).
NT screwworm. 156.
- 592-952-1012.
Biphenyl, 4,4'-diethoxy-; $\text{C}_2\text{H}_5\text{OC}_6\text{H}_4\text{C}_6\text{H}_4\text{OC}_2\text{H}_5$. (p-Ethoxy diphenyl).
NT silkworm. 559.

- 594-852-951-1014.
Ether, 2-(2-chloroethoxy-2-ethoxy) 2'-(p-chlorophenoxy) diethyl; $\text{ClC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-[2-(p-chlorophenoxy)-ethoxy]ethoxy)-; β -(2-para-Chlorophenoxy-ethoxy)- β' -(2-chloro-ethoxy)-diethyl ether).
Fly spray. 112, 207P.
- 594-854-951-1014.
Ether, 2-(2-chloroethoxy-2-ethoxy) 2'-(2,4,6-trichlorophenoxy) diethyl; $\text{Cl}_3\text{C}_6\text{H}_2\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{Cl}$. (Ethane, 1-(2-chloroethoxy)-2-[2-(2,4,6-trichlorophenoxy)-ethoxy]-ethoxy)-; β -(2-sym-trichlorophenoxy-ethoxy)- β' -(2-chloro-ethoxy) diethyl ether).
Fly spray. 112, 207P.
- 594-871-951-1014.
Ether, 2-(2-iodoethoxy-2-ethoxy) 2'-phenoxy diethyl; $\text{C}_6\text{H}_5\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{OC}_2\text{H}_4\text{I}$. (Ethane, 1-[2-(2-iodoethoxy)ethoxy]-2-(2-phenoxyethoxy)-; β -(2-phenoxy-ethoxy)- β' -(2-iodoethoxy)-diethyl ether. 110, 123P.
- 594-871-975-1027.
Ether, aryloxyiododialkyl; $\text{R}(\text{OC}_2\text{H}_4\text{I})_n\text{I}$. (Aryloxy-polyalkylene ether iodide).
T houseflies. 110, 112, 122P.
- 594-881-975-1027.
Ether, aryloxyalkyl halo-alkenyl; $\text{RO}(\text{C}_2\text{H}_4\text{O})_m\text{C}_n\text{H}_{2n-1}\text{Y}$. Compounds having the above formula wherein R represents an aromatic radical, Y is chlorine or bromine, m is an integer not greater than 4, n is an integer from 3 to 6, z is an integer from 2 to 6, and the halogen of the haloalkenyl radical is attached to an unsaturated carbon atom.
Fly spray. 112, 1019P.
- 594-887-975-1027.
Ethers, $\text{RO}(\text{C}_n\text{H}_{2n}\text{O})_m\text{C}_n\text{H}_{2n-1}\text{X}$. Unsaturated ether compounds having the above formula wherein R represents an aromatic radical, X represents chlorine, bromine or hydrogen, m is an integer not greater than 4, and n is an integer not greater than 6. These compounds are effective insecticides and may also be employed to fortify pyrethrum or rotenone containing sprays to obtain increased kills on flies and related insects. 112, 1017P.
- 594-976-1027.
Ethers, alkenyl aryloxyalkyl; $\text{RO}(\text{C}_n\text{H}_{2n}\text{O})_m\text{C}_n\text{H}_{2n-1}\text{R}$. The above formula wherein R represents an aromatic radical, m is an integer not greater than 4, and n is an integer from 2 to 6.
Fly spray. 112, 1018P.
- 596-952-1022.
Benzoyl peroxide; $(\text{C}_6\text{H}_5\text{CO})_2\text{O}_2$. (Dibenzoyl peroxide).
NT corn borers. 1120.
620.
6-Oxahicyclo[3.1.0] hexane; $\text{C}_4\text{H}_8\text{O}$. (Cyclopentene oxide). 280P.
- 620-796-950.
Coumarin, 2-thiono-; $\text{S}:(\text{C}_9\text{H}_6\text{O})$. (2-Thiocoumarin).
98% T mosquito larvae but loses toxicity rapidly; T *Cochliomyia americana* larvae. 487, 636, 637, 944, 1178, 1291, 1319, 1327, 1432.
- 620-796-950.
Xanthione; $\text{S}:(\text{C}_9\text{H}_6\text{O})$.
MT greenhouse red spider at 2% and 33% T *Ixodes scapularis* larvae; NT southern army worm. 723, 1481.
- 620-950.
 $\Delta^8,9'$ -Bixanthene; $\text{C}_{28}\text{H}_{18}\text{O}_2$.
MT codling moth larvae; NT mosquito larvae. 487, 1291.
- 620-950.
Xanthene; $\text{C}_{15}\text{H}_{10}\text{O}$. (Dibenzo-1,4-pyran; diphenyl-methane oxide; o,o'-methylenediphenyl ether).
100% T *Culex quinquefasciatus* and 83% T codling moth larvae. 157, 487, 488, 1291, 1321P.
- 620-961-1003-1021.
Cineole; $\text{C}_{10}\text{H}_{18}\text{O}$. (Eucalyptol; 1,8-epoxy-p-methane).
80% T wireworms at 450.5 mg./l. and T houseflies; NT as attractant for oriental peach moth. 508, 846, 1276.
621.
p-Dioxane; $\text{C}_4\text{H}_8\text{O}_2$. (1,4-Dioxane; diethylene dioxide; glycol ethylene ether).
T codling moth; NT red scale. 268, 557.
- 621-852.
p-Dioxane, 2,3-dichloro-; $(\text{C}_4\text{H}_6\text{O}_2)\text{Cl}_2$. 1299P.
- 621-1003-1021.
Acaridole; $\text{CH}_2(\text{C}_6\text{H}_4\text{O}_2)\text{CH}(\text{CH}_3)_2$.
T screwworms at 0.10-0.17%. 156.
622.
s-Trioxane; $(\text{CH}_2\text{O})_3$. (Trioxymethylene; polyoxymethylene; paraformaldehyde; metaformaldehyde).
T *Aphis rumicis*, parasites harmful to vines, and as mothproofing agent. 182P, 184P, 1153, 1176.
- 622-851-1023.
Paraldehyde, chloro-, CU ; $(\text{CH}_3)_2\text{C}(\text{C}_2\text{H}_5\text{O})_3\text{CH}_3\text{Cl}$ 1337P.
- 622-1023.
Paraldehyde; $(\text{CH}_3)_2\text{C}(\text{C}_2\text{H}_5\text{O})_3$. (Elaldehyde).
ST *Aphis rumicis*; NT *Timola biadellia* and *Attagenus piceus*. 739, 1152, 1176.
625.
Furan; $\text{C}_4\text{H}_4\text{O}$.
NT *Chrysomphalus aurantii*. 268.
- 625-626-950.
Asaridin; $(\text{C}_8\text{H}_6\text{O}_2)(\text{C}_7\text{H}_5\text{O}_2)_2$.
HT when used as a synergist with pyrethrum against houseflies. 617.
- 625-630-950.
Sesamin; $(\text{C}_9\text{H}_6\text{O}_2)(\text{C}_7\text{H}_5\text{O}_2)_2$.
HT when used as synergist with pyrethrum against houseflies. 617.
- 625-626-950.
Isosamin; $(\text{C}_9\text{H}_6\text{O}_2)(\text{C}_7\text{H}_5\text{O}_2)_2$. (Epimer of sesamin).
HT when used as synergist with pyrethrum against houseflies. 617.
- 625-671-950.
Dibenzofuran, 2-amino-; $(\text{C}_{12}\text{H}_7\text{O})\text{NH}_2$. (2-Aminodiphenyleneoxide).
48% T mosquito larvae. 487, 488.
- 625-671-950.
Dibenzofuran, 3-amino-; $(\text{C}_{12}\text{H}_7\text{O})\text{NH}_2$.
MT as mothproofing agent. 239.
- 625-671-950-961.
Dibenzofuran, 7-amino-1,2,3,4-tetrahydro-; $(\text{C}_{12}\text{H}_{11}\text{O})\text{NH}_2$.
60% T mosquito larvae. 487.
- 625-681-961-1021.
Cyclohexylamine, N-tetrahydrofurfuryl-; $(\text{C}_6\text{H}_{11}\text{O})\text{CH}_2\text{NH}_2$.
NT *Myzus persicae* and *Tetranychus telarius*. 772.
- 625-682-730-1021.
Furan, 3-methyl-2,5-bis-(2-pyridylamino)-; $(\text{C}_8\text{H}_4\text{N})\text{NH}(\text{C}_4\text{H}_7\text{O})(\text{CH}_3)\text{NH}(\text{C}_4\text{H}_7\text{O})\text{N}$. (*N,N'*-Di-2-pyridyl-o,o'-diamino-2-methylfuran).
NT mosquito larvae. 487.
- 625-691-1023.
Furamide; $(\text{C}_4\text{H}_5\text{O})\text{CH}(\text{N}:\text{CHC}_2\text{H}_5\text{O})_2$. (Furfuramide; hydramide furfural; trifurilamine; hydrofuramine).
NT *Bombyx mori* larvae. 559.
- 625-701-1011.
Furonitrile; $(\text{C}_6\text{H}_5\text{O})\text{CH}_2\text{CN}$.
NT red scale. 268.
- 625-796-950.
Phthalide, thio-; $\text{S}:(\text{C}_8\text{H}_6\text{O})$. (Thiophthalide). 38P, 1432.
- 625-842-912-1021.
Fluorene, 2,7-dibromo-9-furfurylidene-; $\text{Br}_2(\text{C}_{12}\text{H}_7):\text{CH}(\text{C}_4\text{H}_5\text{O})$. (2,7-Dibromo-9-furalfluorene).
NT as mothproofing agent. 239.
- 625-851-950.
Dibenzofuran, 2-chloro-; $(\text{C}_{12}\text{H}_7\text{O})\text{Cl}$. (2-Chlorodiphenyleneoxide).
50% T mosquito larvae. 487, 488.
- 625-912-1021.
Fluorene, 9-furfurylidene-; $(\text{C}_{12}\text{H}_7):\text{CH}(\text{C}_4\text{H}_5\text{O})$. (9-Furalfluorene).
T *Cochliomyia americana* C. and P. at 0.10 m.l.e. 944.
- 625-924.
 β ,e-Dinaphthofuran; $\text{C}_{20}\text{H}_{12}\text{O}$.
90% T codling moth larvae; NT mosquito larvae. 487, 1291.
- 625-950.
Dibenzofuran; $\text{C}_{12}\text{H}_8\text{O}$. (Diphenylene oxide).

- T roaches, screwworms, and 80% T mosquito larvae. 487, 488, 586, 1080.
- 626-551-1003.
1,3-Dioxolane, 2-chloromethyl-2-methyl-; $\text{CH}_3(\text{C}_2\text{H}_4)_2\text{CH}_2\text{Cl}$. (Monochloracetone-glycolal).
T wheat weevil. 1100P.
- 626-950-1003-1030.
Safrole; $(\text{C}_7\text{H}_6\text{O}_2)\text{CH}_2\text{CH}:\text{CH}_2$. (3,4-Methylenedioxyallylbenzene).
T *Aphis rumicis*, houseflies, and as attractant for oriental peach moth; NT as synergist with pyrethrum against houseflies. 508, 617, 1152, 1276, 1423A.
- 626-950-1003-1030.
Isosafrole; $(\text{C}_7\text{H}_6\text{O}_2)\text{CH}:\text{CHCH}_3$. (3,4-Methylenedioxy-1-propenylbenzene).
T houseflies and 25% T wireworms at 558.5 mg./l. 846, 1276.
632.
Ethylene oxide; $\text{C}_2\text{H}_4\text{O}$.
T confused flour beetle red scale, rice weevil, and several other insects. 13, 155, 268, 1180, 1183P.
- 632-851-1021.
Epichlorohydrin; $\text{C}_3\text{H}_5\text{OCl}$. (α -Epichlorohydrin; 1-chloro-2,3-epoxypropane; γ -chloropropylene oxide; (chloromethyl) oxirane).
100% T rice weevil; T wireworms and codling moth larvae; NT *Chrysomphalus aurantii*. 268, 846, 1180, 1291.
- 632-961.
Cyclohexane, 1,2-epoxy; $\text{C}_6\text{H}_{10}\text{O}$. (Cyclohexene oxide).
T common clothes moth larvae, granary weevil, confused flour beetle, aphid or plant lice, cockroaches, and bedbugs. 280P, 853P.
- 632-961-1001.
Cyclohexane, 1-butyl-1,2-epoxy-; $(\text{C}_6\text{H}_9\text{O})\text{C}_4\text{H}_9$. (1-Butyl-1-cyclohexene oxide). 280P.
- 632-961-1003.
Cyclohexane, 1,2-epoxy-1-propyl-; $(\text{C}_6\text{H}_9\text{O})\text{C}_3\text{H}_7$. (1-Propyl-1-cyclohexene oxide). 280P.
- 632-961-1021.
Cyclohexane, 1,2-epoxy-1-methyl-; $(\text{C}_6\text{H}_9\text{O})\text{CH}_3$. (1-methyl-1-cyclohexene oxide). 280P.
- 632-961-1021.
Cyclohexane, 1,2-epoxy-4-methyl-; $(\text{C}_6\text{H}_9\text{O})\text{CH}_3$. (4-Methyl-1-cyclohexene oxide). 280P.
- 632-961-1022.
Cyclohexane, 1,4-dimethyl-1,2-epoxy-; $(\text{C}_6\text{H}_9\text{O})(\text{C}_2\text{H}_5)_2$. (1,4-Dimethyl-1-cyclohexene oxide). 280P.
- 632-1021.
Propylene oxide; $(\text{C}_3\text{H}_5\text{O})\text{CH}_2$. (1,2-Epoxypropane; methylloxirane).
100% T rice weevil and *Pseudococcus adonum*; NT red scale. 268, 850, 1180.
- 650-672-953-1291.
Bismark brown; $\text{C}_6\text{H}_4(\text{N}:\text{NNHC}_6\text{H}_4\text{NH}_2)_2\cdot 2\text{HCl}$. (Mainly hydrochloride of benzene-*m*-diazobis-*m*-phenylene diamine).
NT codling moth. 915.
- 650-851-952-1021.
Triazene, 3-benzyl-1-*p*-chlorophenyl-; $\text{C}_6\text{H}_5\text{CH}_2\text{NHN}:\text{NC}_6\text{H}_4\text{Cl}$. (*p*-Chlorophenylthiazobenzylamine). 341P.
- 650-854-952.
Triazene, 1,3-bis(2,5-dichlorophenyl)-; $\text{Cl}_2\text{C}_6\text{H}_3\text{N}:\text{NHC}_6\text{H}_3\text{Cl}_2$.
NT mosquito larvae. 487.
- 650-952.
Triazene, 1,3-diphenyl-; $\text{C}_6\text{H}_5\text{N}:\text{NNHC}_6\text{H}_5$. (Diazaminobenzene; diazoaminobenzol; diazoamidobenzene; diazobenzeneanilide; benzeneazoanilide; diazoamidobenzol).
HT screwworms, codling moth, and HT greenhouse red spider at 1%; T silkworm, 70% T mosquito larvae, and T as mothproofing agent. 156, 328P, 330P, 340P, 341P, 361P, 487, 569, 874P, 915, 1176, 1481.
- 657-730-950.
Quinoline, 1-hydrazino-; $\text{C}_8\text{H}_7\text{NNHNH}_2$. (Quinolyldiazine).
NT *Bombyx mori* larvae. 559.
- 657-781-952-1022.
Hydrazobenzene, 2,2'-bis(methylthio)-; $\text{CH}_3\text{SC}_6\text{H}_4\text{NHNHC}_6\text{H}_4\text{SCH}_3$. (2,2'-Hydrazobis(thioanisole)).
NT mosquito larvae. 487.
- 657-841-952.
Hydrazobenzene, *p*-bromo-; $\text{BrC}_6\text{H}_4\text{NHNHC}_6\text{H}_5$.
09.1% T corn borer larvae; T *Culex quinquefasciatus* and young screwworm larvae. 157, 944, 1120.
- 657-852-952.
Hydrazobenzene, 2,2'-dichloro-; $(\text{HNC}_6\text{H}_4\text{Cl})_2$.
HT greenhouse red spider at 4%. 1481.
- 657-871-952.
Hydrazobenzene, *p*-iodo-; $\text{C}_6\text{H}_5\text{NHNHC}_6\text{H}_4\text{I}$.
T *Cochliomyia americana*. 110, 944, 1431P.
- 657-924-1312.
Hydrazine, naphthyl-, hydrofluoride; $\text{C}_{10}\text{H}_7\text{NHNH}_2$. HF.
NT *Tineola biselliella* and *Attageus piceus*. 739, 1176.
- 657-951.
Hydrazine, phenyl-; $\text{C}_6\text{H}_5\text{NHNH}_2$.
T houseflies. 156, 1276.
- 657-951-1021.
Hydrazine, 1-methyl-1-phenyl-; $\text{C}_6\text{H}_5\text{N}(\text{CH}_3)\text{NH}_2$. (α -Methyl α -Phenyl hydrazine).
NT *Bombyx mori* larvae. 559.
- 657-951-1021.
Hydrazine, *m*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{NHNH}_2$.
HT screwworms at 0.10-0.17%. 156, 559.
- 657-951-1021.
Hydrazine, *o*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{NHNH}_2$.
T screwworms at m.l.c. of 0.33-0.67%. 156.
- 657-951-1021.
Hydrazine, *p*-tolyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{NHNH}_2$.
ST screwworms at m.l.c. of 0.87%. 156.
- 657-951-1291.
Hydrazine, phenyl-, hydrochloride; $\text{C}_6\text{H}_5\text{NHNH}_2\text{HCl}$.
T screwworms at m.l.c. of 0.10-0.17%. 156.
- 657-952.
Hydrazine, 1,1-diphenyl-; $\text{H}_2\text{NN}(\text{C}_6\text{H}_5)_2$.
NT southern army worm at 4%. 1481.
- 657-952.
Hydrazobenzene; $\text{C}_6\text{H}_5\text{NHNHC}_6\text{H}_5$. (1,2-Diphenylhydrazine; sym-di-phenylhydrazine).
HT greenhouse red spider at 2%; T southern army worm, cross-striped cabbage worm, melon worm, roaches, codling moth larvae, and T screwworms at 0.05%. 156, 586, 1312, 1481.
- 657-952-1021.
Hydrazobenzene, *p*-methyl-; $\text{C}_6\text{H}_5\text{NHNHC}_6\text{H}_4\text{CH}_3$.
T *Cochliomyia americana* C. and P. at m.l.c. of 10%. 944.
- 657-954.
Hydrazobenzene, *p,p'*-diphenyl-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{NHNHC}_6\text{H}_5$. (*p,p'*-Hydrazobisbiphenyl).
16.4% T corn borer. 1120.
- 657-1312.
Hydrazine hydrofluoride; $\text{N}_2\text{H}_4\cdot\text{HF}$.
NT *Tineola biselliella* and *Attageus piceus*. 739, 1176.
- 657-1389.
Hydrazine sulfate; $\text{N}_2\text{H}_4\cdot\text{H}_2\text{SO}_4$.
NT codling moth and clothes moth. 739, 915, 1176.
- 659-912-951.
9-Fluorenone phenylhydrazine; $(\text{C}_{13}\text{H}_9)\text{C}:\text{NNHC}_6\text{H}_5$.
NT *Cochliomyia americana* C. and P. 944.
- 659-951-1003.
Acetone phenylhydrazine; $(\text{CH}_3)_2\text{C}:\text{NNHC}_6\text{H}_5$.
(2-Propanone phenylhydrazine).
T screwworms at m.l.c. of 0.10-0.17%. 156.
- 659-952-1021.
Benzaldehyde phenylhydrazine; $\text{C}_6\text{H}_5\text{CH}:\text{NNHC}_6\text{H}_5$. (Benzylidene phenylhydrazine; benzalphenylhydrazine).
T as mothproofing agent and T screwworms at m.l.c. of 0.33-0.67%. 156, 328P, 1176.
- 659-952-1022.
Benzaldehyde, tolylhydrazine, CU; $\text{C}_6\text{H}_5\text{CH}:\text{NNHC}_6\text{H}_4\text{CH}_3$. (Benzaldehydphenylhydrazine; benzylidene-phenyl-methylhydrazine).
T as mothproofing agent. 873P, 1176.
- 665-671-841-924-951.
2-Naphthylamine, 1-(*p*-bromophenylazo)-; $\text{BrC}_6\text{H}_4\text{NNC}_6\text{H}_4\text{NH}_2$.
44.3% T mosquito larvae. 487, 488.
- 665-671-924.
2-Naphthylamine, 1-(1-naphthylazo)-; $\text{C}_{10}\text{H}_7\text{N}:\text{NC}_{10}\text{H}_7\text{NH}_2$. 1434P.

- 665-671-924-951.
2-Naphthylamine, 1-phenylazo-; $C_6H_5N:NC_{10}H_7NH_2$.
46% T mosquito larvae and 9.0% T corn borer.
487, 488, 1120, 1434P.
- 665-671-924-951.
Aniline, *p*-(1-naphthylazo)-; $NH_2C_6H_4N:NC_{10}H_7$.
1434P.
- 665-671-924-951.
Naphthylamines, phenylazo-, CU; $R^1N:NR^2(NH_2)$.
The above formula where R^1 and R^2 denote inter-
changeable aryl nuclei, R^1 being a single benzene
nucleus and R^2 a naphthyl nucleus. 1434P.
- 665-671-924-951-1021.
1-Naphthylamine, 4-(*m*-tolylazo)-; $CH_3C_6H_4N:$
 $NC_{10}H_7NH_2$. 1439P.
- 665-671-924-951-1021.
1-Naphthylamine, 4-(*o*-tolylazo)-; $CH_3C_6H_4N:NC_{10}$
 H_7NH_2 . 1439P.
- 665-671-924-951-1021.
1-Naphthylamine, 4-(*p*-tolylazo)-; $CH_3C_6H_4N:NC_{10}$
 H_7NH_2 . 1439P.
- 665-671-924-951-1021.
2-Naphthylamine, 1-(*m*-tolylazo)-; $CH_3C_6H_4N:$
 $NC_{10}H_7NH_2$. 1439P.
- 665-671-924-951-1021.
2-Naphthylamine, 1-(*o*-tolylazo)-; $CH_3C_6H_4N:$
 $NC_{10}H_7NH_2$.
T mosquito larvae and 29.6% T corn borer. 488,
1120, 1439P.
- 665-671-924-951-1021.
2-Naphthylamine, 1-(*p*-tolylazo)-; $CH_3C_6H_4N:NC_{10}$
 H_7NH_2 . 1439P.
- 665-671-952.
Aniline, *p*-phenylazo-; $C_6H_5N:NC_6H_5NH_2$ (*p*-Am-
inoazobenzene; 4-benzenediazobenzene).
T mosquito larvae, Colorado potato beetle, cross-
striped cabbage worm, Hawaiian beet webworm,
and melonworm; NT screwworms and codling
moth. 156, 488, 915, 1373.
- 665-671-952-1021.
Aniline, *p*-(*m*-tolylazo)-; $NH_2C_6H_4N:NC_6H_4CH_3$.
1439P.
- 665-671-952-1021.
Aniline, *p*-(*o*-tolylazo)-; $NH_2C_6H_4N:NC_6H_4CH_3$.
1439P.
- 665-671-952-1021.
Aniline, *p*-(*p*-tolylazo)-; $NH_2C_6H_4N:NC_6H_4CH_3$.
1439P.
- 665-671-952-1021.
m-Toluidine, 4-phenylazo-; $C_6H_5N:NC_6H_4(NH_2)$ -
 CH_3 . 1439P.
- 665-671-952-1021.
o-Toluidine, 4-phenylazo-; $C_6H_5N:NC_6H_4(NH_2)$ -
 CH_3 . 1439P.
- 665-671-952-1022.
o-Toluidine, 4-(*o*-tolylazo)-; $CH_3C_6H_4N:NC_6H_4$ -
 $(CH_3)NH_2$ (4'-Amino-2,3'-dimethylazobenzene).
50% T mosquito larvae; ST greenhouse red spider
at 2%; NT screwworms and NT southern army
worm at 4%. 156, 487, 1439P, 1481.
- 665-671-952-1291.
Aniline, *p*-phenylazo-, hydrochloride; $C_6H_5N:NC_6$
 $H_4NH_2.HCl$? (*p*-Aminazobenzene hydrochloride).
T melonworm; NT termites, American cockroach,
rice weevil, cowpea weevil, and cabbage aphid.
1100.
- 665-672-952-1022.
p-Toluidine, 4,4'-azodi-; $CH_3C_6H_4(NH_2)N:NC_6H_4$ -
 $(NH_2)CH_3$. (2-Amino-5-azotoluene).
64% T mosquito larvae; NT screwworms. 156,
487.
- 665-672-952-1022-1291.
o-Toluidine, 4,4'-azodi-, hydrochloride; $(CH_3C_6H_4$
 $(NH_2)N)_2.HCl$. (2-Amino-5-azotoluene hydrochlor-
ide).
NT screwworms. 156.
- 665-672-952-1291.
Chrysoidine; $C_6H_5N:NC_6H_4(NH_2)_2.HCl$. (Diamino-azo-
benzene-hydrochloride).
NT clothes moth, black carpet beetle, and cod-
ling moth. 915, 974, 1176.
- 665-681-953.
Diphenylamine, *p*-phenylazo-; $C_6H_5N:NC_6H_4NHC_6$
 H_5 . (Benzene azo diphenylamine).
HT screwworms and mosquito larvae; 40% T
Bombyx mori larvae; ST greenhouse red spider at
2%; NT southern army worm at 4%. 156, 487,
488, 559, 1481.
- 665-691-924-951-1022.
Aniline, *N,N*-dimethyl-*p*-(1-naphthylazo)-; $C_{10}H_7$
 $N:NC_6H_4N(CH_3)_2$. (4-Dimethylaminobenzene-1-azo-
1-naphthalene; 4-*o*-naphthaleneazo-*N,N*-dimethyl-
aniline; *p*-(1-naphthylazo) dimethylaniline).
MT greenhouse red spider at 2%; NT silkworm,
screwworms, mosquito larvae, and NT southern
army worm at 4%. 156, 487, 561, 1481.
- 665-691-924-951-1022.
Aniline, *N,N*-dimethyl-*p*-(2-naphthylazo)-; $C_{10}H_7$
 $N:NC_6H_4N(CH_3)_2$. (4-Dimethylaminobenzene-1-azo-
2-naphthalene; 4-*o*-naphthaleneazo-*N,N*-dimethyl
aniline; *p*-(2-naphthylazo) dimethylaniline).
ST greenhouse red spider at 2%; NT *Bombyx*
mori, screwworms, mosquito larvae, and NT south-
ern army worm at 4%. 156, 487, 561, 1481.
- 665-691-952-1022.
Aniline, *N,N*-dimethyl-*p*-phenylazo-; $C_6H_5N:NC_6H_4$
 $N(CH_3)_2$. (*p*-Phenylazodimethylaniline; *p*-dimethyl-
aminoazobenzene; *N,N*-dimethyl-*p*-phenylazoami-
line).
T screwworms and 75% T mosquito larvae; ST
southern army worm at 4% and ST greenhouse
red spider at 2%; NT *Bombyx mori* larvae. 156,
487, 488, 559, 561, 1481.
- 665-691-952-1022-1291.
Aniline, *N,N*-dimethyl-*p*-phenylazo-, hydrochloride;
 $C_6H_5N:NC_6H_4N(CH_3)_2.HCl$. (*p*-Dimethylaminoazo-
benzene hydrochloride).
T screwworms at 0.17-0.33%. 156.
- 665-691-953.
Triazene, 1,3,3-triphenyl-; $C_6H_5N:NN(C_6H_5)_2$.
(Benzene azo diphenylamine; *N*-phenyldiazamino-
benzene?).
ST *Bombyx mori*. 559.
- 665-730-951.
Piperidine, phenylazo-, CU; $C_6H_5N:N(C_4H_9)_2$.
(Phenyldiazopiperidine). 341P.
- 665-730-951-1021.
Piperidine, *o*-tolylazo-; $CH_3C_6H_4N:N(C_4H_9)_2$. (*o*-
Methyl-phenyldiazopiperidine). 341P.
- 665-730-951-1023.
o-Collidine, hexahydro-*N*-phenylazo-; $C_6H_5N:N$
 $(C_4H_9)_2$. (Phenyldisazohexahydrocollidine).
341P.
- 665-781-952.
Anisole, thio-, 2,2'-azodi-; $(CH_3SC_6H_4N)_2$. (2,2'-
Azobis(thioanisole)).
NT mosquito larvae. 487.
- 665-841-952.
Azobenzene, *p*-bromo-; $BrC_6H_4N:NC_6H_5$.
100% T European corn borer and T screwworms
at 0.10-0.17%. 156, 1120.
- 665-871-952.
Azobenzene, *p*-iodo-; $C_6H_5N:NC_6H_4I$.
T European corn borer, culicine mosquito larvae,
and screwworms. 110, 156, 488, 1120, 1123, 1440P.
- 665-881-975.
Arylazo compounds, halogenated. 1440P.
- 665-951-1021.
Azobenzene, *p*-methyl-; $C_6H_5N:NC_6H_4CH_3$.
T *Cochliomyia americana* C. and P. at m.l.c. of
.08%. 944.
- 665-952.
Azobenzene; $C_6H_5N:NC_6H_5$.
HT screwworms and HT greenhouse red spider at
1%; T codling moth and mosquito larvae; NT
southern army worm at 4%. 156, 488, 915, 1481.
- 665-952-1022.
o,o'-Azotoluene; $CH_3C_6H_4N:NC_6H_4CH_3$. (2,2'-Di-
methyl azobenzene; *o,o'*-azobistoluene).
MT greenhouse red spider at 2%. 1481.
- 665-952-1022.
p,p'-Azotoluene; $CH_3C_6H_4N:NC_6H_4CH_3$. (*p,p'*-
Azobistoluene).
NT screwworms. 156.
- 665-952-1113.
Azobenzene-4-aronic acid; $C_6H_5N:NC_6H_4OAs(OH)_2$.
NT codling moth and southern army worm at 4%.
1481.

- 665-954.
Biphenyl, *p,p'*-azodi-; $C_6H_5C_6H_4N.NC_6H_5C_6H_5$.
NT European corn borer and screwworms. 156, 1120.
- 665-975-1450.
Diazonium salts; ArN_2X .
T as mothproofing agent. 682P, 1175.
- 665-1045-1312.
Diazonium compounds, fluorometallic. (Hydrofluoric acids, metallo, diazonium salts of).
T as mothproofing agent. 682P, 1175.
- 667-671-1022-1286.
Biguanide, amino-, bicarbonate; $H_2NHNHC(:NH)NHC(:NH)NH_2H_2CO_3$? (Aminohguanidine bicarbonate).
NT codling moth. 915.
- 667-1022-1045.
Biguanide, substituted, condensation product. 1013P.
- 668-692-952-1025.
Guanidine, 1,3-bis[*p*-(*N,N*-dimethylamino)]-; $[(C_6H_5)_2NC_6H_4NH]_2C:NH$. (Di-*p*-dimethyl anilino guanidine).
T as moth-repellent. 192P.
- 668-701-1022.
Guanidine, 1-cyano-; $NH_2C(:NH)NHCN$. (α -Cyano-guanidine; dicyan(o)diamide; param).
70% T mosquito larvae and T *Apfils rumicis*. 487, 1152.
- 668-701-1022-1389.
Guanidine, 1-cyano-, sulfate; $H_2NC(:NH)NHCN \cdot H_2SO_4$. (Guanidine, α -cyano-, sulfate).
NT codling moth larvae. 915, 1178.
- 668-730-952-1021.
Guanidine, 1,3-diphenyl-2-pyridyl-; $(C_6H_5NH)_2C:NC_5H_4N$? (α,γ -Diphenyl- β -2-pyridyl-guanidine).
NT mosquito larvae. 487.
- 668-924-1021.
Guanidine, 1,3-bis(1-naphthyl)-; $HN:C(NHC_{10}H_7)_2$. (Guanidine, di- α -naphthyl-).
T as mothproofing agent. 192P, 1179.
- 668-952-1021.
Guanidine, 1,1-diphenyl-; $(C_6H_5)_2NC(:NH)NH_2$. (γ -Diphenyl guanidine).
T as moth-repellent. 192P.
- 668-952-1021.
Guanidine, 1,2-diphenyl-; $H_2NC(:NH)N(C_6H_5)_2$. (Guanidine, α,β -diphenyl-).
T as mothproofing agent. 192P, 1179.
- 668-952-1021.
Guanidine, 1,3-diphenyl-; $HN:C(NHC_6H_5)_2$. (Diphenyl guanidine; melaniline; α , γ -diphenyl guanidine).
T screwworms, codling moth larvae, and as moth-repellent; NT *Bombyx mori* larvae and *Melanophus m. mexicanus*. 156, 192P, 487, 559, 561, 609, 915, 1150, 1179, 1222P.
- 668-952-1021.
Guanidine, diphenyl, CU, used with phenothiazine. (Diphenyl guanidine and thio-diphenylamine). 1222P.
- 668-952-1021-1291.
Guanidine, diphenyl-, CU, chloride; $CN:C(NHC_6H_5)_2$. (Diphenylcarbamine chloride; diphenylguanidine chloride; melaniline chloride?).
T screwworms at 0.10-0.17%. 156.
- 668-952-1022.
Guanidine, 1,3-diphenyl-1-methyl-; $CH_3NHC(:NH)N(C_6H_5)_2$. (Guanidine, α -methyl- α , γ -diphenyl-).
T as mothproofing agent. 192P, 1179.
- 668-952-1023.
Guanidine, di-*p*-toluino-? $HN:C(NHC_6H_4CH_3)_2$? (Guanidine, di-*p*-methylanilino-).
T as mothproofing agent. 192P, 1179.
- 668-952-1023.
Guanidine, dihenzyl-, CU; $HN:C(NHC_6H_5)_2$.
T as mothproofing agent. 192P, 1179.
- 668-952-1023.
Guanidine, 1,3-di-*o*-tolyl-; $(CH_3C_6H_4NH)_2C:NH$. (α,γ -Di-*o*-tolyl guanidine).
62% T codling moth larvae; NT mosquito larvae and as mothproofing agent. 239, 487, 1291.
- 668-952-1023.
Guanidine, di-*o*-tolyl-, CU; $HN:C(NHC_6H_4CH_3)_2$.
T codling moth and as mothproofing agent. 192P, 915, 1179.
- 668-952-1023.
Guanidine, di-*p*-tolyl-, CU; $HN:C(NHC_6H_4CH_3)_2$.
T as mothproofing agent. 192P, 1179.
- 668-952-1023.
Guanidine, 1,3-dicyclohexyl-; $C_6H_{11}NHC(:NH)NH_2$?
T as moth-repellent. 192P.
- 668-953-1021.
Guanidine, 1,2,3-triphenyl-; $(C_6H_5NH)_2C:NC_6H_5$.
HT codling moth and *Melanophus m. mexicanus*; 10% T *Bombyx mori* larvae. 559, 915, 1150.
- 668-962-1021.
Guanidine, 1,3-dicyclohexyl-; $C_6H_{11}NHC(:NH)NHC_6H_{11}$.
T moth larvae. 663P.
- 668-975-1021.
Guanidine, 1,3-diaryl-; $RNHC(:NH)NHR$. 192P.
- 668-980-1021.
Guanidine, 1-dodecyl-; $C_{12}H_{25}NHC(:NH)NH_2$.
Fly spray. 107P, 112.
- 668-994-1021.
Guanidine, 1,3-bis(2-octyl)-; $(C_8H_{17}NH)_2C:NH$. (*sym*-Di-2-octyl guanidine). 666P.
- 668-1021-1108-1139-1142-1405.
Reinecke acid, guanidine salt; $(NH_2)_2C:NH.Cr(NH_2)_2(SCN)_4$. (Guanidine tetrathiocyanato diammino chromium; reineckate, guanidinium).
100% T Mexican bean beetles at 1-100, 58% T codling moth larvae at 4 lbs./100 gal.; 70% T Mexican bean beetle and 40% T Colorado potato beetle used as dust. 606, 1432.
- 668-1021-1109-1305.
Guanidine ammonium ferriyanide.
T as moth-repellent. 50P.
- 668-1021-1286.
Guanidine carbonate; $HN:C(NH)_2CO_3$.
T codling moth larvae. 915.
- 668-1021-1309.
Guanidine ferrocyanide complex. 845P.
- 668-1022.
Guanidine, 1-methyl-? $NH_2C(:NH)NHCH_3$. (α -Methyl- α -guanidine).
T as moth-repellent. 192P.
- 668-1022-1389.
Guanidine, methyl-, sulfate; $CH_3NHC(:NH)NH_2 \cdot H_2SO_4$.
NT *Bombyx mori*. 559, 1432.
- 670-702-1012-1023.
Cyanamide, bis(2-cyanoethyl)-; $(CNCH_2CH_2)_2NCN$. (β,β' -Dicyanodimethyl cyanamide). 670P.
- 670-781-1012-1021-1027.
Cyanamide, alkyl disubstituted; $RSCH_2CH_2N(CN) \cdot CH_2CH_2SR$.
R is a normal saturated aliphatic hydrocarbon radical. 663P, 667P.
- 670-924-1011.
Cyanamide, ethyl-1-naphthyl-; $C_{10}H_7(C_2H_5) \cdot NCN$. 1190P.
- 670-951-999.
Cyanamide, isoamyl phenyl-; $(CH_3)_2(CH_2)_3N(C_6H_5)CN$. 1190P.
- 670-951-1001-1022.
Cyanamide, butyl(*o*-tolyl)-; $CH_3C_6H_4(C_4H_9)NCN$. 1190P.
- 670-951-1022.
Cyanamide, dibenzyl-; $(C_6H_5CH_2)_2NCN$. 1006P.
- 670-962.
Cyanamide, dicyclohexyl-; $(C_6H_{11})_2NCN$. 1191P.
- 670-962-1012.
Cyanamide, bis-(2-ethylcyclohexyl)-; $(C_6H_{11}C_2H_5)_2NCN$. 1191P.
- 670-962-1022.
Cyanamide, bis-(4-methylcyclohexyl)-; $(C_6H_{11}CH_3)_2NCN$. 1191P.
- 670-994-1021.
Cyanamide, dioctyl-; $(C_8H_{17})_2NCN$. 995P, 1189P.
- 670-999-1011-1021.
Cyanamide, amyl ethyl-; $C_5H_{11}(C_2H_5)NCN$. (Ethyl *n*-amyl cyanamide). 1192P.

- 670-1002-1021.
Cyanamide, dibutyl-; $\text{NCN}(\text{C}_4\text{H}_9)_2$.
T codling moth. 915.
- 670-1021.
Cyanamide; CNNH_2 .
T codling moth. 915.
- 671-681-851-952.
Diphenylamine, 2-amino-4-chloro-; $\text{C}_6\text{H}_4\text{NHC}_6\text{H}_3(\text{NH}_2)\text{Cl}$.
86% T mosquito larvae. 487.
- 671-681-951-1011-1313.
Aniline, N-2-aminoethyl-, fluosilicate; $[\text{C}_6\text{H}_5\text{NHCH}_2\text{CH}_2\text{NH}_2]_2\text{H}_2\text{SiF}_6$ (β -Aminoethylamine fluosilicate).
T as mothproofing agent. 1179, 1225P, 1228P.
- 671-681-989-1011.
Ethylene diamine, N-dodecyl-; $\text{NH}_2\text{CH}_2\text{CH}_2\text{NHC}_{12}\text{H}_{25}$.
Repellent for *Amhrosia* beetles. 816P.
- 671-691-696-952-1025-1030-1291.
Auramine; $(\text{CH}_3)_2\text{NC}_6\text{H}_4\text{C}(\text{NH}_2)_2\text{C}_6\text{H}_4\text{N}(\text{Cl})$.
(CH_3)₂. (Auramine O; auramine I, II, and concentrated; aureum; pylak tannin; pyoktannin).
NT clothes moth and black carpet beetle larvae. 974, 1176.
- 671-691-951-1012.
p-Phenylenediamine, N,N-diethyl-; $(\text{C}_2\text{H}_5)_2\text{NC}_6\text{H}_4\text{NH}_2$ (p-Aminodiethylamine).
NT *Chrysomphalus aurantii*. 263.
- 671-701-1003.
Propionitrile, α -amino-; $\text{CH}_3\text{CHNH}_2\text{CN}$. (Amino-propionitrile).
T green apple aphids. 999P.
- 671-701-1003.
Propionitrile, β -amino-? $\text{H}_3\text{NCH}_2\text{CCN}$? (Methylene-aminoacetoneitrile). 238P.
- 671-701-1004.
Isobutyronitrile, α -amino-? $(\text{CH}_3)_2\text{C}(\text{NH}_2)\text{CN}$? (Amino isobutyro nitrile).
HT green apple aphids; NT Colorado potato beetle and Mexican bean beetle. 606, 999P.
- 671-730.
Pyridine, 2-amino-6-piperidyl-; $\text{NH}_2(\text{C}_5\text{H}_4\text{N})(\text{C}_6\text{H}_8\text{NH})$. 1483P.
- 671-730-950.
Quinoline, 5-amino-; $(\text{C}_6\text{H}_5\text{N})\text{NH}_2$ (Ana amido-quinoline).
NT *Pieris rapae*. 635.
- 671-732-950.
Phenzazine, 2-amino-; $(\text{C}_{10}\text{H}_7\text{N}_3)\text{NH}_2$.
T codling moth larvae. 1433P.
- 671-781-924.
1-Naphthylamine, phenylthio-, CU ; $\text{C}_{10}\text{H}_7(\text{NH}_2)\text{SC}_6\text{H}_5$. (Thiophenyl α -naphthylamine).
20% T adult Mexican bean beetle. 606.
- 671-781-924.
2-Naphthylamine, phenylthio-, CU ; $\text{C}_{10}\text{H}_7(\text{NH}_2)\text{SC}_6\text{H}_5$. (Thiophenyl β -naphthylamine).
20% T adult Mexican bean beetle. 606.
- 671-781-951-1022.
Aniline, 2-methylthio-; $\text{CH}_3\text{SC}_6\text{H}_4\text{NH}_2$ (o-Amino-phenyl methyl sulphide).
98% T codling moth larvae. 1291.
- 671-791-851-951-1291.
Benzenethiol, 2-amino-4-chloro-, hydrochloride; $\text{ClC}_6\text{H}_4(\text{SH})\text{NH}_2\text{HCl}$. (2-Amino-4-chlorothiophenol hydrochloride).
82% T mosquito larvae. 172.
- 671-791-951-1291.
Benzenethiol, o-amino-, hydrochloride; $\text{HSC}_6\text{H}_4\text{NH}_2\text{HCl}$. (Phenyl mercaptan, o-amino-, hydrochloride; o-aminothiophenol hydrochloride).
82% T culicine mosquito larvae at 1-10,000. 172, 1178.
- 671-791-951-1291.
Benzenethiol, p-amino-, hydrochloride; $\text{HSC}_6\text{H}_4\text{NH}_2\text{HCl}$. (Phenyl mercaptan, p-amino-, hydrochloride; p-aminothiophenol hydrochloride).
NT culicine mosquito larvae at 1-40,000. 172, 1178.
- 671-841-951.
Aniline, p-bromo-; $\text{BrC}_6\text{H}_4\text{NH}_2$ (1-Amino-4-bromo-benzene).
T screwworms at 0.17-0.33%. 156.
- 671-841-951-1021.
o-Toluidine, 4-bromo-; $\text{BrC}_6\text{H}_4(\text{CH}_3)\text{NH}_2$.
NT European corn borer. 1122.
- 671-843-951.
Aniline, 2,4,6-tribromo-; $\text{Br}_3\text{C}_6\text{H}_2\text{NH}_2$.
T Colorado potato beetle, Mexican bean beetle, codling moth larvae, and 46% T mosquito larvae. 487, 606, 1291.
- 671-851-951.
Aniline, m-chloro-; $\text{ClC}_6\text{H}_4\text{NH}_2$. (3-Chlorophenylamine).
98% T codling moth larvae and T screwworms at 0.33-0.67%. 156, 1291.
- 671-851-951.
Aniline, o-chloro-; $\text{ClC}_6\text{H}_4\text{NH}_2$. (2-Chlorophenylamine).
96% T codling moth larvae and T screwworms at 0.17-0.33%; NT *Pieris rapae*. 156, 635, 1291, 1382.
- 671-851-951.
Aniline, p-chloro-; $\text{ClC}_6\text{H}_4\text{NH}_2$. (4-Chlorophenylamine).
T Colorado potato beetle, screwworms, Agrotis, Mexican bean beetle, and 98% T codling moth larvae. 156, 606, 1291, 1382.
- 671-851-951-1021.
o-Toluidine, 4-chloro-; $\text{NH}_2\text{C}_6\text{H}_4(\text{Cl})(\text{CH}_3)$.
87% T codling moth larvae. 1291.
- 671-852-951.
Aniline, 2,4-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{NH}_2$.
T Japanese beetle and T screwworms at 0.33-0.67%. 156, 494.
- 671-853-951.
Aniline, 2,5-dichloro-; $\text{Cl}_2\text{C}_6\text{H}_3\text{NH}_2$.
T lice, cockroaches, codling moth larvae, and 54% T mosquito larvae; ST greenhouse red spider and ST screwworms at 0.67%. 156, 487, 492, 915, 930, 1291, 1481.
- 671-853-951.
Aniline, trichloro-, CU ; $\text{Cl}_3\text{C}_6\text{H}_2\text{NH}_2$.
T Japanese beetle. 494.
- 671-861-951.
Aniline, p-fluoro-; $\text{FC}_6\text{H}_4\text{NH}_2$. (1-Amino-4-fluorobenzene).
90% T codling moth larvae; NT red scale. 268, 1291.
- 671-871-951.
Aniline, p-iodo-; $\text{IC}_6\text{H}_4\text{NH}_2$.
96% T codling moth larvae; NT as mothproofing agent. 110, 239, 946, 1291.
- 671-912.
2-Fluorenamine; $(\text{C}_{10}\text{H}_7\text{NH}_2)_2$. (2-Fluorylamine).
MT as mothproofing agent. 239.
- 671-924.
1-Naphthylamine; $\text{C}_{10}\text{H}_7\text{NH}_2$. (α -Naphthylamine).
T houseflies, screwworms, codling moth, and 98% T mosquito larvae; NT *Melanoplus m. mexicanus*. 156, 487, 604P, 915, 1150, 1276, 1407.
- 671-924.
2-Naphthylamine; $\text{C}_{10}\text{H}_7\text{NH}_2$. (β -Naphthylamine).
T *Aphis rumicis*, houseflies, and mosquito larvae; NT codling moth, clothes moth, and *Melanoplus m. mexicanus*. 487, 604P, 739, 915, 1150, 1176, 1276.
- 671-924-1291.
1-Naphthylamine hydrochloride; $\text{C}_{10}\text{H}_7\text{NH}_2\text{HCl}$. (α -Naphthylamine hydrochloride).
T Japanese beetle. 494.
- 671-924-1291.
2-Naphthylamine hydrochloride; $\text{C}_{10}\text{H}_7\text{NH}_2\text{HCl}$. (β -Naphthylamine hydrochloride).
T as soil insecticide. 494.
- 671-924-1291.
2-Naphthylamine tetrahydro-, hydrochloride; $\text{C}_{10}\text{H}_7\text{NH}_2\text{HCl}$. (Tetrahydro- β -naphthylamine hydrochloride).
T *Aphis rumicis*. 1152.
- 671-924-1312.
1-Naphthylamine hydrofluoride; $\text{C}_{10}\text{H}_7\text{NH}_2\text{HF}$. (α -Naphthylamine hydrofluoride).
NT *Tineola biselliella* and *Attagenus piceus*. 739, 1176.
- 671-930-1023.
Camphylamine? $\text{C}_{10}\text{H}_{17}\text{NH}_2$.
T *Aphis rumicis*. 1152.
- 671-951.
Aniline; $\text{C}_6\text{H}_5\text{NH}_2$. (Phenylamine, aminobenzene).

- T *Lucilia sericata* larvae, screwworms, and *Aphis rumicis*; ST red scale, greenhouse red spider, and psyllae; NT clothes moth. 121P, 156, 268, 723, 985, 1152, 1176.
- 671-951-1021.
Benzylamine, α -cyclohexyl-, $C_6H_5(C_6H_{11})CHNH_2$. (Phenylcyclohexylmethylamine). 386P.
- 671-951-1003.
Cumidine; $(CH_3)_2CHC_6H_4NH_2$. (p-Isopropyl amino-benzene).
ST codling moth. 915, 930.
- 671-951-1003-1021.
Carvocrylamine; $(CH_3)_2CH(CH_2)C_6H_4NH_2$. (2-Amino-p-cymene; 2-p-cymylamine; 5-isopropyl-2-methyl aniline; cymidine).
NT red scale. 268.
- 671-951-1011.
Aniline, ethyl-, CU; $C_2H_5C_6H_4NH_2$. (Ethylaniline).
ST codling moth. 915.
- 671-951-1013.
Aniline fluosilicate; $C_6H_5NH_2H_2SiF_6$. 1225P.
- 671-951-1021.
o-Toluidine; $CH_3C_6H_4NH_2$. (o-Methylaniline).
T Japanese beetle and 50% T codling moth larvae; ST Colorado potato beetle and Mexican bean beetle. 495, 555, 606.
- 671-951-1021.
p-Toluidine; $CH_3C_6H_4NH_2$.
NT codling moth. 915.
- 671-951-1021.
Benzylamine; $C_6H_5CH_2NH_2$. (α -Aminotoluene).
T codling moth and *Aphis rumicis*; NT red scale. 268, 918, 1152.
- 671-951-1021-1291.
o-Toluidine hydrochloride; $CH_3C_6H_4NH_2.HCl$.
T Japanese beetle. 494.
- 671-951-1021-1313.
Benzylamine fluosilicate; $C_6H_5CH_2NH_2.H_2SiF_6$.
T as mothproofing agent. 1179, 1225P, 1228P.
- 671-951-1022.
2,4-Xylidine; $(CH_3)_2C_6H_3NH_2$. (4-Amino 1-3-dimethyl benzene; 2,4-dimethyl aniline; α -m-xylidine).
NT red scale. 268.
- 671-951-1022.
2,5-Xylidine; $(CH_3)_2C_6H_3NH_2$. (2-Amino 1-4-dimethylbenzene; 2,5-dimethylaniline; p-xylidine).
NT red scale, Colorado potato beetle, and Mexican bean beetle. 268, 606.
- 671-951-1022.
2,6-Xylidine; $(CH_3)_2C_6H_3NH_2$. (2-Amino 1-3-dimethylbenzene; vic-m-xylidine; 2,6-dimethylaniline).
T codling moth; NT red scale. 268, 915.
- 671-951-1022.
3,5-Xylidine; $(CH_3)_2C_6H_3NH_2$. (5-Amino 1-3-dimethylbenzene; sym-m-xylidine; 3,5-dimethylaniline).
NT red scale. 268.
- 671-951-1022-1291.
2,5-Xylidine hydrochloride; $(CH_3)_2C_6H_3NH_2.HCl$. (p-Xylidine HCl).
NT *Pieris rapae*. 635.
- 671-951-1022-1291.
Xylidine hydrochloride, CU; $(CH_3)_2C_6H_3NH_2.HCl$.
T Japanese beetle. 494.
- 671-951-1109-1182-1303.
Aniline, ammonium nickel cyanide complex.
NT *Leptinotarsa decemlineata*. 1008.
- 671-951-1113.
Arsanilic acid; $NH_2C_6H_4AsO(OH)_2$. (p-Amino-benzenearsonic acid; p-aminophenylarsinic acid).
T clothes moth; MT *Meionopus m. mexicanus*. 639P, 1150, 1175.
- 671-951-1113-1142.
Arsanilic acid, copper salt; $NH_2C_6H_4AsO_4Cu$. (Copper arsanilate).
ST codling moth at 4%; NT greenhouse red spider at 4%. 1481.
- 671-951-1113-1218.
Atoxyl; $NH_2C_6H_4AsO_4HNa$. (Monosodium arsanilate).
NT mosquito larvae. 487.
- 671-951-1291.
Aniline hydrochloride; $C_6H_5NH_2.HCl$.
ST Japanese beetle. 494.
- 671-951-1450.
Aniline, derivatives, CU.
T as mothproofing agent. 823P, 1176.
- 671-952.
2-Biphenylamine; $C_6H_5C_6H_4NH_2$. (o-Amino bi phenyl).
73% T *Culex quinquefasciatus*; NT European corn borer. 156, 157, 1122.
- 671-952.
Xenylamine; $C_6H_5C_6H_4NH_2$. (p-Phenylaniline; p-biphenylamine; 4-aminobiphenyl).
98% T codling moth larvae and 89% T mosquito larvae. 156, 157, 487, 1291.
- 671-952-1021.
Aniline, benzyl-, CU; $NH_2C_6H_4CH_2C_6H_5$. (Benzylphenylamine; aminodiphenylmethane; benzylaniline).
T *Lucilia sericata* larvae and 50% T *Aphis rumicis*. 156, 723, 1377.
- 671-954-1023.
Aniline, tribenzyl-, CU; $(C_6H_5CH_2)_3C_6H_4NH_2$. (Tribenzylphenylamine; tribenzylaniline).
50% T *Aphis rumicis*. 1377.
- 671-961.
Cyclohexylamine; $C_6H_{11}NH_2$.
T screwworms at 0.10-0.17%. 156.
- 671-961-1313.
Cyclohexylamine fluosilicate; $C_6H_{11}NH_2.H_2SiF_6$.
T as mothproofing agent. 1179, 1228P.
- 671-961-1350.
Cyclohexylamine, compound with selenious acid; $C_6H_{11}NH_2.H_2SeO_3$?
T as mothproofing agent. 419P, 1175.
- 671-968-1313.
Cyclopentylamine fluosilicate; $C_5H_9NH_2.H_2SiF_6$.
T as mothproofing agent. 1179, 1228P.
- 671-989.
Dodecylamine; $CH_3(CH_2)_{11}NH_2$. (pri-n-Dodecylamine; 1-aminododecane; laurylamine).
87% T *Lucilia sericata* larvae. 107P, 112, 503, 723.
- 671-989-1045.
Dodecyl amine salts; $C_{12}H_{25}NH_2$ R.
T lower forms of life. 107P.
- 671-993.
Heptylamine, 2-methyl-, $CH_3(CH_2)_5CH(CH_3)NH_2$. (β -Amino-n-octane; α -methylheptylamine; 2-amino-octane; sec-n-octylamine; sec-n-caprylamine).
NT red scale. 268.
- 671-995.
n-Heptylamine; $CH_3(CH_2)_6NH_2$.
NT red scale. 268, 723.
- 671-999.
Amylamine; $CH_3CH_2CH_2CH_2CH_2NH_2$. (n-Amylamine; pentylamine; 1-aminopentane).
T *Lucilia sericata* larvae and codling moth larvae; NT rice weevil and *Chrysomphalus aurantii*. 268, 723, 915, 1180.
- 671-999.
Isoamylamine; $CH_3CH(CH_3)CH_2CH_2NH_2$. (1-Amino-3-methylbutane).
100% T rice weevil. 268, 1180.
- 671-1001.
Butylamine; $CH_3CH_2CH_2CH_2NH_2$. (1-Aminobutane).
T *Lucilia sericata* larvae; NT rice weevil and *Chrysomphalus aurantii*. 268, 723, 1180.
- 671-1001.
Isobutylamine; $(CH_3)_2CHCH_2NH_2$.
100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
- 671-1001.
sec-Bitylamine; $CH_3CHNH_2CH_2CH_3$. (α -Methylpropyl amine; 2-aminobutane).
100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
- 671-1001-1313.
Butylamine fluosilicate; $C_4H_9NH_2.H_2SiF_6$.
T as mothproofing agent. 307P, 1170, 1225P, 1228P.
- 671-1001-1313.
Dibutylamine fluosilicate; $(C_4H_9NH_2)_2H_2SiF_6$.
T as mothproofing agent. 301P, 307P, 1179, 1225P, 1228P.
- 671-1001-1380.
Butylamine, compound with selenious acid; $C_4H_9NH_2.H_2SeO_3$.

- T as mothproofing agent. 410P, 660P, 1175, 1179.
671-1003.
Propylamine; $C_3H_7NH_2$
NT *Chrysomphalus aurantii*. 268.
671-1003.
Isopropylamine; $(CH_3)_2CHNH_2$
NT *Chrysomphalus aurantii*. 268.
671-1003-1030.
Allylamine; $CH_2=CHCH_2NH_2$ (2-Propenylamine).
50% T rice weevil; NT *Chrysomphalus aurantii*.
268, 1180.
671-1011.
Ethylamine; $C_2H_5NH_2$
T *Agriotes*. 915, 1352.
671-1021.
Methylamine; CH_3NH_2
T *Agriotes*. 268, 1382.
671-1021-1291.
Methylamine hydrochloride; CH_3NH_2Cl .
T *Aphis rumicis*. 1152.
671-1027-1313.
Amines, alkyl-, fluosilicates. (Fluosilicates of aliphatic bases).
T as mothproofing agent. 1179, 1223P.
671-1045-1313.
Amine, fluosilicates, CU.
T as mothproofing agent. 301P, 307P, 1179.
672-681-951-963-1021.
Cyclohexylamine, N-benzyl dicyclohexylamine, CU;
 $(C_6H_{10}NH_2)_2C_6H_5NHC_6H_5C_6H_5$?
T *Mytus porvus*. 772.
672-681-952.
Diphenylamine, 2,4-diamino-; $C_6H_5NHC_6H_5(NH_2)_2$.
NT screwworms. 156.
672-691-987-1012.
Tetradecylamine, N,N-bis(2-aminoethyl)-; $C_{14}H_{29}N(CH_2CH_2NH_2)_2$ (N-n-Tetradecyl diethylene triamine).
T *Ambrosia* beetle. 816P.
672-691-989-1012.
Dodecylamine, N,N-bis(2-aminoethyl)-; $C_{12}H_{25}N(CH_2CH_2NH_2)_2$ (N-n-Dodecyl diethylene triamine).
T *Ambrosia* beetle. 816P.
672-696-732-950-951-1023-1291.
Safranine; $C_{20}H_{19}ClN_3 + C_{24}H_{29}ClN_3$ (mixture).
T *Lucilia cuprina* larvae. 167, 849.
Safranine bluish.
NT *Metanopius m. mexicanus*. 167, 1150.
Safranine Y.
NT clothes moth. 974, 1176.
672-730-950-951-1341.
Phosphine RN; Phosphine GN; $HN(C_6H_5)_2C_6H_4NH_2 \cdot HNO_3$.
Non-repellent to *Attageus piceus* and *Tineola bisulcetta*. 739.
672-732-950.
Phenazine, 2,3-diamino-; $(C_{12}H_8N_2)(NH_2)_2$.
T codling moth larvae. 1433P.
672-781-952.
o-Anisidine, 4,4'-thiodi-; $(CH_3O)_2SC_6H_4NH_2$. (4,4'-Bi(o-thioanisidine)).
83% T codling moth larvae. 437, 1291.
672-782-952.
Aniline, o,o'-dithiodi-; $(NH_2C_6H_4)_2S_2$ (Bis(1-aminophenyl)disulfide; di-o-aminophenyl disulfide).
99% T *Culex quinquefasciatus*. 157, 172, 1178.
672-951.
m-Phenylenediamine; $C_6H_4(NH_2)_2$.
NT *Pieris rapae*. 635, 1150.
672-951.
o-Phenylenediamine; $C_6H_4(NH_2)_2$ (1,2-Benzene-diamine; 1,2-diaminobenzene).
T screwworms, Japanese beetle, and 44-100% T *Lucilia sericata* larvae; ST codling moth at 4%.
156, 494, 723, 1481.
672-951.
p-Phenylenediamine; $C_6H_4(NH_2)_2$ (1,4-Benzene-diamine; 1,4-diaminobenzene).
T codling moth, *Aphis rumicis*, 30% T *Bombyx mori*, and T screwworms at m.l.c. of 0.17-0.33%.
156, 559, 915, 1152.
672-951-1021.
2,4-Toluenediamine; $CH_3C_6H_3(NH_2)_2$ (2,4-Diaminotoluene; 4-m-toluylenediamine).
T screwworms at m.l.c. of 0.17-0.33%; NT *Pieris rapae* and NT corn borer at 4 lbs./100 gal. 156, 635, 1122.
672-951-1291.
m-Phenylenediamine hydrochloride; $C_6H_4(NH_2 \cdot HCl)_2$.
T *Aphis rumicis*. 1152.
672-952.
Benzidine; $(C_6H_4NH_2)_2$ (p,p'-Bianiline; 4,4'-diaminodiphenyl).
93% T codling moth larvae. 915, 1291.
672-952-1021.
Aniline, p,p'-methylenebis-; $NH_2C_6H_4CH_2C_6H_4NH_2$ (p,p'-Diamino diphenyl methane; p,p'-methylene-diamine; 4,4'-diaminodiphenylmethane).
35% T Colorado potato beetle and 10% T Mexican bean beetle; NT *Bombyx mori* larvae. 559, 606.
672-952-1022.
p-Tolidine; $(CH_3C_6H_4NH_2)_2$.
ST Japanese beetle. 494.
672-952-1025.
Aniline, p,p'-methylenebis(N,N'-dimethyl-; $CH_3[C_6H_4N(CH_3)_2]_2$ (Tetramethyl diamino diphenyl methane).
NT *Bombyx mori* larvae. 239, 559, 561.
672-952-1291.
Benzidine hydrochloride; $(C_6H_4NH_2 \cdot HCl)_2$.
T *Aphis rumicis*. 1152.
672-952-1312.
Benzidine hydrofluoride; $(C_6H_4NH_2 \cdot HF)_2$ (Hydrofluoride of p,p'-bianiline).
NT *Tineola bisulcetta* and *Attageus piceus*. 739, 1176.
672-1011-1027.
Diamine, substituted, CU; $H_2NCH_2RCH_2NH_2$. 173P.
672-1011-1291.
Ethylenediamine hydrochloride; $(-CH_2NH_2 \cdot HCl)_2$.
ST codling moth. 915.
672-1011-1313.
Ethylenediamine fluosilicate; $(-CH_2NH_2H_2SiF_6)_2$.
T as mothproofing agent. 1179, 1225P, 1228P.
672-1011-1380.
Ethylenediamine, compound with selenious acid; $(-CH_2NH_2H_2SeO_3)_2$?
T as mothproofing agent. 399P, 419P, 429P, 679P, 1175.
673-953-1025-1113.
Arsine, tri(dimethylaminophenyl)-; $[NH_2(CH_2)_2C_6H_5]_3As$.
T clothes moth. 639P, 1175.
681-691-696-924-953-1025-1291.
Victoria blue B; $C_{20}H_{12}N_4$ (Hydrochloride of phenyl-tetramethyl-triamino-diphenyl-a-naphtholcarbinol).
NT clothes moth. 974, 1176.
681-700-952-1021.
Formamidine, N,N'-diphenyl-; $C_6H_5N:CHNHC_6H_5$ (Diphenylformamidine).
T screwworms at m.l.c. of 0.33-0.67% and MT codling moth. 156, 915.
681-701-951-1011.
Acetonitrile, o-anilino-; $C_6H_4NHCH_2CN$ (Phenyl glycine nitrile).
T Mexican bean beetle and Colorado potato beetle. 606.
681-702-1012.
Acetonitrile, 2,2'-iminodi-; $HN(CH_2CN)_2$ (Imino-diacetonitrile). 238P.
681-730.
Pyridine, 2,2'-iminodi-; $(C_5H_4N)_2NH$ (Di-2-pyridylamine).
80% T mosquito larvae and 53% T codling moth larvae. 487, 1291.
681-730-1001.
Pyridine, 3-butylamino-; $(C_5H_4N)NHC_4H_9$ (β-Pyridyl-n-butylamine).
ST *Aphis rumicis*. 1151.
681-730-1001-1021.
Pyridine, 3-(4-methylaminobutyl)-; $(C_5H_4N)C_4H_8NHCH_3$ (Dihydro metanicoetine).
T *Aphis rumicis*. 1151.
681-730-1001-1021.
Pyridine, 3-(1-methylaminobutyl)-; $(C_5H_4N)CH(C_2H_5)NHC_4H_9$ (β-Pyridyl-n-butyl-N-methylamine).
MT *Aphis rumicis*. 1151.
681-730-1001-1021-1030.
Pyridine, 3-(4-methylamino-1-butenyl)-; $(C_5H_4N)CH:CHC_4H_8NHCH_3$ (Metanicoetine).

- T *Aphis rumicis*. 1151.
681-730-1011.
Pyridine, 3-ethylamine-; (C_6H_4N)NHC₂H₅. (β -Pyridylethylamine).
ST *Aphis rumicis*. 1151.
681-781-952-1012-1278.
Pyridine, 3-ethylaminoethyl-? (C_6H_4N)C₂H₅NHC₂H₅. (β -Pyridylethyl-N-ethylamine).
T *Aphis rumicis*. 1151.
681-781-952-1012-1278.
Diethylamine, 2,2'-phenylthio-, hydrobromide; ($C_6H_5SCH_2CH_2$)₂NHBr. (Diethylamine, 2,2'-phenylmercapto-, hydrobromide).
48% T culicid mosquito larvae. 172, 1178.
681-844-952.
Diphenylamine, 2,4,2',4'-tetrabromo-; Br₂C₆H₃NHC₂H₅Br.
NT *Culex quinquefasciatus*, corn borer, and as mothproofing agent. 157, 239, 1120.
681-851-951-981-1022.
Cyclohexylamine, N-p-chlorobenzyl-o-methyl-; ClC₆H₄CH₂NHC₂H₅CH₃.
T *Myzus persicae*. 772.
681-854-952.
Diphenylamine, 2,4,2',4'-tetrachloro-; Cl₂C₆H₃NHC₂H₅Cl₂.
NT corn borer and as mothproofing agent. 239, 1120.
681-924.
Di-2-naphthylamine; (C₁₀H₇)₂NH. (Di- β -naphthylamine).
NT codling moth. 915.
681-924.
Dinaphthylamine, CU; (C₁₀H₇)₂NH.
ST *Pieris rapae*. 635.
681-924-951.
1-Naphthylamine, N-phenyl-; C₆H₅NHC₁₀H₇. (Phenyl-n-naphthylamine).
58% T mosquito larvae and 50% T *Aphis rumicis*; ST cecideworms; NT *Epilachna borealis*. 156, 487, 1068, 1377.
681-924-951.
2-Naphthylamine, N-phenyl-; C₆H₅NHC₁₀H₇. (N-Phenyl- β -naphthylamine).
NT *Bombyx mori* and screwworms. 156, 1377.
681-924-1011.
1-Naphthylamine, N-ethyl-; C₁₀H₇NHC₂H₅. (Ethyl-n-naphthylamine).
T codling moth. 915.
681-924-1021.
1-Naphthylamine, N-methyl-; C₁₀H₇NHCH₃. (Methyl-n-naphthylamine).
T codling moth. 915.
681-951-961.
Cyclohexylamine, N-phenyl-; C₆H₅NHC₆H₁₁.
T houseflies, *Myzus persicae*, and *Tetranychus telarius*. 112, 772, 1015P, 1276.
681-951-961-1021.
Cyclohexylamine, N-benzyl-; C₆H₅CH₂NHC₆H₁₁.
T houseflies and *Myzus persicae*. 112, 772, 1015P.
681-951-961-1022.
Cyclohexylamine, N-benzyl-o-methyl-; C₆H₅CH₂NHC₆H₁₁CH₃.
T *Myzus persicae*. 772.
681-951-999.
Aniline, N-isocetyl-; C₆H₅NHC₈H₁₇. (N-Isocetyl-phenylamine).
T codling moth and T cecideworms at m.l.c. of 0.10-0.17%; NT red scale. 156, 268, 915.
681-951-1001.
Aniline, N-butyl-; C₆H₅NH(CH₂)₃CH₃. (n-Butyl-aniline).
T cecideworms and 69-100% T *Lucilia sericata* larvae. 156, 723.
681-951-1003.
Aniline, N-propyl-; C₆H₅NHC₃H₇. (n-Propyl-aniline).
T cecideworms at m.l.c. of 0.17-0.33%. 156.
681-951-1011-1021.
p-Toluidine, N-ethyl-; CH₃C₆H₄NHC₂H₅. (Ethyl-p-toluidine).
Codling moth attractant. 1423A.
681-951-1021.
Aniline, N-methyl-; C₆H₅NHCH₃. (Methylaniline).
T Agrotis; ST codling moth. 915, 1382.
681-951-1022.
Benzylamine, N-methyl-? CH₃NECH₂C₆H₅. (Benzylmethylamine; N-benzylmethylamine?).
NT codling moth and red scale. 268, 915.
681-952.
Diphenylamine; C₆H₅NHC₆H₅. (N-Phenylaniline; anilinobenzene).
T codling moth, Japanese beetle, and young screw-worm larvae; ST greenhouse red spider; NT southern army worm and silkworm. 28, 494, 561, 915, 1080, 1451.
681-952-1021.
Benzylamine, N-phenyl-; C₆H₅NECH₂C₆H₅. (Aniline, N-benzyl).
T houseflies. 1276.
681-952-1022.
o-Toluidine, N-benzyl-; C₆H₄CH₃NHC₂H₅CH₃.
NT *Bombyx mori* larvae. 539.
681-952-1022.
Dibenzylamine; (C₆H₅CH₂)₂NH.
T codling moth and 50% T *Aphis rumicis*. 915, 1377.
681-952-1291.
Diphenylamine hydrochloride; (C₆H₅)₂NH.HCl.
T cecideworms at m.l.c. of 0.10-0.17%. 156.
681-952-1389.
Diphenylamine sulphate; [(C₆H₅)₂NH]₂SO₄.
NT *Melanoplus m. mexicanus*. 1150.
681-952-1405.
Diphenylamine, dithiocyanato-; [(C₆H₅)₂NH]₂SCN.
Fly spray. 112, 1032P.
681-951-993.
Cyclohexylamine, N-octyl-; C₆H₁₁NHC₈H₁₇.
T *Myzus persicae*. 772.
681-961-999.
Cyclohexylamine, N-amyl-; C₆H₁₁NHC₅H₁₁.
T houseflies at 5% and T *Myzus persicae*. 112, 772, 1015P, 1276.
681-961-1001.
Cyclohexylamine, N-butyl-; C₆H₁₁NHC₄H₉.
T *Myzus persicae*. 772.
681-961-1001.
Cyclohexylamine, N-isobutyl-; C₆H₁₁NHC₄H₉.
T *Myzus persicae*. 772.
681-961-1003.
Cyclohexylamine, N-propyl-; C₆H₁₁NHC₃H₇.
T *Myzus persicae*. 772.
681-961-1003.
Cyclohexylamine, N-isopropyl-; C₆H₁₁NHC₃H₇.
T *Myzus persicae*. 772.
681-961-1003-1030.
Cyclohexylamine, N-allyl-; C₆H₁₁NECH₂CH=CH₂.
T *Myzus persicae*. 772.
681-961-1011.
Cyclohexylamine, N-ethyl-; C₆H₁₁NHC₂H₅.
T *Myzus persicae*. 772.
681-961-1021.
Cyclohexylamine, N-methyl-; C₆H₁₁NECH₃.
T *Myzus persicae*. 772.
681-962.
Dicyclohexylamine; (C₆H₁₁)₂NH.
T houseflies. 1276.
681-989.
Didodecylamine; (C₁₂H₂₅)₂NH.
MT houseflies. 112, 1127P.
681-991.
Didecylamine; (C₁₀H₂₁)₂NH.
12% T houseflies at 5%. 271.
681-991-997.
Decylamine, N-hexyl-; C₆H₁₃NHC₁₀H₂₁.
61% T houseflies at 5%. 271.
681-991-1003.
Decylamine, N-propyl-; C₆H₁₃NHC₃H₇.
13% T houseflies at 5%. 271.
681-992-1001.
Nonylamine, N-butyl-; C₉H₁₉NHC₄H₉.
45% T houseflies at 5%. 271.
681-993-995.
Octylamine, N-heptyl-; C₇H₁₅NHC₈H₁₇.
80% T houseflies at 5%. 271.
681-993-995.
Diheptylamine, 1-methyl-; C₇H₁₅NHCH₂(CH₂)₅C₇H₁₅. (N,n-heptyl, 2-aminooctane).
61% T houseflies at 5%. 271.

- 681-993-997.
Heptylamine, *N*-hexyl-1-methyl-; $C_8H_{17}NHCH-(CH_2)_6C_6H_5$. (*N*,*n*-Hexyl, 2-aminoheptane).
48% T houseflies at 5%. 271.
- 681-993-999.
Octylamine, *N*-amyl-; $C_9H_{19}NHC_4H_9$.
64% T houseflies at 5%. 271.
- 681-994.
Dioctylamine; $[CH_2(CH_2)_7CH_2]_2NH$. (Amine di-*n*-octyl).
T houseflies. 112, 271, 1127P, 1144, 1276.
- 681-994.
Dihexylamine, 2,2'-diethyl-; $[C_6H_5CH(CH_2)_2CH_2]_2NH$. (Amine di-(2-ethyl-*n*-hexyl)-).
NT houseflies. 271, 1276.
- 681-994-1291.
Dioctylamine hydrochloride; $(C_8H_{17})_2NH.HCl$.
Fly spray. 112, 1127P.
- 681-994-1450.
Dioctylamine derivatives. (Salts of dioctyl amine).
1127P.
- 681-995-997.
Heptylamine, *N*-Hexyl-; $C_8H_{17}NHC_6H_5$.
81% T houseflies at 5%. 271, 1144.
- 681-995-997.
Dihexylamine, 1-methyl-; $C_6H_5NHC(CH_2)_5C_6H_5$. (*N*,*n*-Hexyl, 2-aminoheptane).
71% T houseflies at 5%. 271.
- 681-995-997.
Hexylamine, *N*-(1-propylbutyl)-; $C_8H_{17}NHCH(C_2H_5)_2$. (*N*,*n*-Hexyl, 4-aminoheptane).
31% T houseflies at 5%. 271.
- 681-996.
Diheptylamine; $(C_7H_{15})_2NH$. (Di-*n*-heptylamine).
73% T houseflies at 5%. 271.
- 681-996.
Heptylamine, *N*-(1-methylamyl)-; $C_7H_{15}NHCH-(CH_2)_6C_6H_5$. (*N*,*n*-Heptyl, 2-aminoheptane).
49% T houseflies at 5%. 271.
- 681-996.
Heptylamine, *N*-(1-propylbutyl)-; $C_7H_{15}NHCH-(C_2H_5)_2$. (*N*,*n*-Heptyl, 4-aminoheptane).
46% T houseflies at 5%. 271.
- 681-998.
Dihexylamine; $(C_6H_{13})_2NH$.
58% T houseflies at 5%, 112, 271, 1127P.
- 681-1000.
Diamylamine; $[CH_2(CH_2)_4]_2NH$.
83% T houseflies, 49-73% T *Lucilia sericata* larvae, and T *Aphis rumicis*. 112, 156, 271, 723, 1127P, 1152.
- 681-1000.
Disoamylamine; $[(CH_3)_2CHCH_2CH_2]_2NH$. (Bis-(γ -methylbutyl)amine).
NT rice weevil. 1180.
- 681-1002.
Dibutylamine; $[CH_2(CH_2)_3]_2NH$.
T rice weevil, *Culex quinquefasciatus*, screwworm larvae, 87-100% T *Lucilia sericata*, and 83% T houseflies. 112, 157, 268, 271, 944, 1127P, 1180, 1493.
- 681-1002.
Disobutylamine; $[(CH_3)_2CHCH_2]_2NH$. (Bis-(β -methylpropyl)amine).
100% T rice weevil; ST houseflies. 271, 1180.
- 681-1004.
Dipropylamine; $(C_3H_7)_2NH$.
100% T rice weevil. 268, 271, 1180.
- 681-1004.
Diisopropylamine; $[(CH_3)_2CH]_2NH$.
100% T rice weevil. 268, 1180.
- 681-1004-1033.
Diallylamine; $(CH_2=CHCH_2)_2NH$. (Di-2-propenylamine).
100% T rice weevil. 1180.
- 681-1012.
Diethylamine; $(C_2H_5)_2NH$.
T *Lucilia cuprina* and codling moth larvae; NT red scale. 268, 849, 915.
- 681-1022.
Dimethylamine; $(CH_3)_2NH$.
T *Sitophilus oryzae*. 1180.
- 682-700-955.
Azoxphenine; $(C_8H_8N)_2C_6H_5(NHC_6H_5)_2$.
ET potato leaf hopper and codling moth at 4%. 1481.
- 682-700-955-1022-1291.
Spirit blue;
 $C_{20}H_{15}N_3O_3$
 $C_{27}H_{18}N_4Cl$
 $C_{21}H_{16}N_4SO_4$
(C. I. #689).
(Phenylated roaniline; may be acetate, hydrochloride or sulfate salt).
NT mosquito larvae. 487.
- 682-730-951-1021.
2,4-Toluenediamine, *N*,*N'*-bis(2-pyridyl)-; $CH_3C_6H_4(NHC_5H_4N)_2$. (*N*,*N'*-Di-2-pyridyl- α,γ -diaminotoluene).
58% T mosquito larvae. 487.
- 682-800-953.
Diphenylamine, *p*-anilino-, sulfurized, CU. (Sulfurized *p*-phenylamino-diphenylamine).
29% T adult Mexican bean beetle. 606, 1432.
- 682-952-1011.
Ethylenediamine, *N*,*N'*-diphenyl-; $C_6H_5NHC_2H_4NHC_6H_5$. (*N*,*N'*-Diphenylethylenediamine; ethylene-diphenyldiamine).
93% T codling moth larvae. 487, 915, 1291.
- 682-953.
p-Phenylenediamine, *N*,*N'*-diphenyl-; $C_6H_4(NHC_6H_5)_2$.
NT mosquito larvae. 487, 1291.
- 683-1027-1030.
Amines, alkylene, substituted; $XNHR(NHR)nNHX$ (or a salt thereof).
The above formula in which R is an alkylene radical selected from the group consisting of ethylene, trimethylene, and propylene radicals, X is selected from the group consisting of hydrogen and alkyl radicals having less than 21 carbon atoms, at least one of which is an alkyl radical having more than 7 carbon atoms, and n is a number from 0 to 2.
816P.
- 684-696-732-950-955-1291.
Induline (Spirit soluble, C.I. #380); $C_8H_8(C_2H_4-N_2)(NHC_6H_5)_2Cl$.
60% T codling moth larvae; NT mosquito larvae. 487, 1291.
- 691-696-953-1014-1021-1030-1389.
Brilliant green; $C_{20}H_{16}N_2(C_6H_4)_2H_2SO_4$. (Diamond green C; emerald green; ethyl green; fast green J; fast green S; malachite green C; new Victoria green; smaragdine; solid green J; solid green TIO).
T codling moth and *Lucilia cuprina* larvae; NT clothes moth. 849, 915, 974, 1144, 1176.
- 691-696-953-1025-1030-1291.
Malachite green; $C_3H_7N(C_6H_4:N(CH_3)_2)C_6H_4N(CH_3)_2$.
T codling moth and *Lucilia cuprina* larvae. 849, 915, 1144.
- 691-701-951-963-1021.
Caprylonitrile, α -(*N*-methylanilino)-; $CH_3(CH_2)_6-N(C_6H_4CH_3)CN$. (α -(*N*-Phenyl-*N*-methylanilino) octonitrile). 238P.
- 691-701-951-1011-1022.
Glycinonitrile, *N*-methyl-*N*-phenyl-; $C_6H_5N(CH_3)-CH_2CN$. (*N*-Phenyl-*N*-methyaminooctonitrile). 238P.
- 691-701-951-1013.
Glycinonitrile, *N*,*N*-diethyl- α -phenyl-; $(C_2H_5)_2NCH(C_6H_5)CN$. (α -(Diethylamino)phenyl acetoneitrile). 238P.
- 691-701-975-1011-1027-1030.
Glycinonitrile, substituted-; $R(R_1)NC(R_2)(R_3)CN$. (Aminooctonitrile, substituted).
The above formula where R_2 and R_3 may be H or the same or different alkyl, alkenyl, aralkyl or aryl groups, or may together form a closed methylene and R and R' may be the same or different alkyl, cycloalkyl, aralkyl or aryl groups or 1, etc. 238P.
- 691-730-951-1021.
Pyridine, 3-(*N*-methyl-*N*-phenylamino)-; $(C_6H_4N)_2N(CH_3)C_5H_4$. (β -Pyridylphenylmethylaniline).
ST *Aphis rumicis*. 1151.
- 691-730-952.
Pyridine, 2-(*N*,*N*-diphenylamino)-; $(C_6H_5)_2NC_5H_4N$. (Diphenyl-2-pyridylamine).

- 80% T mosquito larvae. 487.
 691-730-1001-1003-1021-1030.
 Pyridine, 3-[(4-butylmethlamino)-1-butenyl]-; $(C_4H_9N)CH:CHC_2H_4N(CH_2)_2C_2H_5$. (Propyl-metacotinine).
 T *Aphis rumicis*. 1151.
 691-730-1001-1021-1030.
 Pyridine, 3-(4-dimethylamino-1-butenyl)-; $(C_4H_9N)CH:CHC_2H_4N(CH_3)_2$. (Methyl-metacotinine).
 T *Aphis rumicis*. 1151.
 691-800-953.
 Triphenylamine, sulfurized.
 NT adult Mexican bean beetle. 606, 1432.
 691-887-1021-1045.
 Cyclohexylamines, N-alkyl-N-(C-substituted alkyl)-; $XCH_2N(Z)Y$.
 The above formula in which X is selected from the group of phenyl, C-alkyl-substituted, and C-halogen-substituted phenyl radicals; Y from the group of cyclohexyl, C-alkyl substituted and C-halogen-substituted cyclohexyl radicals; and Z from the group of alkyl, chloroalkyl, and alkylol radicals.
 Fly spray. 112, 1015P.
 691-951-961-993-1021.
 Cyclohexylamine, N-benzyl-N-octyl-; $C_8H_{17}CH_2N-(C_6H_5)_2$.
 Fly spray. 112, 1015P.
 691-951-961-993-1021.
 Cyclohexylamine, N-benzyl-N-2-ethylhexyl-; $C_8H_{17}CH_2N-(C_6H_5)_2$.
 Fly spray. 112, 1015P.
 691-951-961-997-1021.
 Cyclohexylamine, N-benzyl-N-hexyl-; $C_6H_5CH_2N-(C_6H_5)_2$.
 Fly spray. 112, 1015P.
 691-951-961-999-1021.
 Cyclohexylamine, N-amyl-N-benzyl-; $C_5H_{11}N-(C_6H_5)_2$.
 HT red spider and thrips; T houseflies. 112, 774, 1015P.
 691-951-961-1001-1021.
 Cyclohexylamine, N-benzyl-N-butyl-; $C_4H_9CH_2N-(C_6H_5)_2$.
 Fly spray. 112, 1015P.
 691-951-961-1011-1021.
 Cyclohexylamine, N-benzyl-N-ethyl-; $C_2H_5CH_2N-(C_6H_5)_2$.
 NT houseflies. 112, 1015P, 1276.
 691-951-961-1021.
 Dicyclohexylamine, N-benzyl-; $(C_6H_{11})_2NCH_2C_6H_5$.
 ST *Myzus persicae* and *Tetranychus telarius*. 772.
 691-951-1001-1021.
 Aniline, N-butyl-N-methyl-; $C_4H_9N(CH_3)C_6H_5$.
 (Phenyl-n-butyl-N-methylamine).
 ST *Aphis rumicis*. 1151.
 691-951-1012.
 Aniline, N,N-diethyl-; $C_2H_5N(C_2H_5)_2$.
 ST codling moth. 915.
 691-951-1012-1021.
 o-Toluidine, N,N-diethyl-; $CH_3C_6H_4N(C_2H_5)_2$.
 ST codling moth. 915.
 691-951-1022.
 Aniline, N,N-dimethyl-; $C_6H_5N(CH_3)_2$. (Phenyl-N-methylmethanamine).
 ST *Aphis rumicis*. 915, 1151, 1153.
 691-951-1022-1113-1350.
 Aniline, arsenoso-N,N-dimethyl-, CU? $(CH_3)_2N-C_6H_4AsO$. (Dimethyl anilino arsenious oxide).
 MT *Malacosoma americana* at 0.1%. 119.
 691-952-961-1021.
 Cyclohexylamine, N-benzyl-N-phenyl-; $C_6H_5CH_2N-(C_6H_5)_2$.
 Fly spray. 112, 1015P.
 691-952-1011-1022.
 o-Toluidine, N-benzyl-N-ethyl-; $CH_3C_6H_4N(C_2H_5)CH_2C_6H_5$. (Ethyl benzyl o-toluidine).
 T codling moth. 915.
 691-952-1021.
 Diphenylamine, N-methyl-; $(C_6H_5)_2NCH_3$.
 T codling moth and T screwworms at m.l.c. of 0.17-0.33%. 156, 915.
 691-953.
 Triphenylamine; $(C_6H_5)_3N$.
 18% T *Lucilia sericata* larvae; NT codling moth. 156, 723, 915.
 691-953-1022.
 Dibenzylamine, N-phenyl-; $(C_6H_5CH_2)_2NC_6H_5$.
 (N-Dibenzylaniline).
 NT screwworms. 156.
 691-953-1023.
 Tribenzylamine; $(C_6H_5CH_2)_3N$.
 T *Aphis rumicis*; NT screwworms and codling moth. 156, 915, 1377.
 691-961-1022.
 Cyclohexylamine, N,N-dimethyl-; $C_6H_{11}N(CH_3)_2$.
 (Dimethylaminocyclohexane). 539A.
 691-989.
 Tridoecylamine; $N[CH_2(CH_2)_{10}CH_3]_3$. (Trilaurylamine).
 T houseflies. 107P, 112, 593P.
 691-994.
 Trioctylamine; $(C_8H_{17})_3N$.
 NT houseflies. 1144.
 691-1000.
 Triamylamine; $(C_5H_{11})_3N$.
 NT houseflies. 1276.
 691-1000.
 Trisomyamine; $(C_5H_{11})_3N$.
 T codling moth; NT rice weevil. 915, 1180.
 691-1002.
 Tributylamine; $[CH_3(CH_2)_3]_3N$.
 T rice weevil and 47-100% T *Lucilia sericata* larvae. 723, 1180.
 691-1002-1313.
 Tributylamine fluosilicate; $(C_4H_9)_3NHSiF_6$.
 T as mothproofing agent. 307P, 1179, 1225P, 1228P.
 691-1004.
 Tripropylamine; $(C_3H_7)_3N$.
 T *Sitophilus oryzae*. 1180.
 691-1013.
 Trimethylamine; $(C_2H_5)_3N$.
 ST codling moth; NT *Chrysomphalus aurantii*. 268, 915.
 691-1013-1291.
 Triethylamine hydrochloride; $(C_2H_5)_3N.HCl$.
 T *Aphis rumicis*. 1152.
 691-1023.
 Trimethylamine; $(CH_3)_3N$.
 ST codling moth. 915.
 691-1023-1391.
 Trimethylamine hydrochloride; $(CH_3)_3N.HCl$.
 T *Aphis rumicis*. 1152.
 692-696-952-1025-1030-1291.
 Crystal violet; $C_{25}H_{30}N_4Cl$. (Methylrosaniline; hydrochloride of hexamethyl-p-rosaniline).
 T *Lucilia cuprina* larvae. 849, 1144.
 692-700-952-1025-1030-1291.
 Methyl violet; $C_{25}H_{30}N_4.HCl$. (Hydrochloride of pentamethyl-p-rosanilines).
 NT clothes moth. 974, 1176.
 692-952-1024.
 Benzidine, N,N,N',N'-tetramethyl-; $(CH_3)_2NC_6H_4-C_6H_4N(CH_3)_2$.
 NT *Bombus mori* larvae. 561.
 692-953-1025.
 Aniline, p,p'-benzylidenebis (N,N-dimethyl-; $C_6H_5-CH[CH_2N(CH_3)_2]_2$. (Bis(p-N,N-dimethylamino-phenyl)methane).
 NT as mothproofing agent. 239.
 693-953-1025.
 Aniline, p,p',p''-methylidynetris(N,N-dimethyl-; $[CH_3)_2NC_6H_4]_3CH$. (Tris(p-N,N-dimethylamino-phenyl) methane).
 NT as mothproofing agent. 239.
 693-953-1113.
 Arsenic, tris(N-dimethylaniline)-, CU; $[(CH_3)_2NC_6H_5]_3As$. (Arsenic, tri-dimethylamino-phenyl).
 T as mothproofing agent. 463P, 641P, 1176.
 696-720-740-950-1021-1276.
 Nicotinium bromide, dodecyl-; $[C_{12}H_{25}N(C_2H_5)_2]Br$.
 $C_4H_7NCH_3$. (Nicotinium dodecyl nicotinium bromide).
 NT *Aphis rumicis*. 628.

- 696-730-740-989-1021-1276.
Nicotinium dibromide, didodecyl-; $[\text{C}_{12}\text{H}_{25}\text{N}(\text{C}_{12}\text{H}_{25})_2\text{Br}]_2\text{C}_2\text{H}_5\text{N}(\text{C}_{12}\text{H}_{25})_2$. (Nicotine didodecyl mesotinium dibromide).
NT *Aphis rumicis*. 828.
- 696-730-740-989-1021-1333.
Nicotinium iodide, dodecyl-; $[\text{C}_{12}\text{H}_{25}\text{N}(\text{C}_{12}\text{H}_{25})_2\text{I}]_2\text{C}_2\text{H}_5\text{N}(\text{C}_{12}\text{H}_{25})_2$.
T *Aphis rumicis*. 110, 628.
- 696-730-740-989-1021-1333.
Nicotinium diiodide, didodecyl-; $[\text{C}_{12}\text{H}_{25}\text{N}(\text{C}_{12}\text{H}_{25})_2\text{I}]_2\text{C}_2\text{H}_5\text{N}(\text{C}_{12}\text{H}_{25})_2$.
T *Aphis rumicis*. 110, 628.
- 696-730-950-1011-1023-1333.
Quinolinium iodide, 2,6-dimethyl-1-ethyl-; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{N}(\text{C}_2\text{H}_5)\text{I}$. (2,6-Dimethylquinoline ethiodide).
NT silk moth. 110, 561.
- 696-730-950-1011-1021-1333.
Quinadinitium iodide, 1-ethyl-; $\text{CH}_3\text{C}_6\text{H}_4\text{N}(\text{C}_2\text{H}_5)\text{I}$. (Quinadine ethiodide).
T screwworms at m.l.e. of 0.33-0.67%. 110, 156.
- 696-730-950-1011-1333.
Quinolinium iodide, 1-ethyl-; $\text{C}_6\text{H}_5\text{N}(\text{C}_2\text{H}_5)\text{I}$. (Quinoline ethiodide).
T screwworms at m.l.e. of 0.10-0.17%. 110, 156.
- 696-730-1003-1030-1276.
Pyridinium bromide, 1-allyl-; $(\text{C}_5\text{H}_5\text{N})(\text{CH}_2\text{CH}=\text{CH}_2)\text{Br}$. (Pyridine allyl bromide).
T *Aphis rumicis*. 1151.
- 696-730-1011-1030-1276.
Pyridinium bromide, 1-vinyl-; $(\text{C}_5\text{H}_5\text{N})(\text{CH}_2\text{CH}=\text{CH}_2)\text{Br}$. (Pyridine vinyl bromide).
T *Aphis rumicis*. 1151.
- 696-730-1011-1325.
Pyridinium hydroxide, 1-ethyl-; $\text{C}_5\text{H}_5\text{N}(\text{C}_2\text{H}_5)\text{OH}$. (Pyridinium ethyl hydroxide).
T *Aphis rumicis*. 1152.
- 696-730-1011-1333.
Pyridinium iodide, 1-ethyl-; $\text{C}_5\text{H}_5\text{N}(\text{C}_2\text{H}_5)\text{I}$.
T *Aphis rumicis*. 110, 1152.
- 696-730-1011-1389.
Piperidinium sulfate, 1-ethyl-; $\text{C}_5\text{H}_{10}\text{N}(\text{C}_2\text{H}_5)\text{SO}_4$. (N-Ethyl piperidine sulfate).
T *Aphis rumicis*. 1152.
- 696-841-1011-1023-1276.
Choline, bromo-, bromide; $\text{BrC}_2\text{H}_4\text{N}(\text{CH}_3)_3\text{Br}$.
NT Colorado potato beetle and Mexican bean beetle. 006.
- 696-851-1011-1023-1291.
Ammonium chloride, chloroethyltrimethyl-; $\text{CIN}(\text{CH}_3)_3\text{CH}_2\text{CH}_2\text{Cl}$.
T *Aphis rumicis*. 994P.
- 696-951-989-1023-1291.
Ammonium chloride, benzyltrimethyldodecyl-; $\text{C}_{12}\text{H}_{25}\text{N}(\text{CH}_3)_3\text{CH}_2\text{CH}_2\text{C}_6\text{H}_5\text{Cl}$. 351P.
- 696-975.
Ammonium compounds, substituted alkyl-. (Cyclic quaternary ammonium compound).
Selected from the class consisting of those containing from one to three monocyclic aryl radicals and those containing nitrogenous mono- and di-cyclic hetero radicals, there is a quaternary ammonium group selected from the group consisting of RN (anion)-alkyl(alkyl) and $\text{C}_2\text{H}_5\text{N}$ (anion) alkyl wherein R is a member of the group consisting of alkyl and aralkyl radicals. 1266AP.
- 696-1003-1023-1030-1276.
Ammonium bromide, allyltrimethyl-; $\text{CH}_3\text{CH}=\text{CHN}(\text{CH}_3)_3\text{Br}$.
T *Aphis rumicis*. 1151.
- 696-1003-1023-1030-1325.
Ammonium hydroxide, allyltrimethyl-; $\text{CH}_3\text{CH}=\text{CHN}(\text{CH}_3)_3\text{OH}$.
T *Aphis rumicis*. 1151.
- 696-1004-1325.
Ammonium hydroxide, tetrapropyl-; $(\text{C}_3\text{H}_7)_4\text{NOH}$.
T *Aphis rumicis*. 1152.
- 696-1011-1023-1030-1325.
Neurine; $\text{CH}_2\text{CHN}(\text{CH}_3)_3\text{OH}$. (Vinyltrimethyl-ammonium hydroxide).
T *Aphis rumicis*. 1151.
- 696-1014-1291.
Ammonium chloride, tetraethyl-; $(\text{C}_2\text{H}_5)_4\text{NCl}$.
T *Aphis rumicis*. 1152.
- 696-1014-1325.
Ammonium hydroxide, tetraethyl-; $(\text{C}_2\text{H}_5)_4\text{NOH}$.
NT codling moth. 915.
- 696-1024-1291.
Ammonium chloride, tetramethyl-; $(\text{CH}_3)_4\text{NCl}$.
T *Aphis rumicis*. 1152.
- 696-1021-1325.
Ammonium hydroxide, tetramethyl-; $(\text{CH}_3)_4\text{NOH}$.
T codling moth; NT rice weevil. 915, 1180, 1255P.
- 696-1021-1333.
Ammonium iodide, tetramethyl-; $(\text{CH}_3)_4\text{NI}$. (Ammonium compound, tetramethyl-iodide).
T Colorado potato beetle and Mexican bean beetle. 110, 606.
- 696-1045.
Ammonium compounds, quaternary, substituted, CU.
T as mothproofing agent. 978P, 1266AP.
- 700-951.
Quinone dioxime; $\text{C}_6\text{H}_4(\text{NH})_2$. 721AP.
- 700-952-1021.
Aniline, N-benzylidene-; $\text{C}_6\text{H}_5\text{N}:\text{CHC}_6\text{H}_5$. (Benzal-aniline).
100% T mosquito larvae and T screwworms at m.l.e. of 0.33-0.67%. 158, 239, 487.
- 700-953-1023.
o,a-Toluenediamine, N,N-dibenzylidene? ($\text{C}_6\text{H}_5\text{C}(\text{H})\text{N}_2$). (Hydrobenzamide).
MT cockroaches and 29% T corn borer; NT codling moth. 587, 915, 1120.
- 701-730.
Nictinonitrile; $(\text{C}_6\text{H}_5\text{N})\text{CN}$. (β -Pyridylcyanide).
ST *Aphis rumicis*. 1151.
- 701-851-951-1021.
Benzonitrile, p-chloro-; $\text{ClC}_6\text{H}_4\text{CN}$.
ST codling moth. 915.
- 701-851-1011.
Acetonitrile, chloro-; OCH_2CN .
95% T *Tribolium confusum*. 1155.
- 701-851-1021.
Cyanogen chloride; CNCl . (Chlorine cyanide).
Injurious to plants. 154AP, 1041, 1295.
- 701-853-1011.
Acetonitrile, trichloro-; Cl_3CCN . 1144.
- 701-871-1011.
Acetonitrile, iodo-; ICH_2CN .
HT insects. 110, 1092.
- 701-924-1021.
1-Naphthonitrile; $\text{C}_{10}\text{H}_7\text{CN}$. (α -Cyan-naphthalene).
100% T *Aphis rumicis*. 173P.
- 701-924-1021.
2-Naphthonitrile; $\text{C}_{10}\text{H}_7\text{CN}$. (β -Cyan-naphthalene).
100% T *Aphis rumicis* and T screwworms. 156, 173P.
- 701-951-1011.
o-Tolunitrile; $\text{C}_6\text{H}_4\text{CH}_2\text{CN}$. (Phenoacetonitrile; phenylacetoneitrile?).
NT *Hippodamia convergens*. 1110.
- 701-951-1021.
Benzonitrile; $\text{C}_6\text{H}_5\text{CN}$. (Benzeneacetonitrile; phenyl cyanide).
T *Leptinotarsa decemlineata* and housefly; NT codling moth and red scale. 268, 915, 1002, 1009.
- 701-951-1022.
p-Tolunitrile; $\text{CH}_3\text{C}_6\text{H}_4\text{CN}$. (4-Methylbenzeneacetonitrile; p-methylbenzonitrile).
NT Colorado potato beetle and Mexican bean beetle. 606.
- 701-985.
Tridecanitrile; $\text{C}_{13}\text{H}_{25}\text{CN}$. (Lauryl cyanide; n-dodecyl cyanide?).
T houseflies. 107P, 112, 593P, 1276.
- 701-997.
Isocyanonitrile; $(\text{CH}_3)_3\text{CHCH}_2\text{CH}_2\text{CN}$. (4-Methylpentanenitrile; isocyanide; isobutyl acetonitrile).
100% T rice weevil. 1180.
- 701-999.
Valeronitrile; $\text{C}_5\text{H}_9\text{CN}$. (Pentanitrile; n-butyl cyanide).
100% T rice weevil. 1180.
- 701-1001.
Butyronitrile; $\text{C}_4\text{H}_7\text{CN}$.
T rice weevil. 1180.
- 701-1001-1030.
3-Butenynitrile; $\text{CH}_3\text{CHCH}_2\text{CN}$. (3-Butenenitrile;

- vinylacetoneitrile; β -butenitrile).
NT red scale. 268.
- 701-1003.
Propionitrile; C_2H_5CN .
NT *Chrysomphalus aurantii*. 268.
- 701-1003-1050.
Acrylonitrile; $CH_2=CHCN$. (Propenenitrile; vinyl cyanide).
95% T *Tribolium confusum*. 1155.
- 701-1011.
Acetonitrile; CH_3CN . (Ethanenitrile; methyl cyanide).
T codling moth; NT red scale. 268, 915.
- 701-1027.
Alkyl nitriles. 36P.
- 702-951-1022.
Phthalonitrile; $C_8H_4(CN)_2$. (Orthodicyanobenzene).
T codling moth larvae, screwworm, southern army worm, imported cabbage worm, melon worm, Hawaiian beet webworm, southern beet webworm, cowpea weevil, rice weevil, termites, and mosquito larvae. 157, 239, 1239, 1312, 1481.
- 702-999.
Glutaronitrile; $CH_2(CH_2CN)_2$. (Trimethylene cyanide).
T *Leptinotarsa decemlineata*. 1009.
- 702-1001.
Succinonitrile; $(-CHCN)_2$. (Ethylene cyanide).
ST codling moth. 915.
- 711-951-1021.
Phenyl isocyanide; C_6H_5NC .
ST codling moth. 915.
720.
Sparteine; $C_{26}H_{48}N_2$. (Lupinidine).
T as mothproofing agent. 1176, 1260P.
730.
Pyridine; C_5H_5N .
T *Polychrosis batrana* and *Tribolium confusum*; NT wireworms. 175, 505P, 1029, 1093, 1149, 1185, 1214, 1396.
730.
Piperidine; $C_5H_{11}N$. (Hexahydropyridine).
ST *Aphis rumicis*. 119, 915, 1225P.
730.
2,2'-Bipyridine; $(C_5H_4N)_2$. (α,α -Dipyridyl).
T *Aphis rumicis*. 1153.
730.
3,3'-Bipyridine; $(C_5H_4N)_2$. (β,β -Dipyridyl).
T *Aphis rumicis*. 1153.
730.
3,4'-Bipyridine; $(C_5H_4N)_2$. (β,γ -Dipyridyl).
T *Aphis rumicis*. 1153.
730.
4,4'-Bipyridine; $(C_5H_4N)_2$. (γ,γ -Dipyridyl).
T *Aphis rumicis*. 1152.
730.
Anabasine; $(C_8H_9N)C_2H_5NH$. (β -Pyridyl- α -piperidine; neonicotine).
As contact poison 4 or 5 times as toxic as nicotine against certain aphids but ineffective as stomach poison; toxicity lower than nicotine against mosquito larvae. 171, 1169, 1312.
- Anabasine naphthenate.
T coccids on citrus. 733A.
- Anabasine resinate.
T beet aphids. 1228B.
- Anabasine dolphin blubber soaps.
ST coccids on citrus. 733A.
- For other anabasine compounds see:
730-1021.
730-1359.
730.
Isonicotine; $(C_5H_4N)C_2H_5NH$.
T *Aphis rumicis*. 1153.
- 730-740.
d-Nornicotine; $(C_5H_4N)C_2H_5NH$. (3-(2-Pyrrolidyl)-pyridine).
T *Aphis rumicis*. 625.
- 730-740.
l-Nornicotine; $(C_5H_4N)C_2H_5NH$. (3-(2-Pyrrolidyl)-pyridine).
T *Aphis rumicis*. 625.
- 730-740.
dl-Nornicotine; $(C_5H_4N)C_2H_5NH$. (3-(2-Pyrrolidyl)-pyridine).
T *Aphis rumicis*. 625.
- 730-740-800-1021.
Nicotine, sulfurized.
NT European corn borer. 1120.
- 730-740-1021.
 α -Nicotine; $(C_5H_4N)C_2H_5NCH_3$. (2-(1-Methyl-2-pyrrolidyl)pyridine).
Less toxic than β -nicotine. 1146.
- 730-740-1021.
d-Nicotine; $(C_5H_4N)C_2H_5NCH_3$.
T *Aphis rumicis*. 625.
- 730-740-1021.
l-Nicotine; $(C_5H_4N)C_2H_5NCH_3$. (Natural nicotine; 3-(1-methyl-2-pyrrolidyl)pyridine).
HT many insects; standard insecticide. 79, 134, 477, 507, 625, 727, 747, 933A, 1043, 1046, 1068, 1071, 1280, 1347, 1389, 1485.
- 730-740-1021.
dl-Nicotine; $(C_5H_4N)C_2H_5NCH_3$. (Racemic α -(β -pyridyl)-N-methylpyrrolidine).
T *Aphis rumicis*. 201.
- 730-740-1021.
 β -Nicotyrine; $(C_5H_4N)C_2H_5NCH_3$.
T *Aphis rumicis*. 1151.
- 730-740-1021.
Piperidine, 3-(1-methyl-2-pyrrolidyl)-; $(C_5H_4NH)C_2H_5NCH_3$. (Hexahydronicotine).
T *Aphis rumicis*. 1152.
- 730-740-1021-1108-1136-1405.
Reinecke acid, compound with nicotine. (Nicotine reineckate).
NT *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1142-1291.
Nicotine, cupric chloride compound. (Nicotine $CuCl_2$ double salt).
30% T *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1142-1393.
Nicotine cuprocyanide compound.
NT *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1234-1291.
Nicotine stannous chloride compound. (Nicotine $SnCl_2$ double salt).
52% T *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1244-1291.
Nicotine zinc chloride compound. (Nicotine $ZnCl_2$ double salt).
30% T *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1313.
Nicotine fluosilicate.
MT Colorado potato beetle, Mexican bean beetle, and T as mothproofing agent. 307P, 606, 1179.
- 730-740-1021-1341.
Nicotine siltrate.
T *Rhopalosiphum viciae*. 1267A.
- 730-740-1021-1354-14207.
Nicotine silicotungstate.
NT *Aphis rumicis* at 0.1%. 628.
- 730-740-1021-1389.
Nicotine sulfate.
Commonly used insecticide.
- 730-740-1021-1393.
Nicotine sulphite.
T *Myzus persicae*. 1228A.
- 730-740-1023-1359.
Nicotinium sulfate, dimethyl-.
MT *Ascia rapae*, *Plutella maculipennis*, *Phlyctenia rubigalis*, *Prodenia eridania*, and *Lycophotia infecta*. 1372.
- Nicotine alginate compound.
73% T *Aphis rumicis* at 0.1%. 628.
- Nicotine arsenic compound.
78% T *Aphis rumicis* at 0.1%. 628.
- Nicotine bentonite compound.
NT *Aphis rumicis* at 0.1%. 628.
- Nicotine casein compound.
86% T *Aphis rumicis* at 0.1%. 628.
- Nicotine humic acid compound. (Nicotine humate).
78% T *Aphis rumicis* at 0.1%. 628.
- Nicotine naphthenate compound.
100% T *Aphis rumicis* at 0.1% and ST coccids on citrus. 628, 733A.
- Nicotine pest compound (10% total nicotine in pest).
T *Aphis rumicis*; NT *Melanoplus m. mexicanus*. 623, 1150.
- Nicotine-resorcinol-formaldehyde mixture.

- T codling moth and *Lucilia cuprina* larvae; NT *Aphis rumicis* at 0.1%. 623, 849, 992A.
Nicotine-dolphin blubber soap compound.
ST corcids on citrus. 738A.
Nicotine tannic acid compound. (Nicotine tannate).
80% T *Bombyx mori* larvae. 561.
Cellulose isonicotinate. 357P.
Diodonicotinic-tannate-glycine compound. 194P, 195P, 196P.
- For other nicotine compounds see:
187-730-951-1001-1021-1030.
258-730-740-1021-1045.
460-730-740-791-950-951-1021.
460-730-740-791-950-1021.
460-730-740-791-950-1022.
541-581-730-740-1003-1021.
541-730-740-853-1011-1021.
541-730-740-853-1021.
541-730-740-853-1021-1030.
541-730-740-853-1021-1033.
541-730-740-853-1021-1033.
541-730-740-853-1021.
541-730-740-1011-1021.
542-582-730-740-1001-1021.
551-701-730-740-953-1022-1030.
581-730-1001-1021.
581-730-1001-1021-1030.
591-730-1001-1003-1021-1030.
591-730-1001-1021-1030.
596-730-740-889-1021-1333.
- 730-796-1031.
2-(1)-Pyridone, N-methyl-thio-; $S:(C_5H_5N)CH_3$.
NT mosquito larvae. 487.
- 730-841.
Pyridine, 3-bromo-; $Br(C_5H_5N)$.
NT California red scale. 268.
- 730-851.
Piperidine, chloro-, CU; $(C_5H_9N)Cl$.
T *Aphis rumicis*. 1152.
- 730-851-950.
Quinoline, 2-chloro-; $(C_5H_4N)Cl$. (α -Chloroquinoline).
T screwworms at m.l.c. of 0.03-0.05%. 156.
- 730-851-950-1021.
Lepidine, 2-chloro-; $CH_2(C_5H_4N)Cl$. (α -Chlorolepidine).
ST codling moth. 915.
- 730-855.
Pyridine, pentachloro-; $(C_5N)Cl_5$.
NT *Pieris rapae*. 635.
- 730-924-1021.
Benzoquinoline, methyl-, CU; $(C_{10}H_7N)CH_3$. 1225P.
- 730-950.
Acridan; $C_{14}H_{11}N$. (9,10-Dihydroacridine).
NT as mothproofing agent. 239.
- 730-950.
Acridine; $C_{13}H_9N$.
94% T mosquito larvae; NT *Melanoplus m. mexicanus*. 487, 1150, 1225P.
- 730-950.
Isoquinoline; C_9H_7N . (Benzo[c]pyridine; 2-benzazine; laucoline).
98% T *Culex quinquefasciatus* and T screwworm; MT silkworm; NT *Melanoplus m. mexicanus*. 156, 157, 501, 1150, 1225P.
- 730-950.
Quinoline; C_9H_7N .
T houseflies, codling moth, *Leptinotarsa decemlineata*, and as mothproofing agent. 331P, 841, 915, 1009, 1176, 1225P, 1276.
- 730-950.
Quinoline, tetrahydro-; $C_8H_{11}N$. (α -II-Tetrahydroquinoline).
T *Aphis rumicis*. 1073, 1152.
- 730-950-951.
Quinoline, tetrahydro-2-phenyl-; $(C_6H_5NH)C_8H_8$. (α -Phenyltetrahydroquinoline). 1073.
- 730-950-951-1021.
Quinoline, tetrahydro-, 2-(α -tolyl)-; $(C_6H_5NH)C_8H_8$. (α - α -Tolyltetrahydroquinoline). 1073.
- 730-950-951-1021.
Quinoline, tetrahydro-, 2-(p -tolyl)-; $(C_6H_5NH)C_8H_8$. (α - p -Tolyltetrahydroquinoline). 1073.
- 730-950-951-1023.
Quinoline, tetrahydro-, 2-(α -mesityl)-; $(CH_3)_2C_6H_3$.
- $H_3CH_2C_5H_9NH$. (α -Mesityltetrahydroquinoline). 1073.
- 730-950-1001.
Quinoline, tetrahydro-, 2-butyl-; $C_4H_9C_8H_9NH$. (α - n -Butyltetrahydroquinoline). 1073.
- 730-950-1011.
Quinoline, tetrahydro-, 2-ethyl-; $C_2H_5C_8H_9NH$. (α -Ethyltetrahydroquinoline). 1073.
- 730-950-1021.
Quinoline, 2-methyl-; $CH_3C_8H_8N$. (2-Methyl quinoline).
HT screwworms at m.l.c. of 0.03-0.05%; MT codling moth and T *Aphis rumicis*. 156, 915, 1152, 1225P.
- 730-950-1021.
Lepidine; $CH_2C_8H_8N$. (4-Methyl quinoline).
12.5% T wireworms at 537.0 mgs./1. 846.
- 730-950-1021.
Quinoline, 6-methyl-; $CH_3C_8H_7N$.
HT screwworms and 75% T *Culex quinquefasciatus*. 156, 157.
- 730-950-1021.
Quinoline, 7-methyl-; $CH_3C_8H_7N$.
94% T *Culex quinquefasciatus* and T screwworms. 156, 157.
- 730-950-1021.
Quinoline, 8-methyl-; $CH_3C_8H_7N$.
100% T *Culex quinquefasciatus* and T screwworms. 156, 157.
- 730-950-1021.
Quinoline, tetrahydro-, 2-methyl-; $CH_3C_8H_9NH$. (α -Methyltetrahydroquinoline). 1073.
- 730-950-1022.
Acridan, 5,5-dimethyl-; $(CH_3)_2C_6H_7N$. (CH₃)₂.
T many species of insects. 27, 155, 157, 487, 587, 1291, 1312.
- 730-950-1022.
Quinoline, 2,4-dimethyl-; $(CH_3)_2C_8H_7N$. (4-Methyl quinoline).
HT screwworms; 68% T *Culex quinquefasciatus*. 156, 157.
- 730-950-1022.
Quinoline, 2,6-dimethyl-; $(CH_3)_2C_8H_7N$. (p -Tolquinoline; 6-methylquinoline).
HT screwworms and 99% T *Culex quinquefasciatus*. 156, 157.
- 730-950-1023.
Quinoline, 1,2-dihydro-2,2,4-trimethyl-; $(CH_3)_3C_8H_7N$.
100% T codling moth larvae. 1291.
- 730-950-1027.
Acridan, dialkyl-, CU. 1232P.
- 730-950-1312.
Quinoline hydrofluoride; $C_8H_7N.HF$.
NT clothes moth. 739, 1176.
- 730-950-1313.
Quinoline fluosilicate; $(C_8H_7N)_2H_2SiF_6$.
T as mothproofing agent. 301P, 307P, 1179.
- 730-950-1314.
Quinoline fluosulphonate; $C_8H_7N.HSO_3F$.
T as mothproofing agent. 823P, 1176.
- 730-950-1389.
Quinoline sulphate; $C_8H_7N.H_2SO_4$.
NT clothes moth. 739, 1176.
- 730-950-1450.
Quinoline salts, CU.
T as mothproofing agent. 823P, 1176.
- 730-951-1021.
Pyridine, 2-benzyl-; $C_6H_5CH_2C_5H_4N$. (α -Benzylpyridine).
T *Aphis rumicis*. 1151.
- 730-951-1021.
Pyridine, 3-benzyl-; $C_6H_5CH_2C_5H_4N$. (β -Benzylpyridine).
T *Aphis rumicis*. 1151.
- 730-951-1021.
Pyridine, 4-benzyl-; $C_6H_5CH_2C_5H_4N$. (γ -Benzylpyridine).
T *Aphis rumicis*. 1151.
- 730-989-1193-1276.
Phosphonium bromide, dodecyl tri-1-piperidyl-; $(C_{12}H_{25}N)_3P(C_{12}H_{25})Br$. 518P.
- 730-1003.
Comine; $C_8H_7C_3H_5NH$.
T as mothproofing agent. 1133P, 1179.

- 730-1003-1030.
Pyridine, 3-allyl-; $\text{CH}_2=\text{CHCH}_2\text{C}_5\text{H}_4\text{N}$. (8-2-Allyl-pyridine).
ST *Aphis rumicis*. 1151.
- 730-1003-1276.
Conine hydrobromide; $\text{C}_8\text{H}_7\text{C}_5\text{H}_9\text{NE.HBr}$. (Hemlock alkaloid).
NT codling moth. 915.
- 730-1003-1291.
Conine hydrochloride; $\text{C}_8\text{H}_7\text{C}_5\text{H}_9\text{NE.HCl}$.
T *Aphis rumicis*. 1152.
- 730-1011-1021.
Collidine, CU; $\text{CH}_3(\text{C}_6\text{H}_5\text{N})\text{C}_6\text{H}_5$. (Ethylmethylpyridine). 1225P.
- 730-1021.
Piperidine, 1,1'-methylenedi-; $(\text{C}_6\text{H}_{10}\text{N})_2\text{CH}_2$. (Methylene dipiperidine).
T *Aphis rumicis*. 1152.
- 730-1021.
2-Picoline; $\text{CH}_3\text{C}_5\text{H}_4\text{N}$. (α -Picoline; 2-methylpyridine).
T codling moth; NT California red scale. 268, 915, 1225P.
- 730-1021.
Anabasine, methyl-; $(\text{C}_8\text{H}_9\text{N})\text{C}_6\text{H}_5\text{NCH}_3$.
T mosquito larvae. 171.
- 730-1021-1193-1333.
Phosphonium iodide, *N*-tripiperidino methyl-; $(\text{C}_6\text{H}_9\text{N})_3\text{CH}_3\text{PI}$.
T as mothproofing agent. 110, 530P.
- 730-1022.
Lutidine, CU; $(\text{CH}_3)_2\text{C}_6\text{H}_7\text{N}$. (Dimethylpyridine). 1225P.
- 730-1023.
Collidine; $(\text{CH}_3)_2\text{C}_6\text{H}_7\text{N}$. (2,4,6-Trimethylpyridine; γ -collidine). 934P.
- 730-1024-1333.
2,3'-Bipyridinium iodide, 1,1'-dimethyl-; $[\text{C}_5\text{H}_4\text{N}(\text{CH}_3)_2]_2$ (α,β -Dipyridyl dimethyl iodide).
T aphids. 110, 1305.
- 730-1024-1333.
4,4'-Bipyridinium iodide, 1,1'-dimethyl-; $[\text{C}_5\text{H}_4\text{N}(\text{CH}_3)_2]_2$. (γ,γ -Dipyridyl dimethyl iodide).
T aphids. 110, 1305.
- 730-1045.
Pyridine, alkaloidal derivatives.
T as mothproofing agent. 1133P, 1179.
- 730-1045.
Piperidine, alkaloidal derivatives.
T as mothproofing agent. 1133P, 1179.
- 730-1108-1136-1142-1405.
Reinecke acid, piperidine salt; $\text{C}_5\text{H}_{10}\text{NH.H}(\text{Cr}(\text{N}_2\text{H}_3)_2(\text{SCN})_4)$. (Tetrathiocyanatodiamino chromium piperidine; reineckate, piperidinum).
100% T Mexican bean beetle, 90-100% T Colorado potato beetle, and 59% T codling moth larvae. 606, 735P, 1432.
- 730-1192-1392.
Phosphine sulfide, tripiperidyl-; $(\text{C}_6\text{H}_9\text{N})_3\text{PS}$? (Tripiperidine-*N*-phosphorus sulfide). 522P.
- 730-1193-1333.
Phosphonium difluoride, tris(1-piperidyl)-; $(\text{C}_6\text{H}_9\text{N})_3\text{PF}_2$? (Phosphonium iodide, *N*-tripiperidyl). 110, 522P.
- 730-1312.
Pyridine hydrofluoride; $\text{C}_5\text{H}_5\text{N.HF}$.
T as mothproofing agent. 1175, 1357P.
- 730-1313.
Pyridine fluosilicate; $\text{C}_5\text{H}_5\text{NHSiF}_6$?
T as mothproofing agent. 307P, 1179.
- 730-1313.
Piperidine fluosilicate; $\text{C}_6\text{H}_{10}\text{NHSiF}_6$?
T as mothproofing agent. 307P, 1179.
- 730-1314.
Pyridine fluosulphonate; $\text{C}_5\text{H}_5\text{NHSO}_3\text{F}$?
T as mothproofing agent. 823P, 1176.
- 730-1389.
Bipyridine sulfate, CU; $(-\text{C}_5\text{H}_4\text{N})_2\text{H}_2\text{SO}_4$? (Dipyridyl sulphate). 1030A.
- 730-1389.
Piperidine sulfate; $(\text{C}_6\text{H}_9\text{N})_2\text{H}_2\text{SO}_4$?
T *Aphis rumicis*. 1152.
- 730-1389.
Anabasine sulphate (40% anabasine); $(\text{C}_8\text{H}_9\text{N})\text{C}_6\text{H}_5\text{NHSO}_4$.
- T *Myzus persicae* and T *Lucilia cuprina* larvae at 0.1%; ST Japanese beetle. 498A, 849, 1287.
- 730-1450.
Pyridine salts, CU.
T as mothproofing agent. 823P, 1176.
732.
Piperazine; $\text{C}_4\text{H}_{10}\text{N}_2$. (Hexahydropyrazine; diethylenediamine).
T *Aphis rumicis* and 80% T *Bombyx mori* larvae. 357P, 561, 1152.
732.
Piperazine hexahydrate; $(\text{C}_4\text{H}_{10}\text{N}_2).6\text{H}_2\text{O}$. (Piperazine hydrate).
T codling moth; NT as mothproofing agent. 239, 915.
732.
Pyrimidine; $\text{C}_4\text{H}_6\text{N}_2$.
T as mothproofing agent. 684P, 1175.
- 732-852-950-951.
Quinoxaline, 3,4-dihydro-6-chloro-3-(*p*-chlorophenyl)-; $\text{Cl}(\text{C}_6\text{H}_4\text{N}_2)\text{C}_6\text{H}_4\text{Cl}$. (3-(4-Chlorobenzene)-6-chloro-3,4-dihydroquinoxaline).
ST codling moth at 4%. 1481.
- 732-910-924.
Benzo-[a]-naphtho-[2,1-c]-phenazine; $\text{C}_{20}\text{H}_{14}\text{N}_2$.
NT as mothproofing agent. 239.
- 732-910-950.
Dibenzo [a,c]phenazine; $\text{C}_{20}\text{H}_{12}\text{N}_2$. (1,2:3,4-Dibenzo phenazine).
ST codling moth at 4%; NT greenhouse red spider at 4%. 1481.
- 732-924.
Dibenzo [a,h]phenazine? $\text{C}_{20}\text{H}_{12}\text{N}_2$. (Naphthazine).
ST codling moth at 4%; NT greenhouse red spider at 4%. 1481.
- 732-950.
Phenazine; $\text{C}_{12}\text{H}_8\text{N}_2$.
T clothes moth, southern beet webworm, rice weevil, Hawaiian beet webworm, termites, codling moth larvae, and European corn borer but burns foliage severely; NT as mothproofing agent (239). 27, 239, 1120, 1312, 1433P, 1481.
- 732-950.
Benzo[c]cinnoline; $\text{C}_{12}\text{H}_8\text{N}_2$. (3,4-Benzocinnoline).
86% T mosquito larvae and 8% T codling moth larvae. 487, 1291.
- 732-950.
Phenazine, dihydro-; $\text{C}_{12}\text{H}_{10}\text{N}_2$.
HT codling moth at 4%. 1481.
- 732-950-1113.
Phenazine diarsonic acid; $(\text{C}_{12}\text{H}_8\text{N}_2)(\text{AsO}_2\text{H})_2$.
ST codling moth at 4%; NT southern army worm at 4%. 1481.
- 732-950-1350.
Phenazine, 5-oxide-; $\text{O}:(\text{C}_{12}\text{H}_7\text{N}_2)$.
100% T corn borer, 98% T *Culex quinquefasciatus*, and T screwworm larvae. 157, 944, 1120.
- 732-952.
Piperazine, 1,4-diphenyl-; $(\text{C}_6\text{H}_5\text{N})_2(\text{C}_2\text{H}_4)_2$.
T codling moth; NT *Bombyx mori* larvae and as mothproofing agent. 239, 559, 915.
- 732-952-1291.
Piperazine, 1,4-diphenyl-, hydrochloride; $(\text{C}_6\text{H}_5\text{N}_2)(\text{C}_2\text{H}_4)_2\text{HCl}$.
NT codling moth. 915.
- 732-1333.
Piperazine, diiodo-; $(\text{C}_6\text{H}_5\text{N}_2)_2$. 2HI. 110, 1141P.
733.
Hexamethylenetetramine; $\text{C}_6\text{H}_{12}\text{N}_4$. (Formin).
T *Aphis rumicis* and as mothproofing agent. 277P, 1152, 1176, 1483P.
- 733-1021.
Triazine, methyl-, CU; $(\text{C}_6\text{H}_4\text{N}_3)\text{CH}_3$. (Monomethyltriazine). 361P.
- 733-1022.
s-Triazine, dimethyl-, CU; $(\text{C}_6\text{H}_3\text{N}_3)(\text{CH}_3)_2$. (Dimethyltriazine). 361P.
- 733-1314.
Hexamethylenetetramine fluosulphonate; $(\text{C}_6\text{H}_{12}\text{N}_4)\text{HSO}_3\text{F}$?
T as mothproofing agent. 823P, 1176.
- 733-1450.
Hexamethylenetetramine salts.
T as mothproofing agent. 823P, 1176.

740.
Pyrrole; C_4H_5NH .
T *Aphis rumicis*. 1151, 1152.
740.
Pyrrolidine; C_4H_8NH . (Tetrahydropyrrole; tetramethylenimine). 1225P.
- 740-825.
Pyrrolidine, 2-(2-thienyl)-; $(C_4H_5N)(C_6H_5S)$.
(α -Thienyl- α -pyrrolidine).
50% T *Thermobia domestica* at 1.2%. 799, 800.
- 740-851-950.
Carbazole, 3-chloro-; $(C_{12}H_7N)Cl$.
95% T codling moth larvae and 52% T mosquito larvae. 487, 1291.
- 740-851-951-1021.
Pyrrolidine, 2-(p-chlorophenyl)-1-methyl-; $CH_3(C_4H_5N)(C_6H_4Cl)$. (α -(p-Chlorophenyl)-N-methylpyrrolidine).
T *Aphis rumicis*. 261.
- 740-852-950.
Carbazole, 3,6-dichloro-; $(C_{12}H_5N)Cl_2$. (3,6-Dichlorodiphenylimide; 3,6-dichlorodiphenylimide).
T as mothproofing agent. 323P, 1176.
- 740-874.
Pyrrole, tetraiodo-; $(C_4H_5N)I_4$. (Pyrrol tetraiodide; iodo; iodypyrrole). 110, 616, 914.
- 740-950.
Indole; C_8H_7N . (Benzol[b]pyrrole).
HT greenhouse red spider; MT as mothproofing agent; NT screwworms. 156, 239, 1481.
- 740-950.
Carbazole; $C_{12}H_9N$. (Carbazol; diphenylimide; iminobiphenyl; iminophenyl karbazol).
T Japanese beetle, codling moth, and as mothproofing agent. 331P, 915, 985, 1176, 1225P.
- 740-950.
Carbazole, 1,2,3,4-tetrahydro-; $C_{12}H_{13}N$.
T screwworm larvae at 0.67% and 61% T mosquito larvae. 457, 483, 944.
- 740-950-1021.
Carbazole, 9-methyl-; $(C_{12}H_9N)CH_3$. (Carbazole, N-methyl; N-(9)-methylcarbazol).
T as mothproofing agent. 873P, 1176.
- 740-951.
Pyrrole, 1-phenyl-; $(C_4H_5N)C_6H_5$. (N-Phenyl pyrrole).
20% T *Bombyx mori* larvae. 559.
- 740-951.
Pyrrolidine, d-2-phenyl-; $(C_4H_5N)(C_6H_5)$. (d- α -Phenylpyrrolidine).
50% T *Thermobia domestica* at 1.3%. 799, 800.
- 740-951.
Pyrrolidine, l-2-phenyl-; $(C_4H_5N)(C_6H_5)$. (l- α -Phenylpyrrolidine).
50% T *Thermobia domestica* at 1.3%. 799, 800.
- 740-951.
Pyrrolidine, dl-2-phenyl-; $(C_4H_5N)(C_6H_5)$. (dl- α -Phenylpyrrolidine).
50% T *Thermobia domestica* at 2.0%. 799, 800.
- 740-951.
Pyrrole, 2-phenyl-; $(C_4H_5N)C_6H_5$. (α -Phenylpyrrole).
100% T *Thermobia domestica* and T *Aphis rumicis*. 799, 800, 1151.
- 740-951-1021.
Pyrrolidine, d-2-(p-tolyl)-; $(C_4H_5NH)C_6H_4CH_3$. (d- α -Para-tolyl-pyrrolidine).
ST *Aphis rumicis*. 1343A.
- 740-951-1021.
Pyrrolidine, l-2-(p-tolyl)-; $(C_4H_5NH)C_6H_4CH_3$. (l- α -Para-tolyl-pyrrolidine).
ST *Aphis rumicis*. 1343A.
- 740-951-1021.
Pyrrolidine, 1-methyl-2-phenyl-; $C_6H_5C_4H_7NCH_3$. (α -Phenyl-N-methylpyrrolidine).
T *Aphis rumicis*. 261, 1151.
- 740-951-1021.
Pyrrolidine, 1-benzyl-; $C_6H_5NCH_2C_6H_5$. (N-Benzylpyrrolidine).
T *Aphis rumicis*. 1151.
- 740-951-1022.
Pyrrolidine, 2-methyl-1-benzyl-; $CH_3C_6H_4NCH_2C_6H_5$. (α -Methyl-N-benzylpyrrolidine).
T *Aphis rumicis*. 1151.
- 740-951-1023.
Pyrrolidine, 2-mesityl-; $(CH_3)_3C_6H_2C_4H_5NH$. (2-Mesityl- α -pyrrolidine).
50% T *Thermobia domestica* at 1.0%. 799, 800.
- 740-961.
Pyrrolidine, d-2-cyclohexyl-; $C_6H_{11}C_4H_7NH$. (d- α -Cyclohexylpyrrolidine).
50% T *Thermobia domestica* at .95%. 799.
- 740-961.
Pyrrolidine, l-2-cyclohexyl-; $C_6H_{11}C_4H_7NH$. (l- α -Cyclohexylpyrrolidine).
50% T *Thermobia domestica* at .95%. 799, 800.
- 740-961.
Pyrrolidine, dl-2-cyclohexyl-; $C_6H_{11}C_4H_7NH$. (dl- α -Cyclohexylpyrrolidine).
50% T *Thermobia domestica* at 1.5%. 799, 800.
- 740-961.
Pyrrole, 2-cyclohexyl-; $C_6H_{11}C_4H_5NH$. (α -Cyclohexylpyrrole).
T *Thermobia domestica*. 799, 800.
- 740-999-1021.
Pyrrolidine, 1-isoamyl-3-methyl-; $(CH_3)_2C_4H_7NC_5H_9$.
T aphids, red spider, and other sucking insects. 130P.
- 740-1001.
Pyrrolidine, 1-butyl-; $C_4H_9NC_4H_7$. (N-Butyl pyrrolidine).
T red spider, psyllae, caterpillars, and aphids; MT *Thermobia domestica*. 121P, 130P, 799, 800.
- 740-1001-1021.
Pyrrolidine, 2-butyl-1-methyl-; $C_4H_9C_4H_7NCH_3$. (α -n-Butyl-N-methylpyrrolidine).
NT *Aphis rumicis*. 261.
- 740-1001-1291.
Pyrrolidine 1-butyl-, hydrochloride; $C_4H_9NC_4H_7 \cdot HCl$. (N-n-Butylpyrrolidine hydrochloride).
T *Aphis rumicis*. 1151.
- 740-1003-1021.
Pyrrolidine, 1-methyl-2-propyl-; $C_4H_7C_4H_7NCH_3$. (α -n-Propyl-N-methylpyrrolidine).
NT *Aphis rumicis*. 261.
- 740-1011.
Pyrrole, 1-ethyl-; $C_2H_5NC_4H_5$.
NT California red scale. 283.
- 740-1011-1021.
Pyrrolidine, 2-ethyl-1-methyl-; $C_2H_5C_4H_7NCH_3$. (α -Ethyl-N-methylpyrrolidine).
NT *Aphis rumicis*. 261.
- 740-1011-1291.
Pyrrolidine, 1-ethyl-, hydrochloride; $C_2H_5NC_4H_7 \cdot HCl$. (N-Ethylpyrrolidine hydrochloride).
ST *Aphis rumicis*. 1151.
- 740-1021.
Pyrrole, 1-methyl-; $C_2H_5NCH_3$.
NT California red scale. 283, 1442P.
- 740-1021.
Pyrrolidine, 1-methyl-; $C_4H_9NCH_3$. (N-Methylpyrrolidine).
NT *Aphis rumicis*. 261.
- 740-1021.
Pyrrolidine, 2-methyl-; $CH_3C_4H_7NH$. (α -Methylpyrrolidine). 1442P.
- 740-1021-1291.
Pyrrolidine, 1-methyl-, hydrochloride; $CH_3C_4H_7 \cdot NH \cdot HCl$. (N-Methylpyrrolidine hydrochloride).
ST *Aphis rumicis*. 1151.
- 740-1021-1291.
Pyrrolidine, 2-methyl-, hydrochloride; $CH_3C_4H_7 \cdot NH \cdot HCl$. (α -Methylpyrrolidine hydrochloride).
ST *Aphis rumicis*. 1151.
- 740-1022.
Pyrrolidine, 1,2-dimethyl-; $(CH_3)_2C_4H_5NH$. (α -Methyl-N-methylpyrrolidine).
NT *Aphis rumicis*. 261.
- 740-1027.
Pyrrolidines, alkyl-; $(C_4H_5N)R$. 1225P.
- 740-1291.
Pyrrolidine hydrochloride; $C_4H_8NH \cdot HCl$.
ST *Aphis rumicis*. 1151.
- 742-791-950-951.
2-Benzimidazolethiol, 1-phenyl-; $HS(C_2H_4N_2)C_6H_5$.
2-Mercapto-1-phenylbenzimidazole).
20% T mosquito larvae. 487.
- 742-950.
Benzimidazole; $C_8H_6N_2$.
NT codling moth at 4%, NT greenhouse red spider

- at 1%, and NT corn borer at 4 lbs./100 gal.
1122, 1481.
- 742-950-1021.
Benzimidazole, 2-methyl-; $(C_6H_5N_2)CH_3$.
NT as mothproofing agent. 239.
- 742-952.
Imidazole, 4,5-diphenyl-? $(C_6H_5N_2)(C_6H_5)_2$ (4,5-Diphenylglyoxalone).
NT screwworms. 156.
- 742-953.
Amarine; $(C_6H_5N_2)(C_6H_5)_3$ (4,5-Dihydro-2,4,5-triphenylimidazole; triphenyldihydroglyoxalone).
NT *Tineola bisellella* and *Attagenus piceus*. 739, 1176.
- 742-1022.
Pyrazole, 3,5-dimethyl-; $(C_6H_5N_2)(CH_3)_2$.
NT *Bombyx mori* larvae. 561.
- 760-950-1113-1350.
Phenarsazine, 10,10'-oxybis[5,10-dihydro-; $[NH-(C_6H_4)_2As]_2O$. (Diphenylamino arsenious oxide).
HT *Malacosoma americana*. 119.
- 770-951-1022.
Carbonic acid, trithio-, benzyl ester; $C_6H_5CH_2SC-(S)SH$. (Benzyl thioanthio acid).
91% T codling moth larvae. 1291.
- 770-951-1022-1218.
Carbonic acid, trithio-, benzyl ester, sodium salt; $C_6H_5CH_2SC(S)SNa$. (Sodium salt of benzylthioanthio acid).
60% T mosquito larvae. 487.
- 770-952-1012.
Disulphide, bis(benzylmercaptiothionioformyl)-; $[C_6H_5CH(SH)C(S)S]_2$.
NT mosquito larvae. 487.
- 770-952-1023.
Carbonic acid, trithio-, dibenzyl ester; $C_6H_5CH_2SC-(S)SCH_2C_6H_5$. (Benzyl ester of benzylthioanthio acid).
80% T codling moth larvae. 1291.
- 770-1023.
Carbonic acid, trithio-, dimethyl ester; $CH_3SC(S)SCH_3$. (Dimethyl-trithiocarbonate).
20% T rice weevil. 1178, 1180.
- 770-1027-1033.
Carbonic acid, trithio-, alkene esters, CU; $RSC-(S)SR$. (Alkene trithiocarbonates). 56P.
- 781-783-975-1027-1030.
Sulfoxides, alkylaryls-, CU.
Unsaturated organic sulfoxides and polysulfoxides possessing an olefinic linkage between two carbon atoms in an alkylene chain linked to a cyclic nucleus and the sulfur element.
T flies. 1489P.
- 781-881-951-1022.
Sulfoxide, 4-(α -chlorotolyl) methyl; $CH_3SC_6H_4CH_2Cl$. (1-Methylthio-4-chloro-methyl-benzene).
T aphids, plant lice on cucumbers at 0.5% and T plant lice on garden roses at 0.125%. 1380P.
- 781-924-1021.
Sulfoxide, 2-naphthyl methyl-; $CH_3SC_{10}H_7$. (Thio-2-naphthylmethyl ether).
97% T *Culex quinquefasciatus* larvae and T *Cochliomyia americana* C. and P. at m.l.c. at 0.17%. 157, 944.
- 781-951-1011-1021.
Sulfoxide, ethyl *p*-tolyl-; $C_6H_5SC_2H_5CH_3$.
42-98% T *Lucilia sericata* larvae. 723.
- 781-951-1011-1021.
Sulfoxide, benzyl ethyl; $C_6H_5SCH_2C_2H_5$.
95-100% T *Lucilia sericata* larvae. 723.
- 781-952.
Phenyl sulfide; $C_6H_5SC_6H_5$. (Diphenyl sulfide; dibenzothiophene).
HT greenhouse red spider; T mosquito larvae. 172, 488, 1481.
- 781-952-1003.
Acetone diphenyl mercaptale; $(CH_3)_2C(SC_6H_5)_2$.
NT *Sitophilus oryza*, *Sitophilus granarius*, and *Tribolium confusum*, and *Plodia* larvae. 1042, 1178.
- 781-952-1011.
Ethane, 1,2-bis(phenylthio)-; $C_6H_5SCH_2CH_2SC_6H_5$. (Ethylene glycol, dithio-bisphenyl ether).
18% T culicine mosquito larvae. 172, 1178.
- 781-952-1022.
o-Tolyl sulfide; $(CH_3C_6H_4)_2S$. (2,2'-Dimethyl diphenyl sulfide).
MT greenhouse red spider at 2%; NT codling moth at 4%. 1481.
- 781-952-1022.
p-Tolyl sulfide; $(CH_3C_6H_4)_2S$.
71-100% T *Lucilia sericata* larvae. 723.
- 781-952-1022.
Sulphide, benzyl *tolyl*-, CU; $CH_3C_6H_5SCH_2C_6H_5$.
T bird lice and dog fleas. 324P, 381P, 386P, 388P, 1178.
- 781-952-1022.
Benzyl sulfide; $(C_6H_5CH_2)_2S$. (Dibenzyl sulfide).
T screwworms at 0.33-0.67%. 156.
- 781-1000.
Aryl sulfide; $(C_6H_5)_2S$.
60% T *Lucilia sericata* larvae. 723.
- 781-1001-1011.
Sulfide, butyl ethyl-; $C_4H_9SC_2H_5$. (Ethyl *n*-butyl sulfide).
55% T *Lucilia sericata* larvae. 723.
- 781-1002.
Butyl sulphide; $(C_4H_9)_2S$. (Dibutyl sulphide; butylthiobutane).
T cockroaches and 62% T *Lucilia sericata*; NT *Chrysomphalus aurantii*. 268, 723, 900P, 1178, 1276.
- 781-1002.
Isobutyl sulphide; $[(CH_3)_2CHCH_2]_2S$. (Diisobutyl sulfide; 2-methyl-1-1-(β -methylpropylthio)propane).
T *Sitophilus oryza* at 334 mg./l.; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 781-1002-1033.
Sulfide, bis(2-methylpropenyl)-; $[CH_2=C(CH_3)CH_2]_2S$. (Methallyl sulfide).
T flies. 1489 P.
- 781-1003-1011.
Sulphide, ethyl propyl; $C_2H_5SC_2H_5$. 324P, 1178.
- 781-1003-1012.
Acetone diethyl mercaptale; $(CH_3)_2C(SC_2H_5)_2$. (Mercaptol).
NT *Sitophilus oryza*. 1178, 1180.
- 781-1004.
Propyl sulphide; $(C_3H_7)_2S$. (1-Propylthio)propane; di-*n*-propyl sulfide).
T *Sitophilus oryza*; NT California red scale. 268, 1178, 1180.
- 781-1004-1033.
Allyl sulfide; $(CH_2=CHCH_2)_2S$. (3-(2-Propenylthio)propane; thioallyl ether; diallyl sulfide; allyl thioether; 2-propenyl sulfide).
60% T *Sitophilus oryza*; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 781-1011-1021.
Sulfide, ethyl methyl; $CH_3SC_2H_5$. (Methyl thioethane).
47-91% T *Lucilia sericata* larvae. 723.
- 781-1012.
Ethyl sulphide; $(C_2H_5)_2S$. (Ethyl thioethane; diethyl sulfide).
T *Sitophilus oryza* m.l.c. is 419 mg./l. and T *Lucilia cuprina* larvae; NT *Chrysomphalus aurantii*. 208, 849, 1178, 1180.
- 781-1022.
Methyl sulphide; $(CH_3)_2S$. (Methylthiomethane; dimethyl sulfide).
100% T *Tribolium confusum* and T *Sitophilus oryza*; MT *Chrysomphalus aurantii*. 268, 1042, 1178, 1180.
- 781-1027-1030.
Sulfoxides, alkylene. 392P, 1432.
- 781-1045.
Sulfoxide derivatives. 112, 748P, 1139P, 1389P, 1432.
- 782-952.
Phenyl disulfide; $C_6H_5SSC_6H_5$. (Diphenyl disulfide; phenyldithiobenzene; diphenyl disulphide).
60-100% T *Lucilia sericata* and 60% T culicine mosquito larvae at 1-10,000, and T *Puccinia graminis*; ST codling moth larvae. 156, 172, 723, 1178, 1291.
- 782-952-1022.
Benzyl disulfide; $C_6H_5CH_2SSCH_2C_6H_5$. (Dibenzyl disulfide; α -(benzylthio) toluene).
22-49% T *Lucilia sericata* larvae; NT mosquito larvae. 172, 723, 1178.

- 782-952-1022.
p-Tolyl disulfide; $\text{CH}_3\text{C}_6\text{H}_4\text{SSC}_6\text{H}_4\text{CH}_3$.
93-100% T *Lucilia sericata* larvae. 723.
- 782-1000.
Amyl disulphide; $\text{C}_6\text{H}_{13}\text{SSC}_6\text{H}_{13}$.
NT *Chrysomphalus aurantii*. 268, 1178.
- 782-1002.
Butyl disulfide; $\text{C}_4\text{H}_9\text{SSC}_4\text{H}_9$. (1-Butyldithiobutane).
80-100% T *Lucilia sericata* larvae. 723.
- 782-1002-1033.
Disulfide, bis(2-methylpropenyl)-; $[\text{CH}_2=\text{C}(\text{CH}_3)_2\text{CH}_2-\text{S}]_2$. (Methallyl disulfide).
T flies. 1489P.
- 782-1012.
Ethyl disulphide; $\text{C}_2\text{H}_5\text{SSC}_2\text{H}_5$. (Ethyldithioethane; diethyl disulfide).
100% T *Sitophilus oryza* and T *Lucilia cuprina* larvae. 268, 849, 1178, 1180.
- 782-1012-1413?
Disulphide, bis(diethylthiophosphono)-; $(\text{C}_2\text{H}_5)_2\text{SPO}_2\text{HSSHP}_2\text{O}_2\text{S}(\text{C}_2\text{H}_5)_2$.
25% T mosquito larvae. 487.
- 782-1021.
Carbon disulfide—see 1128-1302.
- 782-1022.
Methyl disulphide; CH_3SSCH_3 . (Methyldithiomethane; dimethyl disulfide).
100% T *Sitophilus oryza*; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 782-1027.
Disulfides. 187, 1135P, 1178, 1432.
- 791-841-951.
Benzenethiol, p-bromo-; $\text{BrC}_6\text{H}_4\text{SH}$. (p-Bromothiophenol).
T mosquito larvae. 172.
- 791-841-1011.
Ethaneithiol, 2-bromo-; $\text{BrCH}_2\text{CH}_2\text{SH}$. (Ethylene thiobromhydrin). 241P.
- 791-851-1011.
Ethaneithiol, 2-chloro-; $\text{ClCH}_2\text{CH}_2\text{SH}$. 55P.
- 791-851-1027-1030.
Alkeneithiol, halogen substituted. (Alkene halogen thiol containing from 2 to 6 carbon atoms). 241P.
- 791-824.
2-Naphthalenethiol; $\text{C}_{10}\text{H}_7\text{SH}$. (2-Naphthylmercaptan; thio- β -naphthol).
HT *Aphis rumicis* and mosquito larvae; 72% T codling moth larvae; NT *Bombyx mori* larvae. 172, 559, 1001, 1153, 1178, 1291, 1432.
- 791-951.
Benzenethiol; $\text{C}_6\text{H}_5\text{SH}$. (Phenyl mercaptan; thiophenol).
T *Leptinotarsa decemlineata* and *Lucilia sericata*; T *Hippodamia convergens*; NT *Chrysomphalus aurantii*. 156, 268, 723, 1009, 1110, 1178.
- 791-951-1021.
m-Toluenethiol; $\text{CH}_3\text{C}_6\text{H}_4\text{SH}$. (m-Thiocresol; m-tolyl mercaptan).
53-100% T *Lucilia sericata* larvae. 723.
- 791-951-1021.
o-Toluenethiol; $\text{CH}_3\text{C}_6\text{H}_4\text{SH}$. (o-Thiocresol; o-tolyl mercaptan).
95-100% T *Lucilia sericata* larvae; ST *Chrysomphalus aurantii*. 156, 268, 723, 1178.
- 791-951-1021.
p-Toluenethiol; $\text{CH}_3\text{C}_6\text{H}_4\text{SH}$. (p-Tolyl mercaptan; p-thiocresol; thiocresol).
100% T eucine mosquito larvae; NT Colorado potato beetle and Japanese beetle. 156, 172, 606, 723, 1178, 1432.
- 791-951-1021.
Toluenethiol, CU; $\text{CH}_3\text{C}_6\text{H}_4\text{SH}$. (Tolyl mercaptan; thiocresol, unspecified).
Used to increase floatability on water of Paris green for killing *Anopheles* larvae. 1027, 1178.
- 791-951-1021.
 α -Toluenethiol; $\text{C}_6\text{H}_5\text{CH}_2\text{SH}$. (Benzyl mercaptan; thiobenzyl alcohol; benzyl hydrosulfide).
76-100% T *Lucilia sericata* larvae. 723.
- 791-988.
1-Dodecanethiol; $\text{C}_{12}\text{H}_{25}\text{SH}$. (Lauryl mercaptan). 593P, 1432.
- 791-989.
1-Butanethiol, 3-methyl-; $(\text{CH}_3)_3\text{CH}(\text{CH}_2)_2\text{SH}$. (Isomyl mercaptan).
T *Sitophilus oryza*; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 791-1001.
1-Butanethiol; $\text{C}_4\text{H}_9\text{SH}$. (n-Butyl mercaptan).
HT *Sitophilus oryza*, *Tribolium confusum*, *Sitophilus granarius*, and larvae of *Plodia interpunctella*; MT *Musca domestica*, *Lucilia* spp., and *Phormia regina*; ST *Chrysomphalus aurantii* and wireworms. 250, 268, 819, 846, 1042, 1178, 1180.
- 791-1001.
1-Propanethiol, 2-methyl-; $(\text{CH}_3)_2\text{CHCH}_2\text{SH}$. (Isobutyl mercaptan).
T wireworms and *Chrysomphalus aurantii*; ST Colorado potato beetle and Mexican bean beetle. 268, 606, 846, 1432.
- 791-1003.
1-Propanethiol; $\text{C}_3\text{H}_7\text{SH}$. (n-Propyl mercaptan).
T *Sitophilus oryza*; ST *Lucilia sericata* larvae; NT *Chrysomphalus aurantii*. 268, 723, 1178, 1180, 1229.
- 791-1003.
2-Propanethiol; $(\text{CH}_3)_2\text{CHSH}$. (Isopropyl mercaptan).
T *Sitophilus oryza*; NT *Chrysomphalus aurantii*. 268, 1178, 1180.
- 791-1011.
Ethaneithiol; $\text{C}_2\text{H}_5\text{SH}$. (Ethyl mercaptan).
T *Sitophilus oryza*, *S. granarius*, *Tribolium confusum*, and *Plodia interpunctella*; NT *Tetranychus telarius*, adult white flies, *Leptinotarsa decemlineata*, and *Chrysomphalus aurantii*. 268, 819, 1001, 1009, 1042, 1178, 1180, 1340.
- 791-1021.
Methaneithiol; CH_3SH . (Methyl mercaptan).
NT *Bombyx mori* and Japanese beetle. 406, 559, 1432.
- 791-1045.
Mercaptans. 866.
- 798-820-950.
10-Thioxanthenthione; $\text{S}:(\text{C}_6\text{H}_4)_2\text{S}$. (Thioxanthione).
ST greenhouse red spider at 2%; NT southern army worm at 4%. 1481.
- Carbon disulfide—see 1128-1302.
- 801-821-852-950-1022-1389.
Thianthronium methyl sulfate, 2,7-dichloro-5-methyl-; $\text{CH}_3(\text{O}_2\text{H}_2\text{S}_2)(\text{Cl})_2\text{SO}_2\text{CH}_3$. (2,7-Dichloro-5-methylthianthrene sulfonium methoxysulfate). 526P.
- 801-821-950-951-1291.
Thianthronium chloride, 5-phenyl-; $\text{Cl}(\text{C}_{12}\text{H}_9\text{S}_2)-\text{C}_6\text{H}_5$. (5-Phenylthianthrene sulfonium chloride). 526P.
- 801-821-950-1024-1359.
Thianthronium methyl sulfate, 2,6-dimethyl- $(\text{C}_6\text{H}_4)_2\text{SO}_2\text{CH}_3$. (2,6-Dimethyl-5-methylthianthrene sulfonium methoxysulfate). 526P.
- 801-951-1003-1023-1030-1389.
Sulfonium methyl sulfate, allylbenzylmethyl-; $\text{CH}_3:-\text{CHCH}_2\text{S}(\text{CH}_2)(\text{CH}_2\text{C}_6\text{H}_5)\text{SO}_2\text{CH}_3$. (Methylallylbenzyl sulfonium methoxysulfate). 526P.
- 801-953-1023-1291.
Sulfonium chloride, tribenzyl-; $(\text{C}_6\text{H}_5\text{CH}_2)_3\text{SCl}$. 526P.
- 801-953-1291.
Sulfonium chloride, triphenyl-; $(\text{C}_6\text{H}_5)_3\text{SCl}$. 526P.
- 801-985-999-1022-1389.
Sulfonium methyl sulfate, amylhexadecylmethyl-; $\text{C}_{16}\text{H}_{33}(\text{CH}_2)(\text{C}_6\text{H}_{11})\text{SCH}_3\text{SO}_2$. (Hexadecylamylmethyl-sulfonium methoxysulfate). 526P.
- 820-950.
Thioxanthene; $\text{C}_{12}\text{H}_8\text{S}$.
78% T codling moth larvae and T mosquito larvae. 487, 1291.
- 821-950.
Thianthrene; $\text{C}_{12}\text{H}_8\text{S}_2$. (Dibenzo-p-dithiin; diphenylene disulfide).
HT greenhouse red spider; 59% T codling moth larvae; ST as mothproofing agent; NT southern army worm, corn borer, and silkworm. 239, 487, 559, 1129, 1291, 1432, 1481.
- 821-950.
Dibenzo [c,e]-o-dithiin; $\text{C}_{12}\text{H}_8\text{S}_2$.
20% T mosquito larvae. 487.
- 821-950-1022.
Thianthrene, 3,7-dimethyl-; $(\text{C}_{12}\text{H}_9\text{S}_2)(\text{CH}_3)_2$.
NT eucine mosquito larvae and corn borer. 172, 1120, 1178.

- 821-951.
1,3-Dithiane, 2-phenyl-; $(C_{12}H_{10}S_2)C_6H_5$.
100% T culicine mosquito larvae. 172, 1178.
- 821-952.
1,3-Dithiane, 2,2-diphenyl-; $(C_{12}H_8S_2)(C_6H_5)_2$.
10% T culicine mosquito larvae. 172, 1178.
822.
s-Trithiane; $(CH_2S)_3$. (Trithiomethylene; trithioformaldehyde).
51% T codling moth larvae; NT *Melanoplus m. mexicanus*, mosquito larvae, and *Bombyx mori* larvae. 487, 559, 1150, 1291.
- 822-953.
s-Trithiane, 2,4,6-triphenyl-, (lower melting); $[SCH-(C_6H_5)]_3$? (Formula given by author as C_7H_5S . This is probably incorrect). (α -Thiobenzaldehyde).
NT mosquito larvae. 487.
- 822-953.
s-Trithiane, 2,4,6-triphenyl (higher melting); $[SCH-(C_6H_5)]_3$. (β -Thiobenzaldehyde).
NT mosquito larvae. 487.
825.
Thiophene; C_4H_4S . (Thiofuran).
ST *Musca domestica*; NT *Chrysomphalus aurantii*. 268, 487, 1001, 1178.
- 825-950.
Dibenzothiophene; $C_{12}H_8S$.
100% T culicine mosquito larvae and 26% T codling moth larvae. 157, 172, 487, 1178, 1291.
826.
1,3-Dithiole; $C_3H_4S_2$.
NT culicine mosquito larvae. 172, 1178.
826.
Trimethylene disulfide; $C_3H_6S_2$.
NT culicine mosquito larvae. 172.
830.
Thiethane; C_6H_8S . (Trimethylene sulfide).
Fly spray. 112, 1389P.
834.
2,2-Bithiirane; $(C_2H_5S)_2$. (Butadiene disulfide).
Fly spray. 112, 1389P.
834.
Thiirane; C_2H_4S . (Ethylene sulfide).
Fly spray. 112, 1389P.
- 834-851.
Thiirane, 2-chloro-; $(C_2H_3S)Cl$. (Monochloroethylene sulfide).
Fly spray. 112, 1389P.
- 834-950.
Thiirane, 2,3-butylene-; $C_6H_{10}S$. (Cyclohexene sulfide).
Fly spray. 112, 1389P.
- 834-951.
Thiirane, 2-phenyl-; $(C_2H_3S)C_6H_5$. (Styrene sulfide).
Fly spray. 112, 1389P.
- 834-1003.
Thiirane, 2-n-propyl-; $(C_2H_3S)C_3H_7$. (α -Amylene sulfide).
Fly spray. 112, 1389P.
- 834-1003.
Thiirane, 2-isopropyl-; $(C_2H_3S)C_3H_7$. (Isopropyl ethylene sulfide).
Fly spray. 112, 1389P.
- 834-1003-1030.
Thiirane, 2-isopropenyl-; $(C_2H_3S)C_3H_4$. (Thiirane, 2-(1-methylvinyl)-; isoprene monosulfide).
Fly spray. 112, 1389P.
- 834-1011-1021.
Thiirane, 2-ethyl-2-methyl-; $CH_3(C_2H_5)C_2H_4$. (α -Butylene sulfide).
Fly spray. 112, 1389P.
- 834-1011-1021.
Thiirane, 2,3-dimethyl-; $(C_2H_3S)(CH_3)_2$. (*sym*-methyl ethyl ethylene sulfide).
Fly spray. 112, 1389P.
- 834-1011-1030.
Thiirane, 2-vinyl-; $(C_2H_3S)CH=CH_2$. (Butadiene monosulfide).
Fly spray. 112, 1389P.
- 834-1021.
Thiirane, 2-methyl-; $(C_2H_3S)CH_3$. (α -Propylene sulfide).
Fly spray. 112, 1389P.
- 834-1022.
Thiirane, 2,2-dimethyl-; $(C_2H_3S)(CH_3)_2$. (Isobutylene sulfide).
Fly spray. 112, 1389P.
- 834-1022.
Thiirane, 2,2-dimethyl-; $(C_2H_3S)(CH_3)_2$. (Isobutylene sulfide).
Fly spray. 112, 1389P.
- 834-1022.
Thiirane, 2,2-dimethyl-; $(C_2H_3S)(CH_3)_2$. (*sym*-Dimethyl ethylene sulfide).
Fly spray. 112, 1389P.
- 834-1024.
Thiirane, 2,2,3,3-tetramethyl-; $(C_2S)(CH_3)_4$. (Tetramethyl ethylene sulfide).
Fly spray. 112, 1389P.
- 841-851-951.
Benzene, 1-bromo-4-chloro-; BrC_6H_4Cl . (*p*-Chlorobromobenzene).
T screwworms; m.l.e. of 0.67%. 156.
- 841-851-951-1021.
Toluene, *o*-bromo-*o*-chloro-; $BrC_6H_4CH_2Cl$. (*o*-Bromobenzyl chloride).
NT red scale. 268.
- 841-851-1003.
Propane, 1-bromo-3-chloro-; $BrCH_2CH_2CH_2Cl$. (Trimethylene chlorobromide).
NT red scale. 268.
- 841-851-1011.
Ethane, 1-bromo-2-chloro-; $BrCH_2CH_2Cl$. (Ethylene chlorobromide).
100% T rice weevil. 1180.
- 841-861-951.
Benzene, 1-bromo-4-fluoro-; BrC_6H_4F . (*p*-Fluorobromobenzene).
100% T codling moth larvae; ST red scale. 268, 1291.
- 841-871-951.
Benzene, 1-bromo-4-iodo-; BrC_6H_4I . (*p*-Bromiodobenzene).
T screwworms; m.l.e. of 0.17-0.33%. 110, 156, 487.
- 841-910.
Phenanthrene, 9-bromo-; $C_{14}H_9Br$.
NT houseflies. 579.
- 841-912.
Acenaphthene, 3-bromo-; $C_{12}H_7Br$.
T screwworms; m.l.e. of 0.67%. 944.
- 841-924.
Naphthalene, 1-bromo-; $C_{10}H_7Br$. (α -Bromonaphthalene).
90% T houseflies and T clothes moth. 579, 913P, 1179.
- 841-924.
Naphthalene, 2-bromo-; $C_{10}H_7Br$. (β -Bromonaphthalene).
NT codling moth. 930.
- 841-924.
Naphthalene, bromo-, *CU*; $C_{10}H_7Br$.
T as mothproofing agent. 843P, 1176.
- 841-951.
Benzene, bromo-; C_6H_5Br . (Phenyl bromide).
95% T houseflies and T Japanese beetle; NT screwworms. 156, 494, 579.
- 841-951-1003-1021.
Cymene, 2-bromo-; $CH_3C_6H_4BrC_3H_7$. (2-Bromo-4-isopropyl-1-methylbenzene).
NT red scale. 268.
- 841-951-1011.
Ethane, 1-bromo-1-phenyl-; $CH_3CHBrC_6H_5$. (α -Bromoethylbenzene).
NT red scale. 268.
- 841-951-1011-1030.
Styrene, *a*-bromo-? $CH_2=CHBrC_6H_5$. (Bromostyrol).
NT wireworms. 846.
- 841-951-1011-1030.
Styrene, β -bromo-; $BrCH=CHC_6H_5$.
ST oriental peach moth. 1094.
- 841-951-1021.
Toluene, *m*-bromo-; $BrC_6H_4CH_3$. (*m*-Tolyl bromide).
NT screwworms and red scale. 156, 268.
- 841-951-1021.
Toluene, *o*-bromo-; $BrC_6H_4CH_3$. (*o*-Tolyl bromide).
T *Leptinotarsa decemlineata* and houseflies; NT red scale and screwworms. 156, 268, 1002, 1009.
- 841-951-1021.
Toluene, *p*-bromo-; $BrC_6H_4CH_3$. (*p*-Tolyl bromide).

- T houseflies; NT screwworms and red scale. 156, 268, 1002.
- 841-951-1021. Toluene, α -bromo-; $C_6H_5CH_2Br$. (Benzyl bromide). NT red scale. 268.
- 841-951-1022. *p*-Xylene, α -bromo-; $CH_3C_6H_4CH_2Br$. (Xylin bromide). NT *Hippodamia convergens*. 1110.
- 841-951-1022. Xylene, bromo-, CU; $BrC_6H_4(CH_3)_2$. T *Musca domestica*. 1002.
- 841-952. Biphenyl, 2-bromo-; $C_6H_5C_6H_4Br$. (α -Bromobiphenyl). 91% T codling moth larvae; ST red scale. 268, 1231.
- 841-952. Biphenyl, 4-bromo-; $C_6H_5C_6H_4Br$. (*p*-Bromobiphenyl). HT screwworms; m.l.c. of 0.05-0.08%; 51% T mosquito larvae. 156, 437, 1231.
- 841-961. Cyclohexane, bromo-; $C_6H_{11}Br$. (Cyclohexyl bromide). NT houseflies and red scale. 268, 579.
- 841-989. Dodecane, 1-bromo-; $C_{12}H_{25}Br$. (Lauryl bromide; dodecyl bromide). 107P, 112, 593P.
- 841-993. Octane, 2-bromo-; $CH_3CHBr(CH_2)_5CH_3$. (*i*-sec-Octyl bromide). NT red scale. 268.
- 841-999. Pentane, 1-bromo-; $C_5H_{11}Br$. (*n*-Amyl bromide). NT red scale. 268.
- 841-999. Butane, 1-bromo-3-methyl-; $(CH_3)_2CHCH_2CH_2Br$. (Isomyl bromide). 100% T rice weevil; ST red scale. 268, 1180.
- 841-1001. Butane, 1-bromo-; C_4H_9Br . (*n*-Butyl bromide). 100% T rice weevil; ST red scale. 268, 1180.
- 841-1001. Propane, 1-bromo-2-methyl-; $(CH_3)_2CHCH_2Br$. (Isobutyl bromide). 100% T rice weevil; ST red scale. 268, 1180.
- 841-1001. Butane, 2-bromo-; $CH_3CHBrCH_2CH_3$. (*sec*-Butyl bromide; methyl ethyl bromomethane). 100% T rice weevil; ST red scale. 268, 1180.
- 841-1001. Propane, 2-bromo-2-methyl-; $(CH_3)_3CBr$. (*tert*-Butyl bromide; trimethyl bromomethane). 100% T rice weevil; ST red scale and wireworms. 268, 846, 1180.
- 841-1001-1030. 2-Butene, 1-bromo-; $CH_3BrCH=CHCH_3$. α -Butylene bromide). ST *Sitophilus oryzae*. 1180.
- 841-1001-1030. 2-Butene, 2-bromo-; $CH_3CBr=CHCH_3$. (β -Butylene bromide). ST *Sitophilus oryzae*. 1180.
- 841-1001-1030. Propene, 1-bromo-2-methyl-; $(CH_3)_2C=CHBr$. (Isobutylene bromide). T *Sitophilus oryzae*. 1180.
- 841-1001-1030. Propene, 3-bromo-2-methyl-; $CH_3C(CH_3)=CHBr$. (Methyl allyl bromide). 95% T *Tribolium confusum*. 1155.
- 841-1003. Propane, 1-bromo-; C_3H_7Br . (*n*-Propyl bromide). 100% T rice weevil; NT red scale. 268, 1180.
- 841-1003. Propane, 2-bromo-; $(CH_3)_2CHBr$. (Isopropyl bromide). 100% T rice weevil; NT red scale. 268, 1180.
- 841-1003-1030. Propene, 3-bromo-; $CH_2=CHCH_2Br$. (Allyl bromide). 100% T rice weevil; ST houseflies, red scale, and wireworms. 268, 579, 846, 1180.
- 841-1011. Ethane, bromo-; C_2H_5Br . (Ethyl bromide). 100% T rice weevil; ST red scale and codling moth. 268, 555, 1180.
- 841-1021. Methane, bromo-; CH_3Br . (Methyl bromide). T *Attacus piceus* and many other insects; ST *Nodia interpunctella* and red scale; NT houseflies. 13, 268, 568, 579, 858, 1143, 1155.
- 842-924. Naphthalene, dibromo-, CU; $C_{10}H_8Br_2$. T codling moth; ST Japanese beetle. 494, 915.
- 842-951. Benzene, *m*-dibromo-; $C_6H_4Br_2$. (1,3-Dibromobenzene). T codling moth larvae. 1292.
- 842-951. Benzene, *o*-dibromo-; $C_6H_4Br_2$. (1,2-Dibromobenzene). NT codling moth larvae. 1292.
- 842-951. Benzene, *p*-dibromo-; $C_6H_4Br_2$. ST codling moth larvae. 156, 630, 1002, 1292.
- 842-951-1011. Ethane, 1,1-dibromo-1-phenyl-; $C_6H_5CBr_2CH_3$. (α -Dibromodibenzene). 1235P.
- 842-951-1011. Ethane, 1,2-dibromo-1-phenyl-; $C_6H_5CHBrCH_2Br$. (α,β -Dibromodibenzene; styrene dibromide). T southern beet webworm, Hawaiian beet webworm, termites, cabbage aphid, greenhouse leaf tier, diamondback moth, cross striped cabbage worm, southern army worm, banded cucumber beetle, and houseflies; NT as mothproofing agent. 239, 579, 1312.
- 842-952. Biphenyl, 4,4'-dibromo-; $BrC_6H_4C_6H_4Br$. T codling moth; NT mosquito larvae and screwworms. 156, 487, 1291.
- 842-999. Pentane, 1,5-dibromo-; $Br(CH_2)_5Br$. (Pentamethylene bromide). ST codling moth. 915.
- 842-1001. Butane, 1,2-dibromo-; $CH_3CH_2CHBrCH_2Br$. (α -Butylene bromide). 80% T rice weevil. 1180.
- 842-1001. Propane, 1,2-dibromo-2-methyl-; $CH_3CBr(CH_3)CH_2Br$. (Isobutylene bromide). 100% T rice weevil. 1180.
- 842-1003. Propane, 1,2-dibromo-; $CH_3CHBrCH_2Br$. (Propylene bromide; propylene dibromide). 100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
- 842-1003. Propane, 1,3-dibromo-; $BrCH_2CH_2CH_2Br$. (Trimethylene bromide; trimethylene dibromide). 65% T houseflies and T *Leptinotarsa decemlineata*. 579, 1009.
- 842-1011. Ethane, 1,1-dibromo-; CH_3CBr_2 . (Ethylidene bromide; ethylidene dibromide). 100% T rice weevil; ST red scale. 268, 1180.
- 842-1011. Ethane, 1,2-dibromo-; CH_3BrCH_2Br . (Ethylene bromide; ethylene dibromide). T rice weevil, clothes moth, and 55% T houseflies; ST red scale. 268, 421P, 579, 633P, 1175, 1180.
- 842-1011-1039. Ethylene, 1,2-dibromo-; $BrCH=CHBr$. (α,β -Dibromoethylene; *sym*-dibromomethylene; acetylene dibromide). T *Lucia cuprina* larvae and 5% T houseflies; NT *Chrysomphalus aurantii*. 579, 849, 1180.
- 842-1021. Methane, dibromo-; CH_2Br_2 . (Methylene bromide). 100% T rice weevil; ST red scale. 268, 1180.
- 843-953-1111. Stibine, tri(bromophenyl)-, CU; $(BrC_6H_4)_3Sb$. T as mothproofing agent. 403P, 639P, 641P, 1175, 1176.
- 843-1001. Butane, 1,2,3-tribromo-; $CH_3CHBrCHBrCH_2Br$. HT houseflies; NT rice weevil. 579, 1180.

- 843-1011.
Ethane, 1,1,2-tribromo-; $\text{CH}_2\text{BrCHBr}_2$. (Vinyl tribromide).
100% T houseflies. 579.
- 843-1021.
Bromoform; CHBr_3 . (Tribromomethane).
100% T rice weevil, T houseflies, and *Chrysomphalus aurantii*. 268, 579, 1180.
- 844-999.
Methane, tetrakis(hromomethyl)-; $\text{C}(\text{CH}_2\text{Br})_4$. (Pentaerythrityl bromide).
T southern beet webworm, Hawaiian beet webworm, melon worm, termites, cabbage looper, southern army worm, cross striped cabbage worm, and as mothproofing agent. 27, 239, 1206, 1312.
- 844-1011.
Ethane, 1,1,2,2-tetrabromo-; $\text{CHBr}_2\text{CHBr}_2$. (sym-Tetrabromoethane; acetylene tetrabromide).
T *Lucilia cuprina* larvae and 95% T houseflies; ST screwworms; NT *Sitophilus oryzae*. 158, 579, 849, 1180.
- 844-1021.
Carbon tetrabromide; CBr_4 . (Tetrabromomethane).
T grain weevils. 810P, 1180.
- 851-861-951.
Benzene, 1-chloro-2-fluoro-; $\text{ClC}_6\text{H}_4\text{F}$. (o-Fluorochlorobenzene).
91% T codling moth larvae; ST red scale. 268, 1291.
- 851-871-951.
Benzene, 1-chloro-4-iodo-; $\text{ClC}_6\text{H}_4\text{I}$. (p-Chloroiodobenzene).
98% T mosquito larvae at 4-100,000; NT codling moth larvae at 4 lbs./100 gal. 110, 487, 1291.
- 851-910.
Phenanthrene, chloro-, CU; $\text{C}_{14}\text{H}_9\text{Cl}$. (Monochlorophenanthrene).
ST *Pieris rapae*. 635.
- 851-912.
Fluorene, 2-chloro-; $\text{C}_{13}\text{H}_9\text{Cl}$.
T rice weevil, melon worm, mosquito larvae, diamondback moth, Colorado potato beetle, American cockroach, European corn borer, and houseflies; MT southern army worm, southern beet webworm, and Hawaiian beet webworm. 579, 1120, 1121, 1312.
- 851-912.
Fluorene, 9-chloro-; $\text{C}_{13}\text{H}_9\text{Cl}$.
NT *Cochliomyia americana*. 944.
- 851-912.
Acenaphthene, 3-chloro-; $\text{C}_{12}\text{H}_8\text{Cl}$.
HT *Culex quinquefasciatus*; 25% T houseflies. 157, 579.
- 851-924.
Naphthalene, 1-chloro-; $\text{C}_{10}\text{H}_7\text{Cl}$. (α-Chloronaphthalene).
100% T *Aphis rumicis*, T screwworms, houseflies, and codling moth. 579, 703, 915, 944, 1376, 1377.
- 851-924.
Naphthalene, 2-chloro-; $\text{C}_{10}\text{H}_7\text{Cl}$. (β-Chloronaphthalene).
NT codling moth. 915.
- 851-924.
Naphthalene, chloro-, CU; $\text{C}_{10}\text{H}_7\text{Cl}$. (Monochloronaphthalene).
T clothes moth and T termites at 1-4000; NT codling moth. 704, 842P, 843P, 913P, 939, 1176, 1179.
- 851-951.
Benzene, chloro-; $\text{C}_6\text{H}_5\text{Cl}$. (Phenyl chloride).
T clothes moths and 30% T houseflies. 2P, 156, 579, 1176, 1376.
- 851-951-1021.
Toluene, m-chloro-; $\text{ClC}_6\text{H}_4\text{CH}_3$. (3-Chloro-1-methylbenzene).
T screwworms; m.l.c. of 0.67%. 158, 1376.
- 851-951-1021.
Toluene, o-chloro-; $\text{ClC}_6\text{H}_4\text{CH}_3$. (2-Chloro-1-methylbenzene).
T screwworms; m.l.c. of 0.67%. 158, 1376.
- 851-951-1021.
Toluene, p-chloro-; $\text{ClC}_6\text{H}_4\text{CH}_3$. (4-Chloro-1-methylbenzene).
NT screwworms at 0.67%. 158, 1376.
- 851-951-1021.
Toluene, chloro-, CU; $\text{ClC}_6\text{H}_4\text{CH}_3$. (Monochlorotoluene).
NT Agriotes. 1382.
- 851-951-1021.
Toluene, α-chloro-; $\text{C}_6\text{H}_5\text{CH}_2\text{Cl}$. (Benzyl chloride).
T *Aphis rumicis*, Agriotes, and clothes moths; NT red scale. 268, 413P, 421P, 429P, 633P, 679P, 1152, 1175, 1376, 1382, 1455P.
- 851-951-1022.
m-Xylene, α-chloro-; $\text{CH}_3\text{C}_6\text{H}_4\text{CH}_2\text{Cl}$. (m-Xylene chloride).
T as mothproofing agent. 413P, 1175.
- 851-951-1022.
Xylene, chloro-, CU; $(\text{CH}_3)_2\text{C}_6\text{H}_3\text{Cl}$. (Monochloroxylene).
NT Agriotes. 1382.
- 851-951-1113-1325-1350.
Benzenearsonic acid, chloro-, CU? $\text{ClC}_6\text{H}_4\text{AsO}(\text{OH})_2$. (Arsinic acid, chlorophenyl).
T clothes moths. 639P, 1175.
- 851-952.
Biphenyl, 2-chloro-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{Cl}$. (o-Chlorodiphenyl).
T screwworms; m.l.c. of 0.33-0.67%. 158.
- 851-952.
Biphenyl, 4-chloro-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{Cl}$. (p-Chlorodiphenyl).
T mosquito larvae and 67% T codling moth larvae. 158, 488, 1291.
- 851-953-1021.
Methane, chlorotriphenyl-; $(\text{C}_6\text{H}_5)_3\text{CCl}$.
NT silkworms and NT screwworms at 0.67%. 156, 661.
- 851-954-1021-1193-1291.
Phosphonium chloride, o-chlorobenzyltriphenyl-; $\text{Cl-C}_6\text{H}_4\text{CH}_2(\text{C}_6\text{H}_5)_3\text{P}^+\text{Cl}^-$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 851-954-1021-1193-1291.
Phosphonium chloride, p-chlorobenzyltriphenyl-; $\text{Cl-C}_6\text{H}_4\text{CH}_2(\text{C}_6\text{H}_5)_3\text{P}^+\text{Cl}^-$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 851-961.
Cyclohexane, chloro-; $\text{C}_6\text{H}_{11}\text{Cl}$. (Cyclohexylchloride).
T *Aphis rumicis*; NT screwworms. 156, 1163.
- 851-989.
Dodecane, 1-chloro-; $\text{C}_{12}\text{H}_{25}\text{Cl}$. (n-Dodecylchloride).
Fly spray. 107P, 112.
- 851-999.
Pentane, 1-chloro-; $\text{C}_5\text{H}_{11}\text{Cl}$. (n-Amyl chloride).
NT red scale. 268.
- 851-999.
Butane, 1-chloro-3-methyl-; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{Cl}$. (Isomyl chloride).
100% T rice weevil; ST red scale. 268, 1180.
- 851-999-1030.
1-Butene, 3-chloro-3-methyl-; $\text{CH}_2=\text{CHC}(\text{Cl})(\text{CH}_3)-\text{CH}_3$.
T *Ephestia*. 58A, 1513P.
- 851-999-1030.
2-Butene, 1-chloro-2-methyl-; $\text{ClCH}_2\text{C}(\text{CH}_3)=\text{CH}-\text{CH}_3$.
T *Ephestia*. 58A.
- 851-1001.
Butane, 1-chloro-; $\text{C}_4\text{H}_9\text{Cl}$. (n-Butyl chloride).
100% T rice weevil; ST red scale and houseflies. 268, 579, 1180.
- 851-1001.
Butane, 2-chloro-; $\text{C}_4\text{H}_9\text{CH}(\text{CH}_3)\text{Cl}$. (sec-Butyl chloride; methyl ethyl chloromethane).
ST red scale. 268.
- 851-1001.
Propane, 1-chloro-2-methyl-; $\text{ClCH}_2\text{CH}(\text{CH}_3)\text{CH}_3$. (Isobutyl chloride).
T *Ephestia*; NT red scale. 58A, 268.
- 851-1001.
Propane, 2-chloro-2-methyl-; $(\text{CH}_3)_3\text{CCl}$. (tert-Butyl chloride; trimethylchloromethane).
100% T rice weevil; ST red scale and wireworms. 268, 846, 1180.
- 851-1001-1030.
1-Propene, 3-chloro-2-methyl-; $\text{CH}_2=\text{C}(\text{CH}_3)\text{CH}_2\text{Cl}$. (Methylallyl chloride; 1-chloro-2-methyl-2-propene).

- 95% T *Tribolium confusum* and T many species of insects. 57P, 58A, 118, 1144, 1155, 1276, 1513P.
851-1003.
Propane, 1-chloro-; C_3H_7Cl . (n-Propylchloride).
100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
851-1003.
Propane, 2-chloro-; $CH_3CHClCH_3$. (Isopropylchloride).
268, 1180.
100% T rice weevil; NT *Chrysomphalus aurantii*.
851-1003-1030.
Propene, 3-chloro-; $CH_2=CHCH_2Cl$. (Allyl chloride).
NT red scale and wireworms. 268, 846.
851-1011.
Ethane, chloro-; C_2H_5Cl . (Ethyl chloride).
T as mothproofing agent. 585P, 1179.
851-1011-1030.
Ethylene, chloro-; $ClCH_2CH_2Cl$. (Vinylchloride).
ST red scale. 268.
851-1011-1030-1113-1350.
Ethylene, 1-arsenoso-2-2-chloro-; $ClCH:CHAsO$. (Chlorovinyl arsenious oxide).
100% T tent caterpillar at 0.1%. 119.
851-1021.
Methane, chloro-; CH_3Cl . (Methyl chloride).
T as mothproofing agent. 585P, 1179.
852-910.
Anthracene, 9,10-dichloro-; $C_{14}H_8Cl_2$.
NT codling moth. 930.
852-924.
Naphthalene, dichloro-, CU; $C_{10}H_8Cl_2$.
T as mothproofing agent. 842P, 1176.
852-924.
Naphthalene, dichlorotetrahydro-, CU; $C_{10}H_{10}Cl_2$.
T mothproofing agent. 413P, 1175.
852-951.
Benzene, m-dichloro-; $C_6H_4Cl_2$.
T clothes moth and ST screwworms at m.l.c. of 0.67%. 2P, 156, 1176.
852-951.
Benzene, o-dichloro-; $C_6H_4Cl_2$.
T screwworms, houseflies, termites, Procladius and Chironomus midges, Lyctus and other powder-post beetles. 2P, 26, 156, 157, 481, 579, 704, 1176, 1376.
852-951.
Benzene, p-dichloro-; $C_6H_4Cl_2$.
HT *Culex quinquefasciatus*; T clothes moth; ST red scale and ST screwworms at 0.67%; NT *Meloeplus m. mexicanus*. 156, 157, 518, 671, 840, 911, 980, 1150, 1175, 1176, 1230, 1291, 1311, 1376, 1495P.
852-951.
Benzene, dichloro-, CU; $C_6H_4Cl_2$.
T as mothproofing agent. 474P, 1175, 1176, 1298P.
852-951-1021.
Toluene, o,2-dichloro-; $ClC_6H_4CH_3Cl$. (Benzyl chloride, o-chloro).
T as mothproofing agent. 1175, 1455P.
852-951-1021.
Toluene, o-chloro or-chloro-, CU; $ClC_6H_4CH_3Cl$.
T as mothproofing agent. 413P, 1175.
852-951-1021.
Toluene, o,2-dichloro-; $C_6H_4CHCl_2$. (Benzal chloride; benzylidene chloride).
T Agrotis; ST red scale. 156, 268, 579, 1352.
852-951-1022.
Xylene, o,2-dichloro-; $CH_3C_6H_4CHCl_2$. (m-Xylylene dichloride).
T as mothproofing agent. 413P, 1175.
852-952.
Biphenyl, 4,4'-dichloro-; $ClC_6H_4C_6H_4Cl$. (4,4'-Dichlorodiphenyl).
ST screwworms at 0.67%; NT mosquito larvae and codling moth. 156, 487, 930, 1291.
852-953-1022-1356.
Phosphoric acid, di-(m-chlorotolyl) phenyl ester; $C_6H_4(C_6H_4Cl)CH_2PO_4$. (Monophenyl-di-m-chlorotolyl ester of phosphoric acid). 877P.
852-954-1021-1193-1291.
Phosphonium chloride, 3-4-dichlorobenzyltriphenyl-; $ClC_6H_4CH_2(C_6H_5)_3P^+Cl^-$. (3,4-Dichlorobenzyltriphenylphosphoniumchloride).
T as mothproofing agent. 867P, 1175.
852-954-1021-1193-1291.
Phosphonium chloride, dichlorobenzyl triphenyl-, CU;
 $ClC_6H_4CH_2(C_6H_5)_3P^+Cl^-$. (Triphenyldichlorobenzylphosphonium chloride).
T as mothproofing agent. 423P, 431P, 1175, 1360P.
852-999.
Pentane, dichloro-, distillate, CU.
NT termites at 1-4000. 704.
852-999.
Pentane, dichloro-, residus, CU.
NT termites at 1-4000. 704.
852-999-1030.
2-Butene, 1,1-dichloro-2-methyl-; $Cl_2CHC(CH_3)=CHCH_3$.
T *Sphectia*. 58A, 1513P.
852-1001.
Butane, 1,1-dichloro-; $CH_3CH_2CH_2CHCl_2$. (n-Butylidene chloride).
HT *Stenophorus oryza*. 259, 1180.
852-1001.
Butene, dichloro-, CU, 940P.
852-1003.
Propane, 1,2-dichloro-; $CH_3CHClCH_2Cl$. (Propylene chloride; propylene dichloride).
100% T rice weevil; NT *Chrysomphalus aurantii*. 268, 1180.
852-1003.
Propane, 1-3-dichloro-; $ClCH_2CH_2CH_2Cl$. (Trimethylene chloride; trimethylene dichloride).
100% T rice weevil. 259, 1180.
852-1003-1030.
Propane, dichloro-, mixture with dichloropropylene. ("D D Mixture").
T nematodes and wireworms. 175A, 504, 1276.
852-1011.
Ethane, 1,1-dichloro-; CH_3CHCl_2 . (Ethylidene chloride; ethylidene dichloride).
100% T rice weevil; ST red scale. 268, 1180.
852-1011.
Ethane, 1,2-dichloro-; CH_2ClCH_2Cl . (Ethylene dichloride).
100% T rice weevil, 05% T *Tribolium*, and T root-knot nematodes; NT houseflies and red scale. 13, 268, 569, 579, 1155, 1180.
852-1011-1030.
Ethylene, 1,2-dichloro-; $CHCl_2CHCl_2$. (Dichloroethyl ene).
100% T rice weevil; ST red scale and wireworms. 268, 846, 1180.
852-1021.
Methane, dichloro-; CH_2Cl_2 . (Methylene chloride).
100% T rice weevil and T *Chrysomphalus aurantii*. 268, 1180.
853-924.
Naphthalene, trichloro-, CU; $C_{10}H_7Cl_3$.
T as mothproofing agent; NT *Pieris rapae*. 635, 842P, 844P, 913P, 1175, 1179.
853-951.
Benzene, 1,2,4-trichloro-, $C_6H_3Cl_3$.
50% T *Aphis rumicis*. 156, 579, 1377.
853-951.
Benzene, trichloro-, CU; $C_6H_3Cl_3$.
T *Aphis rumicis*, termites, Procladius and Chironomus midges, and as mothproofing agent. 2P, 431, 1144, 1152, 1176, 1376, 1382.
853-951-1021.
Toluene, o,2,6-trichloro-; $Cl_3C_6H_2CH_3$. (Benzyl chloride, 2,6-dichloro).
T as mothproofing agent. 413P, 421P, 633P, 1175, 1393P.
853-951-1021.
Toluene, o,2,4-trichloro-; $Cl_3C_6H_2CH_3$. (Benzal chloride, o-chloro).
T as mothproofing agent. 417P, 1175.
853-951-1021.
Toluene, o,2,4-trichloro-; $Cl_3C_6H_2CHCl_2$. (Benzal chloride, p-chloro).
T clothes moths. 417P, 1175.
853-951-1021.
Toluene, o,2,4-trichloro-; $C_6H_2Cl_3$. (Benzotrichloride).
ST red scale. 268, 1382.
853-953-1356.
Phosphoric acid, tri-(o-chlorophenyl)ester; $[ClC_6H_4]_3PO_4$.
T clothes moths. 877P.

- 853-953-1356.
Phosphoric acid, tri-(*p*-chlorophenyl)ester;
[ClC₆H₄]₃PO₃.
T clothes moths. 877P.
- 853-954-1021-1193-1291.
Phosphonium chloride, 2,4,5-trichlorobenzyltriphenyl-;
Cl₃C₆H₂CH₂(C₆H₅)₃PCl₂. (2,4,5-Trichlorobenzyl tri-
phenylphosphoniumchlorid).
T as mothproofing agent. 867P, 1175.
- 853-955-1270.
Boric acid, tris(2-phenyl-4-chlorophenyl)ester;
[C₆H₄C₆H₃(Cl)O]₃B. (Tri-(2-phenyl-4-chloro-phenyl-
borate). 1113P.
- 853-1011.
Ethane, 1,1,2-trichloro-? CH₂ClCHCl₂. (Trichloro-
ethane).
100% T rice weevil. 1180.
- 853-1011-1030.
Ethylene, 1,1,2-trichloro-? CHCl₂CCl₂. (Ethylene,
trichloro-).
HT rice weevil; T red scale, houseflies, and as moth-
proofing agent. 268, 440P, 579, 1179, 1180.
- 853-1021.
Chloroform; CHCl₃. (Trichloromethane).
T *Tenebrio molitor* and clothes moths. 26, 411P,
841, 1175, 1399P.
- 854-924.
Naphthalene, 1,2,3,4-tetrachloro-; C₁₀H₆Cl₄.
T codling moth larvae; NT mosquito larvae. 166,
487, 1291.
- 854-924.
Naphthalene, tetrachloro-, CU; C₁₀H₆Cl₄. (Naphtha-
lene tetrachloride).
NT clothes moths. 739, 890P, 1176.
- 854-951.
Benzene, 1,2,4,5-tetrachloro-; C₆H₂Cl₄.
50% T *Aphis rumicis*; NT codling moth. 156, 930,
1377.
- 854-951.
Benzene, tetrachloro-, CU.
T as mothproofing agent. 2P, 1176.
- 854-951-1021.
Toluene, α,2,3,4-tetrachloro-; Cl₃C₆H₄CH₂Cl. (2,3,4-
Trichlorobenzyl chloride).
T as mothproofing agent. 413P, 1175.
- 854-951-1021.
Toluene, α,2,4,5-tetrachloro-; Cl₃C₆H₄CH₂Cl. (2,4,5-
Trichlorobenzyl chloride).
T as mothproofing agent. 413P, 1175.
- 854-951-1021.
Toluene, α-chloro-*ar*-trichloro-, CU; Cl₃C₆H₄CH₂Cl.
(Trichlorobenzylchloride).
T as mothproofing agent. 1175, 1393P, 1455P.
- 854-951-1021.
Toluene, α,α,2,β-tetrachloro-; Cl₃C₆H₄CHCl₂. (Benzal
chloride, 2,6-dichloro).
T clothes moths. 417P, 1175.
- 854-1001.
Butane, 1,2,3,4-tetrachloro-; ClCH₂CHClCHClCH₂Cl.
T houseflies. 1276.
- 854-1011.
Ethane, 1,1,2,2-tetrachloro-; Cl₂CHCHCl₂. (*s*-Tetra-
chloroethane).
T whitefly, housefly, root-knot nematodes, and T
screwworms; NT *Chrysomphalus aurantii*. 159, 268,
579, 1080A, 1379.
- 854-1011-1030.
Ethylene, tetrachloro-; Cl₂C₂Cl₂. (Perchloroethyl-
ene).
100% T rice weevil and T clothes moths; NT *Chry-
somphalus aurantii*. 156, 268, 731P, 1179, 1180.
- 854-1021.
Carbon tetrachloride; CCl₄. (Tetrachloromethane).
HT *Culex quinquefasciatus* and rice weevil; T *Tri-
bolium* and clothes moths; ST red scale; commonly
used fumigant. 13, 157, 268, 297P, 440P, 446P,
1165P, 1179, 1180.
- 855-951-1021.
Toluene, α-chloro-*ar*-tetrachloro-, CU; Cl₃C₆H₄CH₂Cl.
(Toluene, α-pentachloro-; tetrachlorobenzylchloride).
T as mothproofing agent. 413P, 1175, 1393P.
- 855-952-1011.
Ethane, 2,2-bis(*p*-chlorophenyl)-1,1,1-trichloro-;
(ClC₆H₄)₂CHCl₃. (D.D.T.; Gesarol; Neocid;
G.N.B.-A.).
HT many species of insects.
- 855-1011.
Ethane, 1,1,1,2,2-pentachloro-; CHCl₂CCl₃. (Penta-
chloroethane).
100% T rice weevil; T root-knot nematodes. 156,
568, 579, 1180.
- 856-924.
Naphthalene, hexachloro-, CU; C₁₀H₂Cl₆.
T as mothproofing agent. 842P, 844P, 913P, 1176,
1179.
- 856-951.
Benzene, hexachloro-; C₆Cl₆. (Perchlorobenzene).
50% T *Aphis rumicis*; NT screwworms and *Melano-
plus m. mexicanus*. 156, 1150, 1291, 1377.
- 856-961.
Benzene, hexachloride; C₆H₂Cl₆.
NT screwworms at m.l.c. of 0.67%. 156.
- 856-1011.
Ethane, hexachloro-; Cl₃CCC₃Cl₃. (Carbon hexachlor-
ide; carbon trichloride; perchloroethane; tetrachloro-
ethylene dichloride).
HT *Culex quinquefasciatus* and rice weevil; T as
mothproofing agent; NT *Attagenus piceus* and
Tineola biselliella (739). 516, 579, 606, 739, 1176,
1180, 1185, 1291, 1496P.
- 857-924.
Naphthalene, polychloro-, CU.
T as mothproofing agent. 913P, 1179.
- 857-952.
Biphenyl, chloro-, CU.
20% T houseflies. 579.
- 857-952-1021-1193.
Phosphonium chloride, phenylbenzyl-, CU? (Chlor-
inated phenyl benzyl phosphonium compound).
T *Lucilia cuprina*. 1144.
- 857-953-1021-1359.
Phenol, 2,4,5-trichlorobenzylidene-2,2'-bis(3,5-dich-
loro-, diacid sulfate; HC(C₆H₂Cl₃)₂(C₆H₃Cl₂SO₂H)₂.
(Acid sulfonic acid diester of 2,2'-dihydroxy-3,3',5,5',
2'',4'',5''-heptachloro-triphenyl methane).
T as mothproofing agent. 1267P.
- 857-999.
Pentane, polychloro-, CU.
NT termites at 1-4000. 704.
- 857-1027.
Paraffin, chlorinated.
NT houseflies. 579.
- 861-871-951.
Benzene, 1-fluoro-4-iodo-; FC₆H₄I. (*p*-Fluoriodo-
benzene).
NT codling moth larvae at 4 lbs./100 gal. 110, 1291.
- 861-924.
Naphthalene, fluoro-, CU? C₁₀H₇F. (Naphthyl fluoride).
NT *Tineola biselliella* and *Attagenus piceus*. 739,
1176.
- 861-951.
Benzene, fluoro-; C₆H₅F. (Phenyl fluoride).
ST red scale; NT houseflies. 268, 579.
- 861-951-1021.
Toluene, *m*-fluoro-; CH₃C₆H₄F.
NT red scale. 268.
- 861-951-1021.
Toluene, *o*-fluoro-; CH₃C₆H₄F.
T red scale. 268.
- 861-951-1021.
Toluene, *p*-fluoro-; CH₃C₆H₄F.
T red scale. 268.
- 861-951-1023.
Pseudocumene, fluoro-, CU; FC₈H₇(CH₃)₂? (Fluoro-
pseudocumol; fluor-pseudo-cumene).
T as mothproofing agent. 411P, 425P, 1175, 1399P.
- 861-989.
Dodecane, 1-fluoro-; C₁₂H₂₅F. (*n*-Dodecyl fluoride).
Fly spray. 107P, 112.
- 861-1001.
Butane, fluoro-, CU; C₄H₉F. (Monofluorobutane).
345P.
- 861-1045.
Organic compounds, fluoro-, CU. (Fluoro compounds).
T as mothproofing agent. 411P, 425P, 1175, 1399P.
- 862-952.
Biphenyl, 4,4'-difluoro-; FC₆H₄C₆H₄F. (4,4'-Difluor-
diphenyl).

- HT codling moth; T as mothproofing agent. 411P, 425P, 1175, 1291, 1399P.
- 862-952-1011.
Ethane, 1,2-difluoro-1,1-diphenyl-; $\text{FCH}_2\text{C}(\text{C}_6\text{H}_5)_2\text{F}$. (*o,p*-Diphenyl-*o,p*-difluoroethylene). 813P.
- 862-1001.
Butane, difluoro-, CU; $\text{C}_4\text{H}_8\text{F}_2$. 345P.
- 863-951-1021.
Toluene, *o,o,a*-trifluoro-; $\text{C}_6\text{H}_5\text{CF}_3$. (Benzotrifluoride; *o*-trifluorotoluene, phenyl fluorofarm).
NT houseflies. 579.
- 863-1021.
Fluoroform; CHF_3 .
T clothes moths. 411P, 425P, 1175, 1399P.
- 865-951-1022.
o-Xylene, *o,p,a*²,*a*²,*a*²-pentafluoro-; $\text{CF}_3\text{C}_6\text{H}_4\text{CHF}_3$. (*o*-Trifluoromethylbenzal fluoride). 1244P.
- 871-912.
Fluorene, 2-iodo-; $\text{C}_{12}\text{H}_9\text{I}$.
NT *Cochliomyia americana* larvae. 110, 197P, 944.
- 871-924.
Naphthalene, 1-iodo-; $\text{C}_{10}\text{H}_7\text{I}$. (*o*-Iodonaphthalene).
95% T houseflies. 579.
- 871-924.
Naphthalene, 2-iodo-; $\text{C}_{10}\text{H}_7\text{I}$. (*o*-Iodonaphthalene).
T codling moth larvae and T screwworms at m.l.e. of 0.03-0.10%. 110, 156, 623, 930.
- 871-951.
Benzene, iodo-; $\text{C}_6\text{H}_5\text{I}$. (Phenyl iodide).
T screwworms, houseflies, potato beetle eggs, and clothes lice; NT codling moth larvae at 4 lbs./100 gal. 110, 156, 353P, 579, 1002, 1003, 1009, 1011, 1292, 1382.
- 871-951-1021.
Toluene, *p*-iodo-; $\text{CH}_3\text{C}_6\text{H}_4\text{I}$.
NT screwworms at m.l.e. of 0.67%. 110, 156.
- 871-952.
Biphenyl, 2-iodo-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{I}$. (*o*-Iododiphenyl).
MT screwworms; NT codling moth larvae. 110, 156, 1291.
- 871-952.
Biphenyl, 4-iodo-; $\text{C}_6\text{H}_5\text{C}_6\text{H}_4\text{I}$. (*p*-Iododiphenyl).
T codling moth larvae, screwworms, and 66% T culicine mosquito larvae at 1-100,000. 110, 156, 487, 1291.
- 871-999.
Butane, 1-iodo-3-methyl-; $\text{ICH}_2\text{CH}_2\text{CH}(\text{CH}_3)\text{CH}_3$. (Isomyl iodide).
T rice weevil. 110, 946, 1180.
- 871-1001.
Butane, 1-iodo-; $\text{C}_4\text{H}_9\text{I}$. (*n*-Butyl iodide).
T rice weevil, flour weevil, and granary weevil; NT diatraea scale and black scale at 0.05-0.25%. 110, 1042, 1111, 1180.
- 871-1001.
Propane, 1-iodo-2-methyl-; $(\text{CH}_3)_2\text{CHCH}_2\text{I}$. (Isobutyl iodide; *o*-Iodoisobutane).
T rice weevil. 110, 846, 1180.
- 871-1001.
Butane, 2-iodo-; $\text{CH}_3\text{CHICH}_2\text{CH}_3$. (*sec*-Butyl iodide).
T rice weevil. 110, 846, 1180.
- 871-1001.
Propane, 2-iodo-2-methyl-; $(\text{CH}_3)_3\text{CI}$. (*tert*-Butyl iodide; *o*-Iodoisobutane).
T rice weevil. 110, 579, 1180.
- 871-1003.
Propane, 1-iodo-; $\text{C}_3\text{H}_7\text{I}$. (*n*-Propyl iodide; *o*-iodopropane).
T rice weevil; NT California red scale. 110, 268, 1180.
- 871-1003.
Propane, 2-iodo-; $(\text{CH}_3)_2\text{CHI}$. (Isopropyl iodide; *o*-iodopropane).
T rice weevil; NT *Chrysomphalus aurantii*. 110, 268, 1180.
- 871-1003-1030.
1-Propene, 3-iodo-; $\text{CH}_2=\text{CHCH}_2\text{I}$. (Allyl iodide, 3-iodopropylene, and *o*-iodopropylene).
T rice weevil; NT California red scale. 110, 268, 846, 1180.
- 871-1011.
Ethane, iodo-; $\text{C}_2\text{H}_5\text{I}$. (Ethyl iodide).
T rice weevil; NT California red scale and sugar beet webworms. 110, 268, 1087, 1180.
- 871-1021.
Methane, iodo-; CH_3I . (Methyl iodide).
100% T rice weevil; NT California red scale. 110, 268, 579, 860, 1180.
- 872-951.
Benzene, *m*-diiodo-; $\text{C}_6\text{H}_4\text{I}_2$.
ST codling moth larvae at 4 lbs./100 gal. 110, 1292.
- 872-951.
Benzene, *o*-diiodo-; $\text{C}_6\text{H}_4\text{I}_2$.
ST codling moth larvae at 4 lbs./100 gal. 110, 1292.
- 872-951.
Benzene, *p*-diiodo-; $\text{C}_6\text{H}_4\text{I}_2$.
58% T culicine mosquito larvae at 4-100,000, T screwworms at 0.67%, and 25-40% T codling moth larvae; NT codling moth larvae at 4 lbs./100 gal. (1292). 110, 156, 487, 930, 1292.
- 872-952.
Biphenyl, 4,4'-diiodo-; $1\text{C}_6\text{H}_4\text{C}_6\text{H}_4\text{I}$. (*p,p'*-Diiodobiphenyl).
T codling moth larvae; NT culicine mosquito larvae and European corn borer. 110, 487, 1120, 1123, 1291.
- 872-1011.
Ethane, 1,2-diiodo-; $\text{ICH}_2\text{CH}_2\text{I}$. (Ethylene iodide). 1351P.
- 872-1021.
Methane, diiodo-; CHI_2 . (Methylene iodide).
T rice weevil and houseflies; NT California red scale. 110, 137P, 138P, 268, 579, 1180.
- 873-1021.
Iodoform; CHI_3 . (Triiodomethane).
T common cockroaches, caterpillars, houseflies, and lice; NT rice weevil, wireworm larvae, and codling moth larvae. 26, 28, 47, 48P, 64, 136P, 137P, 138P, 243, 379, 516, 617, 654, 714, 797, 801, 840, 845, 914, 929, 930, 949, 1005, 1084, 1141P, 1180, 1185, 1339, 1382, 1418, 1500, 1501P.
- 881-924.
Naphthalene, halo-, CU; $\text{C}_{10}\text{H}_7\text{X}$. (Monohalogenated naphthalene). 912P.
- 881-999-1030.
1-Butene, 3-halo-3-methyl-; $\text{CH}_2=\text{CHCX}(\text{CH}_3)\text{CH}_3$.
A compound having at least one unsaturated bond between the two C atoms and at least 4 C atoms per molecule. 1512P.
- 887-924.
Naphthalenes, polyhalogenated, CU.
T as mothproofing agent. 423P, 1175.
- 887-1045.
Hydrocarbon, chlorinated.
T as mothproofing agent. 5P, 1179.
- 890-951.
Benzene, iodo-, dichloride; $\text{C}_6\text{H}_5\text{ICl}_2$. (Phenyliodochloride).
T many species of insects. 110, 1314P.
902.
Chrysene; $\text{C}_{18}\text{H}_{12}$. (Benzo [a] phenanthrene).
NT screwworms at 0.67%. 156.
904.
Fluoranthene; $\text{C}_{16}\text{H}_{10}$.
T cockroaches. 557.
910.
Anthracene; $\text{C}_{14}\text{H}_{10}$.
81% T codling moth larvae; NT California red scale. 156, 268, 1291.
910.
Anthracene, 9,10-dihydro-; $\text{C}_{14}\text{H}_{12}$.
NT as mothproofing agent. 239.
910.
Phenanthrene; $\text{C}_{14}\text{H}_{10}$.
75% T codling moth larvae and T mosquito larvae; NT silkworm and Agrotis. 488, 561, 1291, 1382.
- 910-1003-1021.
Retene; $\text{CH}_3(\text{C}_{10}\text{H}_7)\text{CH}(\text{CH}_3)_2$. (7-Isopropyl-1-methyl-phenanthrene).
NT screwworms at m.l.e. of 0.67%. 156.
912.
Acenaphthene; C_{12}H_8 . (Naphthyleneethylene).
89% T codling moth larvae. 1291.
912.
Fluorene; $\text{C}_{13}\text{H}_{10}$. (Diphenylmethene).
78% T codling moth and T corn borer; NT *Pieris rapae*. 635, 1120, 1291.
924.
Naphthalene; C_{10}H_8 . (Moth camphor; naphthalin; naphthalin; tar camphor; white tar; camphor balls).

- 100% *T. Aphis rumicis* at 2.5%; *T. Tenebrio molitor* and as mothproofing agent; NT *Melanoplus m. mexicanus*. 1P, 3P, 66, 317P, 327P, 332P, 506P, 574P, 549, 574P, 822P, 834P, 836P, 1101P, 1117A, 1137P, 1150, 1175, 1176, 1179, 1258P, 1261P, 1268, 1376, 1407, 1426P, 1465P, 1479P, 1496P.
924. Naphthalene, dihydro-, CU; $C_{10}H_{10}$.
T codling moth and grain weevils. 810P, 915.
924. Tetralin; $C_{10}H_8$. (1,2,3,4-Tetrahydronaphthalene; naphthalene, 1,2,3,4-tetrahydride).
T grain weevils, clothes moths, 50% *T. Aphis rumicis*, and *T.* as mothproofing agent; NT houseflies. 239A, 810P, 1040P, 1176, 1231P, 1276, 1376, 1377, 1426P.
924. Decalin; $C_{10}H_{18}$. (Decahydronaphthalene; bicyclo 4,4, o-decane; naphthalene; naphthane).
100% *T. Aphis rumicis* at 10%; NT houseflies. 1040P, 1276, 1376, 1377.
- 924-952-1356. Phosphoric acid, 1-naphthyl diphenyl ester; $C_{10}H_7(C_6H_5)_2PO_4$. (Diphenyl- α -naphthyl ester of phosphoric acid). 877P.
- 924-952-1356. Phosphoric acid, 2-naphthyl diphenyl ester; $C_{10}H_7(C_6H_5)_2PO_4$. (Diphenyl- β -naphthyl ester of phosphoric acid). 877P.
- 924-1013-1193-1291. Phosphonium chloride, triethylnaphthyl-; $C_{10}H_7(C_2H_5)_3PCl$.
T as mothproofing agent. 871P, 1179.
- 924-1013-1193-1333. Phosphonium iodide, triethylnaphthyl-; $C_{10}H_7(C_2H_5)_3PI$.
T as mothproofing agent. 110, 394P, 395P, 871P, 1175, 1176, 1179.
- 924-1021. Naphthalene, 1-methyl-; $CH_3C_{10}H_7$. (Naphthalene, α -methyl).
T houseflies. 1276.
- 924-1022. Naphthalene, dimethyl-, CU; $(CH_3)_2C_{10}H_6$.
84% T codling moth larvae. 1291.
- 924-1111. Stibine, tri-1-naphthyl-; $(C_{10}H_7)_3Sb$.
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 930-1023-1030. Camphene; $H_2C:(C_6H_5)(CH_2)_2$, (3,3-Dimethyl-2-methylenenorcamphane).
T *Lucilia cuprina* larvae. 849.
- 932-1023. Pinene; $C_{10}H_{16}$. (4,6,6-Trimethylbicyclo[3,1,1]-3-heptene).
T oriental peach moth and *Leptinotarsa decemlineata*; NT *Chrysomphalus aurantii*. 268, 508, 1009.
951. Benzene; C_6H_6 . (Benzol; benzole; phene).
NT red scale. 268, 831.
- 951-901. Cyclohexane, phenyl-; $C_6H_5C_6H_{11}$. (Cyclohexylbenzene; 1,2,3,4,5,6-hexahydrobiaryl).
ST screwworms at m.l.c. of 0.67%. 156.
- 951-998. Benzene, *tert*-amyl-; $C_5H_5C(CH_3)_2C_2H_5$. (2-Methyl-2-phenylbutane).
NT red scale. 268.
- 951-1001. Benzene, *tert*-butyl-; $C_4H_9C(CH_3)_3$. (1-Pentylbenzene).
ST screwworms at m.l.c. of 0.67%. 156.
- 951-1001. Benzene, *sec*-butyl-; $C_4H_9CH(CH_3)C_2H_5$. (2-Phenylbutane).
NT screwworms at 0.67%. 156.
- 951-1001. Benzene, *tert*-butyl-; $C_4H_9C(CH_3)_3$. (2-Methyl-2-phenylpropane).
NT screwworms at 0.67%. 156.
- 951-1003. Cumene; $C_6H_5CH(CH_3)_2$. (2-Phenolpropane; isopropylbenzene; cumol).
ST screwworms at 0.67%. 156.
- 951-1003-1021. Cymene; $CH_3C_6H_4CH(CH_3)_2$. (*p*-Isopropyltoluene; 4-isopropyl-1-methylbenzene).
T *Aphis rumicis*, *Tenebrio molitor*, and 94% T codling moth larvae; NT *Agriotes*, attractant for oriental peach moth, and *Bombus mori* larvae. 561, 841, 1094, 1153, 1291.
- 951-1011. Benzene, ethyl-; $C_2H_5C_6H_5$. (Phenylethane).
NT screwworms at 0.67%. 156.
- 951-1013-1021-1183-1291. Phosphonium chloride, benzyltriethyl-; $C_6H_5CH_2(C_2H_5)_3PCL$.
T as mothproofing agent. 394P, 395P, 871P, 1175, 1176, 1179.
- 951-1021. Toluene; $C_6H_5CH_3$. (Methyl benzene; phenylmethane).
T clothes moths and attractant for oriental peach moth; ST *Aphis rumicis*; NT wireworms. 156, 1094, 1153, 1175, 1242P, 1396.
- 951-1021-1113-1325-1350. α -Toluenearsonic acid? $C_6H_5CH_2AsO(OH)_2$. (Benzyl arsenic acid).
MT codling moth. 930.
- 951-1021-1356. Phosphoric acid, diphenyl *m*-tolyl ester; $CH_3C_6H_4(C_6H_5)_2PO_4$. (Diphenyl-*m*-cresyl ester of phosphoric acid). 877P.
- 951-1021-1356. Phosphoric acid, diphenyl *o*-tolyl ester; $CH_3C_6H_4(C_6H_5)_2PO_4$. (Diphenyl-*o*-cresyl-phosphoric acid ester). 877P.
- 951-1021-1356. Phosphoric acid, diphenyl *p*-tolyl ester; $CH_3C_6H_4(C_6H_5)_2PO_4$. (Diphenyl-*p*-cresylester of phosphoric acid). 877P.
- 951-1021-1356. Phosphoric acid, di-*m*-tolyl phenyl ester; $C_6H_5(CH_3C_6H_4)_2PO_4$. (Phenyl-di-*m*-cresyl ester of phosphoric acid). 877P.
- 951-1021-1356. *o*-Tolyl phosphate; $(CH_3C_6H_4)_2PO_4$. (Tri-*o*-cresyl phosphate).
NT *Melanoplus m. mexicanus*. 1150.
- 951-1021-1356. *p*-Tolyl phosphate; $(CH_3C_6H_4)_2PO_4$. (Tri-*p*-cresyl phosphate).
NT silkworm. 561.
- 951-1021-1356. Toly phosphate, CU; $(CH_3C_6H_4)_2PO_4$. (Tricresyl phosphate).
T as mothproofing agent. 32A, 440P, 440P, 877P, 1175, 1179.
- 951-1021-1366. Phosphoric acid diamide, *m*-tolyl ester; $CH_3C_6H_4-OPO(NH_2)_2$. 518P.
- 951-1021-1366. Phosphoric acid diamide, *p*-tolyl ester; $CH_3C_6H_4-OPO(NH_2)_2$.
T mixcs. 518P.
- 951-1021-1412. Trithioarsenious acid, tri-*p*-tolyl ester? $(CH_3C_6H_4S)_3As$.
82% T codling moth larvae and 65% T mosquito larvae. 487, 1291.
- 951-1022. *m*-Xylene; $C_6H_4(CH_3)_2$. (*m*-Dimethyl benzene).
NT screwworms at m.l.c. of 0.67%. 156.
- 951-1022. *o*-Xylene; $C_6H_4(CH_3)_2$. (*o*-Dimethyl benzene).
NT screwworms at m.l.c. of 0.67%. 156.
- 951-1022. *p*-Xylene; $C_6H_4(CH_3)_2$. (*p*-Dimethyl benzene).
NT screwworms at m.l.c. of 0.67%. 156.
- 951-1022. Xylene, CU; $C_6H_4(CH_3)_2$.
T *Aphis rumicis*, *Tenebrio molitor*, and rootknot nematodes. 568, 841, 1094, 1152.
- 951-1023. Pseudocumene; $C_8H_8(CH_3)_2$. (1,2,4-Trimethyl benzene).
T *Tenebrio molitor*; NT red scale and clothes moth. 156, 268, 411P, 425P, 841, 1175, 1382, 1399P.

- 951-1023.
Mesitylene; $C_6H_3(CH_3)_3$. (1,3,5-Trimethyl benzene).
T *Lucilia cuprina* larvae; NT Agriotes and NT
screwworms at m.l.c. of 0.67%. 156, 849, 1382.
- 951-1025.
Benzene, pentamethyl-; $C_6H(CH_3)_5$.
NT *Bombyx mori* larvae. 561.
- 951-1025.
Benzene, hexamethyl-; $C_6(CH_3)_6$.
NT screwworms at m.l.c. of 0.67%. 156.
- 951-1100-1182-1303.
Benzene, compound with ammonium nickel cyanide.
NT *Leptinotarsa decemlineata*. 1008.
- 951-1111-1325-1350.
Benzenesulfonic acid; $C_6H_5SO_3(OH)_2$. (Stibinic acid,
phenyl).
T as mothproofing agent. 639P, 1175.
- 951-1111-1350.
Benzene, stiboso-? C_6H_5SbO . (Monophenyl stibine ox-
ide).
T clothes moth. 639P, 1175.
- 951-1113-1218-1350.
Benzenearsonic acid, sodium salt? $C_6H_5AsO_3Na_2$?
(Phenyl arsenic acid, sodium salt).
T as mothproofing agent. 463P, 1176.
- 951-1113-1325-1350.
Benzenearsonic acid? $C_6H_5AsO(OH)_2$. (Arsinic acid,
phenyl).
T clothes moth. 639P, 1175.
- 951-1113-1350.
Benzene, arsenoso-? C_6H_5AsO . (Phenyl arsenious ox-
ide).
100% T tent caterpillar at 0.1%. 119.
- 951-1119-1276.
Bismuthine, phenyldibromo-; $C_6H_5BiBr_2$? (Bismuth
phenyldibromide).
T as mothproofing agent. 463P, 1176.
- 951-1356.
Triphenyl phosphate; $(C_6H_5)_3PO_4$.
NT silkworm and screwworm. 156, 561.
- 951-1412.
Trithioarsenious acid, triphenyl ester; $(C_6H_5S)_3As$.
85% T mosquito larvae and 80% T codling moth
larvae. 487, 488, 1291.
- 951-1413.
Phosphoric acid, trithio-, triphenyl ester; $(C_6H_5S)_3PO$.
Trithiophenyl phosphate).
NT *Bombyx mori* larvae. 559, 1432.
- 951-1413.
Thiophosphoric acid, triphenyl ester; $(C_6H_5O)_3PS$?
(Triphenyl thiophosphate).
NT screwworms and *Bombyx mori* larvae. 156, 559,
1432.
952.
Diphenyl-; $C_6H_5C_6H_5$. (Diphenyl).
T codling moth larvae, *Melanoplus m. mexicanus*,
and clothes moth. 331P, 411P, 425P, 1150, 1175,
1176, 1291, 1399P.
- 952-1001-1389.
Sulfate, diphenylbutyl-; $C_6H_5C_4H_9SO_4C_6H_5$? Aresket;
Aresket; Areskene). 661, 1432.
- 952-1011-1030.
Stilbene; $C_6H_5CH=CHC_6H_5$. (Diphenylethylene; to-
luylene; bibenzol; bihenzylidine).
T as mothproofing agent. 331P, 1176.
- 952-1011-1111.
Stibine, diphenyl ethyl-; $C_6H_5Sb(C_6H_5)_2$.
T as mothproofing agent. 463P, 639P, 641P, 1175,
1176.
- 952-1021.
Methane, diphenyl-; $(C_6H_5)_2CH_2$. (Benzylbenzene;
benzylbenzol; phenylmethanophenyl).
T as mothproofing agent. 331P, 1176.
- 952-1022.
Bitolyl, CU; $CH_3C_6H_4C_6H_4CH_3$. (Ditolyl).
T as mothproofing agent. 331P, 1176.
- 952-1022-1235-1291.
Tin dichloride, dibenzyl-; $(C_6H_5CH_2)_2SnCl_2$.
T clothes moth. 640P.
- 952-1027.
Alkanes, diphenyl-; $C_6H_5(XCX')_nC_6H_5$. In which X
and X' represents hydrogen or alkyl groups and n repre-
sents a whole number. 998P.
- 952-1111-1350.
Stibene oxide, diphenyl-; $(C_6H_5)_2HSbO$.
T as mothproofing agent. 463P, 1176.
- 952-1113-1350.
Arsine oxide, diphenyl-; $(C_6H_5)_2HAsO$.
T as mothproofing agent. 639P, 1175.
- 952-1119-1276.
Bismuthine, bromodiphenyl-; $(C_6H_5)_2BiBr$?
T as mothproofing agent. 639P, 1175.
- 952-1235-1350.
Tin oxide, diphenyl-; $(C_6H_5)_2SnO$.
T clothes moth. 640P.
- 952-1270.
Boric acid, tris(2-biphenyl) ester; $(C_6H_5C_6H_4O)_3B$.
(Tri-(2-phenyl-phenyl) borate). 1113P.
- 952-1356.
Phosphoric acid, tris (2-biphenyl)-ester; $(C_6H_5C_6H_4-
H)_3PO_4$. (Tri-o-phenyl-phenyl phosphate).
NT *Bombyx mori* larvae. 561.
953.
Biphenyl, 3-phenyl-; $(C_6H_5)_3C_6H_4$. (m-Diphenyl-
benzene; 1,3-diphenylbenzene; m-phenylbiphenyl;
m-terphenyl).
NT screwworms. 156.
953.
Terphenyl; $(C_6H_5)_3C_6H_4$. (p-Diphenylbenzene; p-
phenylbiphenyl; triphenyl; diphenylphenylene).
NT screwworms. 156.
- 953-1003-1030-1193-1291.
Phosphonium chloride, allyltriphenyl-; $CH_3CHCH_2-
(C_6H_5)_3PCl$.
T as mothproofing agent. 394P, 395P, 871P, 1175,
1176, 1179.
- 953-1011-1023-1193-1333.
Phosphonium iodide, ethyltritolyl-; $C_6H_5(CH_2C_6H_4)_3-
PI$.
T as mothproofing agent. 110, 394P, 395P, 871P,
1175, 1176, 1179.
- 953-1011-1025-1193-1333.
Phosphonium iodide, ethyltrixenyl-; $C_6H_5[(CH_2)_2C_6H_4]_3-
PI$.
T as mothproofing agent. 110, 394P, 395P, 871P,
1175, 1176, 1179.
- 953-1011-1193-1276.
Phosphonium bromide, ethyltripheoyl-; $C_6H_5(C_6H_5)_3-
PBr$.
T as mothproofing agent. 394P, 395P, 867P, 871P,
1175, 1176, 1179.
- 953-1011-1193-1333.
Phosphonium iodide, ethyltriphenyl-; $C_6H_5(C_6H_5)_3PI$.
NT Mexican bean beetle. 110, 606.
- 953-1021.
Methane, triphenyl-; $(C_6H_5)_3CH$.
T clothes moth; NT screwworms, silkworms, and
Melanoplus m. mexicanus. 156, 561, 1175, 1467P.
- 953-1021-1193-1291.
Phosphonium chloride, methyltriphenyl-; $CH_3(C_6H_5)_3-
PCl$.
MT Mexican bean beetle. 606.
- 953-1021-1193-1333.
Phosphonium iodide, methyltriphenyl-; $CH_3(C_6H_5)_3-
PI$.
MT Mexican bean beetle and T moths. 110, 394P,
395P, 606, 867P, 871P, 1175, 1176, 1179.
- 953-1023-1111.
Stibine, tribenzyl-; $(C_6H_5CH_2)_3Sb$.
T as mothproofing agent. 639P, 1175.
- 953-1023-1111.
Stibine tri-o-tolyl-; $(CH_3C_6H_4)_3Sb$.
T as mothproofing agent. 463P, 639P, 641P, 1175,
1176.
- 953-1023-1113.
Arsine, tribenzyl-; $(C_6H_5CH_2)_3As$.
T as mothproofing agent. 463P, 639P, 641P, 1175,
1176.
- 953-1023-1119.
Bismuthine, tri-p-tolyl-; $(CH_3C_6H_4)_3Bi$. (p-Bismuth
tritolyl; bismuth tri-p-tolyl).
T as mothproofing agent. 463P, 639P, 641P, 1175,
1176.
- 953-1023-1193.
Phosphine, tri-p-tolyl-; $(CH_3C_6H_4)_3P$.
T as mothproofing agent. 463P, 639P, 641P, 1176.

- 953-1023-1193-1350.
Phosphine oxide, tri-*o*-tolyl-; $(C_6H_7CH_3)_3PO$.
T as mothproofing agent. 404P, 1175.
- 953-1023-1193-1350.
Phosphine oxide, tri-*p*-tolyl-; $(C_6H_7CH_3)_3PO$?
T as mothproofing agent. 639P, 1175.
- 953-1023-1235-1291.
Tin chloride, triphenyl-; $(C_6H_5CH_2)_3SnCl$.
T clothes moth. 640P.
- 953-1111.
Stibine, triphenyl-; $(C_6H_5)_3Sb$.
T as mothproofing agent; NT silkworm. 463P, 561, 639P, 641P, 915, 1175, 1176.
- 953-1111-1350.
Stibine oxide, triphenyl-; $(C_6H_5)_3SbO$.
T as mothproofing agent. 463P, 639P, 641P, 1175.
- 953-1113.
Arsine, triphenyl-; $(C_6H_5)_3As$.
T as mothproofing agent; ST silkworm; NT codling moth. 403P, 561, 639P, 641P, 930, 1175, 1176.
- 953-1113-1325.
Arsine dihydroxide, triphenyl-; $(C_6H_5)_3As(OH)_2$.
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 953-1118-1291.
Bismuthine, triphenyl-, dichloride; $(C_6H_5)_3BiCl_2$.
NT silkworm. 561.
- 953-1119.
Bismuthine, triphenyl-; $(C_6H_5)_3Bi$. (Bismuth triphenyl; triphenylwismut).
T as mothproofing agent; NT silkworm larvae. 463P, 561, 639P, 641P, 1175, 1176.
- 953-1167-1405.
Lead thiocyanate, triphenyl-; $(C_6H_5)_3PbSCN$?
T many insects as spray. 161P.
- 953-1193.
Phosphine, triphenyl-; $(C_6H_5)_3P$.
T codling moth and 20-90% T Mexican bean beetle. 606, 915.
- 953-1193-1325.
Phosphine dihydroxide, triphenyl-; $(C_6H_5)_3P(OH)_2$.
T as mothproofing agent. 463P, 639P, 1175, 1176.
- 953-1193-1350.
Phosphine oxide, triphenyl-; $(C_6H_5)_3PO$.
T as mothproofing and MT Mexican bean beetle. 404P, 463P, 606, 870P, 1175, 1176.
- 953-1193-1378.
Phosphine selenide, triphenyl-; $P(C_6H_5)_3Se$.
NT Mexican bean beetle. 606.
- 953-1193-1392.
Phosphine sulfide, triphenyl-; $(C_6H_5)_3PS$.
ST codling moth at 4%; NT greenhouse red spider at 4%. 1481.
954.
Benzene, 1,3,5-triphenyl-; $(C_6H_5)_3C_6H_3$.
98% T codling moth; NT screwworms and *Bombyx mori*. 156, 561.
- 954-1021-1193-1289.
Phosphonium perchlorate, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PClO_4$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 954-1021-1193-1291.
Phosphonium chloride, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PCL$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 954-1021-1193-1303.
Phosphonium cyanide, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PCN$. (Benzyltriphenyl phosphoniumcyanid).
T as mothproofing agent. 867P, 1175.
- 954-1021-1193-1312.
Phosphonium fluoride, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PF$. (Benzyltriphenylphosphoniumfluorid).
T as mothproofing agent. 867P, 1175.
- 954-1021-1193-1341.
Phosphonium nitrate, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PNO_3$.
T as mothproofing agent. 394P, 395P, 871P, 1175, 1176, 1179.
- 954-1021-1193-1405.
Phosphonium thiocyanate, benzyltriphenyl-; $C_6H_5CH_2-(C_6H_5)_3PSCN$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 954-1023-1235.
Tin, phenyl-, triphenyl-; $(C_6H_5CH_2)_3SnC_6H_5$. (Tri-benzylated phenylated tin).
T clothes moth. 640P.
- 954-1024-1235.
Tin, tetraphenyl-; $(C_6H_5CH_2)_4Sn$.
T as mothproofing agent. 433P, 463P, 640P, 641P, 1175, 1176.
- 954-1113-1350.
Arsenic oxide, bis(diphenyl)-; $(C_6H_5)_2AsOAs(C_6H_5)_2$. (Diphenyl arsenious oxide).
HT *Bombyx mori* and HT tent caterpillar at 0.5%. 119, 561.
- 954-1193-1276.
Phosphonium bromide, tetraphenyl-; $(C_6H_5)_4PBr$.
T as mothproofing agent. 394P, 395P, 867P, 1175, 1176, 1179.
- 954-1235.
Tin, tetraphenyl-; $(C_6H_5)_4Sn$.
T as mothproofing agent. 433P, 463P, 640P, 641P, 1175, 1176.
- 955-999-1193-1276.
Phosphonium bromide, pentamethylenebis(triphenyl-; $(Br)(C_6H_5)_2PCH_2CH_2CH_2P(C_6H_5)_2(Br)$. (Phosphonium bromide, pentamethylene di-triphenyl).
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 955-1011-1193-1276.
Phosphonium bromide, ethylenebis(triphenyl-; $(Br)(C_6H_5)_2PCH_2CH_2P(C_6H_5)_2(Br)$.
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
- 955-1022-1193-1276.
Phosphonium bromide, *p*-xylylenebis(triphenyl-; $(Br)(C_6H_5)_2PCH_2C_6H_4CH_2P(C_6H_5)_2(Br)$. (Phosphonium bromide, *p*-xylylene-di-triphenyl).
T as mothproofing agent. 394P, 395P, 867P, 871P, 1175, 1176, 1179.
956.
Dicyclohexadiene; C_8H_8 .
T houseflies. 1276.
- 956-1003-1021.
Phellandrene; $CH_3C_9H_{16}CH(CH_3)_2$.
NT wireworms at 421.5 mg./l. 846.
957.
Cyclohexene; C_6H_{10} . (1,2,3,4-Tetrahydrobenzene). 124P.
- 967-1003-1021-1030.
Limonene; $CH_3C_9H_{16}C(CH_3)CH_3$. (1,8(9)-*p*-Menthadiene; dipentene).
T *Lucilia cuprina* larvae; attractant for codling moth and oriental peach moth; ST wireworms; NT houseflies. 564P, 846, 849, 1094, 1276, 1423A.
- 957-1003-1021-1030.
Terpenes, CU.
T as mothproofing agent. 1137P, 1175.
- 957-1021.
Cyclohexene, 3-methyl-; $C_8H_{14}CH_3$.
NT red scale. 268.
961.
Cyclohexane; C_6H_{12} . (Hexahydrobenzene; hexamethylene).
T *Lucilia cuprina* larvae and *Aphis rumicis*; NT screwworms. 156, 268, 849, 1152.
- 961-1021.
Cyclohexane, methyl-; $CH_3C_6H_{11}$. (Cyclohexylmethane).
NT screwworms and *Aphis rumicis*. 156, 1153.
- 975-1021.
Methane, diaryl-, CU; $R_2C_2H_6$.
T as mothproofing agent. 434P, 1175.
- 975-1021.
Methanes, tri-aryl-, CU; $R_3C_3H_9$.
T as mothproofing agent. 434P, 1176.
- 975-1027.
Araikyl compounds, CU.
T clothes moth. 413P, 1176.
- 975-1193-1350.
Phosphine oxides, triaryl-, CU; R_3PO ?
T as mothproofing agent. 870P, 1175.
- 975-1338.
Stannic acid, esters, CU. (Stannates). 186P.
- 975-1388-1392?
Sulfoannic acid, esters, CU? (Sulfoannates). 186P.

- 975-1435.
Zincates, organic, CU. 188P.
- 983-1030-1218-1389.
9-Octadecenyl sodium sulfate; $\text{CH}_3(\text{CH}_2)_7\text{CH}(\text{CH}_2)_7\text{CH}_2\text{SO}_3\text{Na}$. (Sulfate, oleyl sodium).
T red-legged grasshopper, Mexican mealybugs, cabbage aphid, common red spider, and mosquito larvae. 255, 554, 1401, 1432.
- 983-1218-1389.
Octadecyl sodium sulfate; $\text{C}_{18}\text{H}_{35}\text{SO}_3\text{Na}$.
T several species of insects. 255, 554, 1401, 1432.
- 989-1218-1389.
Dodecyl sodium sulfate; $\text{C}_{12}\text{H}_{25}\text{SO}_3\text{Na}$. (Sodium lauryl sulfate; Orvus; Gardinol).
T red-legged grasshopper, Mexican mealybug, cabbage aphid, common red spider, mosquito larvae, boxelder bug, and apple aphid; NT *Metanoplus m. mexicanus*. 255, 294, 554, 1150, 1401, 1432.
- 983-1356.
Dodecyl phosphate; $(\text{C}_{12}\text{H}_{25})_2\text{PO}_4$.
Fly spray. 107P, 112.
- 989-1389.
Dodecyl sulfate; $(\text{C}_{12}\text{H}_{25})_2\text{SO}_4$.
Fly spray. 107P, 112.
991.
Octane, 2,7-dimethyl-; $(\text{CH}_3)_2\text{CH}(\text{CH}_2)_4\text{CH}(\text{CH}_3)_2$. (Decane).
NT rice weevil. 1180.
- 991-1030.
3-Hexene, 2,2,5,5-tetramethyl-; $(\text{CH}_3)_2\text{CCH}(\text{CH}_3)\text{CH}(\text{CH}_3)_2$. (Diisobutylene).
100% T rice weevil; ST red scale. 268, 1180.
993.
Pentane, 2,2,4-trimethyl-; $(\text{CH}_3)_2\text{CCH}_2\text{CH}(\text{CH}_3)_2$. Isooctane; isobutyltrimethylmethane).
NT red scale. 268.
993.
Octane; C_8H_{18} .
60% T rice weevil; NT red scale. 268, 1180.
- 993-1030.
Octene; C_8H_{16} . (Octylene; caprylene).
70% rice weevil. 1180.
995.
Heptane; C_7H_{16} .
100% T rice weevil. 1180.
997.
Hexane; C_6H_{14} .
60% T rice weevil. 1180.
999.
Pentane; C_5H_{12} .
40% T rice weevil and bees; NT red scale. 268, 1012, 1180.
999.
Butane, 2-methyl-; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_3$. (Isopentane; ethyldimethylmethane).
NT red scale. 268.
- 999-1002-1356.
Phosphoric acid, amyl dibutyl ester; $\text{C}_5\text{H}_{11}(\text{C}_4\text{H}_9)_2\text{P}_2\text{O}_4$. (Amyl dibutyl phosphate).
T as mothproofing agent. 440P, 1179.
- 999-1030.
Pentene; $\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}(\text{CH}_3)_2$. (Amylene; propylethylene).
NT rice weevil and red scale. 268, 1180.
- 999-1030.
2-Butene, 3-methyl-; $(\text{CH}_3)_2\text{C}(\text{CH}_3)\text{CH}(\text{CH}_3)_2$. (Trimethylethylene; β -isomylene).
40% T rice weevil; NT red scale. 268, 1180.
- 999-1341.
Amyl nitrate; $\text{C}_5\text{H}_{11}\text{NO}_2$.
T Agriotes and *Leptinotarsa decemlineata*. 1009, 1382.
- 999-1341.
Isoamyl nitrate; $(\text{CH}_3)_2\text{CHCH}_2\text{CH}_2\text{NO}_2$. (γ -Methylbutyl nitrate).
100% T rice weevil; MT codling moth; NT *Chrysomphalus aurantii*. 268, 915, 1180.
- 999-1356.
Triisoamyl phosphate; $(\text{C}_5\text{H}_{11})_3\text{PO}_4$.
T as mothproofing agent. 440P, 1179.
- 1001-1113.
Butane arsonic acid; $\text{C}_4\text{H}_9\text{AsO}(\text{OH})_2$. (*n*-Butyl arsonic acid).
T codling moth. 915.
- 1001-1356.
Dibutylphosphate; $(\text{C}_4\text{H}_9)_2\text{HPO}_4$.
T as mothproofing agent. 440P, 1179.
- 1001-1356.
Tributyl phosphate; $(\text{C}_4\text{H}_9)_3\text{PO}_4$.
T as mothproofing agent. 440P, 446P, 1179.
- 1002-1183-1389.
Phosphonium sulphate, tetraisobutyl-; $(\text{C}_4\text{H}_9)_4\text{PSO}_4$.
T as mothproofing agent. 394P, 395P, 871P, 1175, 1176, 1179.
- 1003-1030-1289.
Carbonic acid, diallyl ester; $(\text{CH}_2=\text{CHCH}_2)_2\text{CO}_2$. (Carbonate, diallyl).
T houseflies. 1276.
- 1003-1261.
Propane, 1,2,3-triazole-; $\text{CH}_2(\text{AsO}_2)\text{CH}(\text{AsO}_2)\text{CH}_2(\text{AsO}_2)$. (Monoglycerol-tri-meta-arsenite). 1132P.
- 1003-1270.
Glycerol diborate; $(\text{C}_3\text{H}_5\text{BO}_2)_2$. (Glycerine diborate).
ST *Lucilia cuprina*, *L. sericata*, and *Calliphora vicina*. 918.
- 1011-1040.
Acetylene; $\text{HC}\equiv\text{CH}$. (Ethyne; ethine).
NT red scale. 268.
- 1011-1113-1126.
Calcium arsenate, ethyl-; $\text{Ca}(\text{C}_2\text{H}_5)_2\text{AsO}_4$. (Calcium ethyl arsenate).
HT tent caterpillar at 0.1%. 119.
- 1011-1177-1254.
Mercury arsenate, ethyl-; $(\text{C}_2\text{H}_5\text{Hg})_2\text{AsO}_4$. 302P.
- 1011-1177-1303.
Mercury cyanide, ethyl-; $\text{C}_2\text{H}_5\text{HgCN}$. 302P.
- 1011-1177-1356.
Mercury phosphate, ethyl-; $(\text{C}_2\text{H}_5\text{Hg})_2\text{PO}_4$. 302P.
- 1011-1341.
Ethyl nitrate; $\text{C}_2\text{H}_5\text{NO}_2$. (Nitric ether).
T *Staphylinus oryzae*; NT red scale. 268, 1180.
- 1011-1343.
Ethyl nitrite; $\text{C}_2\text{H}_5\text{NO}$.
ST *Chrysomphalus aurantii*. 268.
- 1011-1356.
Triethyl phosphate; $(\text{C}_2\text{H}_5)_3\text{PO}_4$.
T as mothproofing agent. 440P, 1179.
- 1011-1393.
Ethyl sulphite; $(\text{CH}_3\text{CH}_2)_2\text{SO}_3$. (Diethyl sulfit).
T *Staphylinus oryzae* m.l.d. is 108 mg./l. 1178, 1180.
- 1012-1119-1276.
Bismuthine, bromodithiethyl-; $(\text{C}_2\text{H}_5)_2\text{BiBr}$? (Diethyl bismuth bromide).
T as mothproofing agent. 463P, 639P, 1175, 1176.
- 1012-1378.
Ethyl selenide; $(\text{C}_2\text{H}_5)_2\text{Se}$. (Diethyl selenide).
100% T rice weevil. 1180.
- 1013-1111-1291.
Stibine, dichlorotriethyl-; $(\text{C}_2\text{H}_5)_3\text{SbCl}_2$. (Stibine dichloride, triethyl).
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 1013-1113-1276.
Bismuthine, bromotriethyl-; $(\text{C}_2\text{H}_5)_3\text{BiBr}$. (Bismuth bromide, triethyl).
T as mothproofing agent. 463P, 639P, 1175, 1176.
- 1013-1167-1303.
Lead cyanide, triethyl-; $(\text{C}_2\text{H}_5)_3\text{PbCN}$.
T many insects as spray. 161P.
- 1013-1167-1341.
Lead nitrate, triethyl-; $(\text{C}_2\text{H}_5)_3\text{PbNO}_3$.
T many insects as spray. 161P.
- 1013-1167-1405.
Lead thiocyanate, triethyl-; $(\text{C}_2\text{H}_5)_3\text{PbSCN}$.
T many insects as spray. 161P.
- 1013-1167-1414.
Lead thiosulphate, triethyl-; $(\text{C}_2\text{H}_5)_3\text{PbES}_2\text{O}_5$?
T many insects as spray. 161P.
- 1013-1235-1312.
Tin fluoride, triethyl-; $(\text{C}_2\text{H}_5)_3\text{SnF}$.
T as mothproofing agent. 463P, 640P, 1178.
- 1014-1183-1333.
Phosphonium iodide, tetraethyl-; $(\text{C}_2\text{H}_5)_4\text{PI}$.
T moth or other animal or plant pest of animal fibers. 110, 394P, 395P, 871P, 1175, 1176, 1179.
- 1014-1235.
Tin, tetraethyl-; $(\text{C}_2\text{H}_5)_4\text{Sn}$.
T clothes moth. 640P.

1021.
Methano; CH_4 .
NT *Culex pipiens*. 1012.
- 1021-1113-1126.
Calcium arsenate, methyl-; $\text{Ca}(\text{CH}_3)_2\text{AsO}_4$. (Calcium methyl arsonate).
NT tent caterpillar at 0.1%. 119
- 1021-1213-1301.
Selenium cyanide, methyl-; CH_3SeCN . (Methyl selenocyanate).
ST *Chrysomphalus aurantii*. 268.
- 1021-1343.
Methyl nitrite; CH_3NO_2 .
ST *Chrysomphalus aurantii*. 268.
Carbon dioxide—see 1128-1350.
Carbon monoxide—see 1128-1350.
- 1021-1356.
Trimethyl phosphate; $(\text{CH}_3)_3\text{PO}_4$.
T as mothproofing agent. 440P, 1179.
- 1021-1389.
Methyl sulphate; $(\text{CH}_3)_2\text{SO}_4$. (Dimethyl sulfate).
T *Sitophilus oryzae* and *Hippodamia convergens*. 1110, 1178, 1180, 1432.
- 1022-1113.
Cacodylic acid; $(\text{CH}_3)_2\text{AsOOH}$. (Dimethylarsinic acid).
T *Aphis rumicis*. 1152.
- 1022-1113-1405.
Thiocyanic acid, dimethyl arseno ester; $(\text{CH}_3)_2\text{AsSCN}$. 1178, 1245P.
- 1023-1111-1276.
Stibine, dibromotrimethyl-; $(\text{CH}_3)_3\text{SbBr}_2$. (Stibine dibromide, trimethyl).
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 1023-1111-1291.
Stibine, dichlorotrimethyl-; $(\text{CH}_3)_3\text{SbCl}_2$. (Stibine dichloride, trimethyl).
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 1023-1111-1389.
Stibine sulphate, trimethyl-; $(\text{CH}_3)_3\text{SbSO}_4$.
T as mothproofing agent. 463P, 639P, 641P, 1175, 1176.
- 1027-1313.
Alkanes, fluorosulfonyl-, CU.
Contains from 1 to 4 carbon atoms.
T *Calandra granaria*, *Tenebrio molitor*, bedbugs, cockroaches, lice, flies, gnats, moths, fur-beetle, carpet beetle and its larvae, ants, plant lice, *Phylloxera*, and shield-lice. 1265P.
- 1027-1389.
Sulfates, alkyl-.
T boxelder bug, shield scale and soft scale. 58P, 920, 923, 1415, 1432.
1045.
Hydrocarbon, liquid.
T as mothproofing agent. 269P, 1175.
- 1045-1111.
Aryl antimonates, CU. 186P.
- 1045-1167-1405.
Thiocyanic acid, trialkylead derivatives, CU; R_3PbCN .
HT as spray. 181P.
- 1045-1177-1450.
Mercuri compounds, alkyl-; RHgX .
The above formula where R is an unsubstituted aliphatic radical and X an acid radical. 302P.
- 1045-1193.
Phosphoric acid, acyl esters.
T as mothproofing agent. 867P, 1175.
- 1045-1193-1450.
Phosphonium compounds, CU.
T as mothproofing agent. 423P, 431P, 441P, 867P, 1175, 1179, 1360P.
- 1045-1246.
Metallo-organic compounds, CU.
T as mothproofing agent. 639P, 1175.
- 1045-1296.
Aryl chromates, CU. 186P.
- 1045-1296-1340.
Aryl chromiolumbydates, sodium salts, CU. (Na chromiolumbydate derivative of phenolic compound). 186P.
- 1045-1313.
Fluosilicates, organic, CU. 1225P.
- 1045-1356.
Phosphoric acid, ester, CU.
T as mothproofing agent. 440P, 1179, 1458P.
- 1045-1389.
Sulfates, organic. 243, 1432.
- 1106-1196-1389.
Alum; $\text{K}_2\text{Al}_2(\text{SO}_4)_4 \cdot 24\text{H}_2\text{O}$. (Alum flour; alum meal; alumen; alumnite (native); common alum; cube alum; octahedral alum salt; potash alum; potassii aluminii sulphas; sulphate of aluminum and potassium).
T *Lucilia cuprina*, *L. sericata*, *Calliphora vicina*, cockroaches, and as mothproofing agent; NT *Tineola bisellella* and *Attagenus piceus*. 327P, 739, 833P, 918, 933P, 975P, 978P, 980P, 982P, 983P, 984P, 1166P, 1167P, 1176, 1179, 1268.
- 1106-1218-1313.
Aluminum sodium fluosilicate. (Larvex).
T as mothproofing agent. 585P, 659, 1176, 1179, 1217, 1219, 1221.
- 1106-1254.
Aluminum arsenate; $\text{AlAsO}_4 \cdot 8\text{H}_2\text{O}$.
T *Popillia japonica* and *Lucilia cuprina* larvae; NT codling moth. 493A, 849, 915.
- 1106-1310.
Ammonium fluoaluminates; $(\text{NH}_4)_3\text{AlF}_6$. (Aluminum ammonium fluoride).
T *Bombyx mori* and as mothproofing agent. 938P, 1176, 1277.
- 1106-1312.
Aluminum fluoride; AlF_3 .
T clothes moth. 188P, 327P, 337P, 467P, 643P, 739, 868P, 936P, 938P, 1175, 1176, 1416P, 1417P.
- 1106-1313.
Aluminum fluosilicate; $\text{Al}_2(\text{SiF}_6)_3$. (Aluminum silico-fluoride).
T as mothproofing agent. 45, 120A, 978P, 983P, 1176.
- 1106-1325.
Aluminum hydroxide; $\text{Al}(\text{OH})_3$.
T as mothproofing agent. 615P, 1179.
- 1106-1389.
Aluminum sulphate; $\text{Al}_2(\text{SO}_4)_3$. (Alumini sulphas; aluminic sulphate; cake alum; concentrated alum; neutral sulphate of aluminum; patent alum; sesqui-sulphate of aluminum; vitriolate of aluminum).
T aphids and as mothproofing agent; NT clothes moth (739). 175, 327P, 739, 936P, 938P, 975P, 978P, 982P, 983P, 1164P, 1107P, 1175, 1176, 1416P, 1417P.
- 1106-1450.
Aluminum salts, CU.
T as mothproofing agent. 338P, 339P, 1166P, 1167P, 1176, 1179, 1416.
1108.
Ammonia; NH_3 .
T wireworms, grain weevil, and as mothproofing agent; NT clothes moth (739). 268, 269P, 498, 739, 1175, 1176, 1306, 1488P.
- 1108-1406-1138-1405.
Reinecke salt; $(\text{NH}_4)(\text{NH}_3)_2\text{Cr}(\text{SCN})_4 \cdot \text{H}_2\text{O}$. (Ammonium tetrathiocyanato diammino chromium).
HT apple maggot fly and two other species of fruit flies; T Mexican bean beetle and Colorado potato beetle. 606, 1144, 1432.
- 1108-1138-1142-1405.
Reinecke acid, cuprous salt; $\text{Cu}[(\text{NH}_3)_2\text{Cr}(\text{SCN})_4]_2$. (Cuprous tetrathiocyanato diammino chromium).
ST Mexican bean beetle. 606.
- 1109-1138-1389.
Ammonium cobaltous sulfate; $\text{CoSO}_4(\text{NH}_4)_2\text{SO}_4$.
NT tobacco worm moth. 633.
- 1109-1142-1312.
Ammonium cupric fluoride; $\text{CuF}_2 \cdot 2\text{NH}_4\text{F}$.
NT tobacco worm moth. 653.
- 1109-1142-1325.
Copper ammonium hydroxide.
T as mothproofing agent. 963P, 1179.
- 1109-1196-1212-1392.
Ammonium potassium selenosulfide; $(\text{KNH}_4\text{S})_2\text{Se}$. (Selenide).
T red spider. 113, 564P, 665.

- 1109-1106-1312.
Ammonium potassium fluoride.
T as mothproofing agent. 1175, 1357P.
- 1109-1212-1218-1392.
Ammonium sodium selenosulfide; $(\text{NaNH}_2\text{S})_2\text{Se}?$
T red spiders. 564P.
- 1109-1212-1392.
Ammonium selenosulphide; $[(\text{NH}_4)_2\text{S}]_2\text{Se}$.
T red spiders. 562P.
- 1109-1312.
Ammonium fluoride; NH_4F .
T as mothproofing agent; NT *Tineola biselliella* and *Attagenus piceus* (739). 327P, 683P, 739, 823P, 1175, 1176, 1416P, 1417P.
- 1109-1312.
Ammonium hydrogen fluoride; NH_4HF_2 . (Ammonium bifluoride).
T *Melanoplus m. mexicanus* and as mothproofing agent. 396P, 400P, 461P, 468P, 1150, 1175, 1176, 1356P, 1357P.
- 1109-1314.
Ammonium fluosulphonate; $\text{NH}_4\text{SO}_3\text{F}$.
T as mothproofing agent. 823P, 1176.
- 1109-1315.
Ammonium fluotitanate; $(\text{NH}_4)_2\text{TiF}_6$.
T as mothproofing agent. 327P, 1176.
- 1109-1340.
Ammonium molybdate; $(\text{NH}_4)_2\text{MoO}_4$.
T as mothproofing agent; NT clothes moth (739). 327P, 335P, 739, 1176.
- 1109-1356.
Ammonium phosphate; $\text{NH}_4\text{H}_2\text{PO}_4$.
NT *Tineola biselliella* and *Attagenus piceus*. 739.
- 1109-1376.
Ammonium selenate; $(\text{NH}_4)_2\text{SeO}_4$.
T clothes moth. 399P, 416P, 429P, 679P, 1176.
- 1109-1380.
Ammonium selenite; $(\text{NH}_4)_2\text{SeO}_3$.
T as mothproofing agent. 399P, 419P, 420P, 679P, 1175, 1361P.
- 1109-1389.
Ammonium sulphate; $(\text{NH}_4)_2\text{SO}_4$.
T *Lechnosterna* grubs and as mothproofing agent; NT *Popillia japonica*. 240, 493A, 823P, 1176.
- 1109-1392.
Ammonium sulphide; $(\text{NH}_4)_2\text{S}$.
T oriental peach moth. 861.
- 1109-1450.
Ammonium salts, CU.
T as mothproofing agent. 823P, 1176.
- 1110-1218-1312.
Antimony sodium fluoride; Na_2SbF_6 .
T as mothproofing agent. 906.
- 1110-1291.
Antimony trichloride; SbCl_3 .
NT Mediterranean fruit fly. 963.
- 1110-1312.
Antimony fluoride; SbF_3 .
T as mothproofing agent. 893P, 1179.
- 1110-1350.
Antimony trioxide; Sb_2O_3 .
ST *Spilosoma lubricipeda*; NT *Melanoplus m. mexicanus*. 635, 1150.
- 1110-1350.
Antimony pentoxide; Sb_2O_5 .
NT *Melanoplus m. mexicanus*. 1150.
- 1110-1392.
Antimony sulphide; Sb_2S_3 .
NT Japanese beetle and codling moth. 915, 1008.
- 1110-1420.
Antimoniotungstic acid.
T as mothproofing agent. 327P, 329P, 335P, 1176.
- 1110-1450.
Antimony salts, CU.
T as mothproofing agent. 77P, 339P, 1036P, 1037P, 1166P, 1176, 1179.
1112.
Arsine; AsH_3 . (Arsenic trihydride).
T *Hippodamia convergens*. 1041, 1110.
- 1112-1218-1420.
Sodium arsenotungstate, CU. 186P.
- 1112-1291.
Arsenic trichloride; AsCl_3 .
ST *Chrysomphalus aurantii*. 268.
- 1112-1350.
Arsenic trioxide; As_2O_3 (H_2AsO_3). (Acidum arsenosum; anhydrous arsenous acid; anhydrous arsenicum; arsenic trioxidum; arsenic blanc; arsenic oxidum; arsenicum album; arsenious acid; arsenious anhydride; arsenious oxide; arsenolite (native); flowers of arsenic; metallum album; poison flour).
T *Phyllophaga lanestra* and as mothproofing agent; poison baits for many insects; NT clothes moth (44, 45). 44, 45, 269P, 807P, 849, 1025, 1030, 1175, 1176, 1179, 1270P, 1343P, 1410.
- 1112-1350.
Arsenic pentoxide; As_2O_5 .
T *Lucilia cuprina* larvae and many species of insects. 165, 456, 849, 1065.
- 1112-1392.
Arsenious sulfide; As_2S_3 .
NT *Popillia japonica*. 493A.
- 1112-1450.
Arsenic salts, CU.
T as mothproofing agent. 43, 976P, 1024, 1133P, 1178, 1179, 1367P.
- 1114-1254.
Barium arsenate; $\text{Ba}_3(\text{AsO}_4)_2$.
T various *Lepidopterous* larvae and 59% T *Popillia japonica*. 249, 493A.
- 1114-1260.
Barium arsenite; $\text{Ba}_3(\text{AsO}_3)_2$.
T *Lucilia cuprina* larvae. 849.
- 1114-1270.
Barium borate; $\text{Ba}(\text{BO}_3)_2$. 1115P.
- 1114-1274.
Barium bromate; $\text{Ba}(\text{BrO}_3)_2 \cdot \text{H}_2\text{O}$.
36% T firebrat. 1145.
- 1114-1276.
Barium bromide; BaBr_2 .
NT firebrat. 1145.
- 1114-1296.
Barium carbonate; BaCO_3 .
T firebrat, *Malacosoma americana*, and codling moth; NT Mediterranean fruit fly. 915, 963, 1008, 1144, 1145.
- 1114-1298.
Barium chlorate; $\text{Ba}(\text{ClO}_3)_2 \cdot \text{H}_2\text{O}$.
NT firebrat. 1145.
- 1114-1299.
Barium perchlorate; $\text{Ba}(\text{ClO}_4)_2$.
NT firebrat. 1145.
- 1114-1291.
Barium chloride; BaCl_2 .
T *Lucilia cuprina* larvae at 0.1%; ST firebrat. 175, 849, 1145.
- 1114-1296.
Barium chromate; BaCrO_4 .
NT firebrat, *Melanoplus m. mexicanus*, and *Malacosoma americana*. 1008, 1145, 1150.
- 1114-1312.
Barium fluoride; BaF_2 .
T *Rhagoletis completa*, *Malacosoma americana*, and 35% T firebrat. 114, 1008, 1145.
- 1114-1313.
Barium fluosilicate; BaSiF_6 .
91% T firebrat and T *Lucilia cuprina* larvae. 133, 310, 849, 1145, 1277.
- 1114-1325.
Barium hydroxide; $\text{Ba}(\text{OH})_2$.
T codling moth and 28% T firebrat. 915, 1145.
- 1114-1330.
Barium iodate; $\text{Ba}(\text{IO}_3)_2$.
14% T firebrat. 1145.
- 1114-1333.
Barium iodide; $\text{BaI}_2 \cdot 2\text{H}_2\text{O}$.
NT firebrat. 1145.
- 1114-1341.
Barium nitrate; $\text{Ba}(\text{NO}_3)_2$.
NT firebrat. 1145.
- 1114-1350.
Barium oxide; BaO .
22% T firebrat. 1145.
- 1114-1351.
Barium peroxide; BaO_2 .
56% T firebrat. 1144, 1145.
- 1114-1356.
Barium hydrogen phosphate; BaHPO_4 . (Barium diphosphate).

- NT firebrat. 1145.
1114-1356.
Barium triphosphate; $\text{Ba}_3(\text{PO}_4)_2$.
MT firebrat. 1144, 1145.
1114-1356.
Barium phosphate, CU.
NT *Bombyx mori* larvae. 561.
1114-1389.
Barium sulfate; BaSO_4 .
NT firebrat, cockroach, and *Malacosoma americana*.
1008, 1145, 1268.
1114-1392.
Barium sulfide; BaS .
NT firebrat. 1145.
1114-1414.
Barium thiosulfate; BaS_2O_3 .
NT firebrat and *Melanoplus m. mexicanus*. 1145, 1150.
1114-1450.
Barium salts, CU.
T as mothproofing agent. 422P, 430P, 1175.
1110-1450.
Beryllium salts, CU. (Glucinum salts).
T as mothproofing agent. 103P, 1179.
1118-1286.
Bismuth carbonate; $\text{Bi}(\text{CO}_3)_3$.
NT Japanese beetle. 1008.
1118-1286-1350.
Bismuth subcarbonate; $\text{Bi}_2\text{O}_3 \cdot \text{CO}_2 \cdot \text{H}_2\text{O}$.
NT *Melanoplus m. mexicanus*. 1150.
1118-1291.
Bismuth trichloride; BiCl_3 .
T Mediterranean fruit fly. 963.
1118-1291.
Bismuth oxychloride; BiOCl .
NT *Melanoplus m. mexicanus*. 1150.
1118-1341.
Bismuth oxynitrate; BiONO_2 . (Bismuth nitrate, basic; bismuth subnitrate; bismuth white; bismuthi oxynitras; bismuthi subnitras; bismuthum album; bismuthyl nitrate; flake white; paint white; pearl white; Spanish white; magistery of bismuth; oxynitrate of bismuth).
T clothes moth; NT *Melanoplus m. mexicanus*. 1150, 1176, 1270P.
1118-1350.
Bismuth trioxide; Bi_2O_3 .
NT *Melanoplus m. mexicanus*. 1150.
1118-1450.
Bismuth, water soluble salts of, CU.
T as mothproofing agent. 753P, 1176.
1118-1450.
Bismuth salts, CU.
T as mothproofing agent. 750P, 1175.
1120-1312.
Boron fluoride; BF_3 .
T as mothproofing agent. 396P, 400P, 1175, 1400P.
1120-1312.
Boron trifluoride; BF_3 .
HT grain weevil, bean weevil, bedbugs, and as mothproofing agent. 894, 1175, 1241P, 1242P.
1124-1276.
Cadmium bromide; $\text{CdBr}_2 \cdot 4\text{H}_2\text{O}$.
T Mediterranean fruit fly. 963.
1124-1286.
Cadmium carbonate; CdCO_3 .
NT *Bombyx mori* larvae. 561.
1124-1291.
Cadmium chloride; CdCl_2 .
85% T *Bombyx mori* larvae and T *Lucilia cuprina* larvae at 0.01%; NT *Melanoplus m. mexicanus* 561, 549, 1150.
1124-1325.
Cadmium hydroxide; $\text{Cd}(\text{OH})_2$.
100% T *Bombyx mori* larvae. 558, 561.
1124-1341.
Cadmium nitrate; $\text{Cd}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$.
NT *Melanoplus m. mexicanus*. 1150.
1124-1350.
Cadmium oxide; CdO .
85% T *Bombyx mori* larvae; NT *Melanoplus m. mexicanus*. 558, 561, 1150.
1124-1356.
Cadmium phosphate; $\text{Cd}_3(\text{PO}_4)_2$.
75% T *Bombyx mori* larvae. 558, 561.
1124-1389.
Cadmium sulfate; CdSO_4 .
40% T *Bombyx mori* larvae; NT *Melanoplus m. mexicanus*. 561, 1150.
1124-1392.
Cadmium sulfide; CdS .
50% T *Bombyx mori* larvae. 561.
1128-1128-1291-1392.
Calcium chloride-carbon disulfide compound; $\text{CaCl}_2 \cdot \text{CS}_2$? 391P.
1120-1142-1292.
Calcium tetracuproxyl chloride? 99P.
1126-1254.
Calcium arsenate; $\text{Ca}_3(\text{AsO}_4)_2$.
HT many insects; commonly used insecticide. 24, 493A, 677, 723, 881, 1349, 1371.
1126-1260.
Calcium arsenite; $\text{Ca}_2(\text{AsO}_3)_2$?
T *Lucilia cuprina* larvae. 549, 1370.
1126-1270.
Calcium borate; $\text{Ca}(\text{BaO}_3)_2$.
NT codling moth. 915.
1126-1286.
Calcium carbonate; CaCO_3 . (Limestone).
NT *Popillia japonica* and cockroach. 493A, 1268.
1126-1291.
Calcium chloride; CaCl_2 . (Calcii chloridum; chloride of calcium; freezing salts; muriate of calcium; muriate of lime).
T as mothproofing agent but injurious to fabric.
43, 1176.
1126-1303.
Calcium cyanide; $(\text{Ca}(\text{CN})_2)$.
T many species of insects; ST Mediterranean fruit fly. 963, 1007, 1447.
1126-1305.
Calcium cyanamid; CaCN_2 .
NT *Popillia japonica* larvae. 493A.
1126-1312.
Calcium fluoride; CaF_2 .
ST Colorado potato beetle and *Rhagoletis completa*.
114, 895.
1126-1313.
Calcium fluosilicate; CaSiF_6 .
ST *Rhagoletis completa*. 114.
1126-1325.
Calcium hydroxide; $\text{Ca}(\text{OH})_2$. (Hydrated lime).
HT *Calandra granaria*; T *Diabrotica duodecim-punctata*; NT *Popillia japonica*, clothes moth larvae, and cockroach. 42, 493A, 541, 753, 1147, 1176, 1268, 1396.
1126-1350.
Calcium oxide. (Burned lime; burnt lime; calcic oxide; calx; calx viva; caustic lime; lime; quicklime; unslaked lime).
T as mothproofing agent (245P); NT clothes moth (1024, 1268), and cockroaches. 245P, 1024, 1176, 1268.
1126-1356.
Calcium hydrogen phosphate. (Acid phosphate, CU; calcium phosphate).
NT *Popillia japonica* larvae. 493A.
1126-1389.
Calcium sulfate; CaSO_4 . (Gypsum).
T parasites harmful to vines and as mothproofing agent; ST spotted cucumber beetle; NT cockroach. 184P, 1147, 1179, 1268, 1490P.
1126-1392.
Calcium polysulfides. (Lime-sulfur).
T spiders and many species of insects. 1064.
1126-1450.
Calcium salts, CU.
NT as mothproofing agent. 422P, 430P, 1175.
1128-1162-1350.
Iron carbonyl; $\text{Fe}(\text{CO})_5$.
NT *Chrysomphalus aurantii*. 268.
Phosgene—see 331-1021.
Thiophosgene—see 796-852-1021.
Carbon tetrachloride—see 854-1021.
1128-1350?
Carbon monoxide; CO.
T *Tribolium confusum*; NT *Chrysomphalus aurantii*.
268, 763.
1128-1350.
Carbon dioxide; CO_2 .

- T *Musca domestica*; MT *Chrysomphalus aurantii*. 26, 260P, 268, 763, 1012.
- 1128-1392.
- Carbon disulfide; CS_2 . (Carbon bisulfide).
T many species of insects. 80, 256, 266, 267, 297P, 308, 309, 411P, 421P, 425P, 478, 497, 573, 705, 921, 925, 954, 990, 1029, 1044, 1075, 1083, 1186, 1271, 1278.
- 1130-1291.
- Cerium chloride; CeCl_3 .
T as mothproofing agent. 756P, 1175.
- 1130-1450.
- Cerium salts, CU.
T as mothproofing agent. 739, 745P, 758P, 781P, 782P, 875P, 976P, 978P, 1176.
- 1136-1196-1389.
- Chromium potassium sulfate; $\text{K}_2\text{SO}_4 \cdot \text{Cr}_2(\text{SO}_4)_3 \cdot 24\text{H}_2\text{O}$. (Chromium alum).
T as mothproofing agent; NT *Melanoplus m. mezcianus*. 1150, 1166P, 1179.
- 1136-1292.
- Chromium oxychloride; CrO_2Cl_2 . (Combined with other materials). 855P.
- 1136-1312.
- Chromium fluoride, CU? CrF_3 or CrF_6 .
T as mothproofing agent; NT *Orthopodomyia signifer*. 882P, 883P, 884P, 895, 906, 1179.
- 1136-1350.
- Chromium oxide; CrO_3 .
NT *Melanoplus m. mezcianus*. 178P, 1150, 1432.
- 1136-1450.
- Chromium salts, CU.
T as mothproofing agent. 327P, 338P, 339P, 1024, 1166P, 1167P, 1176, 1179.
- 1138-1254.
- Cobaltous arsenite; $\text{Co}_3(\text{AsO}_3)_2$.
NT tobacco worm moth. 553.
- 1138-1291.
- Cobalt chloride; CoCl_2 .
T clothes moth; NT tobacco hornworms. 553, 1114P.
- 1138-1296.
- Cobaltous chromate; CoCrO_4 .
NT tobacco worm moth. 553.
- 1138-1341.
- Cobaltous nitrate; $\text{Co}(\text{NO}_3)_2$.
NT tobacco worm moth. 553.
- 1138-1350.
- Cobalt oxide; CoO .
NT tobacco worm moth. 553.
- 1138-1389.
- Cobaltous sulphate; CoSO_4 .
NT tobacco worm moth. 553.
- 1142-1254-1325.
- Copper arsenate, basic; $(\text{Cu}(\text{CuOHAsO}_4))$.
T leafhopper, red mites, and chewing insects on beans and potatoes. 276.
- 1142-1260.
- Copper arsenite; CuHAsO_3 .
NT Mediterranean fruit fly. 963.
- 1142-1270.
- Copper borate; $\text{Cu}_5(\text{BO}_3)_2$.
NT *Melanoplus m. mezcianus*. 482P, 1115P, 1150.
- 1142-1271.
- Cupric tetraborate; $\text{CuB}_4\text{O}_7 \cdot 4\text{H}_2\text{O}$. (Cupric borate).
NT Mediterranean fruit fly. 963.
- 1142-1276.
- Copper bromide; CuBr_2 .
NT Mediterranean fruit fly. 963.
- 1142-1286-1325.
- Copper carbonate, basic; $\text{CuCO}_3 \cdot \text{Cu}(\text{OH})_2$.
ST Mediterranean fruit fly; NT *Melanoplus m. mezcianus*. 963, 1150.
- 1142-1291.
- Cuprous chloride; Cu_2Cl_2 .
T Mediterranean fruit fly. 963.
- 1142-1291.
- Cupric chloride; CuCl_2 .
NT Mediterranean fruit fly. 963.
- 1142-1303.
- Cuprous cyanide; CuCN .
ST Japanese beetle. 271P, 494.
- 1142-1303.
- Cupric cyanide; $\text{Cu}(\text{CN})_2$.
ST Mediterranean fruit fly. 963.
- 1142-1305.
- Copper cyanamide (tech.); CuCN_2 .
NT *Melanoplus m. mezcianus*. 1150.
- 1142-1312.
- Cupric fluoride; $\text{CuF}_2 \cdot 2\text{H}_2\text{O}$.
NT Mediterranean fruit fly. 963.
- 1142-1325.
- Copper hydroxide; $\text{Cu}(\text{OH})_2$.
NT Mediterranean fruit fly. 963, 1262P.
- 1142-1335.
- Cuprous iodide; CuI .
NT Japanese beetle. 1009.
- 1142-1341.
- Copper nitrate; $\text{Cu}(\text{NO}_3)_2 \cdot 3\text{H}_2\text{O}$.
NT Mediterranean fruit fly and wireworms. 660, 963, 1396.
- 1142-1345.
- Copper nitroprusside; $\text{CuFe}(\text{CN})_5\text{NO}$.
ST *Malacosoma americana*. 1009.
- 1142-1350.
- Copper oxide; Cu_2O . (Red oxide).
T Mediterranean fruit fly and as mothproofing agent; NT Japanese beetle. 963, 1009, 1179, 1490P.
- 1142-1350-1389.
- Bordeaux mixture. (Basic copper sulfates).
T leafhopper and Mediterranean fruit fly. 275, 963.
- 1142-1356.
- Copper phosphate; $\text{Cu}_3(\text{PO}_4)_2$.
NT *Bombyx mori* larvae. 561.
- 1142-1389.
- Copper sulphate; $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$.
T mosquito larvae and T *Lucilia cuprina* larvae at 0.1%; NT Mediterranean fruit fly, *Melanoplus m. mezcianus*, and tobacco worm moth. 175, 553, 849, 918, 963, 1144, 1150.
- 1142-1393.
- Copper sulphite; $\text{Cu}_2\text{SO}_3 \cdot \text{H}_2\text{O}$.
NT Mediterranean fruit fly. 963.
- 1142-1405.
- Copper thiocyanate, CU.
70% T Mexican bean beetle; MT codling moth larvae; NT Colorado potato beetle. 915, 929, 930, 1432.
- 1142-1405.
- Cuprous thiocyanate; CuSCN .
NT Japanese beetle. 1009.
- 1142-1405.
- Cupric thiocyanate; $\text{Cu}(\text{SCN})_2$.
T Mexican bean beetle. 606.
- 1142-1450.
- Copper salts, CU.
T as mothproofing agent. 319P, 756P, 1024, 1175, 1176.
- 1162-1254.
- Ferric arsenate; $\text{FeAsO}_4 \cdot 2\text{H}_2\text{O}$.
T codling moth and MT *Popillia japonica* as soil treatment. 493A, 712, 915.
- 1162-1286.
- Ferrous carbonate; FeCO_3 . (Iron carbonate).
T earwigs. 917P.
- 1162-1389.
- Ferrous sulphate; FeSO_4 . (Copperas; ferri sulfas; ferrum vitriolatum; green vitriol; iron sulfate; iron vitriol; protosulfate of iron; sal chalybeidis; salts of steel; vitriolate of iron).
T clothes moth, Mediterranean fruit fly, and *Orthopodomyia signifer*. 895, 963, 1024, 1025, 1178.
- 1164-1450.
- Lanthanum salts, CU.
T as mothproofing agent; NT clothes moth (739). 739, 745P, 756P, 758P, 780P, 781P, 782P, 975P, 976P, 978P, 1175, 1176.
- 1166-1252.
- Lead antimonate; PbHSbO_4 ?
NT Japanese beetle. 1009.
- 1166-1254-1350.
- Lead hydrogen arsenate; PbHAsO_4 . (Acid lead arsenate; lead arsenite).
Widely used insecticide, highly toxic to many species of insects. 166, 168, 169, 881, 961, 1079, 1148, 1168, 1225P, 1289, 1371, 1375, 1398, 1491, 1502.
- 1166-1254.
- Lead arsenate, basic.
Widely used insecticide, toxic to many species of insects.


- 1166-1270.
Lead borate; $\text{Pb}(\text{BO}_2)_2 \cdot \text{H}_2\text{O}$.
T *Popillia japonica* and 50% T as soil treatment. 493A, 915, 1150.
- 1166-1286-1325.
Lead carbonate, basic; $(\text{PbCO}_3)_2\text{Pb}(\text{OH})_2$. (Ceruse; cerussite (native); flake lead; lead spar; plumbic carbonate; plumbicarbonas; white lead).
T *Malacosoma americana*; ST Japanese beetle; NT clothes moth. 42, 120, 493A, 1024, 1176, 1268.
- 1166-1291.
Lead chloride; PbCl_2 .
T *Popillia japonica*; 67% T as soil treatment. 493A.
- 1166-1296.
Lead chromate; PbCrO_4 .
ST *Malacosoma americana*. 120.
- 1166-1312.
Lead fluoride; PbF_2 .
T *Popillia japonica* larvae and T *Bombyx mori* M.L.D.=0.25-0.4 mg./g. 493A, 1277.
- 1166-1313.
Lead fluosilicate; PbSiF_6 .
T *Bombyx mori*. 1056A.
- 1166-1350.
Lead oxide, CU.
T *Malacosoma americana*; NT clothes moth. 42, 120, 1024, 1176, 1268.
- 1166-1356.
Lead hydrogen phosphate; PbHPO_4 .
T *Popillia japonica* larvae; 87% T as soil treatment. 493A.
- 1166-1389.
Lead sulphate; PbSO_4 .
ST *Malacosoma americana*. 120.
- 1166-1405.
Lead thiocyanate; $\text{Pb}(\text{SCN})_2$.
NT Japanese beetle. 1008.
- 1166-1414.
Lead thiosulfate; PbS_2O_3 .
ST codling moth. 915.
- 1166-1450.
Lead, water soluble salts of.
T as mothproofing agent. 758P, 1176.
- 1166-1450.
Lead salts, CU.
T clothes moth. 756P, 1175.
- 1168-1312.
Lithium fluoride; LiF .
T as mothproofing agent. 978P, 983P, 1176.
- 1168-1313.
Lithium fluosilicate; Li_2SiF_6 .
T as mothproofing agent. 120A, 983P, 1176.
- 1168-1314.
Lithium fluosulphonate; LiSO_3F .
T as mothproofing agent. 823P, 1176.
- 1168-1450.
Lithium salts, CU.
T as mothproofing agent. 823P, 1176.
- 1172-1218-1312.
Magnesium sodium fluoride; $\text{NaF} \cdot \text{MgF}_2$?
ST codling moth. 915.
- 1172-1254.
Magnesium arsenate; $\text{Mg}_3(\text{AsO}_4)_2$?
Widely used insecticide, toxic to many species of insects. 1371.
- 1172-1270.
Magnesium borate; $\text{Mg}(\text{BO}_2)_2$.
ST codling moth. 915.
- 1172-1286.
Magnesium carbonate; MgCO_3 .
T as mothproofing agent; NT cockroach and *Melanoplus m. mexicanus*. 638P, 1150, 1179, 1268.
- 1172-1291.
Magnesium chloride; MgCl_2 .
T as mothproofing agent; NT *Melanoplus m. mexicanus*. 103P, 1150, 1179.
- 1172-1312.
Magnesium fluoride; MgF_2 .
ST Colorado potato beetle; NT *Melanoplus m. mexicanus*. 895, 1150.
- 1172-1313.
Magnesium fluosilicate; MgSiF_6 .
ST *Rhagoletis completa*. 114.
- 1172-1350.
Magnesium oxide; MgO .
NT cockroach. 1288.
- 1172-1356.
Magnesium phosphate; $\text{Mg}_3(\text{PO}_4)_2 \cdot 4\text{H}_2\text{O}$.
NT *Melanoplus m. mexicanus*. 1150.
- 1172-1389.
Magnesium sulphate; MgSO_4 . (Bitter salt; epsom salts; hair bitter; kieserite (native); magnesia vitriolata; magnesii sulphas; sal catharticum; amar; salte).
T Mediterranean fruit fly, *Lucilia cuprina* larvae, silverfish, cockroach, and T as mothproofing agent (32, 548); NT *Melanoplus m. mexicanus* and NT clothes moths (43, 45, 739). 32, 43, 45, 175, 548, 739, 849, 963, 985A, 1150, 1176.
- 1174-1254.
Manganese arsenate; $\text{Mn}_2(\text{AsO}_4)_2$?
T codling moth and *Popillia japonica*; 50% T as soil treatment. 493A, 962.
- 1174-1270.
Manganese borate; $\text{Mn}(\text{BO}_2)_2$.
ST codling moth. 915.
- 1174-1312.
Manganese fluoride; MnF_2 .
T *Bombyx mori*—M.L.D.=2-4 mg./g. 1277.
- 1174-1350.
Manganese dioxide; MnO_2 . (Binoxide of manganese; black oxide of manganese; pyrolusite (native); mangan-dioxidum; mangan oxidum nigrum; manganic dioxide; manganesii peroxidum; peroxide of manganese; psilomelane).
T as mothproofing agent. 245P, 1176.
- 1174-1356.
Manganese phosphate; $\text{Mn}_3(\text{PO}_4)_2$?
NT *Bombyx mori* larvae. 561.
- 1174-1389.
Manganous sulphate; $\text{MnSO}_4 \cdot 2\text{H}_2\text{O}$.
NT *Melanoplus m. mexicanus*. 1150.
- 1174-1389.
Manganese sulphate, CU.
T *Lucilia cuprina* larvae at 0.1%. 849.
1176.
Mercury; Hg.
T stored grain insects. 826.
- 1176-1212-1303.
Mercury selenocyanate; $\text{Hg}(\text{SeCN})_2$? 321P.
- 1176-1291.
Mercurous chloride; HgCl_2 .
T root maggot on Brassica. 1504.
- 1176-1291.
Mercuric chloride; HgCl_2 . (Corrosive; corrosive chloride of mercury; corrosive sublimate; dimuriate of mercury; hydrargyri chloridum corrosivum; hydrargyri corrosivum sublimatum; hydrargyri muriaticum; hydrargyri perchloridum; hydrargyri permurinus; hydrargyri eupermurinus; mercury bichloride; mercury chloride; perchloride of mercury).
T cabbage root maggot (eggs), codling moth, *Lucilia cuprina*, Mediterranean fruit fly, and as mothproofing agent; NT clothes moths (86). 26, 66, 175, 849, 915, 963, 1024, 1025, 1077, 1160, 1176, 1504.
- 1176-1350.
Mercury oxide. 178P, 1432.
- 1176-1405.
Mercury thiocyanate, CU; HgSCN (mercurous) or $\text{Hg}(\text{SCN})_2$ (mercuric)?
98% T codling moth larvae. 736, 1432.
- 1176-1450.
Mercury, water soluble salts of.
T as mothproofing agent. 758P, 1176.
- 1176-1450.
Mercury salts, CU.
T as mothproofing agent. 758P, 1176.
- 1180-1195-1450.
Didymium salts, CU. (Mixture of Neodymium and Praseodymium).
T as mothproofing agent. 780P, 781P, 782P, 1176.
- 1182-1270.
Nickel borate; $\text{Ni}(\text{BO}_2)_2$.
ST codling moth. 915.
- 1182-1303.
Nickel cyanide; $\text{Ni}(\text{CN})_2$.
NT *Malacosoma americana*. 915.
- 1182-1389.
Nickel sulphate; NiSO_4 .
T *Lucilia cuprina* larvae at 0.1%. 849.

1184.
Nitrogen; N_2 .
T as mothproofing agent. 686P, 1179.
- 1184-1291.
Nitrogen trichloride; NCI_3 .
T thrips. 1497.
- 1184-1350.
Nitrous oxide; N_2O .
NT *Chrysomphalus aurantii*. 288.
1192.
Phosphorus (paste); P_4 .
T cockroaches. 26, 586.
- 1196-1213-1392.
Potassium seleno-sulfide; $(K_2S)_2Se$?
T red spiders. 564P.
- 1196-1252.
Potassium antimonate; $KSbO_3$?
T as mothproofing agent. 1036P, 1176.
- 1196-1254.
Potassium arsenate; K_2AsO_4 ?
T as mothproofing agent; NT tobacco worm moth. 553, 1133P, 1179.
- 1196-1261.
Potassium arsenite; $KAsO_2$.
NT tobacco worm moth. 553.
- 1196-1270.
Potassium borate; KBO_3 ?
ST codling moth. 915.
- 1196-1274.
Potassium bromate; $KBrO_3$.
NT *Melanoplus m. mexicanus*. 1150.
- 1196-1286.
Potassium carbonate; K_2CO_3 .
T as mothproofing agent. 1176, 1270P.
- 1196-1288.
Potassium chlorate; $KClO_3$.
NT *Orthopodomyia signifer*. 895.
- 1196-1289.
Potassium perchlorate; $KClO_4$.
T as mothproofing agent. 867P, 1175.
- 1196-1291.
Potassium chloride; KCl .
T *Orthopodomyia signifer*. 175, 895.
- 1196-1297.
Potassium dichromate; $K_2Cr_2O_7$.
T *Lucilia cuprina* larvae at 0.1%. 824P, 849.
- 1196-1303.
Potassium cyanide; KCN .
T *Lucilia cuprina* larvae at 0.01-0.1%; NT to insects when injected into plants. 1P, 317P, 501, 849, 1011A, 1176, 1396.
- 1196-1309.
Potassium ferrocyanide; $K_4Fe(CN)_6 \cdot 3H_2O$.
NT *Melanoplus m. mexicanus*. 1150.
- 1196-1310.
Potassium fluoaluminate; K_2AlF_6 . (Potassium aluminum fluoride).
T Mediterranean fruit fly and T *Bombus mori* M.L.D. 0.06-0.1 mg./gm. 963, 1277.
- 1196-1312.
Potassium fluoride; KF .
T as mothproofing agent; NT tobacco worm moth. 853, 978P, 983P, 1176, 1416P, 1417P.
- 1196-1312.
Potassium hydrogen fluoride; KHF . (Potassium bifluoride).
T as mothproofing agent. 423P, 461P, 468P, 1175, 1176, 1356P.
- 1196-1312-1356.
Potassium hypophosphate; KPF_6 ? (Monopotassium monofluorophosphate).
T as mothproofing agent. 461P, 642P, 1175, 1176.
- 1196-1312-1399?
Potassium fluosulfate? $K_2F_3(SO_4)_2$? (Tripotassium difluorodisulphate).
T as mothproofing agent. 461P, 642P, 1175, 1176.
- 1196-1313.
Potassium fluosilicate; K_2SiF_6 .
T *Bombus mori* M.L.D. 0.07-1 mg./gm. and T as mothproofing agent. 976P, 983P, 1176, 1277.
- 1196-1314.
Potassium fluophosphate; KSO_3F .
T as mothproofing agent. 823P, 1176.
- 1196-1333.
Potassium iodide; KI .
- NT *Melanoplus m. mexicanus*. 695, 1150.
- 1196-1336.
Potassium permanganate; $KMnO_4$.
NT *Melanoplus m. mexicanus*. 1150.
- 1196-1341.
Potassium nitrate; KNO_3 .
T *Lucilia cuprina* larvae at 0.01-0.1%. 649.
- 1196-1384.
Potassium silicate; K_2SiO_3 ?
T as mothproofing agent; NT clothes moths (739). 327P, 739, 1176.
- 1196-1392.
Potassium sulphide; K_2S .
NT *Limomus californicus* larvae. 1396.
- 1196-1415.
Potassium thiocarbonate; $K_2CS_2 \cdot H_2O$.
HT grubs of *Leucopholis irrorata*. 880.
- 1196-1450.
Potassium salts, CU.
T as mothproofing agent. 823P, 1176.
- 1212-1216-1392.
Sodium seleno-sulfide; $(Na_2S)_2Se$?
T red spider. 564P.
- 1212-1291-1350.
Selenium oxychloride; $SeOCl_2$.
T *Lucilia cuprina* larvae at 0.01-0.1%. 849.
- 1212-1350.
Selenium dioxide; SeO_2 .
T mites. 725.
- 1212-1392.
Selenium sulfide; SeS .
T mites. 725.
- 1212-1450.
Selenium compounds, CU.
T as mothproofing agent. 399P, 429P, 445P, 679P, 680P, 1175, 1179.
1214.
Silicon hydride? SiH_4 ? (Silicon hydrate).
96% T *Calandra granaria*. 541.
- 1214-1312.
Silicon tetrafluoride; SiF_4 .
HT grain weevil, bean weevil, bedbug, etc. 894.
- 1214-1350.
Silicon dioxide; SiO_2 . (Quartz sand; naaki; fireclay; flint; silica).
NT cockroach. 541, 1050, 1268.
- 1216-1341.
Silver nitrate; $AgNO_3$.
T *Lucilia cuprina* larvae at 0.1%. 849.
- 1218-1236-1312.
Sodium titanium fluoride; $TiNaF_4$?
T as mothproofing agent. 1169P, 1179.
- 1216-1250.
Sodium aluminate; $NaAlO_2$.
T *Lucilia cuprina* larvae at 0.1%. 849.
- 1218-1254.
Sodium arsenate; Na_2AsO_4 .
80-100% T *Lucilia sericata* larvae; NT tobacco worm moth. 553, 723.
- 1216-1260.
Sodium arsenite; Na_2AsO_3 .
HT *Lucilia sericata* larvae; T *Lucilia cuprina* larvae at 0.1% and T as mothproofing agent; used in poison baits. 164, 485, 620, 702, 723, 724, 849, 896, 919, 1030, 1133P, 1179, 1342.
- 1218-1264.
Sodium azide; NaN_3 . (Sodium salt of hydrazoic acid).
T mites, ants, flies, etc. 1475P.
- 1216-1271.
Borax; $Na_2B_4O_7$. (Sodium borate; sodium tetraborate).
T housefly, stablefly, wireworms, T *Lucilia cuprina* at 0.1%, and T as mothproofing agent; NT bedbugs and NT clothes moth (42, 1024, 1266, 1479). 26, 40P, 42, 543, 823P, 849, 696, 918, 956, 1024, 1176, 1268, 1479.
- 1216-1276.
Sodium bromide; $NaBr$.
NT *Orthopodomyia signifer*. 895.
- 1218-1286.
Sodium carbonate; Na_2CO_3 . (Soda ash; sal soda).
T as mothproofing agent (1343P); NT cockroach and as mothproofing agent. 42, 246P, 739, 1024, 1176, 1268P, 1343P.

- 1218-1286.
Sodium bicarbonate; NaHCO_3 . (Acid carbonate of soda; hydrosodic carbonate; sesqui-carbonate of soda; sodi bicarbonas; vichy salts).
NT clothes moth, cockroach, and *Orthopodomyia signifer*. 42, 739, 895, 1024, 1176, 1268.
- 1218-1291.
Sodium chloride; NaCl . (Common salt).
T as mothproofing agent (339P, 823P); NT *Orthopodomyia signifer* and NT clothes moth (42, 1024). 42, 175, 319P, 339P, 823P, 895, 1024, 1175, 1176.
- 1218-1297.
Sodium dichromate; $\text{Na}_2\text{Cr}_2\text{O}_7 \cdot 2\text{H}_2\text{O}$.
Shows promise as an ingredient of bran baits. 513A.
- 1218-1303.
Sodium cyanide; NaCN .
T termites, ants, many species of insects, and as soil treatment. 1078A.
- 1218-1310.
Sodium fluoaluminate; Na_4AlF_6 . (Cryolite).
Widely used insecticide, toxic to many species of insects.
- 1218-1312.
Sodium fluoride; NaF .
T many species of insects and as mothproofing agent; NT clothes moth (43, 739), 43, 739, 975P, 976P, 982P, 983P, 1024, 1176, 1209P, 1216, 1416P, 1417P.
- 1218-1312.
Sodium hydrogen fluoride; NaHF . (Sodium bifluoride).
T as mothproofing agent. 468P, 1176, 1356P.
- 1218-1313.
Sodium fluosilicate; Na_2SiF_6 . (Sodium silicofluoride).
T as mothproofing agent. 423P, 460P, 896, 945P, 975P, 978P, 980P, 982P, 983P, 984P, 985, 1175, 1176, 1221, 1358P, 1479.
- 1218-1314.
Sodium fluosulphonate; NaSO_3F .
T as mothproofing agent. 823P, 1176.
- 1218-1325.
Sodium hydroxide; NaOH .
T *Musca domestica*; NT grasshoppers and *Orthopodomyia signifer*. 623, 895, 1012.
- 1218-1340.
Sodium molybdate; Na_2MoO_4 .
T as mothproofing agent. 40P, 1176.
- 1218-1356.
Sodium phosphate; Na_2HPO_4 . (Disodium orthophosphate; disodium phosphate).
T as mothproofing agent; NT clothes moth (739). 40P, 327P, 335P, 739, 1176.
- 1218-1376.
Sodium selenate; Na_2SeO_4 .
T *Lucilia cuprina* larvae at 0.1% and T clothes moth. 551, 725, 733, 849, 1045, 1175, 1361P.
- 1218-1380.
Sodium selenite; Na_2SeO_3 .
T as mothproofing agent. 423P, 849, 1175, 1412.
- 1218-1384.
Sodium silicate; $\text{Na}_2\text{Si}_2\text{O}_5$? (Silicate of soda; sodium tetrasilicate; soluble glass; waterglass).
T as mothproofing agent; NT *Orthopodomyia signifer*. 40P, 895, 1176.
- 1218-1389.
Sodium sulphate; Na_2SO_4 . (Glauber salts; salt cake).
T *Musca domestica* and as mothproofing agent; NT clothes moth (739). 319P, 331P, 332P, 333P, 411P, 739, 823P, 936P, 1012, 1175, 1176, 1216P, 1257P.
- 1218-1389.
Sodium hydrogen sulphate; NaHSO_4 . (Sodium bisulphate).
T as mothproofing agent. 412P, 1175, 1176, 1258P.
- 1218-1392.
Sodium hydrosulphide; NaHS .
T as mothproofing agent. 933P, 1179.
- 1218-1392.
Sodium sulfide; Na_2S .
T *Lucilia cuprina* larvae and 29-51% T *Lucilia serricata* larvae; NT *Melanoplus m. mexicanus*. 723, 849, 1150.
- 1218-1393.
Sodium sulphite; Na_2SO_3 .
T *Lucilia cuprina* and *Phaenicia agonus* larvae. 849, 1396.
- 1218-1396.
Sodium bisulphite; $\text{Na}_2\text{S}_2\text{O}_5$.
NT *Orthopodomyia signifer*. 895.
- 1218-1405.
Sodium thiocyanate; NaSCN .
ST codling moth larvae; NT *Melanoplus m. mexicanus*. 929, 930, 1150, 1432.
- 1218-1415.
Sodium thiocarbonate; $\text{Na}_2\text{CS}_2 \cdot \text{H}_2\text{O}$. (Sodium sulfo-carbonate).
NT wireworms. 1093, 1396.
- 1218-1420.
Sodium tungstate; Na_2WO_4 . (Sodium wolframate).
T *Lucilia cuprina* larvae at 0.1% and T as mothproofing agent. 40P, 849, 1176.
- 1218-1450.
Sodium salts, CU.
T as mothproofing agent. 823P, 1176.
- 1220-1270.
Strontium borate; $\text{Sr}(\text{BO}_2)_2$.
NT codling moth. 915.
- 1220-1291.
Strontium chloride; SrCl_2 .
T as mothproofing agent. 422P, 430P, 869P, 1175.
- 1220-1312.
Strontium fluoride; SrF_2 .
ST Colorado potato beetle and codling moth. 895, 915.
- 1220-1341.
Strontium nitrate; $\text{Sr}(\text{NO}_3)_2$.
T as mothproofing agent. 422P, 430P, 869P, 1175.
- 1220-1450.
Strontium compounds, CU.
T as mothproofing agent. 422P, 430P, 869P, 1175.
1222.
Sulphur S. (Brimstone).
T many species of insects and T as mothproofing agent (489P); NT clothes moth. 42, 459P, 764, 935P, 1024, 1124P, 1156, 1176, 1288, 1503.
- 1222-1291.
Sulphur chloride; SCl_2 .
T as mothproofing agent. 459P, 1176.
- 1222-1292.
Thionyl chloride; SOCl_2 .
100% T rice weevil. 1180.
- 1222-1350.
Sulfur dioxide; SO_2 .
ST *Chrysomphalus aurantii*. 203.
- 1228-1389.
Thallium sulphate; Tl_2SO_4 .
T many species of insects when used in poison baits; NT Mediterranean fruit fly. 963, 1030, 1107.
- 1228-1450.
Thallium salts, CU.
T as mothproofing agent. 399P, 745P, 780P, 781P, 782P, 975P, 976P, 978P, 1175, 1176.
- 1230-1450.
Thorium salts, CU.
T as mothproofing agent; NT clothes moth (739). 739, 745P, 756P, 758P, 780P, 781P, 782P, 975P, 976P, 978P, 1175, 1176.
- 1234-1291.
Stannous chloride; SnCl_2 .
T Mediterranean fruit fly; NT *Melanoplus m. mexicanus*. 963, 1150.
- 1234-1450.
Tin salts, CU.
T as mothproofing agent. 359P, 433P, 463P, 1175, 1176.
- 1236-1312.
Titanium fluoride; TiF_3 ?
T as mothproofing agent. 936P, 1175.
- 1236-1450.
Titanium salts, CU.
T as mothproofing agent. 327P, 329P, 337P, 745P, 780P, 781P, 782P, 938P, 975P, 976P, 978P, 1166P, 1167P, 1176, 1179.
- 1240-1450.
Uranium salts, CU.
T as mothproofing agent. 745P, 756P, 781P, 976P, 978P, 978P, 1175, 1176.
- 1243-1450.
Yttrium salts, CU.
T as mothproofing agent. 780P, 781P, 782P, 1176.

- 1244-1254.
Zinc arsenate; $Zn_3(AsO_4)_2$?
T as soil treatment and MT *Popillia japonica*. 493A.
- 1244-1255.
Zinc metaarsenate; $Zn(AsO_3)_2$.
Used to treat building material termite proof. 1179, 1367P.
- 1244-1260.
Zinc arsenite; $Zn(AsO_2)_2$.
T *Melanoplus m. mexicanus* and many species of insects. 1150.
- 1244-1270.
Zinc borate; $Zn(BO_2)_2$.
ST codling moth. 915.
- 1244-1286.
Zinc carbonate; $Zn(CO_3)_2$.
ST codling moth. 915.
- 1244-1291.
Zinc chloride; $ZnCl_2$.
T Mediterranean fruit fly. 262A, 963.
- 1244-1303.
Zinc cyanide; $Zn(CN)_2$.
20% T Colorado potato beetle and Mexican bean beetle and T *Malacosoma americana*; NT codling moth. 606, 915, 1008, 1150.
- 1244-1311.
Zinc fluoroborate; $Zn(BF_3)_2$?
ST codling moth. 915.
- 1244-1312.
Zinc fluoride; ZnF_2 .
T *Malacosoma americana* and as mothproofing agent. 327P, 329P, 337P, 397P, 936P, 938P, 978P, 983P, 1008, 1175, 1176, 1416P, 1417P.
- 1244-1313.
Zinc fluosilicate; $ZnSiF_6$. (Zinc silicofluoride).
T as mothproofing agent. 120A, 978P, 983P, 1176.
- 1244-1314.
Zinc fluosulphonate; $Zn(FSO_3)_2$.
T as mothproofing agent. 339P, 1167P, 1176, 1416P.
- 1244-1345.
Zinc nitroprusside; $ZnFe(CN)_6(NO)$.
NT *Malacosoma americana*. 1008.
- 1244-1362.
Zinc phosphide; Zn_3P_2 .
T *Curtilla gryllotalpa* and grasshoppers. 893A, 1154.
- 1244-1389.
Zinc sulphate; $ZnSO_4$. (Salt of vitriol; white copers; white vitriol).
T *Lucilia cuprina*, *L. sericata*, *Calliphora stygia*, and as mothproofing agent; NT codling moth. 327P, 339P, 849, 915, 918, 936P, 938P, 975P, 978P, 982P, 983P, 1164P, 1175, 1176, 1416P, 1417P.
- 1244-1450.
Zinc salts, CU.
T as mothproofing agent. 823P, 1166P, 1176, 1170.
- 1245-1450.
Zirconium salts, CU.
T as mothproofing agent. 750P, 781P, 782P, 945P, 975P, 976P, 978P, 1176.
1246.
Rare earths.
T as mothproofing agent. 780P, 781P, 1176.
- 1246-1312.
Fluorides, soluble, CU.
T as mothproofing agent. 585P, 1179.
- 1246-1312.
Fluorides, CU.
T as mothproofing agent; NT clothes moth (739). 43, 44, 45, 339P, 467P, 739, 945P, 975P, 976P, 978P, 979P, 982P, 983P, 1176.
- 1246-1312.
Acid fluorides, CU. (Hydrofluoric acid salts).
T clothes moth. 1359P.
- 1246-1312.
Fluorine compounds, CU.
T as mothproofing agent. 642P, 1175, 1357P.
- 1246-1313.
Fluosilicates, CU. (Silicofluorides).
T as mothproofing agent. 192P, 583P, 975P, 978P, 982P, 983P, 984P, 1176, 1179.
- 1246-1378.
Alkali polyselenides, CU; $A(Se)_x$.
T red spider. 562P, 563P.
- 1246-1389.
Sulphates, alkali metal, CU.
T as mothproofing agent. 975P, 982P, 1176.
- 1246-1450.
Radioactive metals, water soluble salts of, CU.
T as mothproofing agent. 758P, 1176.
- 1246-1450.
Rare earth metals, water soluble salts of.
T as mothproofing agent. 758P, 1176.
1250.
Aluminates, aryl, CU. 186P.
1252.
Antimonic acid, CU; $H SbO_3$?
T as mothproofing agent; NT *Orthopodomyia signifer*. 327P, 895, 938P, 1176.
1270.
Boric acid; H_3BO_3 .
93-100% T *Lucilia sericata* larvae, T *L. cuprina* larvae at 0.1%, T fleece worms of sheep, cockroaches, housefly eggs, and as mothproofing agent; NT *Orthopodomyia signifer*. 723, 849, 895, 918, 956, 1144, 1166, 1179, 1268.
1276.
Hydrobromic acid; HBr.
T as mothproofing agent. 867P, 1175, 1170, 1282P.
1276.
Bromine; Br.
Used to improve toxicity of gaseous Cr compounds. 855P.
1289.
Perchloric acid; $HClO_4$.
T as mothproofing agent. 867P, 1175.
1291.
Hydrochloric acid; HCl. (Hydrogen chloride).
T clothes moth; NT red scale, wireworms, and *Orthopodomyia signifer*. 175, 268, 660, 867P, 895, 1175, 1396.
1291.
Chlorine; Cl_2 .
T as mothproofing agent; NT Angoumois grain moth. 612, 855P, 1176, 1231P.
1303.
Hydrocyanic acid; HCN.
T many insects as fumigant and T as mothproofing agent. 82, 411P, 425P, 867P, 1049, 1175, 1364, 1399P.
- 1303-1302.
Thiocyanic acid, cyanogen ester; $(CN)_2S$. (Cyanogen sulphide; cyanogen thiocyanate).
NT *Sitophilus oryza*, *S. granarius*, *Tribolium confusum*, and *Plodia*. 1042, 1178.
1311.
Fluoboric acid; $HB F_4$.
T as mothproofing agent. 423P, 938P, 1175, 1176, 1241P, 1400P.
1312.
Hydrofluoric acid; HF.
T *Orthopodomyia signifer*, grain weevil, bedbugs, and as mothproofing agent; NT clothes moth (739). 327P, 329P, 337P, 339P, 423P, 461P, 739, 867P, 894, 895, 936P, 938P, 1175, 1176.
- 1312-1340.
Fluoxymolybdic acid. (Fluomolybdic acid; molybdic hydrofluoric acid).
T as mothproofing agent. 938P, 1176.
1313.
Hydrofluosilicic acid; H_2SiF_6 . (Hydrogen silicofluoride; hydrosilicofluoric acid; sand acid; silicofluoric acid, Montannin).
HT grain weevil, bean weevil, and bedbugs; T *Orthopodomyia signifer* and as mothproofing agent. 327P, 329P, 334P, 339P, 421P, 423P, 456P, 582, 867P, 894, 895, 938P, 1175, 1176, 1179, 1359P.
1314.
Fluosulphonic acid; HSO_3F .
T as mothproofing agent. 823P, 1176.
1315.
Fluotitanic acid; H_2TiF_6 . (Titanium hydrofluoric acid).
T as mothproofing agent. 327P, 339P, 456P, 936P, 938P, 1175, 1176, 1179, 1359P.
1333.
Hydriodic acid; HI.
T as mothproofing agent. 867P, 1175.
1333.
Iodine; I_2 .
T *Lucilia cuprina* larvae at 0.1%. 849.

1340.
Molybdic acid; H_2MoO_4 .
T as mothproofing agent. 327P, 329P, 336P, 1176.
1341.
Nitric acid; HNO_3 . (Azotic acid; acidum nitricum; aqua fortis; hydrogen nitrate; hydrogenii nitras).
T as mothproofing agent; NT wireworms, tobacco worm moth, and NT clothes moth (739). 175, 327P, 335P, 553, 660, 739, 1176, 1396.
1350.
Oxygen; O_2 .
NT *Chrysomphalus aurantii* and housefly larvae. 268, 1012.
1350.
Ozone; O_3 .
Fumigant against flour weevil. 1144.
1351.
Hydrogen peroxide; H_2O_2 .
T as mothproofing agent. 278P, 279P, 865P, 1175.
1356.
Phosphoric acid; H_3PO_4 .
T as mothproofing agent; NT wireworms. 690, 867P, 1175, 1396.
1362.
Phosphina; PH_3 .
T various insects; NT red scale. 268, 830A.
1367.
Phosphomolybdic acid; $H_3Mo_{12}O_{40} \cdot 29H_2O$.
T as mothproofing agent. 338P, 867P, 1175, 1176.
1368.
Phosphotungstic acid; $H_3PW_{12}O_{40} \cdot 14H_2O$. (Phospho-wolframio acid).
T as mothproofing agent. 327P, 329P, 335P, 339P, 867P, 1175, 1176.
1376.
Selenic acid; H_2SeO_4 .
T as mothproofing agent. 410P, 679P, 1175, 1359P.
1378.
Hydrogen selenide; H_2Se .
T mites. 725.
1390.
Selenious acid; H_2SeO_3 .
T as mothproofing agent. 410P, 423P, 429P, 679P, 1175, 1359P, 1391P.
1384.
Silicic acid, colloidal.
T as mothproofing agent. 327P, 329P, 336P, 1176.
1388.
Stannic acid; H_2SnO_4 ?
T as mothproofing agent; NT clothes moth (739). 327P, 329P, 336P, 739, 1176.
1399.
Sulphuric acid; H_2SO_4 . (Hydrogen sulphate; oil of vitriol).
T as mothproofing agent; NT tobacco worm moth, wireworms, grasshoppers, and NT clothes moth (739, 985). 175, 245P, 327P, 331P, 332P, 334P, 335P, 336P, 337P, 339P, 464P, 503, 553, 623, 660, 739, 867P, 938P, 938P, 985, 1175, 1176, 1396.
1392.
Hydrogen sulfide; H_2S .
T *Chrysomphalus aurantii*. 268.
1394.
Hydrosulphite, CU.
T as mothproofing agent. 1026, 1175, 1176, 1298P.
1405.
Thiocyanic acid; $HSCN$.
T as mothproofing agent. 867P, 1175.
1405.
Thiocyanogen; $(SCN)_2$.
90% T *Carpocapsa pomonella* larvae, T mosquito larvae, and *Piesma quadrata*. 487, 1291, 1473P.
1416.
Titanic acid; $Ti(OH)_4 \cdot XH_2O$.
T as mothproofing agent. 329P, 336P, 1176.
1420.
Tungstic acid; H_2WO_4 . (Orthotungstic acid; wolframio acid).
T as mothproofing agent; NT clothes moth (739). 327P, 329P, 336P, 739, 1176.
1426.
Uranic acid; H_2UO_4 .
T as mothproofing agent. 327P, 329P, 336P, 1176.



CONDENSATION PRODUCTS

Acetic acid, thiocyanato-, ester of a formaldehyde-allo-oimene. (Thiocyanacetate of an alcohol which is the product of a condensation of formaldehyde with allo-oimene).

Fly spray. 98P, 112.

Acetic acid, thiocyanato-, ester of a formaldehyde-pinene. (Thiocyanacetate of an alcohol which is the product of condensation of formaldehyde with pinene).

Fly spray. 98P, 112.

Acetic acid, thiocyanato-, ester of a hydrogenated formaldehyde-dipentene. (Thiocyanacetate of an alcohol which is the hydrogenated product of condensation of formaldehyde with dipentene).

Fly spray. 98P, 112.

Acetic acid, thiocyanato-, ester of reduced allo-oimene-crotonaldehyde.

Fly spray. 98P, 112.

Acetophenone, α -bromo-, with alkali thiocyanate. 1178, 1248P.

Acetophenone, α -bromo- p -chloro-, with alkali metal thiocyanate. 1178, 1248P.

Acetophenone, α -bromo-3,4-dihydroxy-, with alkali metal thiocyanate. 1178, 1248P.

Alcohol, monohydric aliphatic, with alkali metal sulfates. 1283P.

Amines, amyl-, with a dihalogenated pentane. 1492P.

Anisole, 2-amino-, diazotized. 369P.

Anthracene, amino-, with hydrofluosilicic acid. 1225P.

Benzaldehyde, p -chloro-, with 5-chloro- o -cresol. 1179, 1456P.

Benzenesulfonic acid, 4-chloro-2-formyl-, with p -chlorophenol. 451P, 1179.

Benzenesulfonic acid, 5-chloro-2-formyl-, with chlorophenol. 451P, 1179.

Benzenesulfonic acid, chloro- o -formyl-, with p -chlorophenol.

T as mothproofing agent. 443P, 1179.

Benzenesulfonic acid, chloro- o -formyl-, with chlorophenol.

T as mothproofing agent. 443P, 1179.

Benzenesulfonic acid, o -formyl-, chlorinated, with 2,4-dichlorophenol.

T as mothproofing agent. 443P, 1179.

Benzenesulfonic acid, o -formyl-, with 5-chloro- o -cresol. T as mothproofing agent. 443P, 1179, 1459P.

Benzenesulfonic acid, o -formyl-, with 6-chloro-2-cresol. T as mothproofing agent. 438P, 1179, 1459P.

Benzenesulfonic acid, o -formyl-, with p -cresol. T as mothproofing agent. 426P, 438P, 1179.

Benzenesulfonic acid, p -formyl-, with a cresol. T as mothproofing agent. 1179, 1454P.

Benzenesulfonic acid, o -formyl-, with m -chlorophenol. T as mothproofing agent. 1179, 1459P.

Benzenesulfonic acid, o -formyl-, with m -chlorophenol. T as mothproofing agent. 1179, 1459P.

Benzenesulfonic acid, o -formyl-, with p -chlorophenol, brominated.

T as mothproofing agent. 455P, 1179.

Benzenesulfonic acid, p -formyl-, with 4,6-dichloro- o -cresol.

T as mothproofing agent. 439P, 1179.

Benzenesulfonic acid, o -formyl-, with a hydroxynaphthoxy aliphatic or cycloaliphatic alcohol.

T as mothproofing agent. 447P, 1179.

Benzenesulfonic acid, o -formyl-, with a hydroxyphenoxy aliphatic or cycloaliphatic alcohol.

T as mothproofing agent. 447P, 1179.

Benzenesulfonic acid, p -formyl-, sodium salt, with m - and p -cresols.

T as mothproofing agent. 439P, 449P, 1179, 1454P.

Benzenesulfonic acid, o -formyl-, sodium salt, with m -chlorophenol.

T as mothproofing agent. 448P, 1179.

Benzenesulfonic acid, o -formyl-, sodium salt, with 2,5-dihromophenol.

T as mothproofing agent. 448P, 1179, 1459P.

Benzenesulfonic acid, o -formyl-, sodium salt, with 2,5-dichlorophenol.

T as mothproofing agent. 448P, 1179, 1459P.

Benzoic acid, 2-hromoacetyl-, with an alkali thiocyanate. 1178, 1248P.

Benzyl alcohol, 3,5-dichloro-2-hydroxy-, with p -chlorophenol; sulfonated.

T as mothproofing agent. 444P, 1179.

Biphenyl-, amino-, with hydrofluosilicic acid. 1225P.

Buret, substituted.

T as mothproofing agent. 1013P.

Boron trifluoride, with ketones.

T as mothproofing agent. 1179, 1243P.

1,3-Butadiene, 2,2-dimethyl-7 with NH_3 , etc. (Methylisoprene, with NH_3 , etc.). 373P.

2-Butanone, 1,1-dichloro-, with alkali metal thiocyanate. (α,α -Dichloromethylethyl ketone, with alkali metal thiocyanate). 1178, 1248P.

2-Butanone, 1,3-dichloro-, with sodium thiocyanate, CU. 1178, 1248P.

2-Butanone, 1,4-dichloro-, with alkali metal thiocyanate. (α,β -Dichloromethylethyl ketone, with alkali metal thiocyanate). 1178, 1248P.

n -Butyric acid, α -thiocyanato-, ester of allo-oimene-formaldehyde alcohol. (α -Thiocyano- n -butyrate of the allo-oimene formaldehyde alcohol).

Fly spray. 112.

Butyric acid, α -thiocyanato-, ester of a hydrogenated formaldehyde-dipentene. (α -Thiocyanobutyrate of an alcohol which is the hydrogenated product of condensation of formaldehyde with dipentene).

Fly spray. 98P, 112.

Butyric acid, thiocyanato-, ester of reduced allo-oimene crotonaldehyde.

Fly spray. 98P, 112.

Camphor, chloro-, with alkali metal thiocyanate. 1178, 1248P.

Chloral, with phenol.

T as mothproofing agent. 458P, 1179.

Condensation products, unspecified.

T as mothproofing agent. 405P, 410P, 436P, 1175, 1362P, 1393P.

Copper arsenate complex. 274P.

o -Cresol, 3-chloro-, with formaldehyde. (1-Methyl-2-hydroxy-6-chlorobenzene, with formaldehyde).

T as mothproofing agent. 448P, 1179.

o -Cresol, 5-chloro-, with formaldehyde. T as mothproofing agent. 448P, 1179.

o -Cresol, 6-chloro-, with formaldehyde. T as mothproofing agent. 438P, 1179, 1459P.

p -Cresol, with formaldehyde.

T as mothproofing agent. 438P, 1179.

p -Cresol, 2,6-bis(hydroxymethyl)-, with 4-chloro-1-naphthol.

T as mothproofing agent. 454P, 1179.

Cyclohexanone, bromomethyl-, with alkali thiocyanate. 1178, 1248P.

Cyclohexanone, dichloro-, CU, with alkali metal thiocyanate. 1178, 1248P.

Ether, chloroethyl-, with N,N -alkyl-acyl-cyclohexylamine.

Fly spray. 112, 147P.

Ethylenediamine, with furfural. 291P.

Granulines, substituted.

T as mothproofing agents. 1013P.

Polyglycerol, with monohasic aliphatic acids and cycloaliphatic acids.

Fly spray. 112, 147P.

Istin sulfonic acid, with phenols and their homologs.

T as mothproofing agent. 532P, 1179.

- Isatin sulfonic acid, *N*-benzyl-, with amylphenol. 527P.
Isatin sulfonic acid, *N*-benzyl-, with 6-chloro-*m*-cresol. 527P.
Isatin sulfonic acid, *N*-benzyl-, with thymol. 527P.
Isatin sulfonic acid, *N*-(*o*-chlorobenzyl)-, with 6-chloro-*m*-cresol. 527P.
Isatin sulfonic acid, *N*-(*o*-chlorobenzyl)-, with thymol. 527P.
Isatin-5-sulfonic acid, with amyl-*o*-chlorophenol. 527P.
Isatin-5-sulfonic acid, with amylcresol.
T as mothproofing agent. 532P, 538P, 1179.
Isatin-5-sulfonic acid, with amylphenol.
T as mothproofing agent. 532P, 1179.
Isatin-5-sulfonic acid, with *tert*-amylphenol.
T as mothproofing agent. 539P, 1179.
Isatin-5-sulfonic acid, with 6-chloro-*m*-cresol.
T as mothproofing agent. 532P, 537P, 1179.
Isatin-5-sulfonic acid, with *p*-chlorophenol.
T as mothproofing agent. 532P, 535P, 1179.
Isatin-5-sulfonic acid, with 2,4-dichlorophenol.
T as mothproofing agent. 73P, 532P, 536P, 1179.
Isatin-5-sulfonic acid, with thymol.
T as mothproofing agent. 532P, 534P, 1179.
Isatin-5-sulfonic acid, 6-chloro-, with *p*-chlorophenol. 72P, 527P.
Isatin-5-sulfonic acid, *N*-hydroxyethyl-, with amylcresol. 527P.
Isatin-5-sulfonic acid, *N*-hydroxyethyl-, with 6-chloro-*m*-cresol. 527P.
Ketone, isovaleryl-, bromo-, with alkali thiocyanate, CU. 1178, 1248P.
Linoleic acid, selenium tetrachloride compound.
T as mothproofing agent. 429P, 1178.
Mesityl oxide, trichloro-, with alkali metal thiocyanate. 1178, 1248P.
Mesityl oxide, trichloro-, 5-bromo-, with alkali metal thiocyanate. 1178, 1248P.
Morpholine, with a phenol and formaldehyde. 142P.
Morpholine, with chinawood oil fatty acids, CU.
Fly spray, 112, 1224P.
Morpholine, with soybean oil fatty acids, CU.
Fly spray, 112, 1224P.
Naphthalene, amino-, with hydrofluosilicic acid. 1225P.
2-Naphthol, with chromium oxide and formaldehyde. 178P, 1432.
2-Naphthol, with formaldehyde and mercury oxide. 178P, 1432.
Naphthol, formyl-, with *p*-chlorophenol.
T as mothproofing agent. 458P, 1179.
2-Pentanone, dichloro-4-hydroxy-4-methyl-, with alkali thiocyanate, CU. 1178, 1248P.
2-Pentanone, 4-hydroxy-4-methyl-, with alkali metal thiocyanate. (Dichlorodiacetonealcohol, with alkali metal thiocyanate). 1178, 1248P.
Phenol, with formaldehyde and urea. (Phenol or a substitution product or homologue thereof with formaldehyde and urea and subsequent sulphonation of the resinous intermediate product in presence of phenol or a substitution product or homologue thereof).
T as mothproofing agent. 531P, 533P, 1179.
Phenol, *p*-bromo-, with acetaldehyde.
T *Anthrenus vorax* and *Dermeestes* on textiles. 469P, 1176.
Phenol, *p*-bromo-, with aldehydes.
T as mothproofing agent. 458P, 1179.
Phenol, *p*-chloro-, with acetaldehyde.
T *Anthrenus vorax* and *Dermeestes* on textiles. 469P, 1176.
Phenol, *p*-chloro- or its substitution products, with an aldehyde.
T as mothproofing agent. 458P, 1179.
Phenol, *p*-chloro-, with formaldehyde; sulfonated.
T as mothproofing agent. 444P, 452P, 1179.
Phenol, chloro-, with formaldehyde and urea, sulfonated. (3 Per cent of sulphuric acid and 3 per cent of a sulphonic acid obtained by condensing commercial chlorophenol, urea, and formaldehyde).
T as mothproofing agent. 531P, 1179.
Phenol, 4-chloro-2,6-bis(hydroxymethyl)-, with *p*-cresol.
T as mothproofing agent. 453P, 1179.
Phenol, 4-chloro-2,4-bis(hydroxymethyl)-, with 2-naphthol.
T as mothproofing agent. 453P, 1179.
Phenol, 2,5-dibromo-, with formaldehyde.
T as mothproofing agent. 448P, 1179.
Phenolsulfonic acids, with formaldehyde, substituted. (Hydroxydiarylsulfonic acids). 83P.
Phenolsulfonic acid, chloro-, with benzaldehyde, sulfonated.
T as mothproofing agent. 444P, 452P, 1179.
Phosgene, chlorinated, with alkali metal thiocyanate. 1178, 1248P.
Phosphine oxide, triaryl-, with phenol.
T as mothproofing agent. 441P, 1179.
Phosphine oxide, triphenyl-, with *p*-hydroxybenzaldehyde.
T as mothproofing agent. 441P, 1179.
Piperidine, 2-methyl-, with carbon disulphide.
75% T aphids. 1178, 1405P.
2-Propanone, 1-chloro-, with KSCN. 1178, 1248P.
Propionic acid, α -thiocyano-, ester of a formaldehyde-alloimene. (α -Thiocyanopropionate of an alcohol which is the product of condensation of formaldehyde with allo-oimene).
Fly spray. 99P, 112.
Propionic acid, α -thiocyano-, ester of a formaldehyde-pinene. (α -Thiocyanopropionate of an alcohol which is the product of condensation of formaldehyde with pinene).
Fly spray. 99P, 112.
Propionic acid, thiocyano-, ester of a formaldehyde-dipentene. (Thiocyanopropionate of an alcohol which is the product of condensation of formaldehyde with dipentene).
Fly spray. 99P, 112.
Propionic acid, thiocyano-, ester of reduced allo-oimene crotonaldehyde.
Fly spray. 98P, 112.
Pyrazolone, chloro-, with alkali thiocyanate, CU. 1178, 1248P.
Thiocyanosacyl esters of reduced allo-oimene-crotonaldehyde.
Fly spray. 98P, 112.
Thiocyanosacyl esters of terpene-formaldehyde.
Fly spray. 99P, 112.
 α -Toluenesulfonic acid, dichloro-, with 2-naphthol. (β -Naphthol and dichloro-benzyl- α -sulphonic acid).
T as mothproofing agent. 1179, 1394P.
Toluene, α ,2,4,5-tetrachloro-, with *p*-chlorophenol, brominated.
T as mothproofing agent. 455P, 1179.
Toluene, α ,*ar*-tetrachloro-, with 2-naphthol, etc. (β -Naphthol and trichlorobenzylchloride or another ester or ether of trichlorobenzyl alcohol in concentrated sulphuric acid with the addition of chlorosulphonic acid).
T as mothproofing agent. 1179, 1394P.
2-Toluidine, 5-chloro-, diazotized, with aminomethylsulfurous acid. 375P.
2-Toluidine, 5-chloro-, diazotized, with iminodimethyl sulfurous acid. 375P.
2-Toluidine, 5-chloro-, diazotized, with hexahydroaniline and acetaldehydebisulfite. 375P.
2-Toluidine, 6-chloro-, diazotized, with methylaminoacetaldehydebisulfite. 375P.
2-Toluidine, 5-nitro-, diazotized, with methylaminocethyl sulfurous acid. 375P.
Toluidine, 4-chloro-, diazotized, with methylaminomethyl sulfurous acid. 375P.
Toluidine, anilino-, diazotized, with methylamino-methyl sulfurous acid. 375P.
Urea, substituted.
T as mothproofing agent. 1013P.
Ureas, guanyl-, substituted.
T as mothproofing agents. 1013P.

MISCELLANEOUS INSECTICIDES

- Acetals. (Derived from an aldehyde having from 1 to 7 carbon atoms and an alcohol which contains a thiocyanogroup and an ether oxygen atom). 710P.
- Acetic acid, thiocyan-, esters of n-aryl ethers of β -pinene.
- Fly spray. 92P, 112.
- Acetic acid, thiocyan-, terpinylethylene glycol ester.
- Fly spray. 112, 652P.
- Acetic acid, thiocyan-, terpinylethylene glycol ester. (Thiocyanacetate of terpinyl glycerol ether).
- Fly spray. 112, 652P.
- Aceto ana amidoquinoline.
- NT *Pieris rapae*. 635.
- Aconitine sulphate, (exact constitution not determined. (Alkaloid of *Aconitum napellus* Linn., (monkshead))).
- T *Aphis rumicis*. 1152.
- Acylated 4-aminoarylsulfonyl halides. 783P.
- Air.
- T as mothproofing agent. 585P, 1179.
- Albumin, egg.
- Mothproofing agent. 757P, 1179.
- Alizarine saffrol SE.
- T as mothproofing agent. 412P, 461P, 468P, 1175, 1176, 1356P.
- Alkaloids from lupinus, (especially *L. albus angustifolius*, *luteus*, *niger*, and *perennis*) seeds.
- T as mothproofing agent. 1176, 1261P.
- Alkoxy carboxylic esters. 997P.
- Alkoxy compounds. 590P.
- Aloin. (Barbaloin; mixture of crystalline pentosides from aloe).
- NT clothes moths. 739, 1176.
- Ammonium chloride, dipyrindine ethylene.
- MT *Aphis rumicis*. 1151.
- Anthracene. (Anthracene oil, anthracin, paranaphthalene).
- T as mothproofing agent; NT clothes moths (739). 331P, 739, 1176.
- Anthracene pitch sulphonic acids.
- T clothes moths and as aphicide, 372P, 1175.
- Ariabotrine.
- NT aphids. 1143.
- Beef extract.
- NT *Culex pipiens*. 1012.
- Bentonite.
- T as mothproofing agent; ST spotted cucumber beetle. 756P, 1147, 1175.
- Benzimidazole, 2-(D-glucosyl-D-glucosylhexahydroxyhexyl)-.
- NT *Culex quinquefasciatus*. 157.
- Benzine, see gasoline.
- Bile salts.
- T as mothproofing agent. 585P, 1179.
- Bi-pseudo-cumenyl?
- T as mothproofing agent. 1175, 1461P.
- Bordaux mixture, see copper sulfates, basic, 1142-1350-1359.
- Bran decoction.
- T Mediterranean fruit fly. 153A.
- $C_{10}H_{16}O$. (A compound crystallized from benzene in large crystals, melting at 114-115° C. and obtainable as a by-product in the manufacture of thymol from meta-cresol.) 1430P.
- Cantharidin. 1264P.
- Casein.
- T as mothproofing and mildewproofing agents; attractant for *Culex pipiens*. 756P, 758P, 1012, 1175, 1176.
- Cellulose.
- T as mothproofing agent. 953P, 1179.
- Cellulose, acetylated.
- T as mothproofing agent. 953P, 1179, 1395P.
- Cellulose xanthate, sodium salt.
- T as mothproofing agent. 953P, 1179.
- Civet.
- ST cutworms. 1012.
- Chlorophenol mercury.
- T *Sitotroga cerealella*. 718.
- Clay, China.
- 100% T *Calandra granaria*. 541.
- Clay, China, sulfonic acid. 838P, 1432.
- Clay, liquid, paste.
- T *Hylobius abietis*. 944A.
- Colloidion.
- T as mothproofing agent. 953P, 1179.
- Corn syrup.
- ST cutworms. 1012.
- Cottonseed oil acids, chlorinated, cerium salts of.
- T as mothproofing agent. 780P, 781P, 782P, 1176.
- Cottrell dust. 1302.
- Cresidine.
- T screwworms at 0.33-0.67%. 156.
- Cresote, coal-tar.
- T as mothproofing agent. 842P, 1024, 1176, 1179, 1367P.
- Cresote, wood-tar.
- T as mothproofing agent. 1176, 1179, 1213AP, 1490P.
- Curare.
- T *Aphis rumicis*. 1152.
- Diphenols, substituted. 228P.
- Fats.
- T as mothproofing agent. 1137P, 1175.
- Flint, ground.
- NT cockroaches. 1208.
- Flour paste.
- T red spider and young hop aphids; ST mature hop aphids. 1080B.
- Flour, wheat.
- NT cockroaches. 922, 1208.
- Fluocilicates of crude coal tar bases. 1225P.
- Fuller's earth.
- NT cockroaches. 1208.
- Gall. 512P.
- Gas, illuminating.
- NT greenhouse insects. 1041.
- Gasoline. (Petrol; benzine; motor spirit; petroleum naphtha).
- T ticks and as mothproofing agent; ST *Chrysomphalus aurantii*; NT clothes moths (66). 5P, 26, 42, 66, 192P, 268, 464P, 474P, 739, 926P, 927P, 1024, 1030P, 1077, 1167P, 1175, 1179, 1268, 1282P, 1310, 1341P.
- Glucose derivatives, methylglycoside. 254P.
- Gum arabic.
- ST Oriental peach moth. 1094.
- Haloalkoxyhydroxy compounds.
- T as fly spray. 229P.
- Haloamines. 1200P.
- Haloaromatic compound. 148P, 149P, 150P.
- Haloarboxylic amides. 771P.
- Hemitol.
- NT Oriental peach moth. 508.
- Hydroxyamines. 316P.
- Kaolin.
- ST spotted cucumber beetle and tent caterpillar. 119, 1147.
- Kerosene ointment. (Kerosene plus lard and/or sulfur).
- T poultry lice. 247.
- Kerosene. (Astral oil; coal oil; paraffin oil).
- T chiggers, bedbugs, flies, mosquitoes, and many other insects; T as mothproofing agent; NT clothes moths (66). 29, 42, 66, 69P, 548, 745P, 1010A, 1024, 1025, 1176, 1298.
- Ketones. 792P.

- Kieselguhr.
T as mothproofing agent. 397P, 432P, 871P, 1175, 1179.
- Lactic green.
T Colorado potato beetle. 285.
- Leather. (Russian leather).
T as mothproofing agent. 1077, 1176.
- Musk, artificial.
ST cutworms. 1012.
- Naphthenic acids, copper salts. (Copper naphthenate).
T Colorado potato and Mexican bean beetles. 606.
- Naphthenic acids, potassium salts. (Potassium naphthenate).
ST coccids on citrus. 738A.
- Naphthenic acids, sodium salts. (Sodium naphthenate).
ST coccids on citrus. 738A.
- Naphthenic acid, thiocyno-, bornyl esters.
Fly spray. 101P, 112.
- Naphthenic acid, thiocyno-, fenchyl esters.
Fly spray. 101P, 112.
- Naphthenic acid, thiocyno-, isobornyl esters.
Fly spray. 101P, 112.
- Naphthenic acid, thiocyno-, pinene esters.
Fly spray. 101P, 112.
- Naphthenic acid, thiocyno-, terpinyl esters.
Fly spray. 101P, 112.
- Nitrophenol mercury.
T *Sitotroga cerealella*. 718.
- Numoquin hydrochloride.
NT *Tineola biselliella* and *Attagenus piceus*. 739.
- Oil, castor, sulfonated.
ST red spider. 990, 1086, 1157, 1432, 1452.
- Oil, coal tar, chlorinated.
T bedbugs. 1268.
- Oil, croton.
T *Randotis meniana*. 500A.
- Oil, Dippel's. (Distilled from bones).
T Oriental peach moth. 861.
- Oil, fuel.
T powder post beetles, termites, and surface-breathing species of mosquito larvae. 26.
- Oils, hydrocarbon.
T as mothproofing agent. 842P, 843P, 1024, 1176.
- Oils, from Jurassic shale of Rugby. 180.
- Oil, lubricating.
Mixed with kerosene-pyrethrum, it will keep out flies known as eye gnats, when painted on window screens;
T as mothproofing agent. 26, 278P, 1175.
- Oil, mineral. 26, 1062, 1063, 1130, 1330.
- Oil, paraffin.
NT tobacco worm moths. 553.
- Oil, naphthenic base petroleum.
ST *Aphis rumicis*. 1151.
- Oil, sperm.
T as carrier. 558A.
- Oil of tar.
NT *Culex pipiens*. 1012.
- Orcein, (exact constitution indefinite).
NT mosquito larvae. 487.
- Organic base, compounds with mercury selenocyanide. 321P.
- Paint, luminous.
T *Ceratitis capitata*. 32D.
- Petrol, see gasoline.
- Petrolatum.
T *Phenacoccus gossypii*; T as mothproofing agent. 265, 756P, 1175.
- Petroleum naphtha, see gasoline.
- Petroleum sulfonates. 1446.
- Phosphine GN.
NT clothes moths. 739, 1176.
- Phosphine RN.
NT clothes moths. 739, 1176.
- Plaster, carbolicized.
T plum euclid and codling moth. 247.
- Propionic acid, thiocyno-, terpinylethylene glycol ester.
Fly spray. 92P, 112.
- Pyroligneous acid.
T *Epitrix parvula*. 1012.
- Quassin.
T aphids and as mothproofing agent. 1080B, 1179, 1282P.
- Rare earth elements, acetates of.
T clothes moths. 767P, 1179.
- Rare earth elements, salts of.
T clothes moths. 756P, 1175.
- Resin acid, cerium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175, 1176.
- Resin acid, copper salts. (Copper resinates).
ST *Malacosoma americana*. 119.
- Resin acid, didymium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, lanthanum salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, lead salts. (Lead resinate).
ST *Malacosoma americana* at 0.1%. 119.
- Resin acid, mercury salt. (Mercury resinate).
NT *Malacosoma americana* at 0.1%. 119.
- Resin acid, sodium salt. (Sodium resinate).
T as mothproofing agent. 833P, 1175.
- Resin acid, thallium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, thorium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, titanium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, uranium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resin acid, zinc salts. (Zinc resinate).
NT *Malacosoma americana* at 0.1%. 119.
- Resin acid, zirconium salts.
T as mothproofing agent. 780P, 781P, 782P, 1137P, 1175.
- Resins.
T as mothproofing agent. 1137P, 1175.
- Road dust.
- NT cockroaches. 1268.
- Rosin.
T termites. 1179, 1268, 1367P.
- Saponins.
T as mothproofing agent. 585P, 1175, 1176, 1179, 1257P, 1258P, 1260P, 1261P, 1280.
- Silk, artificial.
T as mothproofing agent. 953P, 1179.
- Soaps, alkaline earth.
T as mothproofing agent. 103P, 1179.
- Soap, aluminum.
T as mothproofing agent; NT clothes moths (739). 103P, 739, 1176, 1179.
- Soap, ammonium sulfon-. 53, 54, 1432.
- Soap, barium.
T as mothproofing agent. 103P, 1179.
- Soap, benzene.
T as mothproofing agent. 1167P, 1176.
- Soap, cadmium.
T as mothproofing agent. 103P, 1179.
- Soap, calcium.
T as mothproofing agent. 103P, 1179.
- Soap, castor oil.
T various aphids. 1444A.
- Soap, chromium.
T as mothproofing agent. 103P, 1179.
- Soap, cottonseed oil.
T various aphids. 1444A.
- Soap, curd.
T gnats. 1048P, 1179.
- Soap, green.
T as mothproofing agent. 807P, 1179.
- Soap, linseed oil.
T various aphids. 1444A.
- Soap, magnesium.
T as mothproofing agent. 103P, 1179.
- Soap, mercury.
T as mothproofing agent. 103P, 1179.
- Soap, olein.
T various aphids. 1444A.
- Soap, olive oil.
T as mothproofing agent. 1048P, 1179.
- Soap, palm oil.
T various aphids. 1444A.
- Soap, potash.
T as mothproofing agent. 1038P, 1176.

- Soap, rosin.
T various aphids. 1444A.
- Soap, seal fat.
T various aphids. 1444A.
- Soap, sodium dolphin-bubber.
ST coccids on citrus. 738A.
- Soap, sodium sulfo-.
Efficient spreading agent. 53, 1432.
- Soap, suet.
T various aphids. 1444A.
- Soap, tar.
T as mothproofing agent. 176P, 1175.
- Soap, strontium.
T as mothproofing agent. 103P, 1179.
- Soap, thallium.
T as mothproofing agent. 103P, 1179.
- Soap, thorium.
T as mothproofing agent. 103P, 1179.
- Soap, titanium.
T as mothproofing agent. 103P, 1179.
- Soap, uranium.
T as mothproofing agent. 103P, 1179.
- Soap, whale oil.
T various aphids. 1444A.
- Soap, zinc.
T as mothproofing agent. 103P, 1179.
- Soap, zirconium.
T as mothproofing agent. 103P, 1179.
- Spermaceti. 583A.
- Sulfogene brown.
73% T codling moth larvae. 1291.
Sulphogene carbon 2-brom. Schultz #1078.
83% T codling moth larvae; NT mosquito larvae. 487, 1291.
- Sulphogene golden brown G. Schultz #1058.
94% T codling moth larvae; NT mosquito larvae. 487, 1291.
- Sulfogene yellow.
82% T codling moth larvae. 1291.
- Sulphogene yellow D. Schultz #1064.
NT mosquito larvae. 487.
- Sulfonaphthene acids.
Used for cotton plants. 8, 1432.
- Sulfonated diamine.
T Mexican bean beetle and cotton leaf worm. 722P.
- Sulfonephthalide, chloro-.
T as mothproofing agent. 417P, 1175.
- Sulfonic acids, alkyl-. 70P, 746P.
- Sulfonic acids, montanic acid esters. 358P, 1178.
- Sulphur brown R. extra.
NT mosquito larvae. 487.
- Talcum. (Talkum; talk; talc).
100% T *Calandra granaria*; T as mothproofing agent. 394P, 395P, 397P, 432P, 467P, 541, 643P, 867P, 922, 1175, 1178, 1259P.
- Tannin. (Probably penta-digalloyl glucose). (Digallie acid; "Gallapfelgerbsäure"; gallotannic acid; tannic acid).
T as mothproofing agent; NT *Sitotroga panicea*; NT clothes moths (739). 77P, 739, 750, 1036P, 1178.
- Tar.
T as mothproofing agent; NT wireworms. 1176, 1261P, 1310, 1396, 1469P, 1258P.
- Tar, settled wood.
NT *Melanoplus m. mexicanus*. 1150.
- Tartar.
T as mothproofing agent. 1133P, 1179.
- Terebene, (mixture of terpene hydrocarbons).
T *Aphis rumicis*. 1152.
- Tetralon.
NT *Tineola bisellella* and *Attacus piccus*. 739.
- Thioammeline, polyethers of. 145P.
- Thiocumazone.
100% T mosquito larvae. 172.
- Thiocyanate with the formula Co(CNS)CHN (as given by author).
NT *Pieris rapae*. 635.
- Thiocyanate with the formula Cu(CNS)CHN (as given by author).
NT *Pieris rapae*. 635.
- Thiocyanate with the formula Ni(CNS)CHN (as given by author).
NT *Pieris rapae*. 635.
- Thiocyanate with the formula Zn(CNS)CHN (as given by author).
NT *Pieris rapae*. 635.
- Thiocyanate, triethyl lead aceto.
T many insects as spray. 161P.
- Thiocyanocylate, hydroterpinyl ester.
Fly spray. 91P, 112.
- Thiocyanocylate, terpene esters.
Fly spray. 97P, 112.
- Thiocyanocyl terpene esters.
Fly spray. 92P, 112, 652P.
- Thiocyanocyl terpinyl ester.
Fly spray. 96P, 112.
- Thiocyano organic acid, terpenol ester.
Fly spray. 95P, 112.
- Thiocyano compounds.
Fly spray. 112, 235P, 1032P.
- Thioethers. (Organic sulfides). 1140P, 1432.
- Thyroxine (with $Cu_2(AsO_4)_2$). 1262P.
- Tin compound. 361P.
- Trithiodiphenylamine.
NT adult Mexican bean beetles. 608.
- 8-Truxene.
86% T codling moths. 1291.
- Turpentine. (Spirits of turpentine; oil of turpentine; terpeninol).
T bedbugs and as mothproofing agent. 69P, 1077, 1138P, 1175, 1178, 1258P, 1261P, 1268.
- Urine, stale.
T *Aegeria exotosa*. 1012.
- Varnish.
T as mothproofing agent. 1138P, 1175.
- Veratrin (exact constitution indefinite). (Cevadin).
T codling moth larvae; NT Japanese beetles. 915, 1095.
- Vinegar.
T cutworms. 1012.
- Viscose.
T as mothproofing agent. 653P, 1179.
- Vusin hydrochloride, (exact constitution indefinite). (Iso-octyl-hydro-cupreine-dihydrochloride; vuzin bi-hydrochloride).
NT clothes moths. 739, 112.
- Waxes.
T as mothproofing agent. 1137P, 1175, 1176, 1469P.
- Wax, bees.
T as carrier. 553A.
- Wax, paraffin.
T as carrier. 553A, 992.
- White spirit.
T as mothproofing agent. 781P, 1178.
- Wood distillates.
T as mothproofing agent. 1175, 1213AP.
- Wool-fat emulsion.
T *Calandra granaria*. 815A.
- Yeast cake.
T *Lasioderma serricornis*. 1012.
- Ziderite.
T *Epilachna corrupta*. 896A.

REFERENCES and AUTHOR INDEX

- Arranged in Numerical Order and Alphabetically
by Authors
- (The number preceding each citation is the reference number: AIP=Australian Patent; AP=Austrian Patent; BeP=Belgian Patent; BP=British Patent; CP=Canadian Patent; DP=Dutch Patent; FP=French Patent; GP=German Patent; HP=Hungarian Patent; JP=Japanese Patent; RP=Russian Patent; SeP=Swedish Patent; SP=Swiss Patent; USP=United States Patent.)
- ABGOTT, W. S. See SCOTT, E. W.
- ACREK, F., Jr. See VIVIAN, D. L.
- Actien-Gesellschaft für Anilin-Fabrikation.
1. BP 19,688 (1912).
 2. BP 10,379 (1914).
 3. GP 258,405 (1913).
- ADAMS, ELMER W.
4. USP 2,000,004 (1935).
 5. CP 338,896 (1934).
- ADAMTAN, L. K.
6. Neft 7 (12): 28 (1936).
- ALEXANDERSON, N. A.
10. SeP 60,110 (1926).
- ALGARD, G.
11. SeP 80,538 (1934).
- ALLEN, C. C.
12. USP 2,259,869 (1941).
- ALLEN, W. W. See MILLS, LINDLEY E.
13. Private Communication (1944).
- ALLISON, JOHN R. See McBETH, IRA G.
- ALQUIST, FRANCIS N. See SLAGE, HAROLD.
14. USP 2,221,771 (1940).
- ALVORD, EARL B.
18. USP 1,962,109 (1934).
- ANDERSON, H. H., DAVID, N. A., and KOCH, D. A.
20. Soc. Exptl. Biol. Med. 28: 484-5 (1931).
- ANDERSON, LAUREN D. See WALKER, HARRY G.
- ANDRE, F., and FRATT, P. E.
24. Iowa State Coll. J. Sci. 10: 243 (1936).
- ANONYMOUS.
26. U.S.D.A. Bur. Entomol. and Plant Quar., Circ. 21 (1941).
 27. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-516 (1940).
 28. Lancet London 190: 39 (1916).
 30. Textile World 67: 55 (1925).
 31. Ind. Chem. 3: 477 (1927).
 32. Pharm. J. 119: 580-1 (1927).
 - 32A. Oil, Paint Drug Reprtr. Aug. 11, 1930, p. 30.
 - 32B. Oil, Paint Drug Reprtr. June 30, 1930, p. 49.
 - 32D. Queensland Agr. J. 6: 188 (1916).
 - 32E. USP 2,304,230 (1940).
- Armour and Company.
36. BP 467,044 (1937).
- Ata A.-G.
37. SP 101,949 (1923).
- AUSTIN, PAUL R., and SALZBERG, PAUL L.
38. USP 2,097,435 (1937).
- AVERY, GEORGE S.
39. USP 2,305,593 (1942).
- AYLSWORTH, JONAS W.
40. USP 1,035,783 (1914).
- BACK, E. A. See NEIFERT, I. E.
42. U.S.D.A. Farmers' Bull. 1353 (1923).
 - 42A. Proc. Entomol. Soc. Wash. 39: 269-81 (1937).
- and COTTON, R. T.
43. Furniture Warehouseman 8: 800-7 (1927).
 44. Furniture Manufacturer 35: 35-8 (1928).
 45. U.S.D.A. Yearbook 1927: 465-7 (1928).

- BACKER, PETER. See HARDTMANN, MAX; HENTRICH, WINFRIED.
- BACOT, A. M. See HENDRICKS, S. B.
- BACOT, A. W.
47. Proc. Roy. Soc. Med. (Sect. Epidemiol. State Med.) 10: 61-94 (1917).
- BAGLEY, JAMES L. See WILLIAMSON, AUDREY C.
- BAKE, LOUIS S. See TISDALE, WENDRELL H.
- BAKER, F. E. See FLEMING, W. E.
- BAKER, W. C. See O'KANE, W. C.
- BANKS, H. W., 3d.
48. USP 1,812,109 (1931).
- BARNES, ROBERT R.
50. USP 2,293,025 (1942).
- BARRETT, JOHN. See RALSTON, ANDERSON W.
- BARRE, H. P. See FRACKER, STANLEY B.
- BATCHELDER, C. H., and QUESTEL, D. D.
53. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-410 (1937).
- , QUESTEL, D. D., and TURNER, NEELT.
54. Conn. State Agr. Expt. Sta. Bull. 395: 273-85 (1937).
- Bataafache Petroleum Maatschappij, N. V. de
55. DP 48,083 (1940).
 56. BP 496,290 (1938).
 57. DP 42,418 (1938).
 58. FP 805,750 (1936).
 - 58A. FP 816,921 (1937).
- BAYER, OTTO. See SCHRADER, GERHARD.
- BEAL, G. D. See RICE, R. V.
- BEARD, RAIMON L.
62. Conn. State Agr. Expt. Sta. Bull. 383: 333-9 (1935).
- BEHRING.
64. Deut. med. Wochschr. 20: 422-3 (1887).
- BENEDICT, RALPH C.
66. Science 46: 464-6 (1917).
- BERKELEY, RANDAL T. M.
69. BP 221,599 (1924).
- BERNHHEIM, F. See SAS, A. K.
- BERRER, KARL. See WEILER, MAX; STÜTZER, HERMAN.
- BERRY, ARTHUR G. V.
70. BP 428,542 (1935).
- BERTSCH, HEINRICH.
71. GP 669,541 (1938).
- BEST, CHRISTIAN. See HECHENBLEIKNER, INGENUIN.
- BINDLER, JAKOB.
72. USP 2,070,352 (1937).
 73. USP 2,070,353 (1937).
- BISHOP, F. C. See FRACKER, S. B.; LAAXE, E. W.;
- ROARK, R. C.
- BITTERFIELD, KNEIB. See RIECHE, ALFRED.
- BLANCHE, JULIUS.
77. GP 430,186 (1926).
- BLISS, C. I.
79. Science 79: 38 (1938).
 80. Ann. Applied Biol. 22: 1 (1935).
 82. Ann. Applied Biol. 24: 815 (1937).
- BÖHLER, HELMUT.
83. GP 701,075 (1940).
- BOLDYREV, T. E.
84. Vestnik mikrobiologii, epidemiologii i parazitologii 10: 41-55 (In Russian) (1931).
- BOLTON, E. K.
85. USP 1,961,840 (1934).
- BONRATH, WILHELM. See SCHIEFS, WILHELM.
- BORGLIN, JOSEPH N.
90. USP 2,217,611 (1940).
 91. USP 2,217,612 (1940).
 92. USP 2,239,495 (1941).
 93. USP 2,232,434 (1941).
 94. USP 2,232,433 (1941).

95. USP 2,209,184 (1940).
 96. USP 2,217,613 (1940).
 97. USP 2,217,614 (1940).
 98. USP 2,217,615 (1940).
 99. USP 2,227,058 (1940).
 100. USP 2,227,059 (1940).
 101. USP 2,227,060 (1940).
 102. USP 2,227,061 (1940).
 BOULET, AUGUSTE C.
 103. BP 403,957 (1933).
 BOUSQUET, EUCLID W. See SALZBERG, PAUL L.
 104. USP 2,127,375 (1938).
 105. USP 2,166,119 (1939).
 106. USP 2,194,517 (1940).
 —, GRAVES, GEORGE D., and SALZBERG, PAUL L.
 107. USP 20,869 (1938).
 —, SALZBERG, PAUL L., and DIETZ, H. F.
 108. Ind. Eng. Chem. 27: 1342-4 (1935).
 BOWEN, C. VERNER. See SINGLEY, E. H.
 109. USP 2,224,243 (1940).
 110. Organic Iodine Compounds Tested Against Insects, Fungi, and Bacteria. Rev. Lit. Iodine Educational Bureau, Inc. 120 Broadway, New York 6, N. Y.
 — and SMITH, L. E.
 112. Synthetic Organic Compounds Patented for Use as Substitutes for Pyrethrum. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. Feb. 1944.
 BOYCE, A. M. See HOKINS, W. M.
 113. J. Econ. Entomol. 29: 125-30 (1936).
 114. Calif. Dept. Agr. Monthly Bull. 20: 682-90 (1931).
 — and PERKINS, C. O.
 116. J. Econ. Entomol. 32: 153 (1939).
 BREAKET, E. P., and OLCOFF, H. S.
 117. Science 87: 87 (1938).
 BRINLEY, C. J.
 118. Nature 141: 1099 (1938).
 BRINLEY, F. J.
 119. J. Agr. Research 33: 177-82 (1926).
 120. J. Econ. Entomol. 22: 221-6 (1929).
 British Cotton Industry Research Association.
 120A. Shirley Inst., Didbury, Eng., Summary Current Lit. 5: K28.
 British Dyestuffs Corp., Ltd. See LEFEBVRE, V.
 BRITTON, EDGAR C.
 121. USP 1,907,493 (1933).
 —, COLEMAN, GERALD, and ZEMBA, JOHN.
 122. USP 2,212,536 (1940).
 123. USP 2,213,119 (1940).
 —, DORSEY, ROBERT C., and SCULATI, JOHN J.
 124. USP 2,204,565 (1940).
 — and LIVAK, JOHN E.
 125. USP 2,229,010 (1941).
 — and MOYLE, CLARENCE.
 126. USP 2,155,356 (1939).
 127. USP 2,199,389 (1940).
 — and SMITH, FRANK B.
 128. USP 2,225,618 (1940).
 129. USP 2,225,619 (1940).
 — and WILLIAMS, WILLIAM H.
 130. USP 1,748,633 (1930).
 BRODERSEN, KARL. See WESCHE, HANS.
 BROUDY, HERMAN.
 133. J. Econ. Entomol. 28: 248-9 (1935).
 BROWER, A. E.
 134. J. Econ. Entomol. 28: 397-8 (1935).
 BROWN, J. See TROTMAN, S. R.
 BROWNLEE, R. H.
 136. USP 1,545,791 (1927).
 137. USP 1,545,792 (1927).
 138. USP 1,545,852 (1927).
 BRUNSON, HERMAN A.
 139. USP 2,198,375 (1940).
 140. USP 2,282,931 (1942).
 141. USP 2,097,441 (1937).
 142. USP 2,040,039 (1936).
 145. USP 2,227,215 (1940).
 147. USP 2,204,009 (1940).
 — and MACMILLAN, CLINTON.
 148. USP 2,291,526 (1942).
 149. USP 2,291,527 (1942).
 150. USP 2,291,528 (1942).
 151. USP 2,220,834 (1940).
 — and McCLEARY, RUAR F.
 152. USP 2,220,835 (1940).
 BRYNER, FRANK. See PERKINS, RALPH F.
 BUA, G.
 153A. Boll. Lab. Zool. Portici 28: 295-308 (1935).
 BUC, HYM E. See MOORE, WARREN; NELSON, F. C.
 BUCHANAN, GUY H.
 154A. USP 1,738,280 (1925).
 BUAXE, E. See SWINGLE, D. B.
 BUSBY, R. L. See DRAKE, N. L.; ROAKE, R. C.
 BUSHLAND, RAYMOND C. See MELVIN, ROY.
 156. J. Econ. Entomol. 33: 699-76 (1940).
 157. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-585 (1943).
 BURVINE, J. R.
 158. Ann. Applied Biol. 25: 605 (1938).
 BYRNES, C. F. See JAMES, J. H.
 CARY, GEORGE H.
 160. USP 2,076,364 (1937).
 CALCOTT, WILLIAM S., TISDALE, WENDELL H., and FLENNER, ALBERT L.
 161. USP 2,044,934 (1936).
 California Spray Chemical Corp.
 162. FP 793,734 (1936).
 CAMPBELL, F. L. See PASSIG, W. W.; MOORE, W.; SHEPARD, H. H.
 164. J. Agr. Research 32: 359 (1926).
 165. J. Gen. Physiol. 9: 433 (1926).
 166. J. Econ. Entomol. 23: 357 (1930).
 167. J. Econ. Entomol. 25: 605 (1932).
 — and FILMER, R. S.
 168. Fourth Int. Cong. Ent., Ithaca, N. Y., Trans., 2: 523 (1929).
 — and LUKENS, C.
 169. J. Econ. Entomol. 24: 88 (1931).
 —, SULLIVAN, W. N., and SMITH, C. R.
 171. J. Econ. Entomol. 26: 500-9 (1933).
 —, SULLIVAN, W. N., SMITH, L. E., and HALLER, H. L. J.
 172. J. Econ. Entomol. 27: 1176-85 (1934).
 CAROTHERS, WALLACE.
 173. USP 2,130,947 (1938).
 CARRUTH, L. A. See MUNRO, J. A.
 CARSWELL, THOMAS S.
 174. USP 2,192,894 (1940).
 CARTER, R. H. See SHEPARD, H. H.
 175. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-467 (1939).
 CARTER, WALTER.
 175A. Science 97: 383 (1943).
 Carton- and Papierfabrik G. Langer.
 176. SP 142,372 (1930).
 CASASUAI, VITTORIO.
 178. USP 1,980,044 (1935).
 CAVALLITO, CHESTER J. See GINSBURG, JOSEPH M.
 CHAMBERLIN, F. S. See CRUMS, S. E.
 CHAPMAN, P. J., and DEAN, H. W.
 179. J. Econ. Entomol. 28: 561-70 (1935).
 CHABIN, V.
 180. Mat. grasses 29: 313-4 (1937).
 Chemische Fabrik Koethen.
 181. GP 330,492 (1921).
 182. GP 363,852 (1922).
 Chemische Fabrik Ludwig Meyer and Mols, Emil.
 184. FP 709,010 (1930).
 Chemische Fabrik vorm. Sandos.
 186. BP 374,928 (1932).
 Chemische Fabrik auf Aktien (vorm. E. Schering).
 187. HP 249,830 (Not yet accepted).
 Chemisches Laboratorium Lindner.
 188. GP 488,307 (1926).
 Chinoi Gyógyszer- és Vegyszeti Termékek Gyára R. T. See KERESZT és WOLF.
 CHRISTMANN, LUDWIG J., and JATNE, DAVID, Jr.
 192. USP 1,915,922 (1933).
 193. USP 2,300,611 (1942).
 CHUCK, F. Y.
 194. BP 413,857 (1934).
 195. FP 758,152 (1934).
 196. USP 2,008,095 (1935).
 CLABORN, HOUTON V. See FINE, D. E.; GERSDORFF, W. A.; SMITH, LLOYD E.
 — and SMITH, L. E.
 197. USP 2,197,249 (1940).

- CLARK, A. J.
198. The Mode of Action of Drugs on Cells. (Ed-
ward Arnold and Co.: London). (1933).
- CLARK, C. O.
199. J. Soc. Dyers Colourists 44: 144-5 (1928).
200. Textile Mercury 70: 281-2 (1928).
— and CRAFT, J.
201. J. Soc. Dyers Colourists 41: 155-61 (1925).
- COHEN, MORRIS. See MILES, HERBERT W.
- COLBETH, IVOR M.
206. USP 2,257,711 (1941).
- COLEMAN, GERALD H. See BRITTON, EDGAR C.; LIVAK,
JOHN E.; MOYLE, CLARENCE L.
207. USP 2,210,900 (1940).
208. USP 2,185,185 (1940).
209. USP 2,207,721 (1940).
210. USP 2,298,681 (1942).
— and FLITCHER, FRED W.
211. USP 2,303,683 (1942).
— and MOORE, G. V.
212. USP 2,161,558 (1939).
— and MOYLE, CLARENCE.
213. USP 2,205,392 (1940).
214. USP 2,205,393 (1940).
215. USP 2,205,394 (1940).
216. USP 2,217,673 (1940).
217. USP 2,201,156 (1940).
218. USP 2,239,079 (1941).
219. USP 2,185,183 (1940).
220. USP 2,185,184 (1940).
—, MOYLE, CLARENCE, and LIVAK, JOHN E.
221. USP 2,239,080 (1941).
— and SAPP, ROBERT.
222. USP 2,218,019 (1940).
223. USP 2,201,157 (1940).
224. USP 2,201,158 (1940).
225. USP 2,218,020 (1940).
— and ZEMBA, JOHN W.
226. USP 2,130,525 (1938).
227. USP 2,133,972 (1938).
228. USP 2,130,526 (1938).
229. USP 2,130,527 (1938).
230. USP 2,158,957 (1939).
231. USP 2,158,958 (1939).
232. USP 2,158,959 (1939).
233. USP 2,158,960 (1939).
234. USP 2,194,924 (1940).
- COLLIE, BENJAMIN, DAVIES, WILLIAM H., SEXTON, WIL-
FRED A., and Imperial Chemical Industries, Ltd.
236. BP 507,221 (1939).
- , ELLINGWORTH, SAMUEL, ROBERTSON, ALEXANDER,
and Imperial Chemical Industries, Ltd.
237. BP 500,197 (1939).
- , HILL, ROWLAND, SEXTON, WILFRED, and Imperial
Chemical Industries, Ltd.
238. BP 512,091 (1939).
- COLMAN, WALLACE.
239. U.S.D.A. Bur. Entomol. and Plant Quar., Div.
Insecticide Invest. Mimeo. Pub. E-592 (1943).
239A. J. Econ. Entomol. 29: 629-30 (1936).
- COLON, E. D.
240. J. Dept. Agr. Puerto Rico 11, No. 1, Circ. 15
(1919).
- COLTOF, WILLEM.
241. USP 2,217,358 (1940).
- COMPTON, C. C., and KEARNS, C. W.
243. J. Econ. Entomol. 30: 512-21 (1937).
- CONKLIN, J. G. See O'KANE, W. C.
- CONLON, NICHOLAS.
245. USP 387,579 (1888).
- COOK, A. J.
247. Mich. State Agr. Expt. Sta. Bull. 58: 3-13
(1890).
- COOK, F. C. See NEUFERT, I. E.
— and McINDOO, N. E.
249. U.S.D.A. Bull. 1147 (1923).
— and ROARK, R. C.
250. U.S.D.A. Bull. 1472 (1927).
- COOPER, J. F. See SWINGLE, M. C.
- Corn Products Refining Company.
254. FP 842,307 (1939).
- CORY, ERNEST N., and LANGFORD, GEORGE S.
255. J. Econ. Entomol. 28: 257-60 (1935).
- COTTIER, W.
256. New Zealand J. Agr. 49: 821-30 (1934).
- COTTON, R. T. See BACK, E. A.; NEUFERT, I. E.;
ROARK, R. C.
— and ROARK, R. C.
257. Ind. Eng. Chem. 20: 380-2 (1928).
259. J. Econ. Entomol. 21: 135-42 (1928).
— and YOUNG, HARRY D.
260. USP 2,024,027 (1935).
- CRAFT, J. See CLARK, C. O.
- CRAIG, LYMAN C. See RICHARDSON, C. H.
— and RICHARDSON, CHARLES H.
261. Iowa State Coll. J. Sci. 7: 477 (1933).
- CRAIG, W. E. See HESTER, WILLIAM F.
— and HESTER, WILLIAM F.
262. USP 2,281,677 (1942).
- CRAIGHEAD, F. C., and ST. GEORGE, R. A.
262A. J. Forestry 36: 26-34, bibliog. (1938).
- CRANOR, K. T. See WHITE, H.
- CRAUFURD-BENSON, H. J.
263. Bull. Entomol. Research 29: 41 (1938a).
264. Bull. Entomol. Research 29: 119 (1938b).
- CRESSMAN, A. W., and DAWSEY, L. H.
265. U.S.D.A. Tech. Bull. 801 (1942).
- CRUMB, S. E. See MORGAN, A. C.
— and CHAMBERLIN, F. S.
266. J. Econ. Entomol. 29: 983-92 (1936).
- CUNNINGHAM, H. S.
267. N. Y. State Agr. Expt. Sta. Bull. 667: 3-24
(1936).
- CUTLER, H. L. See LATHROP, F. H.
—, YUST, H. R., and HILEY, JULIAN.
268. J. Econ. Entomol. 29: 611-18 (1936).
- Curtin-Howe Corp.
269. BP 321,786 (1929).
- CUTRIGHT, C. R.
270. Proc. Ohio State Hort. Soc. 1937: 48-57.
- DAHM, PAUL A.
271. J. Econ. Entomol. 34: 462-6 (1941).
- DANGLMAIER, CHARLES.
271A. USP 2,101,704 (1937).
- DAVID, N. A. See ANDERSON, H. H.
- DAVIES, WILLIAM H. See COLLIE, B.
- DAWKINS, EMIL.
273. FP 699,410 (1931).
- DAWSEY, L. H. See CRESSMAN, A. W.
- DEAN, R. W. See CHAPMAN, P. J.
- DEARBORN, FREDERICK E.
274. USP 2,201,103 (1940).
274A. J. Econ. Entomol. 28: 710-3 (1935).
274B. J. Econ. Entomol. 29: 445-9 (1936).
- DEGERING, E. F. See DIETZ, ALBERT A.
- DELONG, DWIGHT M.
275. J. Econ. Entomol. 22: 345-53 (1929).
- , WATERS, H. A., and WITMAN, E. D.
276. Proc. Ohio Veg. Pot. Growers' Assoc. 24: 86-
92 (1939).
- DE REWAL, FRANK J.
277. USP 2,019,121 (1935).
- Deutsche Gold- und Silber-Scheideanstalt.
278. BP 347,292 (1931).
279. FP 688,413 (1930).
- Deutsche Hydriewerke A.-G.
280. FP 844,708 (1939).
282. BP 463,544 (1937).
- DICKET, J. B. See CHILMAN, HENRY.
- DIETZ, ALBERT A., DEGERING, E. F., and SCHOPMEYER,
H. H.
285. Proc. Indiana Acad. Sci. 51: 76-7 (1942).
- DIETZ, H. F. See BOUSQUET, E. W.
- DILLS, L. E.
286. Contrib. Boyce Thompson Inst. 7: 63-82
(1935).
- Distillers Company, Ltd., The. See EYRE, J. V.
- DOANE, A. See NELLER, J. R.
- DORMAIER, KARL.
291. USP 1,758,936 (1930).
- DORSEY, ROBERT C. See BRITTON, EDGAR C.; PRESCOTT,
RALPH F.
- DOTY, A. E.
292. Soap 12 (4): 97, 99, 101, 103 (1936).
- Dow Chemical Company, The.
293. BP 526,006 (1940).
- DOZIER, HERBERT L.
294. J. Econ. Entomol. 30: 968 (1937).

- DRAKE, N. L., and BUSHEY, R. L.
 295. J. Am. Chem. Soc. 54: 2930-5 (1932).
 DRUSHEL, WILLIAM.
 297. USP 1,630,836 (1927).
 DUDLEY, J. E., Jr. See SCOTT, E. W.
 DUNKLEE, D. E. See MINGLEY, A. R.
 duPont de Nemours and Company, E. I.
 300. BP 431,945 (1935).
 301. BP 396,064 (1933).
 302. BP 424,572 (1935).
 304. BP 406,979 (1934).
 305. BP 426,051 (1935).
 307. BP 391,141 (1933).
 DYSON, G. M. See MAY, P.
 ECKARDT, WOLFGANG. See RIECHE, ALFRED.
 EDWARDS, E. E.
 303. J. Helminthol. 14: 41-60 (1936).
 ELDRED, D. N. See PRATT, F. S.
 ELDRIDGE, ROBERT. See HERST, WILLIAM P. TER.
 ELLINGWORTH, S. See COLLIE, BENJAMIN.
 ELLIOTT, D. C.
 309. Conn. State Agr. Expt. Sta. Bull. 368: 224-31 (1935).
 ELLISON, L. O.
 310. J. Econ. Entomol. 31: 65-8 (1938).
 ENGLEMAN, M., and PIKE, JOSEF.
 313A. USP 2,304,156 (1940).
 EPSTEIN, ALBERT K., and HARRIS, BENJAMIN R.
 314. USP 2,123,186 (1938).
 ERICKS, WALTER P., and PAYNE, NELLIE M. C.
 316. USP 2,289,541 (1942).
 ERLBACH, A.
 317. USP 1,097,406 (1914).
 EVANS, J. W.
 318. Tasmanian J. Agr. S. No. 3, sup.: 18 (1937).
 EYRE, JOHN V., LANGWELL, HERBERT, and The Distillers Company, Ltd.
 319. BP 367,913 (1932).
 FAHRAEUS, J.
 321. SeF 89,021 (1937).
 FALKER, J. H. See MCGOWAN, E. R.
 FANG, HSING-YUN, LIU, CHUNG-LO, and SAH, PETER.
 323. Sci. Repts. Natl. Tsing Hua Univ., China, Ser. A, 4: 21-6 (1937).
 Farbenfabriken vorm. Friedr. Bayer and Company.
 324. GP 363,656 (1932).
 327. BP 173,636 (1922).
 328. BP 238,287 (1925).
 329. FP 518,821 (1921).
 330. FP 581,037 (1924).
 331. GP 344,266 (1921).
 332. GP 346,596 (1922).
 333. GP 346,597 (1921).
 334. CP 346,598 (1921).
 335. GP 347,720 (1922).
 336. GP 347,721 (1922).
 337. GP 347,722 (1922).
 338. GP 347,723 (1922).
 339. GP 347,849 (1922).
 340. GP 402,341 (1924).
 Farbenindustrie A.-G., I. G.
 341. BP 493,764 (1938).
 343. FP 814,435 (1937).
 344. BP 457,119 (1935).
 345. BP 458,179 (1935).
 346. FP 805,645 (1936).
 347. FP 807,789 (1937).
 350. BP 442,525 (1936).
 353. FP 766,051 (1934).
 357. BP 347,451 (1928).
 358. GP 550,961 (1930).
 359. FP 726,111 (1931).
 360. BP 358,508 (1930).
 361. FP 725,587 (1931).
 362. BP 356,192 (1930).
 363. BP 381,596 (1929).
 366. GP 527,267 (1930).
 369. FP 35,174 (1928).
 371. BP 324,041 (1928).
 372. BP 325,910 (1928).
 373. FP 662,431 (1928).
 374. BP 310,815 (1928).
 375. BP 309,610 (1928).
 377. BP 297,484 (1927).
 379. BP 246,856 (1925).
 380. BP 317,525 (1929).
 381. BP 326,803 (1930).
 383. BP 349,004 (1931).
 384. DP 21,982 (1930).
 385. FP 654,416 (1928).
 386. FP 684,447 (1930).
 387. FP 702,703 (1931).
 388. GP 496,281 (1930).
 391. FP 767,044 (1934).
 392. FP 803,509 (1936).
 393. FP 804,545 (1936).
 394. DP 312,163 (1929).
 395. FP 675,413 (1930).
 396. AP 114,042 (1929).
 397. AP 114,458 (1929).
 398. AP 118,640 (1930).
 399. AP 123,423 (1931).
 400. BP 298,538 (1930).
 401. BP 310,825 (1929).
 402. BP 316,900 (1929).
 403. BP 310,987 (1930).
 404. BP 326,137 (1930).
 405. BP 326,451 (1930).
 406. BP 326,567 (1930).
 407. BP 330,698 (1930).
 408. BP 330,893 (1930).
 409. BP 330,894 (1930).
 410. BP 333,561 (1930).
 411. BP 333,583 (1930).
 412. BP 333,584 (1930).
 413. BP 334,896 (1930).
 414. BP 335,547 (1930).
 415. BP 337,808 (1930).
 416. BP 337,823 (1930).
 417. BP 337,832 (1930).
 418. BP 338,126 (1930).
 419. BP 340,318 (1930).
 420. BP 340,319 (1930).
 421. BP 346,039 (1931).
 422. BP 365,233 (1932).
 423. BP 366,090 (1932).
 424. FP 39,013 (1931).
 425. FP 070,674 (1929).
 426. FP 681,795 (1930).
 427. FP 685,123 (1930).
 428. FP 686,721 (1930).
 429. FP 700,870 (1931).
 430. FP 707,840 (1931).
 431. FP 717,974 (1932).
 432. DP 20,526 (1929).
 433. DP 20,570 (1929).
 434. SP 134,012 (1929).
 435. SP 135,166 (1929).
 436. SP 148,330 (1931).
 437. AP 123,881 (1931).
 438. AP 124,284 (1931).
 439. BP 383,493 (1932).
 440. BP 407,356 (1934).
 441. DP 25,565 (1931).
 442. FP 37,924 (1931).
 443. FP 39,334 (1931).
 444. FP 39,337 (1931).
 445. FP 40,647 (1932).
 446. FP 42,266 (1933).
 447. FP 758,192 (1934).
 448. GP 536,551 (1931).
 449. GP 537,768 (1931).
 450. GP 539,182 (1931).
 451. GP 540,208 (1931).
 452. GP 541,629 (1932).
 453. GP 542,067 (1932).
 454. GP 542,068 (1932).
 455. GP 544,293 (1932).
 456. GP 581,990 (1933).
 457. GP 595,106 (1934).
 458. HP 96,776 (1929).
 459. BP 274,425 (1928).

- Farbenindustrie A.-G., I. G. (Cont'd).
 460. BP 285,825 (1929).
 461. BP 295,742 (1928).
 462. BP 299,055 (Not yet accepted).
 463. BP 303,062 (1928).
 464. BP 324,982 (Not yet accepted).
 465. CP 290,549 (1928).
 466. FP 635,973 (1928).
 467. FP 636,434 (1928).
 468. FP 646,479 (1928).
 469. FP 651,648 (1929).
 470. FP 854,712 (1929).
 471. FP 661,727 (1929).
 472. FP 861,931 (1929).
 473. GP 442,901 (1927).
 474. GP 449,128 (1927).
 475. GP 450,418 (1927).
- Farbwerke vorm. Meister Lucius und Brüning.
 475B. GP 350,378 (1922).
- FARLEMAN, M. G.
 477. J. Econ. Entomol. 29: 493 (1936).
- FARRAR, M. D., and FLINT, W. P.
 478. Illinois Agr. Expt. Sta. Ann. Rept. 1933-4: 141 (1935).
- FASSIG, W. W., and CAMPBELL, F. L.
 478A. J. Econ. Entomol. 30: 881-2 (1937).
- FAYENWATERS, BRUCE L. See MILLS, LINDLEY E.
- FELLMAN, EVAN L.
 480. USP 2,135,391 (1938).
- FELLTON, HERMAN L.
 481. J. Econ. Entomol. 34: 192-4 (1941).
- FERGUSON, BASSETT, JR. See HILL, MARK L.
- FERRI, LELIO.
 482. SP 184,004 (1936).
- FILMER, R. S. See CAMPBELL, F. L.
- FINK, D. E. See SCHAEFFER, P. S.
485. J. Agr. Research 33: 993 (1926).
 488. J. Econ. Entomol. 20: 794 (1927).
- and HALLER, H. L.
 489A. J. Econ. Entomol. 29: 594-8 (1936).
- , SMITH, L. E., VIVIAN, D. L., and CLABORN, H. V.
 487. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-425 (1938).
- and VIVIAN, D. L.
 488. J. Econ. Entomol. 29: 805 (1936).
- FINLOW, R. S. See LEPROT, H. M.
- Firma Chemische Fabrik Coethen m.b.H.
 489. GP 411,345 (1925).
- FISCHER, W.
 490. Nachrhl. deut. Pflanzenschutzdienst 18: 4-6 (1938).
- FISHER, ROBERT A.
 491. J. Econ. Entomol. 33: 728-34 (1940).
- FISHKIND, DAVID.
 492. Private Communication (1944).
- Fitzgibbon, Maurier, Ltd. See LEECH, HERBERT L.
- FLEMING, WALTER E.
 493A. U.S.D.A. Tech. Bull. 788 (1942).
 494. J. Econ. Entomol. 21: 813-8 (1928).
 495. J. Econ. Entomol. 19: 511-5 (1926).
- and BAKER, F. E.
 496. U.S.D.A. Bur. Entomol. and Plant Quar., News Letter 2 (11): 7 (1935).
 497. U.S.D.A. Tech. Bull. 478, 91 pp. (1935).
 498. U.S.D.A. Tech. Bull. 274 (1932).
 498A. J. Agr. Research 49: 29-38 (1934).
- FLENNER, L. See CALCOTT, WILLIAM S.; TISDALE, W. H.
- FLETCHER, FRED W. See COLEMAN, GERALD H.
- FLETT, LAWRENCE H.
 499. USP 2,223,363 (1940).
- FLINT, ROBERT B., and SALZBERG, PAUL.
 500. USP 1,994,487 (1935).
- FLINT, W. P. See FARRAR, M. D.; KEARNS, C. W.
- FONG-GE, CHEN.
 500A. 1932 Yearbook 2: 281, Bur. Entomol. Hangchow (1933).
- FORBES, S. A.
 501. Eighteenth Rept. State Entomologist on the Noxious and Beneficial Insects of Illinois, p. 24 (1920).
- FORD, JARED H.
 502. USP 2,138,540 (1938).
- FOREMAN, F. W., and GRAHAM SMITH, G. S.
 503. J. Hyg. 18: 109 (1917).
- FRACKER, S. B. STEINER, L. F., BARRE, H. P., and BISHOP, F. C.
 504. Confidential Rept. Agr. Research Adm. (1943).
- FREEMAN, A. F.
 505. USP 2,155,010 (1939).
- FRIEDEL, ARTHUR C.
 506. USP 1,655,540 (1928).
- FROST, S. W.
 507. J. Econ. Entomol. 28: 196-7 (1935).
 508. J. Econ. Entomol. 28: 388-9 (1934).
- FUCHS, SIGISMUND.
 509. GP 537,024 (1931).
- FULTON, B. B. See WHITE, H.
- GABRIEL, JOHANN.
 512. AP 151,988 (1937).
- GAHAN, J. B. See SWINGLE, M. C.
513. U.S.D.A. Bur. Entomol. and Plant Quar., Mimeo. Pub. E-549 (1941).
- GALIKOV, U.
 513A. Défense des Plantes 3: 271-2 (1928).
- GARNETT, P. See GINSBURG, JOSEPH M.
- GARRISON, G. L. See NEUFERT, I. E.
- GARNNER, L.
 518. Chem.-tech. Fabrik. 55: 42 (1928).
- Geher Pal Antal vállalkozó és Bäck Jem8 r.-t.
 517. HP 96,941 (1930).
- Geigy A.-G., J. R.
 518. FP 842,975 (1939).
 520. SP 202,722-25 (1939).
 522. SP 201,549 (1939).
 523. SP 196,873-7 (1938).
 524. FP 815,634 (1937).
 525. FP 817,182 (1937).
 526. FP 818,994 (1937).
 527. FP 43,868 (1934).
 528. SP 208,872 (1940).
 529. SP 206,369 (1939).
 530. BP 500,386 (1939).
 531. BP 419,179 (1934).
 532. FP 759,662 (1934).
 533. FP 788,945 (1934).
 534. SP 182,058 (1933).
 535. SP 165,030 (1934).
 536. SP 185,031 (1934).
 537. SP 165,032 (1934).
 538. SP 185,377 (1934).
 539. SP 167,897 (1934).
 539A. FP 848,003 (1939).
- GELLER, HANNO.
 540. GP 627,144 (1936).
- General Chemical Company.
 540A. BP 528,752 (1940).
- GERMAR, B.
 541. Experiments in Combating the Grain Weevil with Various Spray Materials. (Booklet). Agr. Insect Destruction Corp., New York, N. Y. (1937).
- GERSDORFF, W. A.
 542. J. Am. Chem. Soc. 52: 5051-6 (1930).
 543. J. Am. Chem. Soc. 53: 1897-1901 (1931).
 544. J. Am. Chem. Soc. 55: 1147-52 (1933).
 545. J. Agr. Research 50: 581 (1935).
- and CLABORN, H. V.
 545. J. Agr. Research 56: 277 (1938).
- and SMITH, L. E.
 547. Am. J. Pharm. 112: 389-94 (1940).
- GERSHENFELD, L. See WOOD, H. C.
548. Hygia 3: 642-3, 707-8 (1925).
- GERTLER, S. I. See QUESTEL, D. D.
- Gesellschaft für Chemische Industrie in Basel.
 550. GP 586,861 (1933).
- Gesellschaft für Neuzzeitliche Bodenbehandlung m. b. H. See Neuzzeitliche Bodenbehandlung m. b. H., Gesellschaft für.
- GILZ, P. L.
 551. J. Agr. Research 56: 787 (1938).
- GILMAN, HENRY, HECKERT, L. C., HEWLETT, A. P., and DICKET, J. B.
 552. Iowa State Coll. J. Sci. 7: 419-28 (1933).
- GILMORE, J. U., and MILAM, JOE.
 553. J. Econ. Entomol. 26: 227-33 (1933).
- GINSBURG, JOSEPH M. See HEAL, R. E.
554. J. Econ. Entomol. 28: 224-8 (1935).

555. J. Econ. Entomol. 34: 263-8 (1941).
 557. J. Agr. Research 46: 1131-6 (1933).
 558. Science 80: 269 (1934).
 558A. J. Econ. Entomol. 25: 589-606 (1932).
 — and CAVALLITO, CHESTER J.
 559. J. Econ. Entomol. 29: 856-9 (1936).
 — and GARNETT, P.
 561. J. Econ. Entomol. 28: 292-3 (1935).
 GLOVER, LOUISE H. See RICHARDSON, C. H.
 GNADINGER, CHARLES B.
 562. USP 2,017,595 (1936).
 563. USP 2,105,727 (1938).
 564. USP 2,017,694 (1936).
 565. Ind. Eng. Chem. 25: 633-7 (1933).
 GODFREY, G. H.
 567. Phytopathology 25: 87-90 (1935).
 — and YOUNG, P. A.
 568. Texas Agr. Expt. Sta. Bull. 628 (1943).
 GÖHLER, H.
 573. Krankh. Pflanze 12: 156-7 (1935).
 GOLDFISH, SADIE D.
 574. USP 1,658,596 (1928).
 GOLDSCHMIDT, STEFAN, and MARTIN, KARL.
 575. USP 2,050,770 (1937).
 576. CP 357,959 (1930).
 GOODHUE, LYLE D.
 579. J. Econ. Entomol. 35: 533-6 (1942).
 GÖPP, and SAUER, W.
 582. Wochschr. Brau 55: 235-8 (1938).
 GORHAM, R. F.
 583. Proc. Acad. Entomol. Soc. 9: 69 (1923).
 GORITZKA, O. See PATRIN, D.
 GÖRITZ, K. See SCHOTTE, H.
 583A. Arb. physiol. angew. Entomol. Berlin-Dahlem 4: 116-57 (1937).
 GORS, BYRON C.
 585. USP 1,901,960 (1933).
 GOULD, GEORGE E.
 586. Pests 11: 12-3, 22-3 (1943).
 587. Soap Sanit. Chem. 19: 90-3, 111 (1943).
 GRAHAM, S. A. See MOORE, WILLIAM.
 GRAHAM SMITH, G. S. See FOREMAN, F. W.
 GRANETT, PHILIP.
 589. USP 2,293,255 (1942).
 590. USP 2,213,156 (1940).
 591. USP 2,293,256 (1942).
 GRANT, DUDLEY H.
 592. USP 1,755,178 (1930).
 Grasselli Chemical Company.
 593. BP 436,327 (1935).
 594. AP 8210/32 (1933).
 595. BP 407,691 (1934).
 596. BP 407,708 (1934).
 597. BP 431,064 (1935).
 GRAVES, GEORGE D. See BOSCHET, EUCLID W.
 598. USP 2,037,718 (1930).
 GREENSLADE, R. M., and MASSEE, A. M.
 599. Progress Rept. East Malling (Kent) Research Sta. Ann. Rept. 1935: 177-83.
 GRIFITH, I. See WOOD, H. C.
 GROLL, HERBERT P. A.
 600. USP 2,101,648 (1937).
 601. USP 2,101,649 (1937).
 GROPPENGIENNER, CURT.
 602. FP 796,103 (1936).
 GRUZZON, N. G., and GRUZZON, N. N.
 604. RP 4555 (1926).
 GUTHRIE, J. E. See HARWOOD, P. D.
 GUT, H. G. See O'KANE, W. C.
 606. Univ. Del. Agr. Expt. Sta. Bull. 206 (Tech. Bull. 19) (1937).
 607. J. Econ. Entomol. 29: 467 (1936).
 608. Del. State Bd. Agr. Quart. Bull. 25: 86-8 (1936).
 — and SCHMITT, J. B.
 611. J. Econ. Entomol. 30: 81-2 (1937).
 GUTTON, T. L.
 612. J. Econ. Entomol. 17: 307-9 (1924).
 HAAS, L. E. See RICHARDSON, C. H.
 HABERKORN, WOLDEMAR F.
 615. BP 313,771 (1929).
 HACKH, I. W. D.
 616. Hackh's Chemical Dictionary, ed. 2; p. 1020, Phila. (1937).
 HALLER, H. L. See CAMPBELL, F. L.; FINK, D. E.; RICHARDSON, H. H.; ROSE, W. G.; SCHAPFER, P. S.; SCHRECHTER, M. S.; VIVIAN, D. L.
 617. J. Org. Chem. 7: 185-8 (1942).
 618. Chem. Revs. 30: 33-48 (1942).
 619. USP 2,292,756 (1942).
 HAMILTON, A. G.
 620. Bull. Entomol. Research 28: 53 (1937).
 HAND, CARL N.
 621. USP 1,734,619 (1929).
 622. USP 1,573,490 (1926).
 HANDFORD, R. H.
 623. Private Communication (1944).
 HANFORD, WILLIAM E., and HENKE, CLYDE.
 624. USP 2,192,906 (1940).
 HANN, RAYMOND M. See WETTERILL, J. P.
 HANSBERRY, T. ROY. See RICHARDSON, C. H.
 625. J. Econ. Entomol. 33: 734-5 (1940).
 — and NEWTON, L. B.
 628. J. Econ. Entomol. 34: 80-3 (1941).
 — and RICHARDSON, CHARLES H.
 629. J. Econ. Entomol. 29: 1160-6 (1936).
 HANSEN, J. N., and SMITH, F. R.
 630. USP 2,304,821 (1942).
 HARDTMANN, M. See HARDTMANN, ERICH; HENTSCHE, W.; LÖMMEL, WILHELM; SCHREPS, WILHELM; THAUSS, ALFRED.
 HARDTMANN, MAX, and BACKES, PETER.
 633. GP 522,824 (1931).
 —, TIETZE, ERNST, and SCHREPS, WILHELM.
 634. GP 551,513 (1927).
 HARGREAVES, E.
 635. Bull. Entomol. Research 15: 61-6 (1924).
 HARING, BERTHOLD G.
 636. USP 1,995,247 (1935).
 HARING, WILHELM.
 637. FP 760,352 (1933).
 Harpic Manufacturing Company, Ltd., and PICKUP, HARRY.
 638. BP 389,860 (1933).
 HARRIS, BENJAMIN R. See EPSTEIN, ALBERT K.
 HARTMANN, ERICH, HARDTMANN, MAX, and KÜMMEL, PAUL.
 639. USP 1,766,819 (1930).
 640. USP 1,744,633 (1930).
 641. GP 485,046 (1929).
 —, KÜMMEL, PAUL, and STÖTTER, HERMANN.
 642. GP 500,333 (1930).
 —, LÖMMEL, WILHELM, and STÖTTER, HERMANN.
 643. GP 469,256 (1928).
 HARTZELL, ALBERT. See WILCOXON, FRANK.
 643A. Contrib. Boyce Thompson Inst. 12: 127-41 (1941).
 644. Contrib. Boyce Thompson Inst. 6: 211 (1934).
 — and STRONG, MURIEL.
 646. Contrib. Boyce Thompson Inst. 13: 253-8 (1944).
 — and WILCOXON, FRANK.
 648. Contrib. Boyce Thompson Inst. 6: 269-77 (1934).
 HARVEY, R. B., ZALAS, J., and LANDON, R. H.
 649. Science 84: 356 (1939).
 HARTVILL, EDWARD K.
 650. Contrib. Boyce Thompson Inst. 10: 143-53 (1939).
 651. USP 2,243,207 (1941).
 652. USP 2,239,496 (1941).
 HARWOOD, JAMES. See RALSTON, ANDERSON W.
 HARWOOD, P. D., and GUTHRIE, J. E.
 653. J. Am. Vet. Med. Assoc. 97: 249-53 (1940).
 HASE, A.
 654. Zentr. Bakt. Parasitenk. Infektik., I Abt. Orig. 77: 153-63 (1915).
 HAVEN, G. B.
 659. Rept. of Tests Upon the Immersion of Fabrics in Larver Soln., Textile Lab., M. I. T., Cambridge, Mass., April, 1926.
 HEADLEE, T. J.
 660. N. J. Agr. Expt. Sta. Ann. Rept. 1922-3: 307 (1924).
 HEAT, R. E.
 661. J. Econ. Entomol. 29: 550 (1936).

- , SCHMITT, JOHN B., and GINSBURG, JOSEPH M.
662. *J. Econ. Entomol.* 29: 714-22 (1936).
- HECHENBLEIKNER, INGENUIN. See ROBLIN, RICHARD O.
663. *USP* 2,289,543 (1942).
666. *USP* 2,254,009 (1941).
- and BUST, CHRISTIAN.
667. *USP* 2,289,544 (1942).
668. *USP* 2,235,813 (1941).
669. *USP* 2,249,134 (1941).
670. *USP* 2,249,135 (1941).
- HECKE, L.
671. *Textile Ind.* 28: 378-8, 390-1 (1925).
- HECKERT, LEON C. See GILMAN, HENRY.
673. *USP* 1,908,893 (1931).
674. *USP* 2,024,068 (1935).
- and PRET, CHARLES H.
675. *USP* 2,124,400 (1938).
- HENDRICKS, S. B., BACOT, A. M., and YOUNG, H. C.
677. *Ind. Eng. Chem.* 18: 50 (1926).
- HENKE, CLYDE. See HANFORD, WILLIAM E.
HENTRICH, WINFRIED. See LOMMEL, WILHELM; TIEZT, ERNST.
678. *USP* 2,200,603 (1940).
- , HARDTMANN, MAX, BACKES, PETER, and STÜTTER, HERMANN.
679. *GP* 524,590 (1931).
680. *USP* 1,903,864 (1933).
- , HARDTMANN, MAX, HIGLER, J., and ZERWECK, W.
681. *USP* 1,878,669 (1932).
- , HARDTMANN, MAX, and TIEZT, ERNST.
682. *USP* 1,925,729 (1931).
- and SCHEPS, WILHELM.
683. *GP* 546,007 (1932).
684. *GP* 547,057 (1932).
- and SCHIRM, ERIC.
685. *USP* 2,292,998 (1942).
- HERMANN, THEODOR. See STÜTTER, HERMANN.
HERTIG, HERMAN JOHANNES BEN, JR. See WIRAUT, JOHAN P.
HESTER, WILLIAM F. See CRAIG, W. E.
687. *USP* 2,134,556 (1938).
688. *USP* 2,243,479 (1941).
689. *USP* 2,220,521 (1940).
690. *USP* 2,213,214 (1940).
691. *USP* 2,213,215 (1940).
692. *USP* 2,213,218 (1940).
693. *USP* 2,213,218 (1940).
694. *USP* 2,159,025 (1939).
695. *USP* 2,213,217 (1940).
696. *USP* 2,213,219 (1940).
697. *USP* 2,302,388 (1942).
698. *USP* 2,306,338 (1942).
- and CRAIG, W. E.
699. *USP* 2,294,299 (1942).
- HEWLETT, A. P. See GILMAN, H.
HIGLER, J. See HENTRICH, W.
HILEY, J. See CUPPLES, H. L.; LATHEOP, F. H.
HILL, MARK L., and FERGUSON, BASSETT, JR.
700. *USP* 2,192,347 (1940).
- HILL, ROWLAND. See COLLIE, B.
HIRSCHFELDER, A. D. See MOORE, W.
HIRT, RUDOLF. See MARTIN, HENRY.
HOBSON, R. P.
702. *Ann. Applied Biol.* 24: 808 (1937).
- HOCKENTOS, GEORGE L.
703. *Crop Protection Digest, Bull. Ser.* 31: 38 (1931).
704. *J. Econ. Entomol.* 32: 147-9 (1939).
- HOERNER, JOHN L.
705. *Colo. Expt. Sta. Bull.* 432: 3-19 (1936).
- HOLLANDER, CHARLES S., and WILLIAMS, FREDERICK.
710. *USP* 2,077,479 (1937).
711. *USP* 2,077,478 (1937).
- HOLLOWAY, T. E.
712. *J. Econ. Entomol.* 5: 452 (1912).
- HOLLUNG, M.
713. *Die Mittel zur Bekämpfung der Pflanzenkrankheiten*, 3d ed., pp. 406, Berlin (1923).
- HOLT, J. J. H.
714. *Lancet* [London] 190: 1136-7 (1916).
- HOLTZMAN, JOHN B. See ARCHIBALD, FRANCIS M.
HOPKINS, EVELYN W. See RALSTON, ANDERSON W.
HORFALL, JAMES G.
718. *J. Econ. Entomol.* 21: 147 (1928).
- HORST, WILLIAM P. TER.
719. *USP* 2,282,907 (1942).
721A. *USP* 2,302,384 (1942).
- and ELDRIDGE, ROBERT.
722. *USP* 2,197,824 (1940).
- HOSKINS, W. M.
723. *J. Econ. Entomol.* 33: 875 (1941).
724. *J. Econ. Entomol.* 25: 1212 (1932).
- , BOYCE, A. M., and LAMIMAN, J. F.
725. *Hilgardia* 12: 113 (1936).
- HOUGH, W. S.
728. *J. Econ. Entomol.* 32: 264-70 (1939).
- and JEFFERSON, R. N.
727. *J. Econ. Entomol.* 29: 537 (1936).
- HOYMAN, WILLIAM G.
728. *Private Communication* (1944).
- HUBERT, ERNEST E.
729. *Western Pine Assoc. Tech. Bull.* 6, Portland, Oregon (1940).
- HUBMANN, JOHANN, and SCHWEITZER, HUGO.
730. *GP* 506,988 (1930).
731. *USP* 1,962,278 (1934).
- HUPPERT, Oskar.
732. *AP* 148,196 (1938).
- HURD-KARBER, A. M. See NELSON, E. M.
— and POOL, F. W.
733. *Science* 64: 252 (1930).
- HURST, RICHARD H., and TRIFFITT, MARJORIE J.
734. *J. Helminthol.* 13: 191-200 (1935).
- HUSAIN, M. A. See IMMS, M. A.
HYMAN, PHILIP N. See KAMPA, EDMUND P.
I. G. Farbenindustrie A.-G. See Farbenindustrie A.-G., I. G.
IMMS, M. A., and HUSAIN, M. A.
735. *Ann. Applied Biol.* 6: 269-92 (1920).
- Imperial Chemical Industries, Ltd. See COLLIE, BENJ.-AMIN.
736. *BP* 503,490 (1939).
737. *FP* 874,360 (1939).
- INMAN, MARCUS T.
738. *USP* 2,011,765 (1935).
- IVANOVA, N., and NEMIRITSEK, B.
738A. *Plant Protection* 12: 129-35 (1937).
- JACKSON, LLOYD E., and WASSILL, HELEN E.
739. *Ind. Eng. Chem.* 19: 1175-80 (1927).
740. *EP* 283,092 (1928).
741. *FP* 825,380 (1927).
742. *GP* 485,573 (1929).
743. *SP* 125,139 (1928).
744. *USP* 1,615,843 (1927).
745. *USP* 1,694,219 (1928).
- JAMES, JOSEPH H.
746. *USP* 1,764,792 (1930).
747. *USP* 2,006,456 (1935).
748. *USP* 2,067,532 (1937).
- and BYRNES, C. P.
749. *USP* 1,716,273 (1929).
- JANCKE, O., and LANGE, L.
750. *Z. angew. Entomol.* 17: 386-403 (1930).
- JARVIS, E.
751. *Queensland Agr. J.* 28: 114-5 (1927).
- JAYNE, DAVID, JR. See CHRISTMANN, LUDWIG J.
JEFFERSON, R. N. See HOUGH, W. S.
JERNAKOFF, M. See NELSON, F. C.
JOHANSEN, O. A.
753. *J. Econ. Entomol.* 5: 97 (1912).
- JOHNSON, ALISTER C. See REID, JAMES.
JOHNSON, F. S., and VALLEE, ARTHUR G.
755. *U.S. Naval Med. Bull.* 35: 303-9 (1937).
- JONES, HILTON I.
756. *USP* 1,799,047 (1931).
757. *USP* 1,921,928 (1933).
758. *USP* 1,868,717 (1928).
- JONES, HOWARD A.
760. *USP* 2,103,195 (1937).
- JONES, R. M.
763. *J. Econ. Entomol.* 28: 475-85 (1935).
- JONES, S. E., and MCCOM, W. H.
764. *J. Econ. Entomol.* 28: 650 (1935).
- JOTCE, ABA. See LECHER, HANS Z.
KAGT, J. F.
765. *J. Econ. Entomol.* 34: 860-9 (1941).
766. *J. Econ. Entomol.* 29: 397 (1936).
- KAMM, O.
768. *Science* 54: 55 (1921).

- KAMPA, EDMUND P., and HYMAN, PHILIP M.
769. USP 1,707,727 (1929).
- KATTMAN, MORRIS B.
771. USP 2,290,831 (1942).
771A. USP 2,304,830 (1942).
- KEARNS, C. W. See COMPTON, G. C.
— and FLINT, W. P.
772. J. Econ. Entomol. 30: 158-66 (1937).
774. J. Econ. Entomol. 31: 625-30 (1938).
- KEARNS, H. G. H., MARSH, R. W., and MARTIN, H.
778. Bristol Univ., Agr. Hort. Research Sta. Ann.
Rept. 1935, pp. 37-48.
— and MARTIN, H.
777. Bristol Univ., Agr. Hort. Research Sta. Ann.
Rept. 1935, pp. 49-57.
- KENDALL, SIDNEY W.
780. USP 1,739,840 (1928).
781. BP 247,242 (1926).
782. FP 803,552 (1928).
- KERESZT, WOLF.
783. HP 123,831 (1940).
- KHARASCH, MORRIS S.
785. USP 2,062,911 (1936).
— and REINMUTH, OTTO.
790A. USP 2,303,698 (1942).
- KILGORE, L. B.
791. Ind. Eng. Chem. 34: 494-7 (1942).
792. USP 2,107,298 (1938).
793. USP 2,070,603 (1937).
794. USP 2,228,170 (1941).
- KINGZETT, C. T.
799. Chem. Encyclopedia, 4th ed.: 471 (London) (1928).
- KINLOCH, J. P.
797. Brit. Med. J. 2842: 1038-41 (1915).
798. Brit. Med. J. 2892: 789-93 (1918).
- KIRCHNER, JUSTUS G.
799. Iowa State Coll. J. Sci. 14: 53-4 (1939).
800. J. Econ. Entomol. 25: 525-30 (1942).
- KISSKALT, K.
801. Deut. Med. Wochenschr. 41: 154 (1915).
- KNIPLING, E. F.
808. J. Econ. Entomol. 34: 314-7 (1941).
- KNOTH, FRIEDRICH.
807. BP 368,179 (1932).
- KOCH, D. A. See ANDERSON, H. H.
- KONO, MITIO.
809. JP 91,194 (1931).
- KORN, FRANZ.
810. BP 437,151 (1935).
- KREFFT, OSWALD TH.
813. BP 452,658 (1938).
- KÜKENHAL, HANS. See MEISENBURG, KURT; SCHRADER, GERHARD; TAUBE, CARL.
—, SCHEPSS, WILHELM, and TAUBE, CARL.
815. GP 501,135 (1928).
- KÜMMEL, PAUL. See HARTMANN, ERICH.
- KUNIKE.
815A. NachrBl. dtsoch. PflSchDienst 15: 1 (1935).
- KYRIDES, LUCAS P.
818. USP 2,244,712 (1941).
818. USP 2,093,778 (1937).
- LAAKE, E. W. See ROAKE, R. C.
—, FARMAN, D. C., BISHOPP, F. C., and ROAKE, R. C.
819. U.S.D.A. Tech. Bull. 270, 10 pp. (1931).
- LAMIMAN, J. F. See HOSKINS, W. M.
- LANDAU, MAX.
823. USP 1,448,276 (1923).
- LONDON, R. H. See HARVEY, R. B.
- LANG, CARL F. L., and LANGE, WALTHER.
824. FP 718,260 (1931).
- LANGE, L. See JANCKE, O.
- LANGE, WALTHER. See LANG, CARL F. L.
- LANGE, WILLY.
825. GP 532,394 (1931).
- LANGFORD, GEORGE S. See CORY, FRANK N.
- LANGWELL, HERBERT. See EYRE, JOHN V.
- LARSON, A. O.
826. J. Econ. Entomol. 15: 391-5 (1922).
- Larvex Corporation, The.
828. FP 664,151 (1929).
829. GP 515,632 (1931).
- LATHROP, F. H., CUPPLES, H. L., HILEY, J., and YOST, H. R.
830. J. Econ. Entomol. 29: 410-2 (1936).
- LAUF, GERHARD.
830A. Z. Hyg. Schädlingkämpf. 29: 275-83 (1937).
- LA WALL, C. H. See WOOD, H. G.
- LAWRIE, L. G.
832. J. Soc. Dyers Colourists 39: 243 (1923).
833. BP 13,071 (1910).
- LAWTON, SWANIATHER K.
833. BP 13,071 (1910).
- LECHER, HANS Z., and JOYCE, ASA.
838. USP 2,289,546 (1942).
- LESCHE, HERBERT L., FITZGERIBSON, MAURICE, and LUNDVALE PRODUCTS, LTD.
838. BP 429, 615 (1935).
- LEFFEBURE, V., and British Dyestuffs Corp., Ltd.
839. BP 225,262 (1923).
- LEPROUT, H. M. See MAXWELL-LEPROUT, H.
840. Agr. J. India 5: 138-43 (1910).
841. Ann. Applied Biol. 1: 280-98 (1915).
842. BP 253,993 (1923).
843. BP 261,241 (1926).
844. USP 1,725,056 (1929).
— and FINLOW, R. S.
845. Mem. Drpt. Agr. India, Entomol. Ser. 4: 269-327 (1913).
- LEHMAN, RUSSELL S.
846. J. Econ. Entomol. 35: 659-81 (1942).
847. J. Econ. Entomol. 26: 1042-51 (1933).
- LENNOX, F. G.
848. Coun. Sci. Ind. Research (Aust.) Pamph. 90 (1939).
— and WEBBER, L. G.
849. Coun. Sci. Ind. Research (Aust.) Pamph. 101 (1940).
- LEPIGNE, A. L.
850. Bull. soc. encour. ind. natl. 137: 387-81 (1938).
- LEUTHOLD, WOLFGANG V.
851. FP 791,172 (1935).
- LEVINE, ARTHUR A., and McALLISTER, ROBERT W.
853. USP 2,101,587 (1937).
- LEWIS, H. C. See WOOLUM, R. S.
- LIDDEL, URMER.
854. USP 2,289,547 (1942).
- LIEBKNECHT, OTTO.
855. GP 524,624 (1926).
- LINCOLN, C. G.
858. J. Econ. Entomol. 35: 238-41 (1942).
- LINDGREN, D. L. See SHEPARD, H. H.
860. J. Econ. Entomol. 31: 320 (1938).
- LIPP, J. WM. See OSBURN, MAX R.
881. J. Econ. Entomol. 22: 118-25 (1929).
- LIPPER, CLARENCE.
892. USP 1,011,119 (1926).
- LIU, CHUNG-LO. See FANG, HSING-YUN.
- LIVAK, JOHN. See BRITTON, EDGAR C.; COLEMAN, GERALD H.; MILLS, LINDEY E.
863. USP 2,185,207 (1940).
—, COLEMAN, GERALD H., and MOTLE, CLARENCE L.
864. USP 2,185,208 (1940).
- LOBDELL, R. N. See NELKER, J. R.
- LODER, DONALD J.
866. USP 2,075,295 (1937).
- LOMMEL, WILHELM. See HARTMANN, E.
— and MÜNZEL, H.
867. GP 506,987 (1930).
868. GP 488,138 (1929).
869. GP 515,956 (1931).
870. GP 521,205 (1931).
871. USP 1,921,364 (1933).
872. USP 1,923,223 (1933).
873. GP 460,545 (1928).
874. USP 1,862,510 (1925).
—, MÜNZEL, H., STÜTTER, HERMANN, and WENK, BERTHOLD.
875. USP 1,734,882 (1929).
876. GP 469,094 (1928).
—, MÜNZEL, H., HENTRICH, WINFRID, and HARDTMANN, MAX.
877. USP 1,748,675 (1930).
- LOPEZ, A. W.
880. Ann. Repts. Philippine Sugar Assoc. 1931: 227-73 (1932).
- LOVETT, A. L., and ROBINSON, R. H.
881. J. Agr. Research 10: 199 (1917).

- LOWE, WILFRID.
882. BP 413,445 (1934).
883. BP 413,529 (1934).
884. FP 774,692 (1934).
- LOWENSTEIN, ERNST.
885. AP 99,430 (1925).
- LOWRY, P. R. See O'KANE, W. C.
- LUKENA, C. See CAMPBELL, F. L.
- LUNDEN, O.
886. Finska Trädgödsellaren, Helsingfors, Finland, 9, No. 7 (1915).
- Lunevale Products, Ltd. See LEECH, HERBERT L.
- MACMULLEN, CLINTON. See BRUBSON, HERMAN A.
- MAI, A.
890. BP 191,793 (1921).
- MAIER-BODE, HANS. See RISCHE, ALFRED.
891. GP 692,659 (1940).
- MALENOTTI, E.
893A. Il. Coltivatore No. 29 (1929).
- MARCOVITCH, S.
894. J. Econ. Entomol. 35: 288 (1942).
895. Univ. Tenn. Agr. Expt. Sta. Bull. 139 (1928).
896. J. Econ. Entomol. 21: 108 (1928).
896A. Univ. Tenn. Agr. Expt. Sta. Bull. 134 (1926).
- MARKOWSKY, ALFRED.
897. USP 1,024,507 (1933).
- MARSH, R. W. See KRANNS, H. G. H.
- MARSHALL, J.
899. Rept. Ontario Entomol. Soc. 61: 82 (1930).
- MARTIN, HENRY, and HIRT, RUDOLF.
900. USP 2,223,693 (1940).
—, HIRT, RUDOLF, and ZAESLIN, HANS.
901. USP 2,239,834 (1942).
- MARTIN, H. See KRANNS, H. G. H.
- MARTIN, J. T., and TATTERFIELD, F.
906. Chem. Ind. 27: 635-40 (1939).
- MARTIN, KARL. See GOLDSCHMIDT, STEFAN.
- MARX, KARL, and WESCHE, H.
908. USP 1,843,332 (1932).
909. USP 1,842,993 (1932).
- MASSEE, A. M. See GREENSLADE, R. M.
- MAXWELL, K. E., and McLEOD, G. F.
911. J. Econ. Entomol. 30: 215-6 (1937).
- MAXWELL-LEPROY, H. See LEPROY, H. M.
912. CP 275,901 (1927).
913. USP 1,613,402 (1927).
- MAY, P., and DYSON, C. M.
914. May's Chemistry of Synthetic Drugs, ed. 4, pp. 370, New York (1939).
- MCALLISTER, L. C., Jr., and VAN LEEUWEN, E. R.
915. J. Econ. Entomol. 23: 907-22 (1930).
- MCALLISTER, ROBERT W. See LEVINE, ARTHUR A.
- MCBETH, IRA G., and ALLISON, JOHN R.
916. USP 1,787,686 (1931).
- MCBRIDE, O. C. See MILLER, RALPH L.
- MCCELLAN, S. E. A. See WILCOXON, FRANK.
- McCLEARY, RUSH F. See BRUBSON, HERMAN A.
- McCLELLAN, HARRY V.
917. USP 1,758,734 (1930).
- McCULLOCH, R. N.
918. Australian Inst. Agr. Sci. J. 6: 105-8 (1940).
919. Agr. Gaz. N. S. Wales 43: 565 (1932).
- McDANIEL, E. I.
920. J. Econ. Entomol. 29: 1176 (1936).
921. Mich. State Coll. Expt. Sta. Bull. 166, 4 pp. (1936).
922. J. Econ. Entomol. 29: 464 (1936).
923. J. Econ. Entomol. 30: 337 (1937).
924. Mich. Agr. Expt. Sta. Quart. Bull. 19: 144-6 (1937).
- McDUGGALL, W. A.
925. Queensland Agr. J. 42: 690-726 (1934).
- McGILL, WILLIAM J.
926. USP 1,854,948 (1932).
927. CP 338,897 (1934).
- McCOWAN, E. R.
928. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-572 (1942).
929. Iowa State Coll. J. Sci. 9: 177-9 (1934).
930. J. Econ. Entomol. 29: 417-20 (1936).
931. J. Econ. Entomol. 30: 876-9 (1937).
—, SCHUCHTER, M. S., and FALSB, J. H.
932. Soap Sanit. Chem. March, 1943, p. 107. ♀
- McINDOO, N. E. See COOK, F. C.
933A. J. Agr. Research 7: 89-120 (1916).
- McKELSE, RALPH H.
934. USP 1,744,324 (1930).
- McLEOD, EARLE D. See MORGAN, WILLARD L.
- McLEOD, G. F. See MAXWELL, K. E.
- McQUISTON, RAYMOND C.
935. USP 2,046,128 (1936).
- MECKRACH, C. E.
936. SeP 59,841 (1925).
- MECKRACH, E.
937. Textilber. Wiss., Ind. Handel 2: 350-1, 373 (1921).
938. USP 1,682,975 (1928).
- MECOM, W. H. See JONES, S. E.
- MEISENBURG, KURT, and KÜKENTHAL, HANS.
939. CP 583,344 (1933).
940. USP 2,057,044 (1936).
- MEL'NIKOV, N. N., and VOL'PSON, L. G.
943. Org. Chem. Ind. (U.S.S.R.) 6: 637-8 (1939).
- MELVIN, ROY, BUSHLAND, RAYMOND C., and SMITH, CHARLES L.
944. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-586 (1943).
- MENDE.
944A. Deut. Forstztg. 44: 386-7 (1929).
- MENDES, ALAN W. C.
945. USP 1,732,240 (1929).
- Merck and Company, Inc.
946. Merck's Index, ed. 4: 535 (1930).
- MERRILL, DAVID R.
948. USP 2,237,358 (1941).
- METCALF, R. L.
949. J. Econ. Entomol. 34: 306-9 (1941).
- METZGER, F. W.
949A. J. Econ. Entomol. 28: 1072 (1935).
- MEZGER, OTTO.
953. GP 576,411 (1933).
- MICHAELBACHES, A. E.
954. J. Econ. Entomol. 30: 886-91 (1937).
- MIDGLEY, A. R., and DUNKLEE, D. E.
956. Vt. Agr. Expt. Sta. Univ. Vt. and State Agr. Coll. Pamph. 5, May, 1943.
- MILAM, JOE. See GILMORE, J. U.
- MILES, HERBERT W., and COHEN, MORRIS.
960. [Gt. Brit.] Mid. Agr. 42: 450-7 (1935).
- MILLER, RALPH L.
962. J. Econ. Entomol. 22: 340-5 (1929).
— and MCBRIDE, O. C.
963. J. Econ. Entomol. 24: 1116-31 (1931).
- MILLS, LINDLEY E.
964. USP 2,121,038 (1935).
965. USP 2,121,039 (1935).
966. USP 1,994,002 (1935).
— and ALLEN, WILLIAM W.
968. USP 2,134,001 (1938).
— and FATERWEATHER, BRUCE L.
969. USP 2,192,197 (1940).
—, SMITH, FRANK B., and LITAK, JOHN.
970. USP 2,123,854 (1938).
- MINAEFF, MICHAEL G.
972. USP 1,748,579 (1930).
973. CP 292,391 (1929).
974. Textile Colorist 49: 89-90 (1927).
975. BP 235,915 (1925).
976. BP 239,218 (1926).
977. BP 301,421 (1929).
978. USP 1,634,791 (1927).
979. USP 1,634,792 (1927).
980. USP 1,634,793 (1927).
981. USP 1,748,580 (1930).
— and SACHS, ALBERT F.
982. BP 235,914 (1926).
983. USP 1,634,790 (1927).
984. USP 1,634,794 (1927).
— and WRIGHT, J. H.
985. Ind. Eng. Chem. 21: 1187-95 (1929).
- MITCHELL, P.
985A. Health 2: 84-5 (1924).
- MÖBIUS, K., and WEDEKIND, E.
986. Mitt. Forstwirts. Forstwiss., 4: 88-95 (1933).
- MOHR, ALBERT C.
987. USP 2,281,784 (1942).
988. USP 2,281,785 (1942).
989. USP 2,281,786 (1942).

990. USP 2,281,787 (1942).
 MOKRZHITSKAYA, E. N. See SAVCHENKO, E. N.
 MOLL, HAROLD. See SMITH, FRANK B.
 MOLL, EMIL. See Chemische Fabrik Ludwig Meyer.
 MOORE, ALEXANDER T.
 992. USP 1,019,309 (1912).
 MOORE, G. V. See COLEMAN, G. H.
 MOORE, WARREN.
 992A. J. Econ. Entomol. 26: 723-6 (1933).
 — and BUG, HYTH E.
 993. USP 1,727,305 (1929).
 MOORE, WILLIAM. See ROBLIN, R. O., Jr.
 994. USP 1,797,877 (1931).
 995. USP 2,251,856 (1942).
 996. USP 2,251,857 (1942).
 997. USP 2,293,034 (1942).
 998. USP 2,005,797 (1935).
 999. USP 1,761,144 (1930).
 1000. USP 2,222,456 (1940).
 1001. J. Agr. Research 10: 365-71 (1917).
 1002. J. Agr. Research 9: 371-81 (1917).
 1003. J. Am. Med. Assoc. 71: 530-1 (1918).
 1004. J. Econ. Entomol. 11: 443 (1918).
 1005. J. Lab. Clin. Med. 3: 261-8 (1918).
 1006. USP 2,300,588 (1942).
 1007. J. Econ. Entomol. 17: 104-6 (1924).
 1007A. J. Econ. Entomol. 11: 341-2 (1918).
 — and CAMPBELL, F. L.
 1008. J. Agr. Research 28: 395-402 (1924).
 — and GRAHAM, S. A.
 1009. J. Agr. Research 12: 579-87 (1918).
 1010. J. Agr. Research 13: 523 (1918).
 1010A. J. Econ. Entomol. 11: 70-5 (1918).
 — and HIRSCHFELDER, A. D.
 1011. Univ. Minn. Research Pub. 4: pp. 86 (1919).
 — and RUGGLES, A. G.
 1011A. Science 42: 33-6 (1915).
 MORGAN, A. C., and CRUMB, S. E.
 1012. J. Econ. Entomol. 21: 913-20 (1928).
 MORGAN, WILLARD L., and MCLEOD, EARLE D.
 1013. USP 2,304,360 (1942).
 MOROZOV, S. F.
 1014. Plant Protection 6: 38 (1935).
 MORRILL, HENRY L.
 1015. USP 2,192,927 (1940).
 MORRIS, H. E. See SWINGLE, D. B.
 MOYLE, CLARENCE L. See BRITTON, EDGAR C.; COLEMAN, GERALD H.; LIVAK, JOHN E.; TAYLOR, FRED L.
 1010. USP 2,223,329 (1940).
 — and GOLEMAN, GERALD H.
 1017. USP 2,234,581 (1941).
 1018. USP 2,244,308 (1941).
 1019. USP 2,244,309 (1941).
 M. P. M. (Author's name not given).
 1020. J. Agr. Prat. 28: 120 (1914).
 MUELLER, HANS.
 1021. USP 1,619,529 (1927).
 MÜLLER, A.
 1022A. Verhandl. deut. Ges. Angew. Entomol. 4: 26-33 (1924).
 MULLIN, CHARLES E.
 1024. Textile Colorist 47: 160-3, 229-31 (1925).
 1025. Am. Dyestuff Repr. 14: 321-5 (1925).
 1026. Textile Colorist 48: 89-91 (1926).
 MUNDAY, J. C.
 1027. USP 1,942,532 (1934).
 MÜNGER, F. See SIEGLER, E. H.; SMITH, L. E.
 MUNGOMERY, R. W.
 1029. Queensland Agr. J. 42: 222-9 (1934).
 MURDO, J. A., and CAMRUTH, L. A.
 1030. J. Econ. Entomol. 25: 896-902 (1932).
 MÜNDEL, HEINRICH. See LOMMEL, WILHELM.
 MURPHY, D. F.
 1031. J. Econ. Entomol. 29: 606-11 (1936).
 1032. USP 2,203,919 (1940).
 — and PEET, C. H.
 1033. J. Econ. Entomol. 25: 123-9 (1932).
 1034. Ind. Eng. Chem. 25: 638-9 (1933).
 MUTH, F., and WESENBERG, G.
 1035. USP 1,932,595 (1933).
 NAEFF, ERWIN.
 1036. BP 160,039 (1921).
 1037. GP 304,506 (1918).
 1038. GP 416,706 (1925).
 1039. USP 1,480,289 (1924).
 NAGEL, W.
 1039A. Anz. Schädlingkunde 7: 137-9 (1932).
 NAKAZAWA, KIYOSI.
 1040. JP 128,857 (1939).
 NEUFERT, I. E., and GARRISON, G. L.
 1041. U.S.D.A. Bull. 893: 1-18 (1920).
 —, COOK, F. C., ROARK, R. C., TONKIN, W. H., BACK, E. A., and COTTON, R. T.
 1042. U.S.D.A. Bull. 1330: 40 (1925).
 NEISWANDER, C. R.
 1043. J. Econ. Entomol. 28: 405-10 (1935).
 NELLES, J. R., DUANE, A., TOWNSEND, G. R., and LOBDELL, R. N.
 1044. Agr. Rept. Fla. Agr. Expt. Sta. 1933: 190-1. 1934: 111-2.
 NELSON, E. M., HURD-KARBER, A. M., and ROBINSON, W. O.
 1045. Science 78: 124 (1933).
 NELSON, F. C., BUC, H. E., SANKOWSKY, N. A., and JEHNKEOFF, M.
 1046. Soap Sanit. Chem. 10 (10): 85 (1934).
 NELSON, O. A. See ROARK, R. C.
 1047. Ind. Eng. Chem. 20: 1382-4 (1928).
 NEMIRITSKY, B. See IVANOVA, N.
 NEULS, J. D.
 1049. USP 1,381,586 (1921).
 Neuzzeitliche Bodenbehandlung m. b. H., Gesellschaft für.
 1050. FP 785,431 (1935).
 NIEDERL, JOSEPH B.
 1052. USP 2,073,316 (1937).
 NISHIKAWA, Y.
 1056A. Oyo-Dobutugaku Zasshi 7: 42-9 (1935).
 NORTON, L. B. See HANSBERRY, R.
 N. V. de Bataafsche Petroleum Maatschappij. See Bataafsche Petroleum Maatschappij, N. V. de.
 O'KANE, WALTER C.
 1061. J. Econ. Entomol. 34: 438-9 (1941).
 — and BAKER, W. G.
 1062. New Hamp. Agr. Expt. Sta. Tech. Bull. 60 (1934).
 1063. New Hamp. Agr. Expt. Sta. Tech. Bull. 62 (1935).
 — and CONKLIN, J. G.
 1064. New Hamp. Agr. Expt. Sta. Tech. Bull. 40 (1930).
 — and GLOVER, L. C.
 1065. New Hamp. Agr. Expt. Sta. Tech. Bull. 63 (1935).
 — and SMITH, HOWARD W.
 1067. J. Econ. Entomol. 34: 438 (1941).
 —, WALKER, G. L., GEY, H. G., and SMITH, O. J.
 1068. New Hamp. Agr. Expt. Sta. Tech. Bull. 54 (1933).
 — and WESTGATE, W. A.
 1069. New Hamp. Agr. Expt. Sta. Tech. Bull. 48 (1932).
 —, WESTGATE, W. A., and GLOVER, L. C.
 1070. New Hamp. Agr. Expt. Sta. Tech. Bull. 58 (1934).
 —, WESTGATE, W. A., GLOVER, L. C., and LOWEY, P. R.
 1071. New Hamp. Agr. Expt. Sta. Tech. Bull. 39 (1930).
 OLCOTT, H. S. See BREAKER, E. P.
 OLDHAM, WILBUR N.
 1073. Iowa State Coll. J. Sci. 14: 69-70 (1940).
 OSBURN, MAX R., and LIPP, J. W.
 1075. U.S.D.A. Circ. 373: 33 (1935).
 OWOL, A. See WOOD, H. C.
 OSSENBECK, ANTON. See SCHREPP, WILHELM.
 OSTERHOUT, W. J. V.
 1076. Injury, Recovery, and Death in Relation to Conductivity and Permeability, 78. (J. B. Lipincott Co.: Phila., and London.) (1922).
 PACKARD, A. S.
 1077. Guide to the Study of Insects, ed. 9: 346-7, New York (1889).
 PAOLI, GUIDO.
 1078A. Boll. R. Sts. Pat. Veg. Roma 9 (N.S.N.): 273-81 (1929).

- PARFENTJEV, I. A.
1079. Fourth Int. Cong. Ent., Ithaca, N. Y. Trans. 2: 857 (1928).
- PARISH, HENRY E.
1080. *J. Econ. Entomol.* 35: 70-3 (1942).
- PARKER, T.
1080A. *Hort. Trades J.* May 5, 1925.
- PARSER, WILLIAM B.
1080B. U.S.D.A. Ent. Cir. 166 (1913).
- PARMAN, D. C. See LAAKE, E. W.; ROARK, R. C.
- PAUL, PHILIP T.
1082. USP 2,246,924 (1941).
- PAYKIN, D., and GORITZKAJA, O.
1083. *Inst. Zashch. Rast. (Lenin Acad. Agr. Sci., U.S.S.R.) Inst. Plant Protect.* 7: 83-90 (1935).
- PAYNE, NELLIE M. C. See ERICKS, WALTER P.
- PEACOCK, A. D.
1084. *Brit. Med. J.* 2892: 784-8 (1916).
- PEET, CHARLES H. See HECKERT, LEON C.; MURPHY, D. F.
1085. USP 1,816,441 (1931).
- PEPPER, BAILEY B.
1086. *J. Econ. Entomol.* 30: 332-6 (1937).
- PEPPER, J. H.
1087. *J. Econ. Entomol.* 30: 380 (1937).
- PERKINS, GRANVILLE A.
1088. USP 2,217 (1942).
- PERKINS, RALPH P., and BRYNER, FRED.
1089. USP 2,247,404 (1941).
1090. USP 2,247,402 (1942).
- PERSING, C. O. See BOYCE, A. M.
- PETERS, G.
1092. *Chem. Ztg.* 64: 485-6 (1940). See also *Rec. Chem. Prog.* 2 (2): 12-3 (1941).
- PETERSON, A.
1093. *Rept. Dept. Entomol. N. J. Agr. Expt. Sta.* 1917: 469 (1918).
1094. *J. Econ. Entomol.* 20: 174-85 (1927).
- PETERSON, PAUL D.
1095. USP 2,098,204 (1937).
- PHILLIPS, A. M. See SWINGLE, M. C.
1100. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Control Invest. Mimeo. Pub. E-550 (1941).
- PICK, PAUL.
1101. USP 1,216,350 (1917).
- PICKUP, HARRY. See Harpic Manufacturing Company.
- PIESOPOT, ROGER L.
1103. *Univ. Del. Agr. Expt. Sta. Bull.* 217 (1939).
- PIKL, JOSEF. See ENGELMAN, MAX.
- POOS, F. W. See HUDN-KARRER, A. M.
- POPEOE, C. H. See SIEGLER, E. H.
1107. *Science* 64: 525 (1926).
- POTTER, C.
1108. *Ann. Applied Biol.* 27: 110-21 (1940).
- PRATT, F. S., SWAIN, A. F. and ELDRED, D. N.
1110. *J. Econ. Entomol.* 26: 1031-41 (1933).
1111. *J. Econ. Entomol.* 28: 975-83 (1935).
- PRATT, P. E. See ANDRE, F.
- PRESLUDA, H. J.
1112. *Indalone (Mimeo. Pub.) U. S. Ind. Chemicals, Inc.*, 60 E. 42nd St., New York (1944).
- PRESCOTT, RALPH F., DOSSER, ROBERT C., and SCULATI, JOHN J.
1113. USP 2,300,006 (1942).
- PRESTON, ROSS J.
1114. USP 2,086,046 (1937).
- PUNGS, WILHELM. See VIERLING, KARL.
- PYENSON, LOUIS.
1117A. *J. Agr. Research* 52: 705-12 (1936).
- QUESTEL, D. D. See BATCHELDER, C. H.
1120. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-557 (1941).
1121. U.S.D.A. Agr. Research Adm., Bur. Entomol. and Plant Quar., Div. Cereal Forage Insect Invest. Mimeo. Pub. E-609 (1944).
- and GENTLER, S. I.
1122. U.S.D.A. Agr. Research Adm., Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-612 (1944).
- , GENTLER, S. I., SMITH, L. E., and VIVIAN, D. L.
1123. U.S.D.A. Bur. Entomol. and Plant Quar. E-557, pp. 17 [Processed.] (1941).
- RAGAN, WILLIS E.
1124. USP 1,688,597 (1928).
- RALSTON, ANDERSON W., and BARRETT, JOHN P.
1126. USP 2,254,665 (1941).
- , HARWOOD, JAMES, and HOPKINS, ERYIN W.
1127. USP 2,204,511 (1940).
- RANDACCIO, CARLO.
1128. *FP* 795,668 (1936).
- RATNER, YU. B. See SAVCHENKO, E. N.
- RAUCOURT, M.
1130. *Multigraph, Paris, Cent. de Docum. Chim.* (1937).
- REID, JAMES, and JOHNSON, ALISTER C.
1132. *AIP* 20,665/34 (1935).
- REINERS, OTTO.
1133. *GP* 595,849 (1934).
- REINMUTH, OTTO. See KHARASCH, MORRIS S.
- REMY, THEOPH P.
1135. USP 1,986,218 (1935).
1136. USP 2,045,925 (1939).
- RENNER, HERBERT.
1137. *GP* 470,458 (1929).
1138. *GP* 481,679 (1929).
- RUPPE, WALTER and UFFS, HANNS.
1139. USP 2,087,759 (1937).
1140. USP 2,098,759 (1937).
- RICE, R. V., and BEAL, G. D.
1141. USP 2,290,710 (1942).
- RICHARDSON, CHARLES H. See CRAIG, LYMAN C.; HANBERRY, T. ROY; SHEPARD, H. H.; SMITH, C. R.; STARR, DONALD.
1143. *Ind. Eng. Chem., News Edition*, 19: 77-78 (1941).
1144. *Chem. Eng. News, Am. Chem. Soc.* 20: 241-55 (1942).
1145. *J. Econ. Entomol.* 33: 857-61 (1940).
- , CRAIG, L. C., and HANBERRY, T. ROY.
1146. *J. Econ. Entomol.* 29: 850-5 (1930).
- and GLOVER, LOUISE E.
1147. *J. Econ. Entomol.* 25: 1176-81 (1932).
- and HAAS, L. E.
1148. *J. Econ. Entomol.* 24: 732 (1931).
1149. *Iowa State Coll. J. Sci.* 6: 287 (1932).
- and SEIFERLE, EDWIN J.
1150. *J. Agr. Research* 57: 423-32 (1938).
- and SHEPARD, H. H.
1151. *J. Agr. Research* 40: 1007 (1930).
- and SMITH, C. R.
1152. U.S.D.A. Bull. 1160: 14 (1923).
1153. *J. Agr. Research* 33: 597-609 (1925).
- and THURBER, G. A.
1154. *J. Econ. Entomol.* 26: 494-9 (1933).
- RICHARDSON, HENRY H. See WEIGEL, C. A.
1155. *J. Econ. Entomol.* 35: 664-8 (1942).
1156. *J. Econ. Entomol.* 28: 399-405 (1935).
- , SCHRECHTER, MILTON S., and HALLER, H. L.
1158. *J. Econ. Entomol.* 36: 111 (1943).
- RIESENBAUM, WALTHER. See TETRAIN, G. m. b. H.
- RIEICHE, ALFRED, MAIER-BODE, HANS, and ECKARDT, WOLFGANG.
1159. *GP* 675,972 (1939).
- , WOLFFEN, BITTERFELD, KRIS, MAIER-BODE, HANS, and ECKARDT, WOLFGANG.
1160. USP 2,129,025 (1938).
- RIFTEL, J. D.
1160A. *GP* 276,976 (1914).
- RITTER, RICHARD M.
1164. *BP* 327,009 (1930).
1165. *GP* 528,611 (1931).
1166. USP 1,885,292 (1932).
1167. *BP* 313,043 (Not yet accepted).
- ROARK, R. C. See COOK, F. C.; COTTON, R. T.; LAAKE, E. W.; NEIFERT, I. E.
1168. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-564 (1942).
1169. U.S.D.A. Bur. Entomol. and Plant Quar. Mimeo. Pub. E-537 (1941).
1170. *Ind. Eng. Chem.* 27: 539-2 (1935).
1175. A Second Index of Patented Mothproofing Materials. U.S.D.A. Bur. Chem. and Soils, Insecticide Div. Mimeo. Pub. pp. 109 (1933).
1176. An Index of Patented Mothproofing Materials. U.S.D.A. Bur. Chem. and Soils, Insecticide Div. Mimeo. Pub. pp. 125 (1931).

1177. Soap Sanit. Chem. 3 (12): 95-101 (1928).
 — and BUSBY, R. L.
 1178. U.S.D.A. Bur. Entomol. and Plant Quar. Mimeo. Pub. E-344 (1934).
 1179. A Third Index of Patented Mothproofing Materials. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. pp. 104 (1936).
 — and COTTON, R. T.
 1180. U.S.D.A. Tech. Bull. 182 (1929).
 1181. Ind. Eng. Chem. 20: 513-4 (1928).
 1183. USP 1,791,429 (1931).
 — and NELSON, O. A.
 1184. J. Econ. Entomol. 22: 381-7 (1929).
 —, PARMAN, D. C., BISHOPP, F. C., and LAAR, E. W.
 1185. Ind. Eng. Chem., Ind. Ed. 19: 942-3 (1927).
 ROBERTS, A. W. R. See TATTERSFIELD, F.
 ROBERTS, F. H. S.
 1188. Queensland Agr. J. 42: 473-89 (1934).
 ROBERTSON, ALEXANDER. See COLLIE, BENJAMIN.
 ROBINSON, R. H. See LOVETT, A. L.
 ROBINSON, W. O. See NELSON, F. M.
 ROBINSON, WILLIAM, and WICKARD, GLAUCIE R.
 1188. USP 2,305,765 (1942).
 ROSEN, RICHARD O., JR.
 1180. USP 2,293,035 (1942).
 1190. USP 2,293,472 (1942).
 1191. USP 2,194,075 (1940).
 1192. USP 2,300,597 (1942).
 — and HECHENBLEIKNER, INGENUIN.
 1193. USP 2,289,550 (1942).
 1194. USP 2,293,309 (1942).
 — and MOORE, WILLIAM.
 1195. USP 2,305,558 (1942).
 ROSE, L. M.
 1196. USP 1,739,172 (1930).
 ROGERS, C. H.
 1198. Texas Agr. Expt. Sta. Bull. 634 (1943).
 RÖHM and HASS COMPANY.
 1199. BP 508,308 (1939).
 1200. BP 494,795 (1938).
 1201. FP 810,521 (1937).
 1202. GP 562,672 (1930).
 1203. BP 361,900 (1931).
 1204. FP 866,326 (1930).
 1205. FP 810,522 (1937).
 ROSE, W. G., and HALLER, H. L. J.
 1208. USP 2,140,481 (1938).
 1207. J. Am. Chem. Soc. 53: 2848-9 (1936).
 ROSENSTEIN, LUDWIG.
 1208. USP 2,037,437 (1936).
 ROSS, JOSEPH M.
 1209. USP 1,504,831 (1928).
 — and ROSS, MILTON J.
 1210. USP 1,594,632 (1926).
 ROTHMAN, ALBERT, and STEIN, HELMUT.
 1212. GP 485,050 (1925).
 Rubber Service Laboratories Company, The.
 1213. BP 257,844 (1928).
 ROCH, JOHN, and RUCH, JOHN, JR.
 1213A. USP 369,739 (1886).
 ROGGLER, A. G. See MOORE, WILLIAM.
 RUSSELL, E. J.
 1214. J. Roy. Hort. Soc., Eng., 45: 237 (1920).
 SACHS, ALBERT P. See MINAREFF, M. G.
 1216. USP 1,789,565 (1931).
 1217. Textile Colorist 46: 221-6 (1924).
 1218. Am. Dyestuff Repr. 14: 155-8 (1925).
 1210. Textile Colorist 47: 783 (1925).
 1220. Textile Colorist 48: 453-6, 526-30 (1926).
 1221. Ind. Chem. 3: 504-7 (1927).
 SAH, PETER P. T. See FANG, HING-YUN.
 ST. GEORGE, R. A., See CRAIGHEAD, F. C.
 SALZBERG, PAUL L. See AUSTIN, PAUL R.; BOUSQUET, EUCLID W.; FLINT, ROBERT H.
 1222. USP 2,112,381 (1938).
 1223. USP 2,122,781 (1938).
 1224. USP 2,166,118 (1939).
 — and BOUSQUET, EUCLID W.
 1225. USP 2,075,359 (1937).
 1226. CP 354,650 (1935).
 1227. USP 1,993,040 (1935).
 1228. USP 1,917,453 (1933).
 SANKOWSKY, N. A. See NELSON, F. C.
 SAFF, ROBERT. See CULMAN, GERALD H.
 SAUER, W. See GÖPP.
 SAYCHENKO, E. N., and MOKREZHITSKAYA, E. N.
 1223A. Sborn. Rab. mt. Otd. VIMPa 1935: 6-30.
 — and RATNER, YU. B.
 1223B. Nauch. Zap. Sakhatn. Prom. 12: 141-57 (1936).
 SAL, A. K., and BERNHEIM, F.
 1229. J. Pharmacol. 73: 78-84 (1941).
 SCHARIK, FRANZ.
 1231. GP 409,610 (1925).
 SCHAFER, P. S., and HALLER, H. L. J.
 1232. USP 2,099,826 (1937).
 —, HALLER, H. L. J., and FINK, D. E.
 1233. J. Econ. Entomol. 30: 381 (1937).
 SCHECHTER, MILTON S. See MCGOVAN, E. R.; RICHARDSON, HENRY H.
 — and HALLER, H. L. J.
 1235. USP 2,189,570 (1940).
 1238. USP 2,200,564 (1940).
 SCHEPSS, WILHELM. See HARDTMANN, MAX; HENTRICH, WINFRIED; KÜKENTHAL, HANS; TIETZE, ERNST.
 — and BONRATH, WILHELM.
 1237. GP 484,995 (1926).
 — and HARDTMANN, MAX.
 1239. GP 534,676 (1931).
 1240. USP 1,975,408 (1934).
 —, TIETZE, FRANZ, and OSSENBECK, ANTON.
 1241. USP 1,757,222 (1930).
 1242. GP 502,600 (1930).
 1243. CP 292,416 (1920).
 SCHERER, OTTO.
 1244. GP 670,833 (1939).
 Schering-Kahlbaum Akt. Gesell.
 1245. GP 520,330 (1931).
 1246. GP 545,740 (1932).
 1247. GP 548,091 (1932).
 1248. GP 553,856 (1932).
 1250. FP 800,456 (1936).
 SCHIRM, ERIK. See HENTRICH, WINFRIED.
 SCHLEICH, AUGUSTE.
 1255. FP 802,886 (1938).
 SCHLOFFER, FRITZ. See VOLLMAN, HEINRICH.
 SCHMITT, J. B. See GUY, H. G.; HEAL, R. E.
 SCHMITT, WILHELM.
 1257. CP 247,378 (1925).
 1258. BP 230,203 (1925).
 1259. GP 419,463 (1925).
 1260. GP 421,100 (1925).
 1261. USP 1,610,167 (1928).
 SCHOELLER, WALTER, and SCHOTTE, HERBERT.
 1262. GP 512,871 (1929).
 SCHOPMEYER, H. H. See DIETZ, ALBERT A.
 SCHOTTE, HERBERT. See GÖRNITZ, KARL; SCHOELLER, WALTER.
 — and GÖRNITZ, KARL.
 1264. GP 653,059 (1937).
 SCHNADER, GERHARD, BAYER, OTTO, and KÜKENTHAL, HANS.
 1265. USP 2,114,577 (1938).
 SCHUBLER, HERBERT.
 1266A. USP 2,302,805 (1942).
 SCHWARTZ.
 1267A. Mitt. K. Biol. Anst. Land. u. Forstw. 8: 36-7 (1913).
 SCHWEITZER, HUGO. See HUISMANN, JOHANN.
 SCOTT, E. W., ABBOTT, W. S., and DUDLEY, J. E., JR.
 1268. U.S.D.A. Bull. 707 (1918).
 SCULATI, JOHN J. See BRITTON, EDGAR C.; PRESCOTT, RALPH F.
 SEIFERLE, EDWIN J. See RICHARDSON, C. H.
 SEXTON, WILFRED A. See COLLIE, BENJAMIN.
 SEYNAEVE, AUGUSTE.
 1270. FP 545,930 (1922).
 SHAFER, G. D.
 1271. Mich. Agr. Expt. Sta. Tech. Bull. 21 (1915).
 SHAW, H., and STEER, W.
 1274. J. Pomology Hort. Sci. 18: 384 (1939).
 SHEFFIELD, DONALD H.
 1275. USP 2,300,599 (1942).
 SHELDON, D. M. (Shell Development Company).
 1276. Private Communication (1944).
 SHEPARD, HAROLD H. See RICHARDSON, C. H.; SMITH, C. R.
 — and CAMPBELL, F. L.
 1276A. J. Econ. Entomol. 25: 142-4 (1932).
 — and CARTER, R. H.

1277. J. Econ. Entomol. 26: 913 (1933).
 — and LINDGREN, DAVID L.
 1278. J. Econ. Entomol. 27: 842-5 (1934).
 —, LINDGREN, DAVID L., and THOMAS, E. L.
 1279. Minn. Agr. Expt. Sta. Tech. Bull. 120: 3-23 (1937).
 — and RICHARDSON, C. H.
 1280. J. Econ. Entomol. 24: 905 (1931).
 SIBILLE, JULES.
 1281. BeP 379,339 (1931).
 1282. BP 399,938 (1933).
 SIBLEY, ROBERT L.
 1283. USP 2,010,443 (1935).
 1284. USP 2,077,960 (1937).
 SIEGLER, E. H. See SMITH, L. F.
 1285. J. Econ. Entomol. 35: 74-6 (1942).
 1287. J. Econ. Entomol. 35: 784 (1942).
 — and BOWEN, C. V.
 1286. J. Econ. Entomol. 35: 781-4 (1942).
 — and MÜNGER, F.
 1289. J. Econ. Entomol. 26: 439 (1933).
 —, MÜNGER, F., and SMITH, L. F.
 1291. U.S.D.A. Circ. 523 (1939).
 1292. J. Econ. Entomol. 32: 129-31 (1939).
 — and POPPENO, C. H.
 1293. J. Econ. Entomol. 18: 292 (1925).
 SILLEVAERT, M.
 1295. Bull. service med. du travail, Bruxelles 5-6, No. 3-4: 57-72 (1926).
 SKALOV, YU.
 1297. Tabachnaya Prom. 6: 23-5 (1934).
 SKEIKAKURA, TAKAICHI.
 1298. JP 78,953 (1928).
 SLAUGH, HAROLD R. See ALQUIST, FRANCIS N.
 1299. USP 2,164,355 (1939).
 — and ALQUIST, FRANCIS N.
 1300. USP 2,181,100 (1939).
 1301. USP 2,221,818 (1940).
 SLOBODSKA, Y. YA.
 1302. Trans. Sci. Inst. Fertilizers Insectofungicides (U.S.S.R.) 123: 104-11 (1935).
 SMITH, C. E. See WILLIAMSON, AUBREY C.
 SMITH, CHARLES L. See MELVIN, ROY.
 SMITH, C. R. See CAMPBELL, F. L.; RICHARDSON, C. H.
 —, RICHARDSON, C. H., and SUREFARO, H. H.
 1305. J. Econ. Entomol. 23: 863-7 (1930).
 SMITH, FRANK B. See BRITTON, EDGAR C.; HANSEN, J. N.; MILLS, LINDLEY E.
 1306. USP 2,128,195 (1938).
 — and MOLL, HAROLD.
 1306A. USP 2,221,820 (1940).
 1307. USP 2,221,819 (1940).
 — and SUNDERLAND, WINFIELD.
 1308. USP 2,097,136 (1937).
 1309. USP 2,097,137 (1937).
 SMITH, HOWARD W. See O'KANE, WALTER C.
 SMITH, JOHN B.
 1310. Our Insect Friends and Enemies, Phila., 1909: 238-42.
 SMITH, JOHN E.
 1311. USP 1,982,358 (1934).
 SMITH, LLOYD E. See BOWEN, C. V.; CAMPBELL, F. L.; CLABORN, H. V.; FINK, D. E.; GERSDORFF, W. A.; QUESTEL, D. D.; SIEGLER, E. H.
 1312. Ind. Eng. Chem. 34: 499-501 (1942).
 1313. USP 2,239,832 (1941).
 1314. USP 2,191,301 (1940).
 1315. USP 2,191,300 (1940).
 1316. USP 2,115,046 (1938).
 1317. USP 2,127,090 (1938).
 1318. USP 2,226,672 (1940).
 1320. USP 2,049,725 (1936).
 1321. USP 2,291,192 (1942).
 1322. USP 2,291,193 (1942).
 1323. USP 2,291,194 (1942).
 1324. USP 2,191,299 (1939).
 — and CLABORN, HOUSTON.
 1325. USP 2,100,493 (1937).
 —, SIEGLER, E. H., and MÜNGER, F.
 1327. J. Econ. Entomol. 26: 1027 (1936).
 1328. J. Econ. Entomol. 31: 322-3 (1938).
 1329. J. Econ. Entomol. 28: 727 (1935).
 SMITH, O. J. See O'KANE, WALTER C.
 SMITH, R. H.
 1330. J. Econ. Entomol. 31: 632 (1938).
 SNAPP, OLIVER I.
 1331. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Fruit Insect Invest. Mimco, Pub. E-558 (1942).
 Société pour l'industrie chimique à Bâle.
 1335. FP 713,082 (1931).
 1336. FP 735,959 (1932).
 Société des Usines Chimiques Rhône-Poulenc.
 1337. FP 711,290 (1931).
 SOLLMANN, T.
 1339. A Manual of Pharmacology, ed. 5: 1190. Phila. (1937).
 SPEYER, E. R.
 1340. 8th Ann. Rept. Expt. Research Sta. Cheshunt Herts 1922: 45-57.
 SPOKES, RAY E.
 1341. USP 1,977,412 (1934).
 STAGNER, BERT A.
 1342. CP 261,810 (1926).
 1343. USP 1,558,122 (1925).
 SPARK, DONALD, and RICHARDSON, CHARLES H.
 1343A. J. Econ. Entomol. 29: 214-5 (1936).
 STEER, W. See SHAW, H.
 STEIN, HELMUT. See ROTHMAN, ALBERT.
 STEINER, H. B.
 1347. J. Econ. Entomol. 28: 385-8 (1935).
 STEINER, L. F. See FRACKER, STANLEY B.
 STEINER, R.
 1348. AP 139,130 (1934).
 STELLWAAG, F.
 1349. Z. angew. Entomol. 18: 113 (1931).
 STEPHENS, W. A.
 1351. USP 1,719,523 (1929).
 STILES, H. R. (Commercial Solvents Corporation).
 1352. Private Communication (1944).
 STÜTTER, HERMAN. See HARTMANN, ERICH; HENTRICH, WINFRED; LOMMEL, WILHELM; TIEZLE, ERNST; WEILER, MAX.
 1356. GP 468,914 (1928).
 1357. GP 485,101 (1929).
 1358. GP 507,097 (1930).
 — and HERMANN, THEODOR.
 1359. USP 2,130,435 (1938).
 1360. GP 528,704 (1931).
 1361. GP 541,279 (1932).
 —, WEILER, MAX, BERRER, KARL, and WENK, BERTHOLD.
 1362. GP 530,331 (1931).
 —, WENK, BERTHOLD, and WEILER, MAX.
 1363. GP 506,770 (1930).
 STRAND, A. L.
 1364. Ind. Eng. Chem. Anal. Ed., 2: 4 (1930).
 STRAUS, WALTER.
 1365. GP 419,464 (1925).
 STRONG, MURIEL. See HASTZELL, ALBERT.
 SULLIVAN, W. N. See CAMPBELL, F. L.
 SUNDERLAND, WINFIELD. See SMITH, FRANK B.
 SUTHERLAND, DANIEL M., JR.
 1367. USP 1,884,367 (1932).
 SWAIN, A. F. See PRATT, F. S.
 SWAINE, JAMES W.
 1368. USP 2,283,471 (1942).
 1369. USP 2,212,529 (1940).
 SWINGLE, D. B., MORRIS, H. E., and BURKE, E.
 1370. J. Agr. Research 24: 501 (1923).
 SWINGLE, H. S.
 1371. J. Econ. Entomol. 31: 430 (1938).
 SWINGLE, M. C., and COOPER, J. F.
 1372. J. Econ. Entomol. 28: 220-4 (1935).
 —, GAHAN, J. B., and PHILLIPS, A. M.
 1373. U.S.D.A. Bur. Entomol. and Plant Quar. E-565 (1942).
 TARTAR, H. V., and WILSON, H. F.
 1375. J. Econ. Entomol. 8: 481 (1915).
 TATTERSFIELD, F. See MARTIN, J. T.
 1376. Ann. Applied Biol. 12: 218-62 (1925).
 1377. Rept. Rothamsted Expt. Sta. 1936: 84-99.
 1378. Ann. Applied Biol. 14: 331-58 (1927).
 1379. J. Agr. Sci. 17: 181 (1927).
 1380. Ann. Applied Biol. 26: 365 (1939).
 — and ROBERTS, A. W. R.
 1382. J. Agr. Sci. 10: 169-232 (1920).
 TAUBE, CARL. See KÜKENTHAL, HANS.
 — and KÜKENTHAL, HANS.

1385. GP 506,065 (1928).
 1386. USP 1,841,458 (1932).
 TAYLOR, FRED L., and MOYLE, CLARENCE L.
 1387A. USP 2,297,728 (1942).
 TCHAYEFF, SERGE.
 1388. FP 677,340 (1930).
 TENDELOO, HENRICUS J. C.
 1389. USP 2,225,573 (1940).
 TETRALIN G.m.b.H., and RIEBENSARM, WALTHER.
 1390. GP 377,587 (1923).
 THALENHORST, WALTER.
 1392. *Ann. Schädlingkunde* 13: 15-7 (1937).
 THAUDS, ALFRED, and HARDTMANN, MAX.
 1393. GP 534,338 (1931).
 1394. USP 1,910,938 (1933).
 THAYSEN, AAGE C.
 1395. BP 399,952 (1933).
 THOMAS, C. A.
 1396. *Penda. State Coll. Agr. Expt. Sta. Tech. Bull.* 259 (1930).
 1397. USP 1,992,160 (1935).
 THOMAS, E. L. See SHEPARD, H. H.
 THURBER, G. A. See RICHARDSON, G. H.
 TITZ, H. M.
 1398. *J. Econ. Entomol.* 17: 471 (1924).
 TITZ, ERNST. See HARDTMANN, MAX; HENTRICH, WINFRIED; SCHREPS, WILHELM.
 —, SCHREPS, WILHELM, and HENTRICH, WINFRIED.
 1399. GP 504,886 (1930).
 — and STÖTTER, HERMANN.
 1400. GP 490,221 (1930).
 TIRDALE, WENDELL H. See CALCOTT, WILLIAM S.
 1401. *Rev. Applied Mycol.* 14: 508 (1935).
 — and BAKE, LOUIS S.
 1402. USP 2,044,959 (1936).
 — and FLENNER, L.
 1403. *Ind. Eng. Chem.* 34: 501-2 (1942).
 — and WILLIAM, IRA.
 1404. USP 2,205,232 (1940).
 1405. *AIP* 8103/32 (1933).
 1406. USP 1,972,961 (1934).
 TITSCHACK, E.
 1407. *Z. tech. Biol.* 10: 1-108 (1922).
 TONKIN, W. H. See NEUFERT, I. E.
 TOWNSEND, G. R. See NELZER, J. R.
 TRAVIS, HERNARD V.
 1410. *Iowa State Coll. J. Sci.* 10: 235 (1936).
 TREBOUX, JULES.
 1411. USP 2,221,931 (1940).
 TRELAGER, S. F., and TRELAGER, H. M.
 1412. *Ann. J. Botany* 24: 448 (1937).
 TRIFFITT, MARJORIE J. See HURST, RICHARD H.
 TROTMAN, S. R., TROTMAN, E. R., and BROWN, J.
 1413. *J. Soc. Dyers Colourists* 44: 49-52 (1928).
 TRUFFAUT, GEORGES.
 1414. BP 364,046 (1931).
 TURNER, NERLY. See BATCHELDER, C. H.
 1415. *Conn. State Agr. Expt. Sta. Cir.* 114: 73-6 (1936).
 TURNER, SAMUEL A.
 1416. USP 1,494,085 (1924).
 1417. USP 1,515,122 (1924).
 TUROWA, A. D.
 1418. *Chem. Zentr.* 109 (11): 4207 (1938).
 TUTIN, V.
 1419. *Ann. Rept. Long Ashton Agr. Hort. Research Sta.* (1927).
 UFER, HANNS. See REPPF, WALTHER.
 VALLEE, ARTHUR G. See JOHNSON, F. S.
 VAN DER MEULEN, P. A. See VAN LEEUWEN, E. R.
 VAN LEEUWEN, E. R. See MCALLISTER, L. C., Jr.
 1423. *J. Econ. Entomol.* 19: 190 (1926).
 1423A. *Proc. 31st Ann. Meeting Wash. State Hort. Soc.* 1935: 136-9 (1936).
 — and VAN DER MEULEN, P. A.
 1424. *J. Econ. Entomol.* 18: 307 and 744 (1925).
 Vereinigte Chemische Fabriken Juhum Norden and Company.
 1426. GP 357,063 (1922).
 VIERLING, KARL, and FUNGS, WILHELM.
 1430. USP 1,851,007 (1932).
 VIVIAN, D. L. See FINK, D. E.; QUESTEL, D. D.
 1431. USP 2,173,386 (1939).
 — and ACRE, FRED, JR.
 1432. U.S.D.A. Bur. Entomol. and Plant Quar., Div. Insecticide Invest. Mimeo. Pub. E-539 (1941).
 — and HALLER, HERBERT.
 1433. USP 2,110,614 (1938).
 1434. USP 2,111,879 (1938).
 1435. USP 2,110,896 (1938).
 1436. USP 2,110,897 (1938).
 1437. USP 2,094,831 (1937).
 1438. USP 2,095,939 (1937).
 1439. USP 2,096,414 (1937).
 1440. USP 2,095,940 (1937).
 1441. USP 2,095,941 (1937).
 VOL'FSON, L. G. See MEL'NIKOV, N. N.
 VOLLMAN, HEINRICH, and SCHLOPFFER, FRIED.
 1442. GP 699,032 (1940).
 VOORHEES, VANDERBYER.
 1444. USP 2,011,428 (1935).
 VYSHELESSKIY, N. S.
 1444A. *Bull. Plant Protection* 3 (1): 175-82
 WALKER, G. L. See O'KANE, WALTER C.
 1446. *J. Econ. Entomol.* 30: 962-7 (1937).
 WALKER, HARRY G., and ANDERSON, LAUREN D.
 1447. *J. Econ. Entomol.* 30: 312-4 (1937).
 WARNAT, BASEL.
 1448A. USP 2,305,751 (1939).
 WASSILL, HELEN E. See JACKSON, LLOYD E.
 WATERS, H. A. See DeLONG, D. M.
 WEBER, L. G. See LENNOX, F. G.
 WEGERIND, E. See MÜLLER, K.
 WEIDNER, CATHARINA.
 1451. BP 423,462 (1935).
 WRIGHT, C. A., and RICHARDSON, HENRY H.
 1452. U.S.D.A. Bur. Entomol. and Plant Quar., News Letter 2 (11): 221 (1935).
 WEILER, MAX. See STÖTTER, HERMANN.
 1453. GP 545,322 (1931).
 1454. USP 1,971,436 (1934).
 — and BERRES, KARL.
 1455. GP 542,069 (1932).
 1456. USP 1,880,566 (1932).
 —, BERRES, KARL, WENK, BERTHOLD, and STÖTTER, HERMANN.
 1457. GP 500,969 (1930).
 1458. GP 535,152 (1931).
 1459. USP 1,906,890 (1933).
 1460. USP 1,910,488 (1933).
 — and STÖTTER, HERMANN.
 1461. GP 520,184 (1931).
 —, STÖTTER, HERMANN, WENK, BERTHOLD, and BERRES, KARL.
 1462. GP 525,151 (1931).
 —, WENK, BERTHOLD, and BERRES, KARL.
 1463. GP 513,387 (1930).
 1464. GP 513,388 (1930).
 —, WENK, BERTHOLD, and STÖTTER, HERMANN.
 1465. GP 503,256 (1930).
 1466. GP 530,219 (1931).
 1467. USP 1,707,181 (1929).
 1468. USP 1,948,894 (1934).
 WEINBERG, ISAAC J.
 1469. USP 1,591,902 (1926).
 WENK, BERTHOLD. See LOMMEL, WILHELM; STÖTTER, HERMANN; WEILER, MAX.
 1474. USP 1,784,046 (1931).
 WERNITZ, JAMES H.
 1472. USP 2,070,834 (1937).
 WESCHER, HANS. See MAX, KARL.
 — and BRODERSEN, KARL.
 1473. USP 1,815,816 (1931).
 WERNBERG, GEORG. See MUTH, F.
 1475. USP 1,819,399 (1931).
 WESTGATE, W. A. See O'KANE, WALTER G.
 WETHERILL, J. P., and HANN, RAYMOND M.
 1478. *J. Am. Chem. Soc.* 56: 970-1 (1934).
 WHITE, H., FULTON, B. B., and CRANOR, K. T.
 1479. *Entomol. News* 40: 117-21, 137-41 (1929).
 WHITE, ROBERT G.
 1480. USP 1,990,422 (1935).
 WIRAUT, JOHAN P., and HERTOG, HERMAN J. DEN, JR.
 1483. USP 2,129,294 (1935).
 WICKARD, CLAUDE R. See ROBINSON, WILLIAM.

WILCOXON, FRANK. See HARTZELL, ALBERT.

— and HARTZELL, ALBERT.

1484. Contrib. Boyce Thompson Inst. 7: 29-36 (1935).

1485. Contrib. Boyce Thompson Inst. 3: 1 (1931).

1487. Contrib. Boyce Thompson Inst. 7: 333-9 (1935).

WILDT, W.

1488. GP 272,822 (1914).

WILLIAMS, EVAN C.

1489. USP 2,043,941 (1936).

WILLIAMS, FREDERICK. See HOLLANDER, CHARLES S.

WILLIAMS, IRA. See TISDALE, WENDELL H.

WILLIAMS, WILLIAM H. See BRITTON, EDGAR C.

WILLIAMSON, AUREY C., SMITH, C. E., and BAGLEY, JAMES K.

1490. USP 1,820,587 (1927).

WILSON, H. F. See TARTAR, H. V.

1491. Wisconsin Agr. Expt. Sta. Bull. 303 (1919).

WILSON, MELVILLE M.

1492. USP 2,014,077 (1935).

WINCKLER, W. T.

1494. USP 1,912,814 (1933).

WISSING, FREDERICH.

1496. GP 353,682 (1922).

WITMAN, E. D. See DeLONG, D. M.

1481. Private Communication (1944).

WOGNUM, R. S., and LEWIS, H. C.

1497. J. Econ. Entomol. 29: 621 (1936).

WOLF. See KRESSTT.

WOLFEN, See RICHE, ALFRED.

WOOD, H. C. LA WALL, C. H., YOUNGKEN, H. W., OSOL, A., GRIFFITH, I., and GERSHENFELD, L.

1500. The Dispensary of the United States of America, ed. 22: 1894, pp. Phila. and London (1937).

WOODS, J. W.

1501. USP 929,527 (1909).

WOODWORTH, C. E.

1502. J. Agr. Research 57: 229 (1938).

WRIGHT, D. W.

1504. J. Ministry Agr. (Eng.) 45: 812-20 (1938).

WRIGHT, J. H. See MINAEFF, M. G.

YARWOOD, C. E.

1508. J. Econ. Entomol. 36: 641 (1943).

YOUNG, H. C. See HENDRICKS, S. B.

YOUNG, H. D. See COTTON, RICHARD T.

YOUNG, P. A. See GODFREY, G. H.

YOUNGKEN, H. W. See WOOD, H. C.

YUILL, J. S.

1511. J. Econ. Entomol. 35: 16-20 (1942).

YUST, H. R. See CUPPLES, H. L.; LATHROP, F. H.

ZAPSLIN, HANS. See MARTIN, HENRY.

ZALAR, J. See HARVEY, R. B.


ZENBA, JOHN. See BRITTON, EDGAR C.; COLEMAN, GEORGE H.

ZERWECK, W. See HENTRICH, W.

ZIMMERMANN, FRIEDRICH.

1512. CP 372,491 (1938).

1513. GP 700,909 (1940).



NUMERICAL PATENT LIST

Arranged Alphabetically by Countries and in Order of Patent Numbers

AUSTRALIAN PATENTS	Reference Numbers	BRITISH PATENTS (Cont'd)	Reference Numbers
8103/32	1405	346,039	421
8210/32	594	347,222	278
20,955/34	1132	347,451	357
		349,004	383
		356,192	362
AUSTRIAN PATENTS		358,508	360
99,430	885	361,900	1203
114,042	396	364,046	1414
114,458	397	365,243	422
118,940	398	366,090	423
123,423	399	367,913	319
123,881	437	368,179	807
124,284	438	374,928	186
139,130	1348	383,403	439
146,198	732	389,860	638
151,988	512	391,141	307
		396,094	301
BELGIAN PATENT		399,838	1282
379,339	1281	399,952	1395
		403,957	103
BRITISH PATENTS		406,079	304
10,379	2	407,359	440
13,071	833	407,691	595
19,688	1	407,708	506
190,039	1036	413,445	882
173,536	327	413,529	883
191,793	890	413,537	184
221,599	69	419,179	631
225,262	839	423,462	1451
230,203	1288	424,372	302
235,914	952	426,051	305
235,915	976	428,542	70
236,218	976	429,615	838
238,287	328	431,064	597
240,856	379	431,945	300
247,242	781	436,327	563
249,830	187	437,151	810
253,993	842	442,525	350
257,644	1213	452,656	813
261,241	843	457,119	344
283,092	740	458,179	845
274,425	459	463,544	282
285,825	480	467,044	36
295,742	461	493,764	341
297,484	377	494,766	1200
298,638	400	496,290	30
299,055	462	500,197	237
301,421	977	500,358	530
303,092	463	503,430	736
309,610	375	506,308	1199
310,815	374	507,221	238
310,825	401	512,691	238
312,163	394	520,066	293
313,043	1167	528,752	540A
318,771	615		
319,900	402	CANADIAN PATENTS	
319,987	403	247,378	1257
317,525	530	261,810	1342
321,788	289	275,901	912
324,041	371	280,549	465
324,962	464	292,391	973
325,910	372	292,418	1243
326,137	494	338,896	5
326,451	495	338,897	927
326,567	406	354,650	1226
326,893	381	357,959	578
327,009	1164	372,491	1512
330,598	497		
330,893	408	DUTCH PATENTS	
330,894	499	20,528	432
331,596	363	20,570	433
333,661	410	21,982	384
333,583	411	25,565	441
333,584	412	42,418	57
334,886	413	48,083	55
335,547	414		
337,808	415	FRENCH PATENTS	
337,823	416	35,174	369
337,832	417	37,924	442
338,126	418	39,013	424
340,318	419	39,334	443
340,319	420	39,337	444

GERMAN PATENTS (Cont'd)	Reference Numbers	GERMAN PATENTS (Cont'd)	Reference Numbers
40,647	445	409,510	1231
42,286	446	411,345	489
43,866	527	416,706	1038
518,821	329	419,463	1259
545,930	1270	419,464	1365
581,937	330	421,100	1280
605,552	752	430,188	77
625,380	741	442,901	473
635,973	466	449,126	474
636,434	467	450,418	475
646,478	468	460,545	873
651,846	469	468,914	1356
654,416	385	469,054	878
654,712	470	469,256	643
661,727	471	470,458	1137
661,931	472	481,879	1138
662,431	373	484,995	1237
664,151	828	485,059	1212
670,674	425	485,101	1357
675,413	395	488,573	742
677,340	1388	485,646	641
681,795	426	488,138	868
684,447	386	485,307	188
685,123	427	490,221	1400
686,721	428	496,281	388
688,418	279	500,333	642
694,994	364	501,135	815
696,326	1204	502,600	1242
699,410	273	502,256	1465
700,870	429	504,388	1390
702,703	387	508,085	1355
707,840	430	506,770	1383
709,010	184	506,987	867
711,290	1337	506,988	730
713,082	1335	506,989	1457
717,976	431	507,097	1358
718,280	824	512,871	1282
725,537	361	513,387	1463
726,111	359	513,388	1464
735,959	1336	513,632	829
738,182	195	515,956	899
768,192	447	520,184	1461
759,662	532	520,330	1245
760,352	637	521,205	870
766,051	353	522,824	833
760,945	533	524,590	879
767,044	391	524,624	855
774,692	884	528,611	1185
785,481	1050	527,267	366
791,172	851	528,704	1360
795,688	1128	530,219	1466
796,103	602	530,331	1392
798,784	162	532,304	925
800,498	1250	534,338	1393
802,866	1255	534,676	1239
803,509	392	535,151	1462
804,545	393	535,152	1458
805,545	346	536,554	448
805,750	58	537,024	509
807,769	347	537,768	449
810,421	1201	538,182	450
810,522	1205	540,208	451
814,435	343	541,279	1361
815,634	524	541,629	452
816,921	58A	542,067	453
817,182	525	542,068	454
818,994	526	542,069	1455
842,307	254	544,293	455
842,975	518	545,740	1248
844,708	280	546,097	683
848,003	539A	547,057	684
874,360	737	548,091	1247
		548,822	1453
		550,961	358
		551,513	634
		552,850	1248
		562,672	1202
		576,411	953
		581,990	456
		583,344	939
		588,851	580
		595,108	457
		598,489	1133
		627,144	540
		653,089	1264
		669,541	71
		670,533	1244
		675,972	1159
		692,650	891
		699,632	1442
		700,909	1513
		701,075	83

JAPANESE PATENTS	Reference Numbers	U. S. PATENTS (Cont'd)	Reference Numbers
78,953	1298	1,764,792	746
81,194	809	1,766,819	639
128,957	1040	1,786,172	1195
		1,787,535	916
RUSSIAN PATENT		1,789,555	1218
4,555	604	1,791,429	1183
		1,794,046	1474
SWEDISH PATENTS		1,797,577	994
59,941	936	1,808,893	673
60,110	10	1,813,109	48
80,538	11	1,815,816	1473
89,021	321	1,816,441	1085
		1,819,399	1475
SWISS PATENTS		1,825,729	652
101,949	37	1,841,458	1386
125,159	743	1,842,993	909
134,012	434	1,843,332	908
135,166	435	1,851,007	1430
142,372	176	1,854,948	928
148,330	436	1,873,699	881
162,058	534	1,880,566	1458
165,080	535	1,884,367	1397
193,031	536	1,885,292	1166
168,032	537	1,901,060	585
165,377	538	1,903,864	680
167,697	539	1,908,890	1459
184,004	452	1,907,493	121
196,673-7	523	1,910,458	1460
201,549	622	1,910,928	1394
202,723-25	520	1,912,814	1404
206,359	529	1,915,922	192
208,872	528	1,917,463	1228
		1,921,364	871
UNITED STATES PATENTS		1,921,928	757
20,869 (Reissue)	107	1,923,223	872
22,217 (Reissue)	1083	1,924,507	897
369,739	1213A	1,932,595	1035
387,579	245	1,942,532	1027
929,527	1501	1,948,894	1468
1,019,906	992	1,961,840	55
1,085,783	40	1,982,109	18
1,097,408	317	1,982,276	731
1,216,358	1101	1,971,436	1454
1,381,580	1049	1,972,961	1408
1,445,276	823	1,975,408	1240
1,460,289	1039	1,977,412	1341
1,494,035	1416	1,982,358	1311
1,515,122	1417	1,986,044	178
1,559,122	1343	1,986,218	1135
1,562,510	874	1,990,422	1480
1,573,490	622	1,992,160	1397
1,591,902	1469	1,993,040	1227
1,594,831	1209	1,994,002	966
1,594,832	1210	1,994,467	500
1,610,167	1261	1,995,247	636
1,611,119	882	2,000,304	4
1,613,402	913	2,005,797	998
1,615,843	744	2,006,456	747
1,619,529	1021	2,008,095	196
1,620,587	1490	2,010,443	1293
1,630,836	267	2,011,428	1444
1,634,790	983	2,011,765	738
1,634,791	978	2,014,077	1492
1,634,792	979	2,017,594	584
1,634,793	980	2,017,595	582
1,634,794	994	2,019,121	277
1,645,791	136	2,024,027	260
1,645,792	137	2,024,098	674
1,645,852	138	2,030,093	107
1,655,540	606	2,037,437	1208
1,658,596	574	2,037,718	598
1,682,975	958	2,040,039	142
1,688,597	1124	2,043,941	1489
1,694,219	745	2,044,934	161
1,707,181	1467	2,044,959	1402
1,707,727	769	2,045,925	1136
1,716,273	749	2,046,128	635
1,719,523	1351	2,046,725	1320
1,725,656	844	2,057,044	940
1,727,305	993	2,062,911	785
1,732,240	945	2,067,532	748
1,734,519	821	2,070,352	72
1,734,632	875	2,070,353	73
1,738,280	154A	2,070,603	793
1,739,840	780	2,070,634	1472
1,744,324	934	2,073,316	1052
1,744,633	640	2,075,295	866
1,748,579	972	2,075,359	1225
1,748,580	981	2,076,364	180
1,748,833	130	2,077,478	711
1,748,675	877	2,077,479	710
1,755,178	592	2,077,960	1284
1,757,222	1241	2,080,770	675
1,758,734	917	2,086,048	1114
1,788,936	291	2,087,759	1139
1,791,144	999	2,093,778	818
		2,094,831	1473

U. S. PATENTS (Cont'd)	Reference Numbers	U. S. PATENTS (Cont'd)	Reference Numbers
2,095,939	1438	2,210,900	207
2,095,940	1440	2,212,559	1389
2,095,941	1441	2,212,556	122
2,096,414	1439	2,213,119	123
2,097,136	1306	2,213,156	690
2,097,137	1300	2,213,214	690
2,097,435	38	2,213,215	681
2,097,441	141	2,213,216	692
2,098,204	1095	2,213,217	695
2,098,759	1140	2,213,218	693
2,099,826	1232	2,213,219	696
2,100,483	1325	2,217,358	241
2,101,687	853	2,217,611	90
2,101,648	600	2,217,612	91
2,101,649	601	2,217,613	96
2,101,704	271A	2,217,614	97
2,103,195	760	2,217,615	98
2,103,727	563	2,217,673	216
2,107,293	792	2,218,019	222
2,110,614	1433	2,218,020	225
2,110,696	1435	2,220,521	689
2,110,697	1436	2,220,834	151
2,111,679	1434	2,220,835	152
2,112,381	1222	2,221,771	14
2,114,577	1265	2,221,818	1301
2,115,040	1310	2,221,819	1307
2,121,036	964	2,221,820	1306A
2,121,039	965	2,221,931	1411
2,122,781	1223	2,222,486	1000
2,123,196	314	2,223,329	1018
2,123,854	970	2,223,363	499
2,124,400	675	2,223,693	900
2,127,090	1317	2,224,243	109
2,127,375	104	2,225,573	1389
2,128,195	1306	2,225,618	128
2,129,025	1100	2,225,619	129
2,129,284	1483	2,226,672	1318
2,130,435	1359	2,227,058	99
2,130,525	226	2,227,059	100
2,130,526	228	2,227,060	101
2,130,527	229	2,227,061	102
2,130,947	173	2,227,215	145
2,133,972	227	2,228,170	794
2,134,001	968	2,229,010	125
2,134,556	667	2,232,433	94
2,135,391	490	2,232,434	93
2,139,540	502	2,234,361	1017
2,140,481	1200	2,235,813	666
2,155,010	505	2,237,356	948
2,155,356	126	2,239,079	213
2,158,657	280	2,239,080	221
2,158,658	231	2,239,495	92
2,158,659	232	2,239,496	652
2,158,960	233	2,239,832	1313
2,159,025	694	2,243,207	651
2,161,558	212	2,243,479	688
2,164,355	1299	2,244,308	1018
2,166,118	1224	2,244,309	1019
2,166,119	105	2,244,712	816
2,173,366	1431	2,246,924	1082
2,181,100	1300	2,247,492	1060
2,185,183	219	2,247,494	1089
2,185,185	208	2,249,134	669
2,185,207	883	2,249,135	670
2,165,208	864	2,254,009	668
2,189,570	1235	2,254,665	1126
2,191,299	1324	2,257,711	206
2,191,300	1315	2,259,869	12
2,191,301	1314	2,261,077	262
2,192,197	969	2,261,764	997
2,192,347	700	2,261,765	988
2,192,894	174	2,261,766	989
2,192,906	624	2,261,787	990
2,192,927	1015	2,261,856	995
2,194,075	1191	2,261,857	996
2,194,517	106	2,262,907	719
2,194,624	234	2,262,931	140
2,197,249	197	2,263,471	1368
2,197,624	722	2,268,541	316
2,198,375	139	2,269,543	653
2,199,389	127	2,269,544	687
2,200,603	676	2,269,545	836
2,200,564	1236	2,269,547	654
2,201,103	274	2,269,550	1193
2,201,156	217	2,290,710	1141
2,201,157	223	2,290,861	771
2,201,158	224	2,291,192	1321
2,203,919	1032	2,291,193	1322
2,204,009	147	2,291,194	1323
2,204,511	1127	2,291,526	148
2,204,565	124	2,291,527	149
2,205,232	1404	2,291,528	150
2,205,392	213	2,292,756	619
2,205,393	214	2,292,966	665
2,205,394	215	2,293,025	50
2,207,721	209	2,293,034	967
2,209,184	95	2,293,035	1189

U. S. PATENTS (Cont'd)	Reference Numbers	U. S. PATENTS (Cont'd)	Reference Numbers
2,293,255	589	2,302,388	697
2,293,256	591	2,302,605	1266A
2,293,309	1194	2,303,653	211
2,293,472	1190	2,303,693	790A
2,294,299	699	2,303,765	1188
2,297,728	1387A	2,304,156	313A
2,298,681	210	2,304,230	32E
2,299,834	901	2,304,369	1013
2,300,006	1113	2,304,821	630
2,300,588	1006	2,304,830	771A
2,300,597	1192	2,305,558	1195
2,300,599	1275	2,305,593	39
2,300,611	193	2,305,751	1448A
2,302,384	721A	2,306,338	698





